# **STRATFORD**

Price and Specification Guide **USA** 

# vizient<sub>m</sub>



krug

Advancing Design Through Innovation

### GENERAL INFORMATION

### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

### **Customer Service Hours**

Please note customer service hours are: 8:30 am to 5:00 pm est

### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

### **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point,

as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the p oduct
- negligence, misuse, excessive use, alteration, imp oper cleaning or repair
- substitution or use of incor ect or unauthorized components or material
- handling or installation that is incor ect, or that causes damage or defect
- damage incur ed by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in material (including dye lot variations)
- p operties of natural materials, including wood and leather
- exposu e to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

### Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors two (2) years
- b) Mechanical components such as crank drives, spindles five ( years
- c) Structural components such as J-channels, feet and top supports ten (10) years

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

### **Testing**

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.

# .

### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

### **Installation Support**

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

### GENERAL INFORMATION

### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

### Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized. Please contact Customer Service for specifications or any other assistance regarding export packaging.

### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. 5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where redelivery is necessary because of these circumstances, the full cost of redelivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. Additional costs for partial shipment of orders are the responsibility of the customer, and will be added to invoices. This includes any part shipment costs due to delays from textile suppliers. Additional costs for partial order shipments

### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

will normally not be assessed if there is a delay caused by Krug.

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

### **Care and Maintenance**

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

### Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

### **Program Details**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available readyto-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress".



# KRUG TEXTILES | LUXE | FAUX LEATHER

### Krug Textiles - Leather Program

Grade	8
-------	---

Black K13.1000 Graphite K13.4000 Stone K13.3000 Espresso K13.8000 Sand K13.5000 White K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

### Krug Textiles - Faux Leather Program

### Grade 2

White	Taupe	Bisque	Wine	Sprig	Lagoon
Cream	Mocha	Chocolate	Garnet	Chinchilla	Pacific Blue
Parchment	Tan	Black	Rust	Steel	Navy
Sandstone	Chestnut	Earth	Citron	Grey	Plum
\/::!!!-		Datala		•	

## GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

### **Special Conditions**

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

### TACKBOARD FABRICS

### KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

### KRUGEXPRESS

### **PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available readyto-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any

circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress". \*Some conditions apply. Please note PALETTE finishes a e not available on KrugExpress.

### **CASEGOODS PROGRAM**

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

### CUSTOMER'S OWN MATERIAL - C.O.M.

### **Customer's Own Material (COM)**

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is app oximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have -been provided. COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures For tackboard COM fabrics, please send

fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

**Attention: RECEIVER** 

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

### **LAMINATES**

### **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

### **IN-STOCK LAMINATES**

<b>Wood Grain Laminates</b>	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne Hardrock Maple Dune Copper Shiraz Cherry	Tafisa T492CR Formica 86992-58 Tafisa T491CR Tafisa T521CR Tafisa T472CR	Gingerbread Portobello Ash Willow Solid Laminates	Tafisa T556UR Tafisa T557UR Tafisa T535AT Tafisa T543AT
Park Avenue Walnut Chocolate Nutmeg Dark Walnut	Wilsonart 7984–38 Tafisa T498CR Tafisa T477CR Tafisa T469CR	Designer White Platinum Earth Charcoal	Wilsonart D354-60 Tafisa T202CR Tafisa T767CR Tafisa T228CR

### **PHASE OUT LAMINATES**

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

# **STRATFORD** | TABLE OF CONTENTS

575 LEED CI Credit Summary

575 level® Certification, Air Emissions and FSC Certification

576 General Product Specification

577 Finishes

577 Edge Detail Profile

578 Profiles & Overhang

581 Drawer Pulls & Lock

582 Grommets

583 Laminate Worksurfaces

584 Non-Standard Product Guidelines for Pricing

585 Desk Specification

585 Credenza Specification

586 Overhead & Hutch Specification

587 Installation

588 Sample Configuration

589 Desks

593 Returns

595 Linking Units

595 Corner Units

596 Credenzas

600 Overheads

600 Overhead Tackboards

601 Hutches

603 Hutch Tackboard Upcharges

604 Keyboard Tray & Cable Management

605 Modular Components

615 Bookcases


616 Storage

620 Reception

# **STRATFORD CASEGOODS** | ENVIRONMENTAL SUMMARY

### **LEED CERTIFICATION**





PRE-CONSUMER RECYCLED CONTENT - 77%

POST-CONSUMER RECYCLED CONTENT - 2.5%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED )	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished p oduct occurs within 500 miles of Kitchener, Ontario.



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Stratford products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Stratford products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



he mark of responsible forestr

# AIR-EMISSIONS

All Stratford products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Stratford and other Krug products can be specified with one of two types of FSC® Certification: (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

(b)FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **STRATFORD | GENERAL PRODUCT SPECIFICATIONS**

### **WORKSURFACES**

Tops are made of 1 1/4" - 42 lbs. per cubic foot density particle board core with face and back veneers. All edges have 1 1/8" wide 1" thick solid Cherry or Walnut headers.

### **DRAWER FRONTS AND DOORS**

48 lbs. per cubic foot density Medium Density Fiberboard with face and back veneer.

### GABLES

Gables are 3/4" or 1 1/8" thick - 45 lbs. per cubic foot density particleboard core, 3 ply. Edges are banded with veneer. Bottom edges of 1 1/8" gables are banded with polyvinyl chloride edge banding.

### **VENEER**

External face veneers are flat sliced Black Walnut or Cherry bookmatched and of uniform color and grain pattern.

### **SOLIDS**

All solids used shall be American Black Walnut or Cherry kiln-dried by the manufacturer to a 6% moisture content

### **FINISH**

All surfaces to be finished are well sanded before applying finish materials. The procedure begins with the application of a base color via a Non-Grain Raising stain. Next a wash coat is applied to seal the NGR stain and ensure an even colored finish. The a filler coat is applied and hand wiped to fill the open pores in the wood surface and further enhance the depth color. A sealer is applied and scuff sanded to prepare the surfaces for the top coat (finish). The final procedure is to apply a coat of 52° sheen catalyzed varnish to protect the surfaces and add luster.

### LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers. Locks are optional on door fronts and must be specified at time of order. Locks are not available on glass doors.

### **DRAWERS**

Box drawers have ball bearing movement, full extension slides with urethane cushioned stops and hold-in catch. Box drawers have a load bearing capacity of 100 lbs. per drawer. File drawers have progressive action ball bearing full-extension slides with urethane cushioned stops and hold-in catch. File drawers have a load bearing capacity of 100 lbs. per drawer. Lateral file drawers have full-extension slides with over-travel ball movement slides with urethane cushioned stops. Lateral file drawers have a load bearing capacity of 150 lbs. per drawer. All drawer slides allow for easy removal of the drawers. All drawer interiors are birch veneer. All file drawers are equipped for letter and legal filing. All desks with the center drawer option include a matching pencil tray in the center drawer. All standard desks with 2 box 1 file pedestals are specified without a center drawer option include one matching pencil tray.

### **BASE MOLDING**

The base moldings are made of profiled solid Black Walnut or Cherry.

### **GLIDES**

Glides are provided for every case and allow for 1 1/2" of adjustment.

### HINGES

Doors have European style hinges with a 95° opening.

### **PULLS**

Three pull options are available, please specify at time of order.

### **TESTING INFORMATION**

Stratford desks, credenzas, hutches, link units, and returns meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012.



### **WOOD FINISHES**

Standard wood finishes are:

SPECIES	FINISH
Cherry	Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry
Walnut	Natural Walnut Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% net to your order for special finishes, minimum charge is **\$552 list** per finish per order. (For example, on all orders up to \$5115 list, an **upcharge of \$552** will apply, on orders \$5115 and up add 10% net to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

Since wood is a natural product, some variations in grain, color, and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **DUAL FINISH**

Add 10% net per item if specifying dual finish.

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Copper on Cherry Shiraz Cherry Park Avenue Walnut Chocolate on Walnut Nutmeg on Walnut Dark Walnut

# **STRATFORD** | EDGE PROFILES



### **PROFILE - STANDARD**

The standard edge detail is included on the following Stratford products:

- -desks
- -linking units
- -credenzas
- -returns
- -corner units
- -30" high and 57" high bookcases
- -modular TP and TPR tops
- -30" high freestanding storage
- -occasional tables
- -conference tables



### **PROFILE - INVERTED**

The inverted edge detail is included on the following Stratford products:

- -hutches
- -wall mounted overheads
- -71" high bookcase
- -modular TPI tops
- -71" high and 84" high freestanding storage
- -visual boards

# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.



Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"

user 3/4" guest 1 1/2"

Picture Frame: on end panels, modesty panel and pedestal backs



Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2" right 1 1/2" user 3/4" guest 7 1/2"

Picture Frame: on end panels, modesty panel and pedestal backs

### **TABLE DESKS**

Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"
user 3/4"
guest 1 1/2"

Picture Frame: none

### **BULLET AND P DESKS**

Profile Location: profile on all sides
Profile Direction: standard
Overhang: end panel 1 1/2"

Overhang: end panel 1 <sup>-</sup> Picture Frame: on end panel

### **RETURNS**

Profile Location: profile on all four sides, coved

Profile Direction: standard

Overhang: end panel 1 1/2" user 3/4"

guest 1 1/2"

Picture Frame: on end panel, modesty panel and pedestal back





# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.



### **LINK UNITS AND LINK TOPS**

Profile Location: profile on guest and suer sides, cover on connecting ends

Profile Direction: standard

Overhang: guest 1 1/2" Picture Frame: on modesty panel



### **CORNER UNITS**

profile on outside and user sides, coved on connecting ends Profile Location:

Profile Direction: guest 1 1/2" Overhang:

Picture Frame: on both outside panels



### **CREDENZAS**

Profile Location: profile on left, right and user side, flush on back edge

Profile Direction: standard Overhang: left

1 1/2" right 1 1/2" 3/4" user 1/8" back

Picture Frame: on left and right panels



### **OVERHEADS**

Profile Location: inverted profile left, right, and user side, flush on back edge

Profile Direction: inverted

Overhang: left 1" right

user 3/4" back

Picture Frame: none

Please specify if flush sides are necessary for the purpose of ganging overheads at time of order. Upcharge for

this option is \$212 list.

# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.





### **HUTCHES**

Profile Location: inverted profile on left, right, and user side, flush on back edge

Profile Direction: inverted

Overhang: left 1"
right 1"
user 3/4"

Picture Frame: none





### **BOOKCASES AND FREESTANDING STORAGE (30" HIGH ONLY)**

flush

back

Profile Location: profile on left, right, and user side, flush on back edge

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"

user 3/4" (if unit has doors or drawers)


1 1/2" (if unit is open)

back flush

Picture Frame: on left and right panels

Bookcases have non-shown wood backs, finished color.

Freestanding and modular storage have non-shown wood veneer, finished and top coated backs.





### BOOKCASES AND FREESTANDING STORAGE (57", 71" AND 84" HIGH)

Profile Location: profile on left, right, and user side, flush on back edge

Profile Direction: inverted
Overhang: left 1"
right 1"

user 3/4" (if unit has doors or drawers)

1 1/2" (if unit has doors or drawer

back flush

Picture Frame: none

Bookcases have non-shown wood backs, finished color.

Freestanding and modular storage have non-shown wood veneer, finished and top coated backs.

# **STRATFORD | DRAWER PULLS & LOCKS**

Stratford traditional series offers a choice of three pull combinations as described below.

Please indicate a pull designation for every Stratford product on your order. There is no default selection and orders will not be processed until a pull selection is received.

### **DEVON**

Drawers are furnished with an arced Devon bail finished in antiqued brass and mounted with rosettes. Bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### **CANTERBURY**

Drawers are furnished with a Canterbury bail finished in antiqued brass and mounted with rosettes. Bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### **AVON**

All drawers, bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### LOCKS

Locks are provided as a standard features on all pedestal drawers, including those in desks, credenzas and freestanding or modular storage units. All lock plugs have an antiqued brass finish.

Optional locks are available orbookcase, hutch and overhead doors at an upcharge of \$142 list per set of (2) doors. Please specify at time of order. If a hutch or overhead has an uneven amount of doors the single lock required is also \$142.

### **LOCK LOCATIONS**


Desk Pedestals: Lock plugs are located in the kneespace of all desks, with the exception of desks with the center drawer option where the central locking system lock plug is located on the center of the drawer front.

Hutches and Overheads: Lock plugs are located on the lower inside corner of the doors.

Bookcase Doors: Lock plugs are located on the top inside corner of the door.

Suites can be keyed alike at no upcharge, please specify on your purchase order.

# **STRATFORD | GROMMETS**



### **GROMMETS**

All products may be specified with either one black grommet or one brass grommet in a standard position at no upcharge. A \$142 list upcharge will apply to additional grommets in standard positions and for grommets in non-standard positions a \$142 list upcharge will apply.

The grommet position must be indicated for each case on the purchase order.


Standard Grommet

Black, rectangular, 4 1/8" x 2 11/16"

**Antiqued Brass Grommet** 


2 5/8" x 1 1/2"


Grommets can also be field installed with power drill, 2 1/4 hole saw and rasp or saber saw. Template for drilling is available.



### STANDARD GROMMET POSITIONS

### **Desks**





### 30" and 36" Deep Desks:

Position Code:

AL - left corner

BL - left end beside pedestal gable

C - center BR - right end beside pedestal gable

AR - right corner

### 42" Deep Desks:

Position Code:

AL - left corner

BL - left end beside pedestal gable

BR - right end beside pedestal gable

AR - right corner

### **Curvilinear Tops**



### Linking Units, Credenzas & Returns



Position Code:


C - center

This key applies to all bullet and P shaped tops. The support panel is notched out to accommodate cable management and also allows the installation of a pop-up power grommet.

Grommets cannot be located over pedestals on 20" or 24" units

NOTE: 'BL' and "BR' are only available on 42" on longer.

# **STRATFORD | GROMMETS & LAMINATE WORKSURFACES**



mounted in a hutch back panel



used as a surface grommet


### **POWER / DATA / VOICE GROMMET**

This unit is supplied in the wired hutches or can be ordered a surface mount power/data/voice option as a 98PDVM.

Black, rectangular with recessed cover. Includes two power outlets, one voice port, and one data port.

POWER DETAILS: two Simplex outlets 15 Amp, 10 ft. cord

COMMUNICATION DETAILS: one RJ11 phone line coupler one RJ45 data coupler




### WIRE MANAGEMENT CUT-OUT AND HINGED MODESTY PANELS

Returns, link units and credenzas with fixed modesty panels can be specified with an 8" x 1 1/2" wire management cut-out. All hinged modesty panels feature a cut-out as a standard.

The discreet cut-out allows for clean and easy access to power, data and communication sources.

# **STRATFORD** | LAMINATE WORKSURFACES



### LAMINATE WORKSURFACES

Laminate worksurfaces are available at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates).

Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops.

Where there are flush edges, as in the backs of link units, there will be laminate self edges. Please reference the illustration.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include laminate name.

When specifying laminate worksurfaces, the grain direction is such that the grain pattern runs the length of each surface, as shown in the diagram on the left.

Please contact Krug Customer Service for questions pertaining to laminate grain direction.

# STRATFORD | NON-STANDARD PRODUCT GUIDELINES FOR PRICING

### **PRICING METHOD**

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (but same depth). For example: The required custom dimension is 74" x 24". The first standard size above this is 78" x 24", so in this case, you would apply the price of the 78" x 24" unit.

Custom depths: Apply the price for the same unit one size deeper (but same width).

For example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case, you would apply the price of the 72" x 30" unit.

Custom width & depths: Apply the price for the same unit both one size wider and one size deeper.

For example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case, you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18%. (31-32" HI)

### OTHER PRICING METHODS

cases where tops are flush left/right or both, add:	\$112 ist
Grommets in non-standard positions, add:	\$142 list
To remove hutch or overhead doors, deduct:	4% list
convert 5-hi hutch to 6-hi hutch, add:	20% list
Bookcases with optional pull out printer shelf at standard shelf height, add:	\$221 list
Bookcases with optional vent in back (includes 2 vents and 1 grommet), add:	\$281 list
storage units flush, add:	\$185 list
2 lateral file and 3 or 4 closed shelves - convert to half open, half closed shelves, add:	15% list
2 lateral file and 3 or 4 closed shelves - convert to half open, half wardrobe, add:	15% list
To remove storage doors for open shelves, <b>deduct:</b>	4% list

### **EXCEPTIONS TO THE PRICING METHODS ABOVE**

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.


A/V cabinets.


Any case with flipper doors.

Please contact Specials Coordinator or Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.







### **Breakfront Modesty Panel**

All single pedestal and double pedestal desks have a breakfront modesty panel on the guest side of the desk. The dimension of recess is 4 1/2".

### **Oversized Top Option**

The oversized top option increases the overhang on the left and right sides of desks to 4 1/2" on each end, the guest and user side overhang remain unchanged.

### **Center Drawer Option**

Desks specified with the optional locking center drawer include the following features:

- center drawer lined with burgundy felt and a pencil tray.
- a pull out dictation slide in each pedestal
- a central locking system activated by a single lock located on the center drawer front Recent modifications:
- dictation slides are flush with drawer fronts and feature molding detail
- center drawer extends to underside of top with the lock on the drawer front


### **Chassis Dimensions**

Please use the reference chart below to determine chassis dimensions, top dimensions, and overhang dimensions for all desk sizes:

Desk	Chassis	Left	Right	Guest	User
	dimension	overhang	overhang	overhang	overhang
60" x 30"	57" x 27"	1 1/2"	1 1/2"	1 1/2"	3/4"
66" x 30"	63" x 27"	1 1/2"	1 1/2"	1 1/2"	3/4"
66" x 36"	63" x 27"	1 1/2"	1 1/2"	7 1/2"	3/4"
72" x 36" (oversized top)	63" x 27"	4 1/2"	4 1/2"	7 1/2"	3/4"
72" x 36"	69" x 27"	1 1/2"	1 1/2"	7 1/2"	3/4"
78" x 36" (oversized top)	69" x 27"	4 1/2"	4 1/2"	7 1/2"	3/4"
78"x 42"	75" x 33"	1 1/2"	1 1/2"	7 1/2"	3/4"
84" x 42" (oversized top)	75" x 33"	4 1/2"	4 1/2"	7 1/2"	3/4"
84" x 42"	81" x 33"	1 1/2"	1 1/2"	7 1/2"	3/4"

Dimensions have been rounded to the nearest 1/4", please contact Customer Service for exact measurements.

# **STRATFORD** | CREDENZAS



### **Oversized Top Option**

The oversized top option increases the overhang on the left and right sides of credenzas to 4 1/2" on each side, the guest and user side overhang remain unchanged. When using a hutch and credenza combination, we do not recommend specifying a hutch greater in size than the standard chassis size of the credenza. The left/right extensions on the oversized top should not be used for the support of a hutch.

### **Chassis Dimensions**

Please use the reference chart below to determine chassis dimensions, top dimensions, and overhang dimensions for all desk sizes:

	Credenza	Chassis	Left	Right	Guest User
	dimension	overhang	overhang	overhang	overhang
66" x 20"	63" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
72" x 20" (oversized top)	63" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
66" x 24"	63" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
72" x 24" (oversized top)	63" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
72" x 20"	69" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
78" x 20" (oversized top)	69" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
72" x 24"	69" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
78" x 24" (oversized top)	69" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
78" x 20"	75" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 20" (oversized top)	75" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
78" x 24"	75" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 24" (oversized top)	75" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
84" x 20"	81" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 24"	81" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"

Dimensions have been rounded to the nearest 1/4", please contact Customer Service for exact measurements.

# **STRATFORD | OVERHEADS & HUTCHES**



### **OVERHEADS**

Overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted tackboard conceals the cord from view.

Tackboards must be ordered separately and can be specified in any fabric grade (1-9). Wall mounted tackboards for overheads are supplied with all necessary hardware for installation.

Locks are optional on overheads and can be specified at time of order for an upcharge of \$142 list per set of (2) doors.



### **HUTCHES**

Hutches include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view.

A tackboard in grade 1 fabric is included with most hutches, see the hutch product section for specific products. Upcharges for higher graded fabrics are listed on page 603. Tackboard fabric selections should be supplied with the order information, fabric options are listed on page 4 of this price guide.


Tackboards for hutches are installed at the factory and require no additional set up on site.



### POWER/DATA/VOICE GROMMET

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.

### INSTALLATION



Hutch and overhead installation instructions are included with ever case, but basic installation instructions can be found in this guide on page 586. All required mounting hardware is included with all hutches.

# **STRATFORD** | INSTALLATION

### CONNECTING WORKSURFACES

It is important that the product is in its final position and the primary worksurface is leveled before connecting other joining pieces.

Detailed installation instructions are included with each unit, or available from Krug Customer Service.

Units are connected with mending plates under worksurfaces, and linking brackets on modesty and end panels. Locate connections and attach the mending plate under the worksurface. Level pieces if necessary by adjusting the glides to achieve flush and firm joints before completing installation of all hardware

# PRESS DOWN RIGHT SIDE LIFT UP LIFT SIDE RELEASE LEVER DRAWER SLIDE DRAWER SIDE

### **DRAWER REMOVAL**

To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on left side lever at the same time. Continue pulling the drawer out of the case.

### **GLIDE ADJUSTMENTS**


Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glides is 1/2".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage to the case.

### **BOOKCASE OR HUTCH DOOR ADJUSTMENT**


Hinges on all hutch and bookcase doors are designed to be adjusted fro depth, horizontal and vertical adjustment by means of screws into the hinge mounting plates.



 $_{\mbox{\scriptsize RELEASE}}$  To remove a door, pull the release clip away from the case, disconnecting the hinges.


### **OVERHEAD INSTALLATION**

The wall mounted overhead storage units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted. Measure the stud center line location and use this measurement to mark the hole locations on the mounting rail and the overhead back. Drill clearance holes at the hole locations. Hole requirements will depend on the fasteners chosen by the installer. 2 1/2" x #10 wood screws are adequate if going into wood studs. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. We recommend 2 fasteners per stud.




Fasten the mounting rail to the wall ensuring that it is level. Hang the overhead on the mounting rail and then fasten it to the wall. This prevents accidental removal and also allows for some leveling adjustment.


# **STRATFORD** | SAMPLE CONFIGURATIONS



TOTAL		\$13,362	
Desk Hutch Credenza	98D72364L0RF 98HT721640 98C72244LDRF	4256 4406 4700	
	Model	Cherry Walnut	




	Model		
Desk	98TD7236	4213	
Overhead	98OH7216	2449	
Tackboard	98TBOH72	442	
Credenza	98C72244LDRF	4700	
Flush Left	option	112	
Storage	98WR30247101	4190	
TOTAL		\$16,106	



	Model		
Desk	98D72364L0RF	4256	
Link Unit	98LU4224H	1678	
Hutch	98HT721640	4406	
Credenza	98C72244LDR0	4371	
TOTAL		\$14,711	






	Model		
Return	98BR6030	1854	
Credenza	98C7220LFR0	4096	
Flush Right	option	112	
Storage	98ST30207103	4829	
TOTAL		\$10,891	

		Cherry					Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
Double Pedestal Desk	98D60304LDRD	5466	59.75	29.75	30.5	25.5	273	42
	98D60304LDRF	5466	59.75	29.75	30.5	25.5	273	42
A TIN	98D60304LFRD	5466	59.75	29.75	30.5	25.5	273	42
	98D60304LFRF	5466	59.75	29.75	30.5	25.5	273	42
	98D66304LDRD	5497	65.75	29.75	30.5	31.5	280	46
	98D66304LDRF	5497	65.75	29.75	30.5	31.5	280	46
	98D66304LFRD	5497	65.75	29.75	30.5	31.5	280	46
	98D66304LFRF	5497	65.75	29.75	30.5	31.5	280	46
	98D66364LDRD	5525	65.75	35.75	30.5	31.5	295	55
40	98D66364LDRF	5525	65.75	35.75	30.5	31.5	295	55
guest side of a 36"	98D66364LFRD	5525	65.75	35.75	30.5	31.5	295	55
deep desk**	98D66364LFRF	5525	65.75	35.75	30.5	31.5	295	55
deep desk	98D72364LDRD	5605	71.75	35.75	30.5	37.5	310	60
	98D72364LDRF*	5605	71.75	35.75	30.5	37.5	310	60
	98D72364LFRD	5605	71.75	35.75	30.5	37.5	310	60
	98D72364LFRF	5605	71.75	35.75	30.5	37.5	310	60
	98D78424LDRD	5733	77.75	41.75	30.5	43.5	327	72
	98D78424LDRF	5733	77.75	41.75	30.5	43.5	327	72
	98D78424LFRD	5733	77.75	41.75	30.5	43.5	327	72
	98D78424LFRF	5733	77.75	41.75	30.5	43.5	327	72
	98D84424LDRD	5861	83.75	41.75	30.5	49.5	337	78
	98D84424LDRF	5861	83.75	41.75	30.5	49.5	337	78
	98D84424LFRD	5861	83.75	41.75	30.5	49.5	337	78
	98D84424LFRF	5861	83.75	41.75	30.5	49.5	337	78

### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Double Pedestal Desk with Center Drawer Option



98D60304LFCDRF	5807	59.75	29.75	30.5	25.5	303	42
98D66304LFCDRF	5858	65.75	29.75	30.5	31.5	310	46
98D66364LFCDRF	5900	65.75	35.75	30.5	31.5	325	55
98D72364LFCDRF*	5999	71.75	35.75	30.5	37.5	340	60
98D78424LFCDRF	6144	77.75	41.75	30.5	43.5	357	72
98D84424LFCDRF	6291	83.75	41.75	30.5	49.5	367	78

### **ORDERING NOTES:**

The center drawer option includes:

- a felt-lined drawer with pencil tray
- two pull-out dictation slides on the user side of the desk.
- a central locking system activating center drawer and both pedestals with a single lock located on the left pedestal inside gable.

Laminate worksurfaces are available at a 10% upcharge. A burled walnut top option is available at a 20% upcharge.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawe

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES


For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
'		· · · · · · · · · · · · · · · · · · ·			•••		1 001
Oversized Top Option	OT98D66364	286	71.75	35.75	-	15	-
	OT98D72364*	286	77.75	35.75	-	15	-
	OT98D78424	286	83.75	41.75	-	15	-

### **ORDERING NOTES:**

The oversized top option is only available on stand-alone double pedestal desks and cannot be used in conjunction with any other run-off or connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4-1/2". The guest side remains 7-1/2" (as is standard for 36" and 42" deep desks). Laminate worksurfaces are available at a 10% upcharge.



### ORDERING NOTES:

The oversized top option is only available on stand-alone double pedestal desks and cannot be used in conjunction with any other run-off or connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4-1/2". The guest side remains 7-1/2" (as is standard for 36" and 42" deep desks). Laminate worksurfaces are available at a 10% upcharge.

### **ORDERING PROCEDURES**

To order, lease specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

Description	Model	Cherry Walnut	V	N	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Desk with	98D66304L0CDRF	4057	65	.75	29.75	30.5	46.5	252	46
Center Drawer Option	98D66304LFCDR0	4057	65	.75	29.75	30.5	46.5	252	46
	98D66364L0CDRF	4100	65	.75	35.75	30.5	46.5	267	55
100	98D66364LFCDR0	4100	65	.75	35.75	30.5	46.5	267	55
100	98D72364L0CDRF*	4550	71	.75	35.75	30.5	52.5	282	60
	98D72364LFCDR0	4550	71	.75	35.75	30.5	52.5	282	60
	98D78424L0CDRF	5003	77	.75	41.75	30.5	58.5	299	72
	98D78424LFCDR0	5003	77	.75	41.75	30.5	58.5	299	72
	98D84424L0CDRF	5450	83	.75	41.75	30.5	64.5	309	78
	98D84424LFCDR0	5450	83	.75	41.75	30.5	64.5	309	78

guest side of a 36" deep desk\*\*

### **ORDERING NOTES:**


The center drawer option includes:

- a felt-lined drawer with pencil tray
- a central locking system activating center drawer and pedestal with a single lock located on the inside pedestal gable.
- pull-out dictation slide on the user side of the desk.

The space left between the pencil drawer and the open end of the desk allows for a 24" run off. Laminate worksurfaces are available at a 10% upcharge. A burled walnut top option is available at a 20% upcharge.

Desk Shells	98S6636L0R0*	2547	65.75 35.75	30.5	60.5	121	55
	98S7236L0R0	2827	71.75 35.75	30.5	66.5	137	60
	98S7836L0R0	3138	77.75 35.7	30.5	72.5	153	64





98D6636BT	582	-	-	-	-	-
98D7236BT*	626	-	-	-	-	-
98D7842BT	643	-	-	-	-	-
98D8442BT	651	-	-	-	-	-

### **ORDERING NOTES:**

The bow top option is available on all the desk sizes listed above. Please add "BT" to the model number of the desk and add the upcharge shown above. The bowtop option tapers the overhang back on the left and right sides, the depth of the overhang at the widest point is 7 1/2". Laminate worksurfaces are available at a 10% upcharge.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

		Cherry					Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
Queen Ann Table Desk	98TDQ7236	4619	83.75	35.75	30.5	65.75	150	60



### **ORDERING NOTES:**

Optional lock: Please add **\$142** list and specify lock option in the product description. This item is NOT available on KrugExpress. Laminate worksurfaces are available at a 10% upcharge. Please note that pedestals can not be used with table desks.


Table Desk	98TD7236*	4203	71.75 35.75 30.5 66.5
	98TD7842	4665	77.75 41.75 30.5 72.5



### **ORDERING NOTES:**

Table desk includes a felt-liner center drawer with pencil tray. To add lock, please specify lock option and add \$134 list. The lock plug is located above the center drawer in the rail. The table desk is shipped knocked down. This table desk is NOT available on KrugExpress. Laminate worksurfaces are available at a 10% upcharge.

	a 1070 aponarge.							
Bullet Desk, Post Leg	98BD6030	2667	59.75	29.75	30.5	140	36	
	98BD6630	2718	65.75	29.75	30.5	154	40	
	98BD7230	2771	71.75	29.75	30.5	170	47	
	98BD6636	2746	65.75	35.75	30.5	184	43	
	98BD7236*	2827	71.75	35.75	30.5	200	51	
"P" Desk, Post Leg	98PD7230L	3476		71.7	5 35.75	30.5	189	43
	98PD7230R	3476		71.7	5 35.75	30.5	189	43
		0 = 40						



98PD7230L	3476	71.75 35.75 30.5 189 43
98PD7230R	3476	71.75 35.75 30.5 189 43
98PD7236L	3549	71.75 41.75 30.5 205 51
98PD7236R*	3549	71.75 41.75 30.5 205 51
98PD7830L	3616	77.75 35.75 30.5 219 47
98PD7830R	3616	77.75 35.75 30.5 219 47
98PD7836R	3682	77.75 41.75 30.5 233 56
98PD7836R	3682	77.75 41.75 30.5 233 56
98PD8430L	3795	83.75 35.75 30.5 247 50
98PD8430R	3795	83.75 35.75 30.5 247 50
98PD8436L	3891	83.75 41.75 30.5 260 60
98PD8436R	3891	83.75 41.75 30.5 260 60

### **ORDERING NOTES:**

"P" desk/return legs are 10.5 in diameter. Laminate worksurfaces are available at a 10% upcharge.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

131

148

12

14

### LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a **\$142 list** upcharge. Please specify at time of order.

# **STRATFORD | RETURNS**

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Return	98RH4220L4D	3297	41.75	20.5	30.5	23	114	22
Cirigio i Guestai i totai ii	98RH4220L4F	3297	41.7		30.5	23	114	22
	98RH4220R4D	3297	41.75		30.5	23	114	22
	98RH4220R4F	3297	41.75		30.5	23	118	22
113	98RH4224L4D	3343	41.75	23.75	30.5	23	118	26
U	98RH4224L4F	3343	41.75	23.75	30.5	23	114	26
	98RH4224R4D	3343	41.75	23.75	30.5	23	114	26
	98RH4224R4F	3343	41.75	23.75	30.5	23	114	26
	98RH4820L4D	3371	47.75	20.5	30.5	27	118	25
	98RH4820L4F	3371	47.7		30.5	27	118	25
	98RH4820R4D	3371	47.7		30.5	27	118	25
	98RH4820R4F	3371	47.75	20.5	30.5	27	122	25
	98RH4824L4D	3385	47.75		30.5	27	122	29
	98RH4824L4F*	3385	47.75		30.5	27	118	29
	98RH4824R4D	3385	47.75		30.5	27	118	29
	98RH4824R4F	3385		23.75	30.5	27	118	29
	98RH5420L4D	3414	53.75		30.5	35	122	28
	98RH5420L4F	3414	53.75		30.5	35	122	28
	98RH5420R4D	3414	53.75		30.5	35	122	28
	98RH5420R4F	3414	53.75		30.5	35	126	28
	98RH5424L4D	3452	53.75		30.5	35	126	32
	98RH5424L4F	3452	53.75		30.5	35	122	32
	98RH5424R4D	3452		23.75	30.5	35	122	32
	98RH5424R4F	3452		23.75	30.5	35	122	32
	98RH6020L4D	3525	59.75		30.5	41	126	31
	98RH6020L4F	3525	59.75		30.5	41	126	31
	98RH6020R4D	3525	59.75		30.5	41	126	31
	98RH6020R4F	3525	59.75		30.5	41	130	31
	98RH6024L4D	3591	59.75		30.5	41	130	36
	98RH6024L4F	3591	59.75		30.5	41	126	36
	98RH6024R4D	3591		23.75	30.5	41	126	36
	98RH6024R4F	3591		23.75	30.5	41	126	36
	98RH6620L4D	3770	65.75		30.5	47	130	33
	98RH6620L4F	3770	65.75		30.5	47	130	33
	98RH6620R4D	3770	65.75		30.5	47	130	33
	98RH6620R4F	3770	65.75		30.5	47	165	33
	98RH6624L4D	3812	65.75		30.5	47 47	165	39
	98RH6624L4F	3812		23.75	30.5	47	130	39
	98RH6624R4D	3812		23.75	30.5	47 47	130	39 39
	98RH6624R4F	3812	65.73	23.75	30.5	47	130	39

### **ORDERING NOTES:**

Modesty panels on returns are raised above the base mounding. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$181 list upcharge. For hinged modesty panel upcharge insert Y after the C in the model number. e.g. 98CY7224LORF

### **DIMENSION KEY**

 $W \ - \ width$ 

 $\mathsf{D} \ - \mathsf{depth}$ 

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

# **STRATFORD | RETURNS**


Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Return, Continued	98RH7220L4D 98RH7220L4F* 98RH7220R4D	3867 3867 3867	71.75 71.75 71.75	20.5	30.5 30.5 30.5	53 53 53	165 165 165	36 36 36
	98RH7220R4F 98RH7224L4D 98RH7224L4F 98RH7224R4D 98RH7224R4F	3867 3938 3938 3938 3938	71.75 71.75	20.5 23.75 23.75 23.75 23.75	30.5 30.5 30.5 30.5 30.5	53 53 53 53 53	170 170 165 165 165	36 42 42 42 42

### **ORDERING NOTES:**

Modesty panels on returns are raised above the base mounding. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$181 list upcharge. For hinged modesty panel upcharge insert Y after the C in the model number. e.g. 98CY7224LORF

	, , , ,	•		Ü			
Return Shells	98RH4224L0* 98RH4224R0 98RH4824L0 98RH4824R0	1986 1986 2012 2012	41.75 2 41.75 2 47.75 2	23.75 3 23.75 3	30.5 39.25 30.5 39.25 30.5 45.25 30.5 45.25	68 68 72 72	26 26 29 29
ALL .							

Dulla+	Return.	Doct	-
Dullet	neturn.	FUSL	Leu



98BR6030	1854	59.75 29.75 30.5	66	3
98BR6630	1879	65.75 29.75 30.5	81	4
98BR6636	1905	65.75 35.75 30.5	101	4
98BR7230	1939	71.75 29.75 30.5	106	4
98BR7236*	2004	71.75 35.75 30.5	116	5

### **ORDERING NOTES:**

Bullet desk/return legs are 10.5 in diameter. Bullet desks are available in 72" lengths only for KrugExpress. Laminate worksurfaces are available at a 10% upcharge.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### CODE DESCRIPTION

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

# **STRATFORD | LINKING UNITS & CORNER UNITS**

Description	Madal	Cherry	14/	Б.		IZM	Shipping	Cubic
Description	Model	Walnut	W	D	<u>H</u>	KW	Weight	Feet
Linking Units	98LU3620H	1553	34.75	19.75	30.5		15	3
	98LU3624H	1604	34.75	23.75	30.5		16	3
A	98LU4220H	1623	38.75	19.75	30.5		20	4
-	98LU4224H*	1678	38.75	23.75	30.5		24	4
	98LU4820H	1712	44.75	19.75	30.5		29	4
	98LU4824H	1748	44.75	23.75	30.5		36	4



### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge.

For wire management cut out option on modesty panel add **\$181** list upcharge. For hinged modesty panel upcharge add 10% and insert Y after the LU in the model number. e.g. 98LUY4224H

Linking Tops	98LT3620H	771	34.75 19.75 1.25	15	2
	98LT3624H	779	34.75 23.75 1.25	16	2
	98LT4220H	802	38.75 19.75 1.25	20	2
4	98LT4224H*	825	38.75 23.75 1.25	24	2
	98LT4820H	843	44.75 19.75 1.25	29	2
	98LT4824H	862	44.75 23.75 1.25	36	3

### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge.

Corner Units	98CU363620 98CU363624*	3041 3041	35.75 35.75 35.75 35.75		22.5 17	106 106	33 33
	98CU424224	3343	41.75 41.75	30.5	25.5	131	41



### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. The x dimension on the 98CU363624 corner unit does not allow for an undersurface mounted keyboard or pencil drawer. Please specify a 98KBAC2110 with an extended mechanism if keyboard is required. See page 604.

### **DIMENSION KEY**

W-width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CU - corner unit

LT - linking top

Lu - linking unit


### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Credenza Shells	98S6624L0R0*	2459	65.75	23.75	30.5	121	32
	98S7224L0R0	2682	71.75	23.75	30.5	137	35
	98S7824L0R0	2915	77.75	23.75	30.5	153	38







4302	65.75	19.75	30.5	46.5	163	33
4302	65.75	19.75	30.5	46.5	163	33
4302	65.75	19.75	30.5	46.5	163	33
4302	65.75	19.75	30.5	46.5	163	33
4303	65.75	23.75	30.5		171	38
4303	65.75	23.75	30.5	46.5	171	38
4303						38
4303	65.75	23.75	30.5	46.5	171	38
4338			30.5	52.5	179	36
4338	71.75	19.75	30.5	52.5	179	36
4338	71.75	19.75	30.5	52.5	179	36
4338	71.75	19.75	30.5	52.5	179	36
4371	71.75	23.75	30.5	52.5	187	41
4371	71.75	23.75	30.5	52.5	187	41
4371					187	41
4371					187	41
4351						38
4351						38
4351						38
4351						38
4351						44
4351						44
4351						44
4351						44
4374						41
4374						41
4374						41
4374						41
4394						48
4394						48
4394						48
4394	83.75	23.75	30.5	64.5	219	48
	4302 4302 4302 4303 4303 4303 4303 4303 4338 4338 4338 4338 4371 4371 4371 4371 4371 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4351 4374 4374 4374 4374 4374 4394 4394 4394	4302 65.75 4302 65.75 4302 65.75 4303 65.75 4303 65.75 4303 65.75 4303 65.75 4308 71.75 4338 71.75 4338 71.75 4338 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4371 71.75 4351 77.75 4374 83.75 4374 83.75 4394 83.75 4394 83.75	4302       65.75       19.75         4302       65.75       19.75         4303       65.75       23.75         4303       65.75       23.75         4303       65.75       23.75         4303       65.75       23.75         4338       71.75       19.75         4338       71.75       19.75         4338       71.75       19.75         4371       71.75       23.75         4371       71.75       23.75         4371       71.75       23.75         4371       71.75       23.75         4351       77.75       19.75         4351       77.75       19.75         4351       77.75       19.75         4351       77.75       23.75         4351       77.75       23.75         4351       77.75       23.75         4351       77.75       23.75         4351       77.75       23.75         4374       83.75       19.75         4374       83.75       19.75         4374       83.75       19.75         4394       83.75       23.75	4302       65.75       19.75       30.5         4302       65.75       19.75       30.5         4303       65.75       23.75       30.5         4303       65.75       23.75       30.5         4303       65.75       23.75       30.5         4303       65.75       23.75       30.5         4303       65.75       23.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4338       71.75       19.75       30.5         4371       71.75       23.75       30.5         4371       71.75       23.75       30.5	4302       65.75       19.75       30.5       46.5         4302       65.75       19.75       30.5       46.5         4303       65.75       23.75       30.5       46.5         4303       65.75       23.75       30.5       46.5         4303       65.75       23.75       30.5       46.5         4303       65.75       23.75       30.5       46.5         4303       65.75       23.75       30.5       46.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4338       71.75       19.75       30.5       52.5         4371       71.75       23.75       30.5       52.5         4371       71.75       23.75       30.5       <	4302 65.75 19.75 30.5 46.5 163 4302 65.75 19.75 30.5 46.5 163 4302 65.75 19.75 30.5 46.5 163 4303 65.75 23.75 30.5 46.5 171 4303 65.75 23.75 30.5 46.5 171 4303 65.75 23.75 30.5 46.5 171 4303 65.75 23.75 30.5 46.5 171 4303 65.75 23.75 30.5 46.5 171 4338 71.75 19.75 30.5 52.5 179 4338 71.75 19.75 30.5 52.5 179 4338 71.75 19.75 30.5 52.5 179 4338 71.75 19.75 30.5 52.5 179 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4371 71.75 23.75 30.5 52.5 187 4351 77.75 19.75 30.5 58.5 195 4351 77.75 19.75 30.5 58.5 195 4351 77.75 19.75 30.5 58.5 195 4351 77.75 19.75 30.5 58.5 195 4351 77.75 23.75 30.5 58.5 203 4351 77.75 23.75 30.5 58.5 203 4351 77.75 23.75 30.5 58.5 203 4351 77.75 23.75 30.5 58.5 203 4351 77.75 23.75 30.5 64.5 211 4374 83.75 19.75 30.5 64.5 211 4374 83.75 19.75 30.5 64.5 211 4374 83.75 19.75 30.5 64.5 211 4374 83.75 19.75 30.5 64.5 211 4394 83.75 23.75 30.5 64.5 219 4394 83.75 23.75 30.5 64.5 219

### ORDERING NOTES:

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$181 list upcharge. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY72244LORF

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Double Pedestal	98C66204LDRD	4010	65.75	19.75	30.5	31.5	198	33
Credenza	98C66204LDRF	4619	65.75		30.5	31.5	198	33
Orederiza	98C66204LFRD	4619 4619	65.75		30.5	31.5	198	33
1101	98C66204LFRF	4619		19.75	30.5	31.5	198	33
V	98C66244LDRD	4629		23.75	30.5	31.5	211	38
	98C66244LDRF	4629		23.75	30.5	31.5	211	38
	98C66244LFRD	4629		23.75	30.5	31.5	211	38
	98C66244LFRF	4629	65.75	23.75	30.5	31.5	211	38
	98C72204LDRD	4668	71.75	19.75	30.5	37.5	214	36
	98C72204LDRF	4668	71.75	19.75	30.5	37.5	214	36
( "	98C72204LFRD	4668	71.75	19.75	30.5	37.5	214	36
	98C72204LFRF	4668	71.75	19.75	30.5	37.5	214	36
	98C72244LDRD	4700	71.75	23.75	30.5	37.5	227	41
	98C72244LDRF	4700	71.75	23.75	30.5	37.5	227	41
	98C72244LFRD	4700	71.75	23.75	30.5	37.5	227	41
	98C72244LFRF	4700		23.75	30.5	37.5	227	41
	98C78204LDRD*	4743		19.75	30.5	43.5	230	38
	98C78204LDRF	4743		19.75	30.5	43.5	230	38
	98C78204LFRD	4743	77.75		30.5	43.5	230	38
	98C78204LFRF	4743	77.75		30.5	43.5	230	38
	98C78244LDRD	4786	77.75		30.5	43.5	243	44
	98C78244LDRF	4786	77.75		30.5	43.5	243	44
	98C78244LFRD	4786		23.75	30.5	43.5	243	44
	98C78244LFRF	4786		23.75	30.5	43.5	243	44
	98C84204LDRD	4793		19.75	30.5	49.5	246	41
	98C84204LDRF	4793		19.75	30.5	49.5	246	41
	98C84204LFRD	4793		19.75	30.5	49.5	246	41
	98C84204LFRF	4793		19.75	30.5	49.5	246	41
	98C84244LDRD	4807	83.75		30.5	49.5	259	48
	98C84244LDRF	4807	83.75		30.5	49.5	259	48
	98C84244LFRD	4807	83.75	23.75 23.75	30.5 30.5	49.5 49.5	259 259	48 48
	98C84244LFRF	4807	83.75	23.13	30.5	49.5	259	40

### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge.

For wire management cut out option on modesty panel add **\$181** list upcharge. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224LFRF

### **DIMENSION KEY**

 $W \ - \ width$ 

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option CC - corner credenza

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

		Cherry		_		11 0	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Oversized Top Option	OT98C6620	286	71.75	19.75	-	15	-
	OT98C6624	286	71.75	23.75	-	15	-
1	OT98C7220	286	77.75	19.75	-	15	-
15	OT98C7224	286	77.75	23.75	-	15	-
J	OT98C7820*	286	83.75	19.75	-	15	-
	OT98C7824	286	83.75	23.75	-	15	-

### **ORDERING NOTES:**

In the 20" deep knee hole credenzas and/or shells the pencil drawer cannot be used. The oversized top option is only available on stand-alone double pedestal credenzas and cannot be used in conjunction with any other run-off connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4 1/2". The front and rear overhang remains unchanged. Laminate worksurfaces are available at a 10% upcharge.

Lateral File or Bookcase
Pedestal



98C6620LBR0	3928	65.75 19.75 30.5 25.75 204 33
98C6620LFR0	3928	65.75 19.75 30.5 25.75 212 33
98C6620L0RB	3928	65.75 19.75 30.5 25.75 204 33
98C6620L0RF	3928	65.75 19.75 30.5 25.75 212 33
98C6624LBR0	4006	65.75 23.75 30.5 25.75 211 38
98C6624LFR0	4006	65.75 23.75 30.5 25.75 227 38
98C6624L0RB	4006	65.75 23.75 30.5 25.75 211 38
98C6624L0RF	4006	65.75 23.75 30.5 25.75 227 38
98C7220LBR0	4096	71.75 19.75 30.5 31.75 228 36
98C7220LFR0	4096	71.75 19.75 30.5 31.75 236 36
98C7220L0RB	4096	71.75 19.75 30.5 31.75 228 36
98C7220L0RF	4096	71.75 19.75 30.5 31.75 236 36
98C7224LBR0	4185	71.75 23.75 30.5 31.75 235 41
98C7224LFR0	4185	71.75 23.75 30.5 31.75 243 41
98C7224L0RB	4185	71.75 23.75 30.5 31.75 235 41
98C7224L0RF	4185	71.75 23.75 30.5 31.75 243 41
98C8420LBR0	4301	83.75 19.75 30.5 43.75 256 41
98C8420LFR0	4301	83.75 19.75 30.5 43.75 268 41
98C8420L0RB	4301	83.75 19.75 30.5 43.75 256 41
98C8420L0RF	4301	83.75 19.75 30.5 43.75 268 41
98C8424LBR0	4391	83.75 23.75 30.5 43.75 267 48
98C8424LFR0	4391	83.75 23.75 30.5 43.75 275 48
98C8424L0RB	4391	83.75 23.75 30.5 43.75 267 48
98C8424L0RF*	4391	83.75 23.75 30.5 43.75 275 48

### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge. Bookcase pedestals include one adjustable shelf. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224L0RF

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### CODE DESCRIPTION

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Full Face Credenza,	98C6320LFRF	5641	62.5	19.75	30.5		304	27
Lateral File and Bookcase	98C6324LFRF	5668	62.5	23.75	30.5		316	27
	98C7220LBRF	5767	71.75	19.75	30.5		320	29
100	98C7220LFRB	5767	71.75	19.75	30.5		320	29
	98C7224LBRF*	5878		23.75	30.5		331	35
	98C7224LFRB	5878	71.75	23.75	30.5		331	35
	98C7520LFRF	6452	74.5	19.75	30.5		334	37
	98C7524LFRF	6510	74.5	23.75	30.5		347	37
Full Face Credenza	98C66204FBCF	5301		19.75	30.5	25.75	250	33
	98C66204DBCD	5301	65.75	19.75	30.5	25.75	246	33
TEN TO	98C66244FBCF	5389		23.75	30.5	25.75	263	38
	98C66244DBCD 98C72204FBCF	5389		23.75	30.5	25.75	259	38
	98C72204FBCF 98C72204DBCD	5549	71.75	19.75 19.75	30.5	25.75	266	36
	98C72244FBCF*	5549 5709	71.75	23.75	30.5 30.5	25.75 25.75	262 279	36 41
PHITT B	98C72244DBCD	5709 5709	71.75	23.75	30.5	25.75 25.75	279 275	41
	98C84204FBCF	5872	83.75	19.75	30.5	31.75	298	41
	98C84204DBCD	5872	83.75	19.75	30.5	31.75	294	41
	98C84244FBCF**	6030	83.75	23.75	30.5	31.75	311	48
	98C84244DBCD	6030		23.75	30.5	31.75	307	48
Single Pedestal Corner	98CC6624L4D	3692	65.75	35.75	30.5	37.5	184	 55
Credenza	98CC6624R4D	3692	65.75	35.75	30.5	20.5	184	55
	98CC6624L4F	3692	65.75	35.75	30.5	20.5	184	55
	98CC6624R4F	3692	65.75	35.75	30.5	20.5	184	55
	98CC7224L4D*	3778	71.75	35.75	30.5	20.5	202	60
90	98CC7224R4D	3778	71.75	35.75	30.5	20.5	202	60
	98CC7224L4F	3778	71.75	35.75	30.5	20.5	202	60
	98CC7224R4F	3778	71.75	35.75	30.5	20.5	202	60
	98CC7824L4D	3821	77.75	35.75	30.5	20.5	210	64
	98CC7824R4D 98CC7824L4F	3821	77.75 77.75	35.75 35.75	30.5 30.5	20.5 20.5	210	64 64
	98CC7824L4F 98CC7824R4F	3821 3821		35.75	30.5	20.5	210 210	64 64
	98CC8424L4D	3862	83.75	35.75	30.5	20.5	218	69
	98CC8424R4D	3862	83.75	35.75	30.5	20.5	218	69
	98CC8424L4F	3862	83.75	35.75	30.5	20.5	218	69
	98CC8424R4F	3862		35.75	30.5	20.5	218	69

### **ORDERING NOTES:**

Corner credenzas allow for a 24" deep unit at the connecting end. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$181 list upcharge. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224LORF

### **DIMENSION KEY**

 $W \ - \ width$ 

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza


### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

# **STRATFORD** | OVERHEADS

Description	Model	Cherry Walnut	W	D	Н	Doors	Shipping Weight	Cubic Feet
Overheads with Wood	98OH3616*	1712	35.75	16	16	2	53	8
Doors	98OH4216	1819	41.75	16	16	2	57	9
	98OH4816	1890	47.75	16	16	3	77	10
*	98OH5416	2046	53.75	16	16	4	81	11
	98OH6016	2206	59.75	16	16	4	88	12
	98OH6616**	2326	65.75	16	16	4	94	13
	98OH7216	2449	71.75	16	16	4	99	14



### Tackboards Grades

Description	Model	1	2	3	4	5	6	7	8	9	W	Н	COM	WT
Tackboards for use with	98TBOH36	281	306	333	379	499	609	723	838	1094	34	26	1.5	11
Overheads	98TBOH42	291	315	342	383	499	604	712	822	1066	41.75	26	1.5	12
	98TBOH48	322	401	421	526	631	724	834	959	1205	47.75	26	1.75	13
	TBOH54	332	434	475	605	708	811	935	1055	1296	55.75	26	1.75	14
	TBOH60	364	485	512	639	763	908	1046	1192	1436	61.75	26	2	15
	TBOH66	403	545	539	747	894	1066	1211	1381	1639	67.75	26	2	16
	TBOH72	442	674	701	930	1143	1155	1328	1519	1759	74.75	26	2.25	19

### ORDERING PROCEDURES

To order, please specify the following:

1) Krug product model number

600 | USA | CASEGOODS

- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **OVERHEADS**

All overheads include installed tasklights and mounting hardware. Contact customer service for information about flush units. Tackboards must be ordered separately.

# **STRATFORD | HUTCHES**

		Cherry					Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
5-Hi Hutch with Wood	98HT601640	3432	59.75	16	40	23.5	150	26
Doors	98HT661640*	3753	65.75	16	40	23.5	162	28
	98HT721640	4406	71.75	16	40	23.5	174	31
	98HT781640	4671	77.75	16	40	23.5	186	33
0,0	98HT841640	4932	83.75	16	40	23.5	200	36
6-Hi Hutch with Wood	98HT601653	4173	59.75	16	53	23.5	200	34
Doors	98HT661653*	4635	65.75	16	53	23.5	212	37
	98HT721653	5306	71.75	16	53	23.5	224	41
	98HT781653	5709	77.75	16	53	23.5	236	44
00	98HT841653	6116	83.75	16	53	23.5	250	47

### **ORDERING NOTES:**

Hutches are inset 1-1/2" on each side when sitting on the worksurface. Locks are available on wood door hutches and overheads at \$142 list per set of (2) doors.

6-Hi Hutch with Glass Doors	98HT601653G 98HT661653G* 98HT721653G 98HT781653G	4421 4910 5621 6053	59.75 65.75 71.75 77.75	16 16 16 16	53 53 53 53	23.5 23.5 23.5 23.5	117 126 135 146
	98HT841653G	6480	83.75	16	53	23.5	154

### **ORDERING NOTES:**

All shelves in glass door hutches are 1/4" thick glass. Hutches are inset 1-1/2" on each side when sitting on the worksurface.







### **ORDERING NOTES:**

All shelves in grill door hutches are 1/4" thick glass. This Hutch includes a factory installed tasklight and a tackboard in Grade 1 fabric. Grill doors are NOT available on KrugExpress. Hutches are inset 1-1/2 on each side when sitting on the worksurface.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

6972

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **HUTCHES**

Hutches include tasklights and a tackboard in grade 1 fabric. See page 603 for upcharges for grades 2-9.

# **STRATFORD | HUTCHES**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
6-Hi Full Height Hutch	98HT60165301G	4865	59.75	16	53	200	34
with Clear Glass Doors	98HT66165301G*	5401	65.75	16	53	212	37
	98HT72165301G	6183	71.75	16	53	224	41
	98HT78165301G	6657	77.75	16	53	232	44
	98HT84165301G  ORDERING NOTES: All shelves in glass doo the worksurface.	7129 r hutches are 1/4" thick ç	83.75 glass. Hutches are	16 inset 1	53 -1/2" on ea	250 ach side when sitt	47 ing on
6-Hi Full Height Hutch	98HT60165301Z	5704	59.75	16	53	190	34
with Grill Doors	98HT66165301Z*	6040	65.75	16	53	202	37
	98HT72165301Z	6779	71.75	16	53	212	41
Daniel Control	98HT78165301Z	7224	77.75	16	53	222	44
		7667 nutches are 1/4" thick gla n side when sitting on the		16 NOT av	53 vailable on	240 KrugExpress. Hut	47
	are moet 1-1/2 off each	i side when sitting on the	worksurface.				

1657



Paper Managers

98PM18132001

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **HUTCHES**

16.5 13

19.5

Hutches include tasklights and a tackboard in grade 1 fabric. See page 603 for upcharges for grades 2-9.

# **STRATFORD | HUTCHES**

2 2.25 2.5 2.5 2.5 2.75

Hutch tackboard upgrade chart

Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch. Fabric grades can be referenced on page 4.



	2	3	4	5	6	7	8	9	
65" hutch tackboard	127	273	395	527	654	781	911	1189	
71" hutch tackboard	143	309	450	597	745	886	1028	1236	
78" hutch tackboard	170	364	539	721	888	1059	1187	1517	
84" hutch tackboard	204	430	677	891	1113	1303	1400	1682	
91" hutch tackboard	241	499	737	977	1212	1302	1687	1973	
Pot Light	526	Per h	utch (inclu	des two li	ghts)				

**FABRIC GRADES** 

Pot light option for Hutches

### **ORDERING NOTES:**

The factory installed pot light option is available on any glass door or grill door hutch. The two lights are mounted through the hutch top and activated by a switch located on the light inside the case. Please add the upcharge shown above to hutch price and specify pot light option on your order. This item is not available on KrugExpress.

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by the COM requirement on the chart. The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

Quantity of Tackboards Required (example: 60")	COM yardage Calculation Chart of Tackboa Number of yards Required per Tackboard (example: 60")	rds Number of yards Required in Total (example: 60")
one	2 yards	2
two	2 yards	2
three	2 yards	4
four	2 yards	4
fiv	2 yards	6
six	2 yards	6
seven	2 yards	8
eight	2 yards	8
nine	2 yards	10
ten	2 yards	10

DIMENSION KEy	CODE DESCRIPTION	
W — width	PM — paper manager	
D — depth		
H — height of worksurface		
KW- kneehole width		
Dimensions are in inches and approximate.		
Contact Customer Service if dimensions are		
critical.		
See page 5 for KrugExpress program.		

# **STRATFORD | KEYBOARDS & PENCIL DRAWERS**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet			
Articulating Keyboard Tray with Palm Rest and Mouse Tray/Extended Mechanism	98KBAMT1912	644	-	-	-	20	2			
	ORDERING NOTES: This unit comes with a lever free arm keyboard support. This unit is a granite color.									
Pencil Drawer	98PD2116	547	-	-	-	2	1			
Wire Management Cover	98WM72	146	-	-	-	3	7			
Velcro Wire Management	98WM4	31	-	-	-	1	1			
Power Data Module	98PDVM	234	-	-	-	1	1			



This grommet is only available in black.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

PD - pencil drawer WM - wire management

PDVM - power/data/voice grommet

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **BRASS FINISH**

Standard grommets and pop-up grommets are available in black or brass finishes.

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Tops for 2-Hi Modular	98TP6020	1093	59.75	19.75	29.25	45	2
Storage	98TP6024	1154	59.75	23.75	1.25	52	2
	98TP6320	1179	62.75		1.25	48	2
	98TP6324	1193	62.75		1.25	51	3
	98TP6620*	1211	65.75		1.25	53	3
	98TP6624	1266	65.75		1.25	61	3
	98TP6920	1286	68.75		1.25	57	3
ł >	98TP6924	1310	68.75		1.25	61	3
	98TP7220	1323	71.75	19.75	1.25	63	3
	98TP7224	1372	71.75	23.75	1.25	65	3
	98TP7520	1382	74.75		1.25	67	3
	98TP7524	1414	74.75		1.25	70	3
	98TP7820	1427	77.75		1.25	71	3
	98TP7824	1478	77.75		1.25	73	3
	98TP8420	1524	83.75		1.25	76	3
	98TP8424	1570	83.75		1.25	78	4
	98TP9020	1616	89.75		1.25	81	3
	98TP9024	1660	89.75		1.25	86	4
	98TP9220	1674	91.75	19.75	1.25	85	3
	98TP9224	1697	91.75	23.75	1.25	89	4
	98TP9620	1703	95.75		1.25	88	4
	98TP9624	1752	95.75	23.75	1.25	92	4

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the esides. They are designed to be flush on the back edge

Tops with one Coved End	98TPR6020L	1093	59.75 19.75 1.25	45	2
	98TPR6020R	1093	59.75 19.75 1.25	45	2
	98TPR6024L	1154	59.75 23.75 1.25	52	3
	98TPR6024R	1154	59.75 23.75 1.25	52	3
	98TPR6620L	1211	65.75 19.75 1.25	53	3
	98TPR6620R*	1211	65.75 19.75 1.25	53	3
	98TPR6624L	1266	65.75 23.75 1.25	61	3
	98TPR6624R	1266	65.75 23.75 1.25	61	3
	98TPR7220L	1323	71.75 19.75 1.25	63	3
	98TPR7220R	1323	71.75 19.75 1.25	63	3
	98TPR7224L	1372	71.75 23.75 1.25	65	3
	98TPR7224R	1372	71.75 23.75 1.25	65	3

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the esides. They are designed to be flush on the back edge

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### **OPEN SPANS**

It is not recommended that modular units be combined together to create open spans greater than 60".

#### **STORAGE**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Tops with one Coved End,	98TPR7820L	1427	77.75	19.75	1.25	71	3
Continued	98TPR7820R	1427	77.75	19.75	1.25	71	3
	98TPR7824L	1478	77.75	23.75	1.25	73	3
	98TPR7824R	1478	77.75	23.75	1.25	73	3
	98TPR8420L	1524	83.75	19.75	1.25	76	3
	98TPR8420R	1524	83.75	19.75	1.25	76	3
	98TPR8424L*	1570	83.75	23.75	1.25	78	4
1	98TPR8424R	1570	83.75	23.75	1.25	78	4
	98TPR9020L	1616	89.75	19.75	1.25	81	3
	98TPR9020R	1616	89.75	19.75	1.25	86	3
	98TPR9024L	1660	89.75	23.75	1.25	86	4
	98TPR9024R	1660	89.75	23.75	1.25	86	4
	98TPR9620L	1703	95.75	19.75	1.25	88	4
	98TPR9620R	1703	95.75	19.75	1.25	88	4
	98TPR9624L	1752	95.75	23.75	1.25	92	4
	98TPR9624R	1752	95.75	23.75	1.25	92	4

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the e sides. They are designed to be flush on the back edge

98P1620304D** 1702 15			
90F1020304D 1702	5.75 19.75	29.25	68
98P1624304D 1832 15	5.75 23.75	29.25	73
* 98P1620304F* 1825 15	5.75 19.75	29.25	70
98P1624304F 1954 15	5.75 23.75	29.25	75



### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished. It is not recommended that modular units be combined together to create open spans greater than 60".

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

6

# STORAGE

		Charm				Chinning	Cubia
Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Modular Bookcase	98STM30203011	1945	29.75	19.75	29.25	105	13
Pedestal	98STM36203011	2071	35.75	19.75	29.25	109	15
	98STM30243011*	2007	29.75	19.75	29.25	113	15
000	98STM36243011	2139	35.75	19.75	29.25	117	18
x = # = 3 x = 3	ORDERING NOTES:					:th 00TD to N	4
	•	s do not have finished e finished. Locks may b	•			•	
Modular Lateral File	98STM30203001	2324	29.75	19.75	29.25	113	13
Pedestal	98STM36203001	2453	35.75	19.75	29.25	117	15
	98STM30243001*	2391		19.75		121	15
0 0	98STM36243001	2522	35.75	19.75	29.25	129	18
	ORDERING NOTES: Modular storage unit Modular storage unit	s do not have finished	tops and are intended	d to be o	combined w	ith 98TP tops.	
Half Gable	98HG2710	411	10	27	27	11	1
	98HG2716	470	16	27	27	16	1
		ordered to center-suppo G2716 with 30" deep ca		er than 6	60". Use 98F	IG2710 with 20	" & 24"
Modular End Panel	98LB2030L	768	12	19.75	29.25	35	2
Support	98LB2430L*	807	12	23.75	29.25	37	2
	98LB2030R	768	12	19.75	29.25	35	2
	98LB2430R	807	12	23.75	29.25	37	2

# DIMENSION KEY

W - width

D - depth

Panel

H - height of worksurface

Modular Hinged Modesty

98MPY72

98MPY78\*

98MPY84

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

# CODE DESCRIPTION

777

809

834

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

30.5

30.5

30.5

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

43.5

49.5

Freestanding storage has finished, profiled tops and base molding on three sides. Modular storage does not have finished tops (they must be ordered separately) and base molding is only across the front.

3

3

3


50

60

### Ordering modular storage with 98TP tops

30" high modular storage units are created by combining 98TP modular tops and modular bases. The top profile on a 98TP matches that of all other 30" high Stratford products including desks and credenzas. For example:






One 98TP-9224 modular top. Two 98STM-302430-11 modular bookcase pedestals. One 98STM-302430-01 modular lateral file pedestal The modular components can be used together to create a variety of custom storage.

#### Ordering modular storage with 98TPR tops

30" high modular run-off units are created by combining 98TPR modular tops and modular bases.

For example:





One 98TPR-6624 modular top. One 98STM-302430-01 modular lateral file pedestal. One 98P-162430-4F modular B/B/F pedestal.

The modular components can be used together to create a variety of custom run-off units.

### **Modular Top and Storage Flush Combinations**

Use this guide of recommendations to create flush units with modular tops and storage

### TOP SIZE PEDESTAL COMBINATIONS THAT FIT FLUSH LEFT/RIGHT OVERHANG

#### 2-hi modular storage

98TP-63	(2) 30" wide pedestals	1 1/2"
98TP-69	(1) 30" wide pedestal and (1) 36" wide	1 1/2"
98TP-75	pedestal (2) 36" wide pedestals	1 1/2"
98TP-92	(3) 30" wide pedestals	1 1/2"

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

Description	Model	Cherry Walnut	W D H	Shipping Weight	Cubic Feet
Top for 2-Hi Modular Bookcases	98TP7516	1107	74.75 16 1.25	55	2
2-Hi Modular Bookcase	98BCM361630	1465	35.75 16 29.25	91	12



#### **ORDERING NOTES:**

Modular bookcases do not have finished tops and a e intended to be combined with 98TP tops.

Ordering modular bookcases with 98TP tops 30" high modular bookcases can be created by combining modular tops and bookcase units.



One 98TP-7516 modular top. Two 98BCM-3616-30 modular bookcases. The modular components can be used together to create custom storage.

# **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
3-Hi Modular Bookcase Tops	98TPI6216-3HI 98TPI7416-3HI	1096 1107		15.75 15.75	1.25 1.25	43 51	3
	98TPI9216-3HI* 98TPI9716-3HI	1113 1124		15.75 15.75	1.25 1.25	79 92	4 4
	3011 107 10-0111	1124	33.73	10.70	1.20	32	7
3-Hi Modular Bookcase	98PRM301640	1620	29.5	15.75	39.25	120	22
Tops	98PRM361640	1660	35.75	15.75	39.25	135	26
3-Hi Modular Closed	98PRM30164011	1945	29.5	15.75	39.25	135	22
Bookcase Pier, No Base	98PRM36164011	2016	35.75	15.75	39.25	150	26



### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# STORAGE

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Top for 5-Hi Modular Bookcases	98TPI7416	1107	73.75	16	1.25	55	2
	ORDERING NOT This bookcase ha Profile of 98TPI to	as a 1" overhang on the left	and right sides. There	e is no	overhang on	the back edge	-
5-Hi Modular Bookcase	98BCM361671	2012	35.75	16	69.75	158	27
	<b>ORDERING NOT</b> Modular bookcas	<b>ES:</b> es do not have finished top	os and are intended to	be co	mbined with 9	98TP tops.	
Ordering modular bookca 71" high modular bookca		y combining modular tops a	and bookcase units.				

One 98TPI-7416 modular top. Two 98BCM-3616-71 modular bookcases.

The modular components can be used together to create custom storage.

### **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# WIRING GROMMET

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$142 list.

		Cherry			Shipping Cubic
Description	Model	Walnut	W D	Н	Weight Feet
Tops for 5-Hi Modular	98TPI6220	1093	61.75 19.75	1.25	45 2
Storage	98TPI6224	1154	61.75 23.75	1.25	52 2
	98TPI6820	1211	67.75 19.75	1.25	53 3
	98TPI6824	1266	67.75 23.75	1.25	61 3
	98TPI7420*	1323	73.75 19.75	1.25	63 3
	98TPI7424	1372	73.75 23.75	1.25	65 3
Į )	98TPI9220	1616	91.75 19.75	1.25	71 3
	98TPI9224	1660	91.75 23.75	1.25	73 3

#### **ORDERING NOTES:**


Profile of 98TPI tops are inverted.

#### Ordering modular storage with 98TPI tops

71 high modular storage units are created by combining 98TPI modular tops and modular bases.

The top profile on a 98TPI matches that of all other 71 high Stratfo d products including hutches and freestanding storage. For example:





One 98TPI-7424 modular top. One 98STM-362471-04G modular storage. One 98STM-362471-04 modular storage.

The modular components can be used together to create a variety of custom storage.

# **Modular Top and Storage Flush Combinations**

Use this guide of recommendations to create flush units with modular tops and storage.

TOP SIZE 5-hi modular storage	PEDESTAL COME	BINATIONS THAT FIT FLUSH	LEFT/RIGHT OVERHANG		
98TPI-62	(2) 30 wide pedest	als	1		
98TPI-68	(2) 30 wide pedest	als and (1) 36 wide	1		
98TPI-74	pedestal (2) 36 wid	le pedestals	1		
98TPI-92	(3) 30 wide pedest	als	1		
Pot light option for modular	Upcharge	640			
storago	The factory installe	ed not light option is available on any glas	es door or grill door		

storage

The factory installed pot light option is available on any glass door or grill door

modular storage unit at an upcharge of \$640.

The light is mounted through the top of the storage unit and the modular top and activated by a switch located on the light inside the case.

Please add the upcharge shown to storage price and specify pot light option on your order.

A drawing showing assembled configuration of all modular storage must be provided when ordering the pot light option to accurately determine grommet locations.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

- G includes glass doors
- D 2 file drawer
- F 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

Ohioniaa Oulsia


		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2 Lateral Files, 3 Open	98STM30207103	4201	29.75	19.75	70.5	198	28
Shelves	98STM36207103	4304	35.75	19.75	70.5	208	34
	98STM30247103*	4254	29.75	23.75	70.5	208	34
	98STM36247103	4360	35.75	23.75	70.5	218	40

Ob - ....

# **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

2 Lateral File, 3 Closed Shelves



98STM30207104 4699 29.75 19.75 206 28 98STM36207104 4808 35.75 19.75 70.5 216 34 29.75 23.75 70.5 216 34 4748 98STM30247104\* 35.75 23.75 70.5 40 98STM36247104 4864

#### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

2 Lateral Files, 3 Closed Clear Glass Doors



98STM30207104G	4958	29.75 19.75 70.5 216	28
98STM36207104G	5064	35.75 19.75 70.5 226	34
98STM30247104G*	5006	29.75 23.75 70.5 226	34
98STM36247104G	5121	35.75 23.75 70.5 236	40

# **ORDERING NOTES:**

All shelves in glass door bookcases are 1/4" thick glass. Modular pedestals do not have finished tops and are intended to be combined with 98TP tops. Modular pedestal backs are finished. This item is NOT available on KrugExpress.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

#### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **STORAGE**

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2 Lateral Files, 3 Closed	98STM30207104Z	5816	29.75	19.75	70.5	206	28
Grill Doors	98STM36207104Z	5925	35.75	19.75	70.5	216	34
	98STM30247104Z*	5864	29.75	23.75	70.5	216	34
	98STM36247104Z	5977	35.75	23.75	70.5	226	40



### **ORDERING NOTES:**

All shelves in glass door bookcases are 1/4" thick glass. Modular pedestals do not have finished tops and are intended to be combined with 98TP tops. Modular pedestal backs are finished. This item is NOT available on KrugExpress.

5 Closed	Shelves 98STM30207111	3936	29.75	19.75	70.5	225	28
	98STM30247111	3920	29.75	19.75	70.5	235	34
	98STM36207111*	3978	35.75	23.75	70.5	245	34
4====>	98STM36247111	4029	35.75	23.75	70.5	255	40

### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

5 Closed Shelves Left,	98WRM30247101	3648	29.75 19.75 70.5 22	25 34
Closed Wardrobe Right	98WRM36247101*	3792	35.75 23.75 70.5 24	45 40



### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

# **STRATFORD** | BOOKCASES

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2-Hi Open	98BC361630	1826	35.75	16	30.5	91	12



#### **ORDERING NOTES:**

This 30.25" high bookcase has a 1-1/2" overhang on the left and right sides. There is no overhang on the back edge.

2-Hi with Clear Glass Doors 98BC36163011G

1935

35.75

16

30.5

101

12




### **ORDERING NOTES:**

This 30.25" high bookcase has a 1-1/2" overhang on the left and right sides. There is no overhang on the back edge. The glass shelf is 1/4" thick and adjustable. This item is NOT available on KrugExpress.

 Open Bookcase
 98BC361657
 2318
 35.75
 16
 57
 115
 22

 98BC361671\*
 2513
 35.75
 16
 70.5
 166
 27



### **ORDERING NOTES:**

This bookcase has a 1" overhang on the left and right sides. There is no overhang on the back edge.

Computer Stand 98TH3624 2564 35.75 23.75 30.5 61 22 98TH4824\* 2820 47.75 23.75 30.5 82 28



### **ORDERING NOTES:**

The computer stand includes a grommet in the back panel.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **WIRING GROMMET**

One rectangular black or one antique brass grommet in a standard position is optional at no charge. Please note grommet choice clearly on order form. Additional grommets are available at an upcharge of \$142 list.

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
2 Lateral Files	98ST30203001*	3186		19.75	30.5	140	13
	98ST36203001	3306		19.75	30.5	145	15
	98ST30243001	3226		19.75	30.5	145	15
100	98ST36243001	3354	35./5	19.75	30.5	150	18
0.01	98ST30203011*	2435	29.75	19.75	30.5	100	13
2 Closed Shelves	98ST36203011	2515		19.75	30.5	130	15
	98ST30243011	2475		19.75	30.5	130	15
	98ST36243011	2561		19.75	30.5	135	18
4 Lateral Files	98ST30205701*	4538 4830	29.75	upcharg 19.75 19.75	ge. 57 57	 186 211	 28 34
	98ST30245701	4646		23.75			34 34
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	98ST36245701 98ST36245701	4046 4934		23.75	57 57	211 236	40
2 Lateral Files, 3 Open	98ST30207103*	4829		19.75	70.5	220	28
Shelves	98ST36207103	4951		19.75	70.5	230	34
	98ST30247103	4891		23.75	70.5	230	34
	98ST36247103	5016	35.75	23.75	70.5	240	40

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2 Lateral File, 3 Closed	98ST30207104*	5407	29.75	19.75	70.5	240	28
Shelves	98ST36207104	5530	35.75	19.75	70.5	250	34
	98ST30247104	5463	29.75	23.75	70.5	250	34
1	98ST36247104	5594	35.75	23.75	70.5	260	40
1							
<del>0</del> <del>0</del>	ORDERING NOTES:						
	Locks are available or 36" wardrobes require		<b>42 list per lock.</b> 24",30	0" &			
2 Lateral Files, 3 Closed	98ST30207104G*	5664	29.75	19.75	70.5	250	28
Clear Glass Doors	98ST36207104G	5787	35.75	19.75	70.5	260	34
	98ST30247104G	5719	29.75	23.75	70.5	260	34
	98ST36247104G	5851	35.75	23.75	70.5	270	40
<del></del>	ORDERING NOTES:						
UU		or bookcases are 1/4	" thick glass. This item	is NOT	available on	KrugExpress.	
	g g		g			9	
2 Lateral Files, 3 Closed	98ST30207104Z*	6263	29.75	19.75	70.5	240	28
Grill Doors	98ST36207104Z	6388	35.75	19.75	70.5	250	34
	98ST30247104Z	6319		23.75	70.5	250	34
	98ST36247104Z	6452	35.75	23.75	70.5	260	40

### **ORDERING NOTES:**

All shelves in glass door bookcases are 1/4" thick glass. This item is NOT available on KrugExpress.

# **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **STORAGE**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
5 Closed Shelves	98ST30207111 98ST36207111 98ST30247111* 98ST36247111	4451 4574 4510 4634	35.75 29.75	19.75 19.75 23.75 23.75	70.5 70.5 70.5 70.5 70.5	230 240 240 250	28 34 34 40
5 Closed Shelves, Closed Wardrobe	98WR30247101* 98WR36247101 98WR30247103 98WR36247103	4190 4360 4190 4360		23.75 23.75	70.5 70.5	245 265	34 40
2 Lateral Files, 4 Open Shelves	98ST30208403 98ST36208403 98ST30248403* 98ST36248403	5530 5584 5609 5668	35.75 29.75	19.75 19.75 23.75 23.75	83.5 83.5 83.5 83.5	260 270 270 290	33 40 40 47
2 Lateral File, 4 Closed Shelves	98ST30208404 98ST36208404 98ST30248404* 98ST36248404	5738 5788 5816 5881	35.75 29.75	19.75 19.75 23.75 23.75	83.5 83.5 83.5 83.5	285 295 295 315	33 40 40 47

### **ORDERING NOTES:**

Locks are available on all wood doors at **\$142 list** per lock. 24", 30" & 36" wardrobes require 2 locks.

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet	
2 Lateral Files, 4 Closed	98ST30208404G	5997	29.75	19.75	83.5	295	33	
Clear Glass Doors	98ST36208404G	6050	35.75	19.75	83.5	205	40	
	98ST30248404G*	6071		23.75	83.5	205	40	
	98ST36248404G  ORDERING NOTES: All shelves in glass do	6136 or bookcases are 1/4		23.75	83.5 available on	325 KrugExpress.	47	
	7 iii eireiree iii giaee ae		and glader time nem		aranasis si	ag <u>_</u> p. eee.		
2 Lateral Files, 4 Closed	98ST30208404Z	6595		19.75	83.5	285	33	
Grill Doors	98ST36208404Z	6646		19.75	83.5	295	40	
	98ST30248404Z*	6673		23.75	83.5	295	40	
	98ST36248404Z  ORDERING NOTES:	6737	35.75	23.75	83.5	315	47	
2 0	All shelves in glass do	or bookcases are 1/4						
6 Closed Shelves	98ST30208411	805		19.75	83.5	250	33	
	98ST36208411	5033		19.75	83.5	260	40	
WES	98ST30248411*	4962		23.75	83.5	260	40	
	98ST36248411	5097	35.75	23.75	83.5	270	47	
4	<b>ORDERING NOTES:</b>							
	Locks are available on all wood doors at <b>\$142 list</b> per lock. 24", 30" & 36" wardrobes require 2 locks.							
Mobile Pedestals	98MP1620294D*	1962	15.75	20	29	78	6	
*	98MP1620294F**	2083	15.75	20	29	80	6	





# **DIMENSION KEy**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one

coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **STORAGE**

# **STRATFORD | RECEPTION**

		Cherry				Snipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Gallery Reception Desk	98GD72304LFR0	6390	73.5	30.5	43	325	66
	98GD72304L0RF	6390	73.5	30.5	43	325	66



### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Reception Return	98GRH4824L4D	3299	47.75 23.75	41.75	28.5	250	38
	98GRH4824R4D	3299	47.75 23.75	41.75	28.5	250	38



### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Gallery Reception Linking Units	98GLU4224H	1777	41.75 23.75 41.75	105	34



#### **ORDERING NOTES:**

Linking unit is used to connect Gallery Desk and Credenza to form a 'U' station.

Reception Credenzas	98GC7224L4D	5447	71.75 23.75 41.75 320 5	7
	98GC7224L4F	5447	71.75 23.75 41.75 320 5	7
	98GC7224R4D	5447	71.75 23.75 41.75 320 5	7
	98GC7224R4F	5447	71.75 23.75 41.75 320 5	7
18	98GC7824L4D	6030	77.75 23.75 41.75 355 6	J
No.	98GC7824L4F*	6030	77.75 23.75 41.75 355 6	J
	98GC7824R4D	6030	77.75 23.75 41.75 355 6	J
	98GC7824R4F	6030	77.75 23.75 41.75 355 6	0
Transaction Top	98GRT66	1260	66.75 12 1.25 48 2	2



#### ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

One rectangular black or one antique brass grommet in a standard position is optional at no charge. Please note grommet choice clearly on order form. Additional grommets are available at an upcharge of \$142 list.















All products are air emissions certified and are available as FSC® certified



solutions@krug.ca | www.krug.ca | 1.888.578.KRUG