V2
Price and Specification Guide
USA



krug

Advancing Design Through Innovation

V2 MODULAR | TABLE OF CONTENTS

V2 MODULAR

- 85 Environmental Summary
- 86 Features & Options
- 90 Power Options
- 95 Modular Configurations
- 96 Seating Capacities
- 98 Sample Configurations
- 100 Rectangular & Arc Tables
- 101 Wave Tables
- 102 Curve Tables
- 103 Swept Tables
- 104 Trapezoid & Curved Trapezoid Tables
- 105 Visio Tables
- 106 Square & Round Tables
- 108 Connecting Tops
- 109 Modesty Panels
- 111 Legs & Power
- 112 PowerPorts
- 112 100001101
- 116 Media

CONTRIBUTES TO

LEED CERTIFICATION



| | | CONTRIBUTES TO |
|------------------|---|----------------|
| Credit 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
| Credit 3.3 | Resource Reuse | 1 point |
| Credit 4.1 | Recycled Content | 1 point |
| Credit 4.2 | Recycled Content | 1 point |
| Credit 4.5 | Low Emitting Materials, (MUST BE REQUESTED) | |
| | Composite Wood & Laminate Adhesives | 1 point |
| Credit 5.1 | Regional Materials* | 1 point |
| Credit 6 | Rapidly Renewable Materials (MUST BE REQUESTED) | 1 point |
| Credit 7 | Certified Wood (MUST BE REQUESTED) | 1 point |

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. V2 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All V2 products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



AIR-EMISSIONS

he mark of responsible forestr

All V2 products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.


FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. V2 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times...




In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MODULAR TOP SHAPES



Dotted line depicts which side modesty panel is available on. Round, Curved Trapezoid and Visio End are not available with modesty panels. Grommets, Surface Modules, PowerPorts and Ports when specified are positioned on the same side as the modesty panel. Please note on the Curve tables that the back leg on the longer edge is set back 6" from the back edge.


GRAIN DIRECTION - WOOD VENEER AND WOOD GRAIN LAMINATE



Please note: On V2 corner CONNECTOR TABLES, the grain runs at 45° angle. For all other V2 Modular Meeting Tables, the grain runs lengthwise, except for Curved Trapezoid, and Visio End where the grain runs up and down. For wood modesty panels the grain runs vertically.

EDGE OPTIONS - MODULAR TABLES

V2 product offers 12 table tops in Wood or Laminate with a distinct Knife edge profile.



Top thickness - 1 1/8"

WOOD FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32° is applied to all V2 Modular table tops.


METAL FINISH


V2 components are comprised of satin anodized and powder coated Silver Metallic finishes.

GANGING MODULE

Ganging Modules are recommended when 2 or more tables are being joined to one another. These ganging modules should be ordered along with the tables as a separate line item on the order. All tables come pre-drilled for ganging capabilities. Please note corner connector tops without legs are supplied with an alternative mounting plate. Corner connector tops with legs require ganging modules. The Ganging Modules can be used to prevent movement of the tables, enhance stability and keep the legs perfectly aligned. It is recommended to use 2 brackets per seam.









SELF STORING

The Ganging Module can be neatly tucked underneath the table and re-fastened when not being used, to join to another table in the future. This allows the flexibility and reconfigurability of the V2 Modular line when wanting to add or subtract tables from existing table configurations.






PACKAGING

V2 packaging features recycled and recyclable cardboard. The product is shipped as separate components - legs are cartoned separate from table top.

However, the electrical is shipped already installed on table top. Table legs have to be attached to table top surface after delivery.


LEG OPTIONS

The V2 aluminum leg fastens to a die cast mounting plate. The mounting plate has a polished surface and is attached to the underside of the table using machine bolts. The mounting plate is 9 3/8" deep and tapers from 4" wide to 1/4" diameter and is 9/16" thick. See Page 94 for wire management feature.



V2 LEGS WITH GLIDES

The V2 Modular legs come with the adjustable glides. There is 2 1/4" of height adjustment and these glides can be adjusted with 5/8" wrench.




V2 LEGS WITH CASTERS

The V2 Modular legs come with 2" casters in a Silver Metallic finish. They have the ability to lock with a foot release lever located at the base of the wheel.


PLASMA SCREEN CABINETS

- 72" cabinets accommodate flat screen televisions up to 130lbs with dimensions no greater than 51 1/4" x 4 3/4" x 30"
- The 20" deep units do not come with storage shelves
- 24" deep units come with 4 shelves that measure 34 1/2" wide x 12 7/16" deep
- Grommet cut-outs are on each shelf for cord pass through
- Grommet cut-out is on center partition for cord pass through
- Comes with remote control to raise and lower television
- The remote has a radio frequency with 15 ft. operating distance




MEDIA HUTCHES


- 75" media hutches accommodate flat screen televisions up to 200lbs with dimensions no greater than 65" x 9" x 40"
- Media Hutches come standard with television wall mount
- The teardrop holes in the mount allow for quick connect/disconnect of the screen, thus simplifying installation and maintenance processes
- This display can be pulled and tilted by hand into any position from 0° to 15° tilt range and/or remain stationary



MEDIA BUFFETS


- Come with option of locks for an upcharge of \$159 list
- Opening on media buffet (space between drawers) measures 37 5/16" wide, 5 13/16" high
- Media buffets have an adjustable shelf that comes standard when ordered. Adjustable shelves are shipped in the middle position and are 1 3/16" thick.
- A grommet cut-out comes standard in the center of the media buffet opening
- Drawer depths measure 2.5" in depth, 15 3/16" wide






MEDIA PEDESTALS

- Grommet cut-outs are on each shelf
- Grommet cut-outs are on the top of the back and lower bottom of the back for wire pass through and plug access
- Come standard with two storage shelves




MEDIA PIERS - SINGLE

- Single 19" storage unit stacks on top of the work surface
- Media Piers should be used in conjunction with media pedestals
- Come standard with touch latch doors
- Grommet cut-outs are on every shelf in media piers at the back of each shelf
- Grommet cut-outs are on the top of the back and the lower back for plug and wire access




MEDIA PIERS - DOUBLE

- Double media piers are 36" wide with wood doors
- Come standard with touch latch doors
- Grommet cut-outs are on every shelf in media piers and at the back of each shelf
- Grommet cut-outs are on the top of the back and lower back for plug and wire access



VISUAL BOARDS & WHITE BOARD

- Includes white board and four dry erase markers.
- Doors slide straight out to the side
- Wall mountable that includes a roll-out presentation screen.



EDGE PROFILES - CONFERENCE ROOM CASEGOODS

V2 Conference Room Casegood worksurfaces feature the Fino profile at 1 1/8" thickness.



DRAWER PULL

Four drawer pull styles are available on V2 Conference Room Casegood Visual Boards, Plasma Screen Cabinet, Media Hutch with doors, Media Buffet and Media Pedestals: Como, Mira, Sono and Massa. The four drawer pull styles are only available in a satin metallic finish. Please note pull selection on Purchase Order. Orders will not be entered until a pull is specified.







POWERPORT

The V2 Modular PowerPort made from aluminum and featuring a hinged lid, provides a functional and attractive solution for connectivity. The PowerPort comes standard 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud.

The PowerPort is a UL/CSA-approved power/data power bar, (Port) which includes three 115-volt electrical convenience outlets, and two RJ45 communication ports - all easily accessed just under the worksurface. The PowerPort is Category 5/6 compatible.

The PowerPort can be specified without the power bar (Port), to serve as a grommet for wire management, or to enable future power-up of the tables. It is 7.5" wide by 4" long, and features an aluminum hinged lid that is designed to be in the closed position when cables pass through to the plug-in. The PowerPort can accommodate multiple cables at once, as well as transformer plugs, through the worksurface.

Power cord is 10 ft. long, data cable is 14 ft. long.

PowerPorts can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface. On surfaces that are smaller than 60", PowerPorts are available only in the center position.

See Page xx for options and location codes for selecting the PowerPort location for each table top.



SURFACE MODULE

The V2 Surface Module is a lower cost alternative to the PowerPort. It is compact and convenient and positions the plug-in on the worksurface itself, instead of underneath it.

A Surface Module comes with two power receptacles above the work surface and one power receptacle below the work surface, which allows you to connect power to additional tables or configurations. In addition the Surface Module also comes with one USB Port - one USB printer port, one RJ11 and one RJ45. Each receptacle has a 12 Amp, 120 Volt, 60Hz capacity and comes standard with a 10' heavy duty power cord with a right angle plug.

The Surface Module has an angled face, that's easy to see and operate. The RJ45 Port allows connection to High Speed DSL or Internet and provides access to cable modem, network or internet router. In addition, a power plug exists for cell phone and laptop. There are two USB Ports - one for input and one for output to accommodate almost any electrical needs. The surface module is available in a black finish only.

Surface Modules can be specified in 3 different locations (Left, Right or Center) depending on the size of the meeting table surface. On surfaces that are smaller than 60", Surface Modules are available only in the center position.

See Page 90 for options and location codes for selecting the Surface Module location for each table top.



ROUND GROMMET

A round grommet with an open and shut mousehole serves to provide cable passage for areas not requiring a large opening.


Round grommet Silver Metallic, 60 mm dia. (2 3/8" approx.) Round grommets do not provide electrical service.

Grommets can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface. On surfaces that are smaller than 60", grommets are available only in the center position.

One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of \$159 list per grommet.

See Page 90 for options and location codes for selecting the Grommet location for each table top.


SCENARIO 1




This symbol refers to: Electrical, Fax, Modem, Telephone, and Network Data



SCENARIO 2



SCENARIO 3




SCENARIO 4




*Power Entry (4 wire, 2 circuit and 8 wire, 4 circuit) are hard wired to power source in the wall or floor.

WIRING SOLUTIONS AND TABLE CONFIGURATIONS


Below are 2 configurations which demonstrate the 4-Wire System, where the 42" Jumper is required on the underside of the table. Same layout applies to the 8-Wire System.






Non-standard locations can be specified, although there are restrictions due to leg positions, and modesty panel positions. An upcharge of \$159 list per non-standard grommet is applicable, contact Customer Service for assistance. Modular Table Tops smaller than 60" have the power access available only in the 'C' position. Table tops greater than 60" can have the power access specified in as many as three locations (AR, AL and C). The only exception to this rule is the 36" visio tables which can be specified with three power access positions, AR– right corner, AL– left corner, and C– center.

POWERPORT/PORT POSITIONS - Modesty Panels are shown on the same side as the PowerPort/Ports.



SURFACE MODULE/GROMMET POSITIONS - Modesty Panels are shown on the same side as the Surface Modules.



Modesty Panels are shown on the same side as the Round Grommets. One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of \$159 list per grommet in standard positions.





The 4-Wire System is a economical power distribution solution that is easy to specify, install, and reconfigure.

Features:

- 4-wires, 2 circuits, 20 Amps each
- 13 duplex receptacles per circuit, 26 15 Amp duplex receptacles per power infeed maximum
- Easy to specify
- Easy to install and reconfigure
- Requires less space
- UL Listed as a Manufactured Wiring System
- More economical than 8-wire system
- RoHS Compliancy available upon request; Cradle to Cradle

61EC4-30 - 4 wire, 2 circuit system, 30" table 61EC4-36 - 4 wire, 2 circuit system, 36" table 61EC4-42 - 4 wire, 2 circuit system, 42" table 61EC4-48 - 4 wire, 2 circuit system, 48" table 61EC4-54 - 4 wire, 2 circuit system, 54" table 61EC4-60 - 4 wire, 2 circuit system, 60" table 61EC4-66 - 4 wire, 2 circuit system, 66" table 61EC4-72 - 4 wire, 2 circuit system, 72" table



8-WIRE SYSTEM

The 8-Wire System offers a high quality, cost effective answer to your power distribution needs. The modular system is adaptable to all architectural elements. The modularity of the System makes it simple to specify, order and install.

Features:

- UL recognized & listed
- Approved for use in New York City
- RoHS compliancy available upon request; cradle to cradle
- 20 Amp system available in 4 circuit configurations
- Allows for up to 52 duplex receptacles or desktop accessories using Interconnect.

Can be used independently with grommet or PORT0.


61EC8-30 - 8 wire, 4 circuit system, 30" table 61EC8-36 - 8 wire, 4 circuit system, 36" table 61EC8-42 - 8 wire, 4 circuit system, 42" table 61EC8-48 - 8 wire, 4 circuit system, 48" table 61EC8-54 - 8 wire, 4 circuit system, 54" table 61EC8-60 - 8 wire, 4 circuit system, 60" table 61EC8-66 - 8 wire, 4 circuit system, 66" table 61EC8-72 - 8 wire, 4 circuit system, 72" table


All Krug's power access options can be used with or without the 4-Wire or 8-Wire System. These components can be ordered together, or at a later date as your power requirements change.




4-WIRE AND 8-WIRE - 42" JUMPERS

These longer jumper cables are required when connecting one table from the back to the end of another table using either the 4-Wire or 8-Wire System. These jumper cables allow you to daisychain each wired table to the next.









Modesty panels are available with or without grommets.

Grommets on modesty panels are required for electrified tables that are positioned such that modesty panels are overlapping, so that cabling can pass through the overlapping modesty panels. Wiring either at 90° corners (when corner connector tables aren't used) or tables that are face-to-face adjoining require modesty panels to be ordered with grommets. Below is an example showing wiring passing through one table to another via a modesty panel with grommets.

Typical layouts when modesty panels with grommets are required below.



Typical layout with modesty panels without grommets below.




WIRE MANAGEMENT

Wires are channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.

There is 2.2 in² of wire management capacity in the interior of the leg. Available with glides or casters.



V2 MODULAR | MODULAR CONFIGURATIONS



| Model Number | (|
|--------------|---|
| 61THRT-7236 | |
| 61TC-3636-90 | |

| Qty. | |
|------|--|
| 4 | |
| 4 | |

Model Number 61THV-24 61THRT-7224

4

Qty.



Qty. 8 8

Model Number Qty 61THDH-6030 2 61THRT-6030 2

Model Number 61THDH-6030

V2 MODULAR | SEATING CAPACITIES

| | Тор | | Approx. Seating for long side | Approx. Seating for | Approx. Seating for |
|-------------|--|--|---|--|---|
| Description | Length | Width | Without modesty panel | End | Total Stand Alone |
| Square | 30 36 42 48 | 30 36 42 48 | 1 1 1 | 1 1 1 | 4 4 4 4 |
| Round | 36 DIA 42 DIA 48 DIA 54 DIA | N/A N/A N/A N/A | 1 1 1 1 | 1 1 1 | 4 4 4 4 |
| Half Round | 48 60 | 24 30 | 2 2 | 1 2 | 3 4 |
| Rectangular | 48 54 60 66 72 48 54 60 66 72 54 60 66 72 | 24 24 24 24 24 30 30 30 30 30 30 36 36 36 | 1 1 2 2 2 2 1 1 2 2 2 2 1 2 2 2 2 | 0 0 0 0 0 1 1 1 1 1 1 1 | 2 2 4 4 4 4 6 6 6 6 6 6 6 |
| Arc | 60 72 60 72 | 30-36 30-36 36-42 36-42 | 2 2 2 2 2 | 1 1 1 1 | 6 6 6 6 |

ORDERING NOTES

If a modesty panel is used, there is no seating capacity on that side of the table. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug V2 Modular product.

V2 MODULAR | SEATING CAPACITIES


| Description | To Length | p Size Width | Approx. Seating for long side Without modesty panel | Approx. Seating for End | Approx. Seating for Total Stand Alone |
|----------------------------------|----------------------------|----------------------------|---|-------------------------------|---|
| Swept | 60 72 | 36-30 36-30 | 2 2 | 1 1 | 6 |
| Curve | | | | | |
| Wave | 60 72 | 30-31.5 30-31.5 | 2 2 | 1 | 6 6 |
| Wave Inverted | 60 72 | 30-28.5 30-28.5 | 2 2 | 1 1 | 6 6 |
| Trapezoid | 48 60 48 60 72 | 24 24 30 30 36 | 1 1 1 1 1 | 1 1 1 1 | 4 4 4 4 4 |
| Curved Trapezoid | 60 | 30 | 2 | 1 | 5 |
| Visio End | 24 30 36 | N/A N/A N/A | 1 1 2 | 1 1 1 | 5 5 6 |
| Corner 45° Connecting Top | 24 30 36 | 24 30 36 | 1 1 1 | 0 0 0 | N/A N/A N/A |
| 60° | 24 30 36 | 24 30 36 | 1 1 1 | 0 0 0 | N/A N/A N/A |
| 90° (with or without legs) | 24 30 36 | 24 30 36 | 1 1 1 | 0 0 0 | N/A N/A N/A |

ORDERING NOTES


If a modesty panel is used, there is no seating capacity on that side of the table. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug V2 Modular product.


V2 MODULAR | SAMPLE CONFIGURATIONS

| | | Laminate | Laminate with Wood | Rift Oak, Cherry, Maple, | |
|-----------------|----------|---------------|--------------------|--------------------------------|--------|
| Model | QTY | with PVC Edge | Edge | Walnut | Anigre |
| 61TC-3030-90-Q2 | 2 | 1226 | 1347 | 1347 | 1551 |
| 61TH30CT-3060 | 6 | 2124 | 2332 | 2332 | 2682 |
| TABLE CONFIGURA | TION TOT | TAI 15197 | 16686 | 16686 | 19200 |



| Model | QTY | Laminate w/ PVC Edge | Laminate w/ Wood Edge | Rift Oak Cherry, Maple, Walnut | Anigre |
|--------------------------------|-----|-------------------------|--------------------------|---|--------|
| 61THW-7236-X21 | (2) | 2638 | 2989 | 2989 | 3366 |
| PowerData/Link in Position "C" | 1 | 365 | 365 | 365 | 365 |
| 61THRT-7224-X21 | (2) | 2324 | 2640 | 2640 | 2963 |
| PowerPort in a "C" position | (2) | 999 | 73 | 999 | 999 |
| TABLE TOTAL LIST | | 12291 | 11772 | 13624 | 15023 |
| 62CMBU-752435-13 | 1 | N/A | N/A | 8196 | 9382 |
| 62CMHTO-751541 | 1 | N/A | N/A | 4953 | 5696 |
| 62CMP-362035-11 | (2) | N/A | N/A | 3977 | 9144 |
| 62CMPR-361541G | (2) | N/A | N/A | 4288 | 6730 |
| TABLE CONFIGURATION TOT | AL | | | 29681 | 46828 |







V2 MODULAR | SAMPLE CONFIGURATIONS

| TABLE CONFIGURATION | TOTAL | 13261 | 15151 | 15151 | 17091 | |
|-------------------------|-------|-------------|--------------|-------------------|--------|--|
| Grommet in "C" Position | | * 0 | 0 | 0 | 0 | |
| 61THRT-7224-X29 | 6 | 2210 | 2525 | 2525 | 2848 | |
| Model | QTY | w/ PVC Edge | w/ Wood Edge | Walnut | Anigre | |
| | | Laminate | Laminate | Cherry, Maple, | | |
| | | | | Rift Oak, | | |

^{*} One Grommet position comes standard at no charge per table.



| | | Laminate | Laminate | Rift Oak, Cherry, Maple, | |
|----------------|-----------|---------------|----------------|--------------------------------|--------|
| Model | QTY | with PVC Edge | with Wood Edge | Walnut | Anigre |
| 61THS-7236R | 2 | 2157 | 2506 | 2506 | 2882 |
| 61THS-7236L | 2 | 2157 | 2506 | 2506 | 2882 |
| TABLE CONFIGUR | ATION TOT | AI 8631 | 10025 | 10025 | 11520 |



V2 MODULAR | RECTANGULAR & ARC TABLES

| Description | Model | Laminate W/ PVC Edge | Laminate W/ Wood Edge | Rift Oak, Cherry, Walnut, Maple | Anigre | W | D | Н | KW | Shipping Weight | Cubic Feet |
|-------------------|-------------|----------------------------|-----------------------------|--|------------|----------|-------|-------|-------|--------------------|---------------|
| Rectangular Table | 61THRT-4824 | 1541 | 1691 | 1691 | 1946 | 47.75 | 23.75 | 29.25 | 40.5 | 60 | 7.5 |
| with Glides | 61THRT-5424 | 1635 | 1916 | 1916 | 2205 | 53.75 | 23.75 | 29.25 | 46.5 | 64 | 8 |
| | 61THRT-6024 | 1687 | 1977 | 1977 | 2274 | 59.75 | 23.75 | 29.25 | 52.25 | 68 | 9 |
| $\hat{}$ | 61THRT-6624 | 1787 | 2038 | 2038 | 2343 | 65.75 | 23.75 | 29.25 | 58.5 | 72 | 9.5 |
| | 61THRT-7224 | 1842 | 2158 | 2158 | 2480 | 71.75 | 23.75 | 29.25 | 64.25 | 88 | 10 |
| | 61THRT-4830 | 1589 | 1745 | 1745 | 2006 | 47.75 | 29.75 | 29.25 | 40.5 | 68 | 8.5 |
| | 61THRT-5430 | 1663 | 2025 | 2025 | 2329 | 53.75 | 29.75 | 29.25 | 46.5 | 73 | 9.5 |
| | 61THRT-6030 | 1736 | 2084 | 2084 | 2395 | 59.75 | 29.75 | 29.25 | 52.25 | 78 | 10 |
| | 61THRT-6630 | 1839 | 2129 | 2129 | 2445 | 65.75 | 29.75 | 29.25 | 58.5 | 88 | 11 |
| Ų 📗 | 61THRT-7230 | 1898 | 2223 | 2223 | 2557 | 71.75 | 29.75 | 29.25 | 64.25 | 93 | 11.5 |
| II. | 61THRT-6036 | 1924 | 2304 | 2304 | 2652 | 59.75 | 35.75 | 29.25 | 52.25 | 99 | 12.5 |
| • | 61THRT-7236 | 2008 | 2411 | 2411 | 2770 | 71.75 | 35.75 | 29.25 | 64.25 | 105 | 13 |
| | ORDERING NO | | | | al 4la a4a | :41- 41- | | | :- | | |

Rectangular tables are available with a modesty panel that runs with the grain on one side only. Please see page 109 for options and upcharges.

| Rectangular Table with Casters |
|--------------------------------|
| |

| 61THRT-4824-M | 1648 | 1798 | 1798 | 2066 | 47.75 | 23.75 | 29.25 | 40.5 | 60 | 7.5 |
|---------------|------|------|------|------|-------|-------|-------|-------|-----|------|
| 61THRT-5424-M | 1744 | 2023 | 2023 | 2327 | 53.75 | 23.75 | 29.25 | 46.5 | 64 | 8 |
| 61THRT-6024-M | 1793 | 2084 | 2084 | 2395 | 59.75 | 23.75 | 29.25 | 52.25 | 68 | 9 |
| 61THRT-6624-M | 1893 | 2142 | 2142 | 2464 | 65.75 | 23.75 | 29.25 | 58.5 | 72 | 9.5 |
| 61THRT-7224-M | 1948 | 2265 | 2265 | 2605 | 71.75 | 23.75 | 29.25 | 64.25 | 88 | 10 |
| 61THRT-4830-M | 1697 | 2133 | 2133 | 2453 | 47.75 | 29.75 | 29.25 | 40.5 | 68 | 8.5 |
| 61THRT-5430-M | 1769 | 2190 | 2190 | 2516 | 53.75 | 29.75 | 29.25 | 46.5 | 73 | 9.5 |
| 61THRT-6030-M | 1842 | 2212 | 2212 | 2543 | 59.75 | 29.75 | 29.25 | 52.25 | 78 | 10 |
| 61THRT-6630-M | 1946 | 2236 | 2236 | 2570 | 65.75 | 29.75 | 29.25 | 58.5 | 88 | 11 |
| 61THRT-7230-M | 2004 | 2329 | 2329 | 2681 | 71.75 | 29.75 | 29.25 | 64.25 | 93 | 11.5 |
| 61THRT-6036-M | 2028 | 2412 | 2412 | 2772 | 59.75 | 35.75 | 29.25 | 52.25 | 99 | 12.5 |
| 61THRT-7236-M | 2116 | 2515 | 2515 | 2893 | 71.75 | 35.75 | 29.25 | 64.25 | 105 | 13 |

| Arc Table with Glides | 61THA-4824 | 1663 | 1830 | 1830 | 2102 | 47.75 | 29.75 | 29.25 | 40.5 | 63 | 8.5 |
|-----------------------|------------|------|------|------|------|-------|-------|-------|-------|-----|------|
| | 61THA-5424 | 1884 | 2069 | 2069 | 2382 | 53.75 | 29.75 | 29.25 | 46.5 | 68 | 9.5 |
| | 61THA-6024 | 1945 | 2134 | 2134 | 2457 | 59.75 | 29.75 | 29.25 | 52.25 | 73 | 10 |
| | 61THA-6624 | 2003 | 2198 | 2198 | 2530 | 65.75 | 29.75 | 29.25 | 58.5 | 83 | 11 |
| | 61THA-7224 | 2121 | 2329 | 2329 | 2681 | 71.75 | 29.75 | 29.25 | 64.25 | 88 | 11.5 |
| | 61THA-4830 | 1714 | 1881 | 1881 | 2165 | 47.75 | 35.75 | 29.25 | 40.5 | 71 | 10 |
| | 61THA-5430 | 1991 | 2190 | 2190 | 2515 | 53.75 | 35.75 | 29.25 | 46.5 | 77 | 10.5 |
| | 61THA-6030 | 2046 | 2250 | 2250 | 2587 | 59.75 | 35.75 | 29.25 | 52.25 | 83 | 11.5 |
| | 61THA-6630 | 2090 | 2300 | 2300 | 2642 | 65.75 | 35.75 | 29.25 | 58.5 | 94 | 12.5 |
| | 61THA-7230 | 2188 | 2400 | 2400 | 2763 | 71.75 | 35.75 | 29.25 | 64.25 | 100 | 13 |

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


V2 MODULAR | ARC & WAVE TABLES

Rift Oak, Laminate Laminate Cherry, W/ PVC W/ Wood Walnut, Shipping Cubic Description Model Edge Edge Maple W D Н KW Weight Feet Anigre Arc Table with Casters 61THA-4824-M 1759 1933 1933 2222 47.75 29.75 29.25 8.5 40.5 63 61THA-5424-M 1979 2175 2175 2504 53.75 29.75 29.25 46.5 68 9.5 61THA-6024-M 2041 2240 2240 2579 59.75 29.75 29.25 52.25 73 10 61THA-6624-M 2098 2304 2653 29.75 29.25 2304 65.75 58.5 83 11 61THA-7224-M 2217 2437 2437 2802 71.75 29.75 29.25 64.25 11.5 61THA-4830-M 1810 1988 1988 2285 47.75 35.75 29.25 40.5 71 10 2297 61THA-5430-M 2088 2297 2640 53.75 35.75 29 25 46.5 77 10.5 2354 2354 2709 35.75 29.25 52.25 61THA-6030-M 2144 59.75 83 11.5 61THA-6630-M 2189 2407 2407 2766 65.75 35.75 29.25 58.5 94 12.5 61THA-7230-M 2282 2509 2509 2884 35.75 29.25 64.25 100 71.75 13

ORDERING NOTES

Arc tables are available with a modesty panel that runs with the grain on the bow side.


Please see page 26 for options and upcharges. The modesty panel is on the curved section of the bow top and is constructed to have seating on the straight section.



ORDERING NOTES

Wave tables are available with a modesty panel on the long straight side only. Please see page 26 for options and upcharges.

| Wave Table | 61THW-6030-M | 2155 | 2505 | 2505 | 2880 | 59.75 | 31.25 | 29.25 | 52.25 | 85 | 11 |
|--------------|--------------|------|------|------|------|-------|-------|-------|-------|----|----|
| with Casters | 61THW-7230-M | 2247 | 2612 | 2612 | 3004 | 71.75 | 31.25 | 29.25 | 64.25 | 96 | 12 |



ORDERING NOTES

Wave tables are available with a modesty panel on the long straight side only. Please see page 26 for options and upcharges.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | WAVE & CURVE TABLES

| | | | | Rift Oak, | | | | | | | |
|-------------------|-------------|----------|----------|-----------|--------|-------|------------|-------|-------|----------|-------|
| | | Laminate | Laminate | Cherry, | | | | | | | |
| | | W/ PVC | W/ Wood | Walnut, | | | | | | Shipping | Cubic |
| Description | Model | Edge | Edge | Maple | Anigre | W | D | Н | KW | Weight | Feet |
| Wave Inverted | 61THWI-6036 | 2062 | 2397 | 2397 | 2759 | 59.75 | 29.75/28.5 | 29.25 | 52.25 | 78 | 10.5 |
| Table with Glides | 61THWI-7236 | 2157 | 2506 | 2506 | 2882 | 71.75 | 29.75/28.5 | 29.25 | 64.25 | 93 | 11.5 |



ORDERING NOTES

Wave Inverted tables are available with a modesty panel on the long straight side only.


| Wave Inverted Table | 61THW1-6036-M | 2155 | 2505 | 2505 | 2880 | 59.75 | 29.75/28.5 | 29.25 | 52.25 | 78 | 10.5 |
|---------------------|---------------|------|------|------|------|-------|------------|-------|-------|----|------|
| with Casters | 61THW1-7236-M | 2247 | 2612 | 2612 | 3004 | 71.75 | 29.75/28.5 | 29.25 | 64.25 | 93 | 11.5 |



ORDERING NOTES

Wave Inverted tables are available with a modesty panel on the long straight side only.

| Curve Table | 61THC-6036R | 2090 | 2300 | 2300 | 2642 | 59.75 | 35.75/29.75 | 29.25 | 52.25 | 75 | 12.5 |
|-------------|-------------|------|------|------|------|-------|-------------|-------|-------|----|------|
| with Glides | 61THC-6036L | 2090 | 2300 | 2300 | 2642 | 59.75 | 35.75/29.75 | 29.25 | 52.25 | 75 | 12.5 |
| | 61THC-7236R | 2188 | 2400 | 2400 | 2763 | 71.75 | 35.75/29.75 | 29.25 | 64.25 | 90 | 13 |
| | 61THC-7236L | 2188 | 2400 | 2400 | 2763 | 71.75 | 35.75/29.75 | 29.25 | 64.25 | 90 | 13 |
| | | | | | | | | | | | |



ORDERING NOTES

Curve tables are available with a modesty panel on the curved side only.

DIMENSION KEY

W - width

D - depth H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | CURVE & SWEPT TABLES

Rift Oak, Laminate Laminate Cherry,


| Description | Model | W/ PVC Edge | W/ Wood Edge | Walnut, Maple | Anigre | W | D | Н | KW | Shipping Weight | Cubic Feet |
|--------------|---------------|----------------|-----------------|------------------|--------|-------|-------------|-------|-------|--------------------|---------------|
| Curve Table | 61THC-6036R-M | 2189 | 2407 | 2407 | 2766 | 59.75 | 35.75/29.75 | 29.25 | 52.25 | 75 | 12.5 |
| with Casters | 61THC-6036L-M | 2189 | 2407 | 2407 | 2766 | 59.75 | 35.75/29.75 | 29.25 | 52.25 | 75 | 12.5 |
| | 61THC-7236R-M | 2282 | 2509 | 2509 | 2884 | 71.75 | 35.75/29.75 | 29.25 | 64.25 | 90 | 13 |
| | 61THC-7236L-M | 2282 | 2509 | 2509 | 2884 | 71.75 | 35.75/29.75 | 29.25 | 64.25 | 90 | 13 |



ORDERING NOTES

Curve tables are available with a modesty panel on the curved side only.


| Swept Table | 61THS-6036R | 2062 | 2397 | 2397 | 2759 | 59.75 | 35.75/29.75 29.25 | 52.25 | 75 | 12.5 |
|-------------|-------------|------|------|------|------|-------|-------------------|-------|----|------|
| with Glides | 61THS-6036L | 2062 | 2397 | 2397 | 2759 | 59.75 | 35.75/29.75 29.25 | 52.25 | 75 | 12.5 |
| | 61THS-7236R | 2157 | 2506 | 2506 | 2882 | 71.75 | 35.75/29.75 29.25 | 64.25 | 90 | 13 |
| | 61THS-7236L | 2157 | 2506 | 2506 | 2882 | 71.75 | 35.75/29.75 29.25 | 64.25 | 90 | 13 |



ORDERING NOTES

Swept tables are available with a modesty panel on the long straight side only.

| Swept Table | 61THS-6036R-M | 2155 | 2505 | 2505 | 2880 | 59.75 | 35.75/29.75 29.2 | 5 52.25 | 75 | 12.5 |
|--------------|---------------|-------|------|------|------|-------|------------------|---------|----|------|
| with Casters | 61THS-6036L-M | 2155 | 2505 | 2505 | 2880 | 59.75 | 35.75/29.75 29.2 | 5 52.25 | 75 | 12.5 |
| | 61THS-7236R-M | 2247 | 2612 | 2612 | 3004 | 71.75 | 35.75/29.75 29.2 | 5 64.25 | 90 | 13 |
| | 61THS-7236L-M | 22/17 | 2612 | 2612 | 3004 | 71 75 | 35 75/20 75 20 2 | 5 64.25 | ٩n | 13 |



ORDERING NOTES

Swept tables are available with a modesty panel on the long straight side only.

DIMENSION KEY

W - WIDTH

D – depth H – height of worksurface

KW - kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | TRAPEZOID & CURVED TRAPEZOID TABLES

Rift Oak, Laminate Laminate Cherry, W/ PVC W/ Wood Walnut, Shipping Cubic Description Anigre W D Н Υ Model Weight Χ Edge Edge Maple Feet Trapezoid Table 61THTZ48-2424 1848 2030 2030 2332 47.75 20.75 29.25 40.25 23.75 23.75 with Glides 61THTZ60-2424 2160 2369 2369 2731 59.75 20.75 29.25 52 61 9 35.75 23.75 61THTZ48-3030 1905 2090 2090 2407 47.75 25.75 29.25 40.25 61 8.5 18 29.75 61THTZ60-3030 2274 2501 2501 2877 59.75 25.75 29.25 52 71 10 29.75 29.75 61THTZ72-3636 2891 35.75 35.75 2630 2891 3324 71.75 30.75 29.25 64 86 13

ORDERING NOTES


Trapezoid tables are available with a modesty panel on the short side only. Please note that on the trapezoid table the knife edge profile is not present on the angled sides of the table.

| Trapezoid Table | 61THTZ48-2424-M | 1954 | 2135 | 2135 | 2458 | 47.75 | 20.75 | 29.25 | 40.25 | 53 | 7.5 | 23.75 23.75 |
|-----------------|-----------------|------|------|------|------|-------|-------|-------|-------|----|-----|-------------|
| with Casters | 61THTZ60-2424-M | 2268 | 2478 | 2478 | 2850 | 59.75 | 20.75 | 29.25 | 52 | 61 | 9 | 35.75 23.75 |
| With Oddicio | 61THTZ48-3030-M | 2009 | 2196 | 2196 | 2528 | 47.75 | 25.75 | 29.25 | 40.25 | 61 | 8.5 | 18 29.75 |
| | 61THTZ60-3030-M | 2381 | 2607 | 2607 | 2996 | 59.75 | 25.75 | 29.25 | 52 | 71 | 10 | 29.75 29.75 |
| | 61THTZ72-3636-M | 2739 | 2996 | 2996 | 3449 | 71.75 | 30.75 | 29.25 | 64 | 86 | 13 | 35.75 35.75 |
| V | | | | | | | | | | | | |

ORDERING NOTES

Trapezoid tables are available with a modesty panel on the short side only. Please note that on the trapezoid table the knife edge profile is not present on the angled sides of the table.

| | 130CT-3066 | 2168 | 2384 | 2384 | 0740 | | | | | | | |
|--------------------|------------|------|------|------|------|-------|-------|-------|-------|-----|-------|------|
| with Glides 61TL | | | | 2304 | 2740 | 33 | 65.75 | 29.25 | 57.25 | 89 | 10.5 | 44.5 |
| WILLI CIIGCS 01111 | 130CT-3072 | 2269 | 2492 | 2492 | 2864 | 38.75 | 71.75 | 29.25 | 57.25 | 99 | 11.75 | 41.5 |
| 61TH | I30CT-3666 | 2350 | 2583 | 2583 | 2969 | 33.5 | 65.75 | 29.25 | 63 | 95 | 11.25 | 50.5 |
| | I30CT-3672 | 2458 | 2698 | 2698 | 3104 | 39.25 | 71.75 | 29.25 | 63 | 106 | 12.5 | 47.5 |



ORDERING NOTES

Curved Trapezoid tables are not available with a modesty panel option.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS


Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | CURVED TRAPEZOID & VISIO TABLES

Rift Oak, Laminate Laminate Cherry, W/ PVC W/ Wood Walnut, Shipping Cubic Description Edge D KW Model Edge Maple Anigre W Н Weight Feet Υ **Curved Trapezoid** 61TH30CT-3060-M 32.75 59.5 29.25 51.25 83 8.5 38.5 2230 2440 2440 2804 Table 61TH30CT-3066-M 65.75 29.25 89 10.5 33 57.25 44.5 2268 2491 2491 2863 with Casters 61TH30CT-3072-M 38.75 71.75 29.25 57.25 99 11.75 41.5 2364 2596 2596 2989 61TH30CT-3666-M 2445 2690 2690 3093 33.5 65.75 29.25 63 95 11.25 50.5 61TH30CT-3672-M 39.25 71.75 29.25 63 106 12.5 47.5 2553 2804 2804 3226 KW



ORDERING NOTES

Curved Trapezoid tables are not available with a modesty panel option.


| Visio End Table | 61THV-473824 | 1797 | 1974 | 1974 | 2269 | 38 | 47.5 | 29.25 | 33.5 | 79 | 10.5 | 28.75 |
|-----------------|--------------|------|------|------|------|-------|-------|-------|-------|-----|------|-------|
| with Glides | 61THV-593930 | 2103 | 2311 | 2311 | 2657 | 38.75 | 59.25 | 29.25 | 45.25 | 98 | 12 | 28.75 |
| | 61THV-713936 | 2412 | 2652 | 2652 | 3049 | 39.25 | 71.25 | 29.25 | 57 | 112 | 14 | 28.75 |



ORDERING NOTES

Visio End tables are not available with a modesty panel.

| Visio End Table | 61THV-473824-M | 1901 | 2079 | 2079 | 2391 | 38 47.5 | 29.25 | 33.5 | 79 | 10.5 | 28.75 |
|-----------------|----------------|------|------|------|------|-------------|-------|-------|-----|------|-------|
| with Casters | 61THV-593930-M | 2210 | 2417 | 2417 | 2778 | 38.75 59.25 | 29.25 | 45.25 | 98 | 12 | 28.75 |
| | 61THV-713936-M | 2516 | 2759 | 2759 | 3172 | 39.25 71.25 | 29.25 | 57 | 112 | 14 | 28.75 |



ORDERING NOTES

Visio End tables are not available with a modesty panel.

DIMENSION KEY

W - width

D - depth H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | SQUARE & ROUND TABLES

| Rift | Oak, |
|------|------|
| | |

| | | | Laminate W/ Wood | , | | | | | | Shipping | Cubic |
|--------------|-------------|------|------------------|-------|--------|-------|-------|-------|------|----------|-------|
| Description | Model | Edge | Edge | Maple | Anigre | W | D | Н | KW | Weight | Feet |
| Square Table | 61THSQ-3030 | 1486 | 1632 | 1632 | 1875 | 29.75 | 29.75 | 29.25 | 22.5 | 53 | 6.5 |
| with Glides | 61THSQ-3636 | 1606 | 1750 | 1750 | 2010 | 35.75 | 35.75 | 29.25 | 28.5 | 64 | 8 |
| | 61THSQ-4242 | 1697 | 1878 | 1878 | 2160 | 41.75 | 41.75 | 29.25 | 34.5 | 77 | 10.5 |
| | 61THSQ-4848 | 1798 | 2002 | 2002 | 2301 | 47.75 | 47.75 | 29.25 | 40.5 | 92 | 12 |



ORDERING NOTES

The Square tables are available with a modesty panel that runs with the grain on one side only.

| Square Table | 61THSQ-3030-M | 1590 | 1736 | 1736 | 1997 | 29.75 | 29.75 | 29.25 | 22.5 | 53 | 6.5 |
|--------------|---------------|------|------|------|------|-------|-------|-------|------|----|------|
| with Casters | 61THSQ-3636-M | 1714 | 1857 | 1857 | 2134 | 35.75 | 35.75 | 29.25 | 28.5 | 64 | 8 |
| | 61THSQ-4242-M | 1801 | 1981 | 1981 | 2280 | 41.75 | 41.75 | 29.25 | 34.5 | 77 | 10.5 |
| | 61THSQ-4848-M | 1905 | 2106 | 2106 | 2422 | 47.75 | 47.75 | 29.25 | 40.5 | 92 | 12 |



ORDERING NOTES

The Square tables are available with a modesty panel that runs with the grain on one side only.

| Round Table | 61THD-36 | 1810 | 2009 | 2009 | 2312 | 35.75 | 35.75 | 29.25 | 18.25 | 57 | 8 |
|-------------|----------|------|------|------|------|-------|-------|-------|-------|----|------|
| with Glides | 61THD-42 | 1947 | 2169 | 2169 | 2496 | 41.75 | 41.75 | 29.25 | 22.5 | 68 | 10.5 |
| | 61THD-48 | 2060 | 2301 | 2301 | 2646 | 47.75 | 47.75 | 29.25 | 26.75 | 85 | 12 |
| | 61THD-54 | 2200 | 2339 | 2339 | 2690 | 53.75 | 53.75 | 29.25 | 30.75 | 97 | 14.5 |



Round tables are not available with a modesty panel option.

DIMENSION KEY

 $W \ - \ width$

D - depth

H - height of worksurface

KW - kneehole width

Y - dimensions as indicated on line drawing

X - dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | ROUND TABLES

| | | | | Rift Oak, | | | | | | | | |
|--------------|------------|--------------------|---------------------|-----------------|--------|-------|-------|-------|-------|----------|-------|---|
| | | Laminate W/ PVC | Laminate W/ Wood | Cherry, Walnut, | | | | | | Shipping | Cubic | |
| Description | Model | Edge | Edge | Maple | Anigre | W | D | Н | KW | Weight | Feet | Υ |
| Round Table | 61THD-36-M | 1914 | 2117 | 2117 | 2433 | 35.75 | 35.75 | 29.25 | 18.25 | 57 | 8 | - |
| with Casters | 61THD-42-M | 2053 | 2277 | 2277 | 2619 | 41.75 | 41.75 | 29.25 | 22.5 | 68 | 10.5 | - |
| | 61THD-48-M | 2166 | 2408 | 2408 | 2768 | 47.75 | 47.75 | 29.25 | 26.75 | 85 | 12 | - |
| | 61THD-54-M | 2305 | 2444 | 2444 | 2814 | 53.75 | 53.75 | 29.25 | 30.75 | 97 | 14.5 | - |



ORDERING NOTES

Round tables are not available with a modesty panel option.

| Half Round Table | 61THDH-4824 | 1578 | 1726 | 1726 | 1986 | 47.75 | 23.75 29.25 | 40.75 | 50 | 8 | 25.75 |
|------------------|-------------|------|------|------|------|-------|-------------|-------|----|----|-------|
| with Glides | 61THDH-6030 | 1772 | 1979 | 1979 | 2277 | 59.75 | 29.75 29.25 | 52.75 | 64 | 10 | 34 |



ORDERING NOTES

Half Round meeting tables are available with modesty panel on the straight side only.

| Half Round Table | 61THDH-4824-M | 1684 | 1833 | 1833 | 2107 | 47.75 | 23.75 29.25 | 40.75 | 50 | 8 | 25.75 |
|------------------|---------------|------|------|------|------|-------|-------------|-------|----|----|-------|
| with Casters | 61THDH-6030-M | | 2087 | 2087 | 2399 | 59.75 | 29.75 29.25 | 52.75 | 64 | 10 | 34 |



ORDERING NOTES

Half Round meeting tables are available with modesty panel on the straight side only.

DIMENSION KEY

W - width D - depth

H - height of worksurface

KW - kneehole width

Y - dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

MODESTY PANELS

Please see page 109 for options and upcharges.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | CONNECTING TOPS

| Description | | | Laminate W/ Wood Edge | Rift Oak, Cherry, Walnut, Maple | Anigre | W | D | Н | KW | Shipping Weight | g Cubic Feet |
|---|---|----------------------|-----------------------------|--|----------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------|--------------------|
| 45° Corner Connecting Top | 61TC-2424-45 61TC-3030-45 61TC-3636-45 | 435 459 493 | 478 507 540 | 478 507 540 | 548 584 621 | 18.25 22.75 27.25 | 23.75 29.75 35.75 | - - - | 18.25 22.75 27.25 | 21 27 36 | 2.5 3.5 4.5 |
| 60° Corner Connecting Top | 61TC-2424-60 61TC-3030-60 61TC-3636-60 | 493 521 558 | 540 573 615 | 540 573 615 | 621 661 706 | 23.75 29.75 35.75 | 23.75 29.75 35.75 | | 23.75 29.75 35.75 | 27 36 44 | 3 4 5.5 |
| 90° Corner Connecting Top | 61TC-2424-90 61TC-3030-90 61TC-3636-90 | 582 615 658 | 636 676 723 | 636 676 723 | 733 777 830 | 33.75 42.75 50.5 | 23.75 29.75 35.75 | - - - | 33.75 42 50.5 | 36 44 61 | 2.5 5.5 8 |
| 90° Corner Connecting Top with 2 Legs (Glides) | 61TC-2424-90-Q2 61TC-3030-90-Q2 61TC-3636-90-Q2 | 1184 1226 1270 | 1303 1347 1398 | 1303 1347 1398 | 1500 1551 1606 | 33.75 42.75 50.5 | 23.75 29.75 35.75 | 29.25 29.25 29.25 | 24.25 32.75 41.25 | 47 55 72 | 4.7 7.7 10.2 |
| 90° Corner Connecting Top with 2 Legs (Casters) | 61TC-2424-90-Q2-M 61TC-3030-90-Q2-M 61TC-3636-90-Q2-M | 1331 | 1409 1453 1504 | 1409 1453 1504 | 1620 1669 1728 | 33.75 42.75 50.5 | 23.75 29.75 35.75 | 29.25 29.25 29.25 | 24.25 32.75 41.25 | 47 55 72 | 4.7 7.7 10.2 |



Connecting tops ship complete with ganging brackets.

DIMENSION KEY

W - width

D - depth H - height of worksurface

KW - kneehole width

Y - dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | MODESTY PANELS

| Description | Model | Size | Rift Oak, Cherry, Walnut, Maple | Anigre | Rift Oak Cherry Walnut Maple w/Grommets | Anigre w/Grommets | Shipping Weight | Cubic Feet |
|-------------|-------|-----------------------|--|--------|---|----------------------|--------------------|---------------|
| Modesty | X21 | 30" | 430 | 499 | 505 | 570 | 5 | 1 |
| Panels - | | 36" | 430 | 499 | 505 | 570 | 6.4 | 1.25 |
| wood | | 42" | 430 | 499 | 505 | 570 | 7.8 | 1.25 |
| M | | 48" | 438 | 507 | 515 | 584 | 9.1 | 1.5 |
| | | 54" | 454 | 521 | 534 | 599 | 10.5 | 1.75 |
| | | 60" | 454 | 521 | 534 | 599 | 11.8 | 2 |
| | | 66" | 468 | 539 | 547 | 619 | 13.2 | 2.25 |
| | | 72" | 480 | 557 | 564 | 640 | 14.6 | 2.25 |
| | | 11" - 48X30 Trapezoid | 418 | 480 | 489 | 555 | 2.5 | 0.5 |
| | | 17" - 48X24 Trapezoid | 418 | 480 | 489 | 555 | 3.9 | 0.75 |
| | | 23" - 60X30 Trapezoid | 430 | 499 | 505 | 570 | 5.2 | 1 |
| | | 29" - 60X24 Trapezoid | 430 | 499 | 505 | 570 | 6.6 | 1.25 |
| | | 29" - 72X36 Trapezoid | 430 | 499 | 505 | 570 | 6.6 | 1.25 |

ORDERING NOTES

With wood veneer modesty panels, the grain runs vertically. To specify fixed wood modesty panels apply above pricing for the specific modesty panel and add (X21) to the end of the model number 61THRT-4824-X21.

| Description | Model | Size | Laminate W/ PVC | Laminate W/ w/Grommets | | Shipping Weight | Cubic Feet |
|-------------------|-------|-----------------------|-----------------------|------------------------------|------|--------------------|---------------|
| Modesty | X23 | 30" | 370 | 445 | | 5 | 1 |
| Panels - | | 36" | 370 | 445 | 6.4 | 1.25 | - |
| plastic laminate | | 42" | 370 | 445 | 7.8 | 1.25 | |
| piaotio iarrimato | | 48" | 380 | 455 | 9.1 | 1.5 | |
| | | 54" | 390 | 470 | 10.5 | 1.75 | |
| | | 60" | 390 | 470 | 11.8 | 2 | |
| | | 66" | 403 | 483 | 13.2 | 2.25 | |
| | | 72" | 416 | 500 | 14.6 | 2.25 | |
| | | 11" - 48X30 Trapezoid | 361 | 431 | 2.5 | 0.5 | |
| | | 17" - 48X24 Trapezoid | 361 | 431 | 3.9 | 0.75 | |
| | | 23" - 60X30 Trapezoid | 370 | 445 | 5.2 | 1 | |
| | | 29" - 60X24 Trapezoid | 370 | 445 | 6.6 | 1.25 | |
| | | 29" - 72X36 Trapezoid | 370 | 445 | 6.6 | 1.25 | |
| | | | | | | | |

ORDERING NOTES

With wood grain laminate modesty panels, the grain runs lengthwise. To specify laminate modesty panels apply above pricing for the specific modesty panel and add (X23) to the end of the model number 61THRT-4824-X23.

DIMENSION KEY

W - width D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

GROMMETS

To order a modesty panel with grommets please specify when ordering and apply the appropriate pricing from above.

V2 MODULAR | MODESTY PANELS

| Description | Model | Size | Upcharge | W/Grommets | Shipping Weight | Cubic Feet |
|------------------|-------|-----------------------|----------|------------|--------------------|---------------|
| Modesty Panels | X28 | 30" | 401 | 475 | 3.3 | 1 |
| perforated metal | | 36" | 401 | 475 | 4.2 | 1.25 |
| | _ | 42" | 401 | 475 | 5.1 | 1.25 |
| | | 48" | 408 | 486 | 6 | 1.5 |
| | | 54" | 424 | 501 | 6.9 | 1.75 |
| | | 60" | 424 | 501 | 7.8 | 2 |
| | | 66" | 435 | 515 | 8.7 | 2.25 |
| | | 72" | 449 | 534 | 9.6 | 2.25 |
| | | 11" - 48X30 Trapezoid | 389 | 458 | 1.7 | 0.5 |
| | | 17" - 48X24 Trapezoid | 389 | 458 | 2.6 | 0.75 |
| | | 23" - 60X30 Trapezoid | 401 | 475 | 3.4 | 1 |
| | | 29" - 60X24 Trapezoid | 401 | 475 | 4.3 | 1.25 |
| | | 29" - 72X36 Trapezoid | 401 | 475 | 4.3 | 1.25 |

ORDERING NOTES

To specify fixed perforated metal modesty panels apply above pricing for the specific modesty panel and add (X28) to the end of the model number 61THRT-4824-X28. Perforated metal modesty panels come powder coated in Silver Metallic.

| Modesty X29 | 30" | 325 | 401 | 1.2 | 1 |
|----------------|---------------------|--------|-----|-----|------|
| Panels - | 36" | 325 | 401 | 1.6 | 1.25 |
| rosted acrylic | 42" | 325 | 401 | 1.9 | 1.25 |
| rosted derylle | 48" | 334 | 408 | 2.2 | 1.5 |
| | 54" | 344 | 424 | 2.5 | 1.75 |
| | 60" | 344 | 424 | 2.9 | 2 |
| | 66" | 354 | 435 | 3.2 | 2.25 |
| <i>A</i> / | 72" | 365 | 449 | 3.5 | 2.25 |
| | 11" - 48X30 Trapezo | id 318 | 389 | .6 | 0.5 |
| | 17" - 48X24 Trapezo | | 389 | 1 | 0.75 |
| | 23" - 60X30 Trapezo | | 401 | 1.3 | 1 |
| | 29" - 60X24 Trapezo | | 401 | 1.6 | 1.25 |
| | 29" - 72X36 Trapezo | | 401 | 1.6 | 1.25 |

ORDERING NOTES

To specify frosted acrylic modesty panels apply above pricing for the specific modesty panel and add (X29) to the end of the model number 61THRT-4824-X29.

DIMENSION KEY

D – depth H – height of worksurface

KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

To order a modesty panel with grommets please specify when ordering and apply the appropriate pricing from above.

V2 MODULAR | LEGS & POWER

| Description | Model | Price | W | D | Н | Shipping Weight | Cubic Feet |
|---|---|------------------------------------|------------------------------------|------------------------------------|-----------------|--------------------------------------|-------------------------------------|
| V2 Leg with Glides | 61LEG | 208 | 4 | 9.25 | 29.25 | 5.1 | 2.2 |
| | | | | | | | |
| V2 Leg with Casters | 61LEGM | 249 | 4 | 9.25 | 29.25 | 5.1 | 2.2 |
| | | | | | | | |
| Ganging Module | 61GANG | 50 | - | - | - | 1 | 0.5 |
| | ORDERING NO | DTES ded to use 2 bracke | ts per seam. | | | | |
| Power/Data/Link | 61POWER/DAT | ALINK 365 | - | - | - | - | - |
| | ORDERING NO Power/data/link Power cord is 1 Data cords are | comes with 3 recept 0 ft. long. | ptacles and 2 F | RJ45's. | | | |
| Surface Module | 61SURFACEMO | DDULE 208 | 8 | 4 | - | - | - |
| | ORDERING NO Surface module port, 1 RJ45 ar another power | e comes with 3 rece | ptacles - 2 abo 3 ports in this | ove the works device do no | surface and 1 b | pelow, 1 USB poi s connected to a | rt, 1 USB printe a transformer c |
| DIMENSION KEY W - width D - depth H - height of worksurface | | | | ARD FINISHES I finishes are Sil | | | |

H - height of worksurface KW - kneehole width

Y - dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

POWERPORTS

| Description | Model | Price | W | D | Н | Shipping Weight | Cubic Feet | | |
|--|---|---|-----------------------------|------------------|---------------------------------|--|---------------|--|--|
| PowerPort 1 - 2 RJ45s (Category 5/6) | PORT1 | 291 | 8 | 4 | - | - | - | | |
| | (category 5/6) each v PortPort lid is Silver I | cessible power outlets & vith hard wired 10' data cor Metallic. ith hard wired data cords in | rds; 2 velcro | wire ma | nagers and m | etal PowerPort shro | oud. | | |
| PowerPort 2 - USB-A & USB-C | PORT2 | 294 | 8 | 4 | - | - | - | | |
| The state of the s | | essible power outlets & 1 sions; 2 velcro wire managers and | | | | | | | |
| PowerPort 3 - RJ11 & RJ45 | PORT3 | 282 | 8 | 4 | - | - | - | | |
| FEE BE | managers & PowerPo | Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord.PortPort lid is Silver Metallic. | | | | | | | |
| | NOTE: RJ45 & RJ11 source to be function | jacks with hard wired dat nal. | a cords inclu | uded her | re must be wi | thin 10' of building | utilities | | |
| PowerPort 4 - 2 USB-A | PORT4 | 300 | 8 | 4 | - | - | - | | |
| THE IT | | essible power outlets & 1 si | | | | | oy a 10' | | |
| PowerPort 5 - 4 Receptacles | PORT5 | 294 | 8 | 4 | - | - | - | | |
| EFFE | | essible power outlets & 1 spower port shroud. PortPo | | | | plug-in cord; 2 vel | cro wire | | |
| PowerPort 6 - USB-A, USB-C & RJ45 | PORT6 | 426 | 8 | 4 | - | - | - | | |
| Top View | powered by a 10' plu data plate knock out | essible power outlets & 1 s ig-in power cord. Includes s, 1 #M02 plate insert & 2 s ata plate knock out is blank | 2 velcro wire #S01W RJ45 | manage female | ers and metal input, punch (| PortPort shroud wirdown terminal outpo | th 2 | | |

| Description | Model | Price | W | D | Н | Shipping Weight | Cubic Feet |
|---|--------------------------------|---|----------|-----------|-------------|--------------------|---------------|
| Port - no Powerbar | Port0 | 143 | 8 | 4 | - | - | - |
| | Port Includes: Lid & Shroud o | nly. | | | | | |
| | ORDERING NOTE: Velcro wire | e managers not included, see belo | w for p | ricing. | Port lid is | Silver Metallio | c. |
| PowerPort Shroud with 2 Data Plate Knock-outs | SHROUD2KO M | lust be requested - no upcharge | - | - | - | - | - |
| | | | | | | | |
| | - | udes: shroud with 2 data plate know | | | | | |
| | | er to data plate, data and AV integ | ration | options | on page | 114. | |
| Velcro Wire Manager (qty 1) | WM-4 | 27 | 2 | 4.5 | 0.5 | - | - |
| | | | | | | | |
| | 2 velcro wire managers are inc | euded with Ports 1-5. | | | | | |
| Wire Management Trough | WM-72 | 191 | 72 | 3 | 1 | - | - |
| | | | | | | | |
| | Wire Management Trough is sta | andard in a 72" length & can be cut to | o specif | ïc lengt | h; double- | -sided tape ins | tallation. |
| 4-Channel Wire Management | CM-72 | 242 | 72 | 3 | 1 | - | - |
| | | | | | | | |
| | 4-Channel Wire Management is s | standard in a 72" length & can be cut t | o speci | fic lengt | h; double- | sided tape inst | allation. |
| Round Grommet | Round Grommet - Silver Metall | ic 159 | - | - | - | - | - |
| | Round Grommet - Black | 159 | - | - | - | - | - |
| | One 60mm Grommet in a stand | lard position is available at no charg | ge per t | able. | | | |

POWER/DATA

| SNAP IN PORTS | Reference Code | Description | List Price |
|--|----------------|---|------------|
| | | ADAPTOR PLATES | |
| | M02 | Adaptor Plate (2) - accepts two snap in data ports | 39 |
| | M04 | Adaptor Plate (4) - accepts four snap in data ports | 39 |
| | M06 | Adaptor Plate (6) - accepts six snap in data ports | 39 |
| | 2 | ORDERING NOTES: Blank covers are required when port is not in use, please see page 55. | |
| | | RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection. | 49 |
| • | S01W | RJ45-CAT6 (White) | |
| | S01B S01R | RJ45-CAT6 (Blue) RJ45-CAT6 (Red) | |
| | | RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection. | 33 |
| | S02W S02B | RJ11 (White) RJ11-B (Black) | |
| | S02G | RJ11-G (Green) | |
| | S02R | RJ11-R (Red) | |
| | S02Y | RJ11-Y (Yellow) | |
| Manual Control of the | S04 | HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through. | 181 |
| | S08 | USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through. | 64 |

V2 MODULAR | WIRE SYSTEMS

| Description | Model | Price | W | D | Н | Shipping Weight | Cubic Feet | | | |
|------------------------------------|--|--|---------------------------------|-------------|--------------|--------------------|------------------|--|--|--|
| Power Entry - 4 wire, 2 circuit | 61EC4PE | 126 | - | - | - | 1 | .25 | | | |
| | | OTES nen ordering the 4- ire System, to work | | | ry componer | ts, you must also | order either the | | | |
| Power Entry - 8 wire, 4 circuit | 61EC8PE | 166 | - | - | - | 1 | .25 | | | |
| E TO | ORDERING N Please note w 4-Wire or 8-W | OTES nen ordering the 4- ire System, to worl | -Wire and 8-Wirk in conjunction | re Power En | itry compone | nts, you must also | order either th | | | |
| 4-Wire System | 61EC4-30 | 181 | - | - | - | 2 | .25 | | | |
| | 61EC4-36 | 181 | - | - | - | 2 | .25 | | | |
| | 61EC4-42 | 181 | - | - | - | 2 | .25 | | | |
| // | 61EC4-48 | 192 | _ | - | - | 2 | .25 | | | |
| S. Marine 3 | 61EC4-54 | 192 | _ | _ | _ | 2 | .25 | | | |
| S. M. E. W. | 61EC4-60 | 199 | _ | _ | _ | 2 | .25 | | | |
| | 61EC4-66 | 208 | _ | _ | _ | 2 | .25 | | | |
| | 61EC4-72 | 215 | - | - | - | 2 | .25 | | | |
| | | nen ordering the 4-1 action to work toge | | | | | or 8 wire Powe | | | |
| 8-Wire System | 61EC8-30 | 249 | - | - | - | 2 | .25 | | | |
| | 61EC8-36 | 267 | - | - | - | 2 | .25 | | | |
| á | 61EC8-42 | 274 | _ | - | - | 2 | .25 | | | |
| | 61EC8-48 | 282 | _ | _ | _ | 2 | .25 | | | |
| | 61EC8-54 | 291 | _ | _ | _ | 2 | .25 | | | |
| and the second | 61EC8-60 | 298 | _ | _ | _ | 2 | .25 | | | |
| | 61EC8-66 | 316 | _ | _ | _ | 2 | .25 | | | |
| | 61EC8-72 | 324 | - | - | - | 2 | .25 | | | |
| | Please note wh | ORDERING NOTES Please note when ordering the 4-Wire or 8-Wire System, you must also order either the 4 wire or 8 wire Powe Entry in conjunction to work together. Each model comes standard with an 18" Jumper. | | | | | | | | |
| 4-Wire 42" Jumper | 61EC4JUMP-4 | 2 84 | - | - | - | 1 | 0.25 | | | |
| 6 | 0, | nper cable is require stem. Jumper cable | | • | _ | | , | | | |
| 8-Wire 42" Jumper | 61EC8JUMP-4 | 2 133 | - | - | - | 1 | 0.25 | | | |



ORDERING NOTES

This longer jumper cable is required when connecting one table off the edge to the end of another table using the 8-Wire System. Jumper cables allow you to daisychain each wired table to the next. Please refer to page 93 for further explanation.

DIMENSION KEY

W - width

D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

V2 MODULAR | MEDIA

| Description | Model | Rift Oak, Cherry, Walnut, Maple | Anigre | W | D | Н | Shipping Weight | Cubic Feet |
|---------------------------------------|---|--|---------------------|-----------------|----------------|----------------|--------------------|---------------|
| Visual Board with sliding doors | 62VBS-4848 | 6183 | 7108 | 47.75 | 47.75 | 6.5 | 120 | 16 |
| | ORDERING NOTES Please note projection s | screen can no | ot be ordered v | vith the visual | board with | sliding doo | rs. | |
| White Board with Projection Screen | 62WB-4848 62WB-5454 | 2473 2539 | 2847 2920 | 47.75 53.75 | 47.75 53.75 | 4.75 4.75 | 90 115 | 16 17.5 |
| | | | | | | | | |
| Plasma Screen Cabinet | 62CMBUPS-722041 62CMBUPS-722441 | 8878 9482 | 10212 10905 | 71.75 71.75 | 20 24 | 41.25 41.25 | 263 329 | 45.5 53 |
| | 62CMBUPS-722441G ORDERING NOTES Glass doors are availab | 10431 le with Como | 11996 pulls only | 71.75 | 24 | 41.25 | 329 | 53 |
| Media Hutches - Open | 62CMHTO-751541 | 4953 | 5696 | 74.75 | 15 | 41.5 | 167 | 33 |
| I | ORDERING NOTES Media Hutch comes wit | th the wall mo | ount bracket. | | | | | |
| Media Hutches - with Doors | 62CMHT-751541 | 6019 | 6919 | 74.75 | 15 | 41.5 | 172 | 33 |
| | ORDERING NOTES Please note that the Me Media Hutch comes with | | | s with two bif | old doors th | at open aw | ay from the ce | nter. |

DIMENSION KEY

 $W - width \\ D - depth$

H - height of worksurface

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

CODE DESCRIPTION

VBS - visual board with sliding doors

WB - white board

CM - conference media

BU – buffet
PS – plasma lift
HTO – open hutch

HT - hutch G - glass

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

NON-STANDARD GROMMETS

Grommets in non-standard positions are available at \$159 list per grommet.

V2 MODULAR | MEDIA

| Rift Oak, |
|-----------|
| Cherry, |
| |

| Description | Model | Walnut, Maple | Anigre | W | D | Н | Shipping Weight | Cubic Feet |
|---------------------|------------------|------------------|--------|-------|-------|------|--------------------|---------------|
| Media Buffet - with | 62CMBU-752035-13 | 8317 | 9565 | 74.75 | 20.25 | 34.5 | 245 | 43.5 |
| Equipment Shelf | 62CMBU-752435-13 | 8485 | 9757 | 74.75 | 24.25 | 34.5 | 295 | 3.5 |



ORDERING NOTES

Media buffets are available with optional locks for an upcharge of \$159 list per lock.

| Media Pedestals | 62CMP-192035-11 | 3333 | 3833 | 18.75 | 19.75 | 34.5 | 62 | 10.5 |
|-----------------|------------------|------|------|-------|-------|------|----|------|
| | 62CMP-192435-11 | 3664 | 4213 | 18.75 | 23.75 | 34.5 | 74 | 12.5 |
| | 62CMP-192035-11G | 3400 | 3909 | 18.75 | 19.75 | 34.5 | 62 | 10.5 |
| | 62CMP-192435-11G | 3741 | 4302 | 18.75 | 23.75 | 34.5 | 74 | 12.5 |
| | ORDERING NOTES | | | | | | | |

When ordering media pedestals, please add an "L" or "R" to model number to denote a right or left hinged door. Media pedestals are available with optional locks for an upcharge of \$159 list per lock. Glass doors are available with Como pulls only

| Media Piers | 62CMPR-191541 | 3429 | 3941 | 18.75 | 15 | 41.5 | 61 | 9 |
|-------------|------------------|------|------|-------|-------|------|-----|------|
| - Single | 62CMPR-191541G | 3771 | 4337 | 18.75 | 15 | 41.5 | 61 | |
| | 62CMP-362035-11 | 3977 | 4571 | 35.75 | 19.75 | 34.5 | 117 | 18.5 |
| | 62CMP-362435-11 | 4376 | 5031 | 35.75 | 23.75 | 34.5 | 140 | 22 |
| | 62CMP-362035-11G | 4066 | 4678 | 35.75 | 19.75 | 34.5 | 117 | 18.5 |
| | 62CMP-362435-11G | 4473 | 5143 | 35.75 | 23.75 | 34.5 | 140 | 22 |




ORDERING NOTES

Media piers must be ordered in conjunction with Media Pedestals.

When ordering media piers, please add an "L" or "R" to model number to denote a right or left hinged door. Media piers are available with optional locks for an upcharge of \$159 list per lock.

| Media Piers | 62CMPR-361541 | 3897 | 4481 | 35.75 | 15 | 41.5 | 85 | 16 |
|-------------|----------------|------|------|-------|----|------|----|-----|
| - Double | 62CMPR-361541G | 4288 | 4927 | 35.75 | 15 | 41.5 | 85 | 166 |



ORDERING NOTES

Media piers are available with optional locks for an upcharge of \$159 list per lock.

DIMENSION KEY

W - width

depth

H - height of worksurface

Dimensions are in inches and are plus or minus 1/8". Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

CODE DESCRIPTION

CM - conference media

BU - buffet

P – pedestal PR – pier

 glass door G

- door hinged left

- door hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 363.

ORDERING NOTES

Media piers must be ordered in conjunction with Media Pedestals.

NON-STANDARD GROMMETS

Grommets in non-standard positions are available at \$159 list per grommet.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery. is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.



PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

WOOD FINISHES AND LAMINATES

Standard Wood Finishes:

| SPECIES | FINISH |
|---------|---|
| Cherry | Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry |
| Maple | Clear Maple Honey Maple Wheat Maple |
| Oak | Light Oak SilverGrey on Oak Harvest Oak Mahogany Oak Medium Cherry on Oak Mellow Oak Walnut on Oak Espresso on Oak |
| Walnut | Natural Walnut Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut SilverGrey on Walnut |
| Anigre | Clear Anigre Medium Anigre |
| Palette | Black White Sand Soft Green Steel Blue Slate |

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Conference products feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Hardrock Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

| IN-STOCK LAMINATES | | | |
|----------------------|---------------------------------|-------------------------------|---------------------------------|
| Wood Grain Laminates | High Pressure Laminate Supplier | Textured Wood Grain Laminates | High Pressure Laminate Supplier |
| Champagne | Tafisa T492CR | Gingerbread | Tafisa T556UR |
| Hardrock Maple | Formica 86992-58 | Portobello | Tafisa T557UR |
| Dune | Tafisa T491CR | Ash | Tafisa T535AT |
| Copper | Tafisa T521CR | Willow | Tafisa T543AT |
| Shiraz Cherry | Tafisa T472CR | Solid Laminates | |
| Park Avenue Walnut | Wilsonart 7984-38 | Designer White | Wilsonart D354-60 |
| Chocolate | Tafisa T498CR | Platinum | Tafisa T202CR |
| Nutmeg | Tafisa T477CR | Earth | Tafisa T767CR |
| Nightfall | Pionite WX421 | Charcoal | Tafisa T228CR |

PHASE OUT LAMINATES Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES


For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

DUAL LAMINATES

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at an upcharge of 5%. Combinations of more than one laminate in the body of the unit are not available.

SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC®

