

CASEGOODS | USA

Price and Specification Guide

vizient[™]



Effective July 10, 2023

krug

... Advancing Design Through Innovation

Updated February 2024

2 General Information

4 Krug Textiles

5 Graded-in Upholstery Program

5 Express Program

5 Tackboard Fabric

6 Laminates

113 Vestrada

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in material (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

- (A) all shipments outside of the lower 48 states and Canada
 - (B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.
- Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.
5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. Additional costs for partial shipment of orders are the responsibility of the customer, and will be added to invoices. This includes any part shipment costs due to delays from textile suppliers. Additional costs for partial order shipments will normally not be assessed if there is a delay caused by Krug.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
 - 2) Custom wood finishes
 - 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.
- Custom orders may require additional production lead times. Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

Program Details

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

**Krug Textiles - Leather Program****Grade 8**

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program**Grade 2**

White	Taupe	Bisque	Wine	Sprig	Lagoon
Cream	Mocha	Chocolate	Garnet	Chinchilla	Pacific Blue
Parchment	Tan	Black	Rust	Steel	Navy
Sandstone	Chestnut	Earth	Citron	Grey	Plum
Vanilla		Brick			

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

TACKBOARD FABRICS**KRUG PANEL FABRIC PROGRAM**

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

KRUGEXPRESS**PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any

circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress". *Some conditions apply. Please note PALETTE finishes are not available on KrugExpress.

CASEGOODS PROGRAM

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures
For tackboard COM fabrics, please send fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

LAMINATES

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

VESTRADA | TABLE OF CONTENTS


113 LEED CI Credit Summary
113 level® Certification n, Air Emissions and FSC® Certificati
114 Finishes
115 Edge Detail Profile
116 Drawer Pulls & Locks
117 Power Management & Grommets
118 Features
121 Custom Sizing
122 Filing Instructions
123 V-Ped
124 Sample Configuration
125 Pedestal Desks
130 Shaped Desks
131 Table Desks
136 Table Desk Pedestals
137 Height Adjustable Worksurfaces
142 Link Units
144 Returns
153 Shaped Returns
160 TracDesks
162 Credenzas
173 Full Face Credenzas
175 Corner Credenzas
185 Modular Component Guidelines
188 Modular Tops
190 Modular Pedestals
196 Modesty Panels
198 Work Tables
202 PowerPorts & Grommets
203 Tackboard Accessories
205 Wall Hung Overheads
207 Storage
226 WorkWall Components Guidelines
232 Hutches
235 Overheads
243 Piers

VESTRADA | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 76%

POST-CONSUMER
RECYCLED CONTENT - 2.5%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Vestrada products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Vestrada products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



FSC
www.fsc.org
FSC® C021699

the mark of responsible forest

AIR-EMISSIONS

All Vestrada products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Vestrada and other Krug products can be specified with one of two types of FSC® Certification: (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification
Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environment Design (LEED) Rating System.

VESTRADA | FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

Cherry	Light Cherry
	Natural Cherry
	American Cherry
	Medium Cherry
	Standard Cherry
	Imperial Cherry
Maple	Appalachian Cherry
	Sable Cherry
Maple	Clear Maple
	Honey Maple
	Wheat Maple
Oak*	
	Light Oak
	Harvest Oak
	Mahogany Oak
	Medium Cherry on Oak
	Mellow Oak
Walnut	Walnut on Oak
	Espresso on Oak
	Natural Walnut
	Regular Walnut
Anigre	Mahogany on Walnut
	Dark Walnut
	Cordovan Walnut
Anigre	Clear Anigre
	Medium Anigre

*VESTRADA Oak veneers are rift cut.

PALETTE FINISHES

Standard solid color finishes are:

Black
White
Sand
Soft green
Steel blue
Slate
Please refer to VESTRADA brochure for color reference.

V-Beam

Standard finishes are:

Satin Aluminum
Matte Black

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Dark Walnut
Hardrock Maple

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list per item for special finishes; minimum upcharge is **\$511 list** per finish per order. (For example, on all orders up to \$5115 list, an upcharge of **\$511 will apply**, on orders \$5115 and up add 10% list to your order.) For orders with special finishes a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated

Birdseye Maple

Bookmatched Birdseye Maple veneer is available on VESTRADA at an upcharge of \$71 list per square foot. Specify clearly on order. Birdseye Maple is recommended in clear finish only. Birdseye Maple only applies to tops.

Dual Finishes


Add 10% list per item if specifying dual finish

Custom Palette Finishes

Custom palette finishes are available at an upcharge of 10% list and an additional 2 weeks lead time after final color approval.

WORKSURFACE EDGE PROFILE

All work surfaces are 1 1/8" thick, veneered Medium Density Fiberboard. Worksurface height tops have a chemically impregnated backer for additional strength. Profiled edges of worksurfaces have a .12" (3mm wood banding with an under cut detail leaving a visible edge of 3/4". Vestrada comes standard with a tapered edge. Desk work surfaces have an edge profile on front and rear sides. Ends are flat with no profile shape. Run-off work surfaces such as Bullet and "P" shapes have an edge profile that extends around the curved section. The remaining blunt end is flush with no profile shape. Credenza, Returns and Linking tops have profile on the front side while all remaining edges, are flush with no profile.



GRAIN DIRECTION

Vestrada grain direction runs left to right on all cases. Providing a consistent wood grain direction is important in maintaining consistent color on adjacent work surfaces. Such is the case with "L" or "U" configurations

The above illustrations explain the grain direction on typical worksurfaces that run at right angles to one another.

V-BEAMS



Raised worksurfaces are supported by 2" high accent V-Beams. Each V-Beam is available in either Silver or Black finish and is fixed to the underside of the worksurface. The V-Beam is undersized to the worksurface and is inset by 4" on all sides.

VESTRADA | DRAWER PULLS & LOCKS


DRAWER PULLS

Two drawer pull options are available, each metal pull is available in a Satin Aluminum finish. The Fimosa is also available in Matte Black. Both style and finish must be specified on order. The Mazara pull is located asymmetrically on each face. Combinations of long and short pulls and their bias mounting locations add to the visual dynamic of Vestrada. Mazara pulls are designed to be placed to the right of the center line regardless of the drawer width. Therefore, pulls on a 16” pedestal will extend to the outer edge while on a 24” pedestal, the pulls fall short of the edge. Mazara pulls when specified on factory assembled desks are located toward the kneespace rather than the typical right bias position as described above. Factory assembled desks include double pedestal desks with 16” or 24” wide pedestals.

Mazara





Factory assembled and Modularly shipped Desk
Mazara pull locations.



Modularly shipped Mazara pull locations.

An alternative to the asymmetrically located pull, is the Fimosa pull, with a centered mounting location.

Fimosa



VESTRADA | POWER MANAGEMENT & GROMMETS



WORKSURFACE ELLIPTICAL BASE SUPPORTS

The Vestrada Elliptical base is a refreshing change from the standard supports offered in most casegood lines. End caps are made from aluminum and the body of the base is covered in either wood veneer or grade 3 palette panel fabric, and has Satin Aluminum end caps. Its design allows for not only a stylish look but provides for unseen wire management. By removing the veneer panels, access is gained to the interior where wiring can be routed from the worksurface to floor or wall receptacles. Small cut-outs at the top and bottom of the base along the inside center allow wires to be channeled down through the length of the base and into floor mounted power/data monuments



POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. PowerPort is constructed of anodized aluminum and it includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available, please see page 202 for options. A Port, a service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.



GROMMET

A plastic rectangular grommet in black or grey is also available. It has no optional electrical service, but serves to provide cable passage for areas not requiring a large opening. One rectangular grommet in a standard location accompanies any worksurface. For additional grommets see page 202 for pricing. Grommets can be field installed with a power drill, 2 1/4" hole saw and rasp or saber saw. Template for drilling is available.



WIRE MANAGEMENT TROUGH

Beneath the worksurface is a series of wire management troughs that can be field installed. Every trough is divided into four separate channels, each with a flexible cover that permits easy insertion of wire cables. The supporting worksurface frame will be encountered at intersections of interconnecting tops. It will be necessary to "loop" any cabling below the frame and return it to the next series of wire management troughs. A velcro wire management strip is provided to assist in containing the cables as near the area where the cables are looped around the frame. (Only comes with PowerPorts).

Double pedestal desks feature a wire management passage in the back of the pedestal for use when PowerPorts or rectangular grommets are located above pedestals.

Connecting to wall located outlets, requires passage through modesty panels. Hinged modesty panels feature a crescent shape cut-out. The wire management cut-out is also available on fixed modesty panels




V-BEAM

The underside of VESTRADA tops feature a concealed wire management cavity created by the V-Beam. The V-Beam also gives VESTRADA its unique floating top appearance. The V-Beam is available in Satin Aluminum or Matte Black.

Rectangular grommet and PowerPort positions

Worksurfaces


Locations apply to both Rectangular and Bow Top Desks.



Only Rectangular grommets are available on Elliptical Tops



This key applies to all Run-off Desk shapes.



Position code:

AR - Right Corner on left hand Return / Desks

AL - Left Corner on right hand Return / Desks

Position code:

AL – left corner

BL – left end beside pedestal gable

C – center

BR – right end beside pedestal gable

AR – right corner

Please note pedestals have access wiring cut-outs for wire management. Applicable to factory assembled cases only.

VESTRADA | FEATURES



LAMINATE WORKSURFACES

Laminate worksurfaces are available for the VESTRADA product line at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates. See page 6 for a list of Krug standard laminates. Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops. Where there are flush edges, as in the backs of credenzas or link units, they will be self edged with laminate.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include:

Manufacturer's Name

Laminate Name

Laminate Number

Laminate sheen level should not exceed 60° for maximum durability of work surfaces.

Please contact Krug Customer Service if ordering wood grain patterned laminate for VESTRADA product to ensure proper ordering procedure for grain direction.

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate. Laminates will extend the normal lead-time, check with Customer Service for current scheduling information.



MODESTY PANELS

VESTRADA modesty panels are available in a variety of styles and sizes with many unique features.

Floating modesty panels are available on all free standing and transitional Run-Off Desks and Table Desks.

Tempered glass face-mounted modesty panels are available on all double pedestal desks.

Wood face-mounted modesty panels are available on rectangular and bow-top double pedestal desks only.

Recessed modesty panels, available on desks, returns and credenzas are available in both 3/4 and full eight versions.

Recessed modesty panels are inset by 4.75" inches.

Hinged modesty panels are optional on all credenzas, returns and link units and feature a wire management cut-out in a top centered position to allow access to wall mounted power and data outlets.

The wire management cut-out option is available on returns and link units, and is standard on hinged modesty panels and credenzas with fixed modesty panels.



Glass Face Mounted Modesty Panel



PEDESTAL OFFSETTING

VESTRADA offers the unique and functional feature of offsetting pedestals when ordering modular product. This feature is available on VESTRADA desks, returns and credenzas. (please see modular pricing section for options. Pedestal offsetting provides the flexibility for more or less kneespace depending on the space constraints involved. Using either anti-skid tape (comes standard with all modular VESTRADA product to provide infinite offsetting amount or VESTRADA's unique metal-to-metal fitments (provided for preset positions only. 2 per case regardless of width, tops can be placed over pedestals in a variety of locations at any time.

This feature not only provides solutions where space and comfort is required, but also gives each VESTRADA setting the unique style and design. Whether it is a dramatic 32" offset left and right pedestal credenza, or a classic 16" inset left and right pedestal credenza, VESTRADA gives every user the option to change as the workplace evolves. Because tops must be under supported by at least 12" of pedestal, offsetting is only available when used in conjunction with 24, 32 and 36" wide pedestals (please see modular pricing section for options.



GLASS SCREENS

Glass screen dividers can be mounted to credenzas, returns or linking units to form a stylish visual barrier.

The material selection for the screen is a 14" high, 6mm thick etched glass.

As a means of securing each panel to the work surface, metal screen holders are attached to the worksurface. Quantity varies by length, 2-4 brackets.







DESKS

Single and double pedestal desks are available with rectangular, bow or elliptical top shapes. Vestrada desk compositions have numerous features that allow each user the ability to customize their workspace. 8 different top shapes, a huge selection of pedestal styles and sizes, and a unique modesty panel offering combine to make the Vestrada desk incredibly functional and stylish. Additional features include a bow top option on rectangular desks as well as leather inserts, which are available on Rectangular or Bow-top desks. Please see Desk section for more information.

VESTRADA run-off desks are available in 8 unique shapes as shown below.



RETURNS & RUN OFFS

In terms of options and versatility, the Vestrada Return offering is second to none. Basic pedestal returns, curvilinear returns with elliptical bases and sliding returns allow the user to move the return to various positions. Please see pages 152-167 for options and pricing. The TracDesk is a unique worksurface that moves along a track facilitated by a mobile elliptical base. Please see pages 168-169 for pricing and options.



TABLE DESKS

Table desks are available in rectangular and elliptical tops, which can accommodate pedestals on either side of its bases for storage. Turn to page 136 for compatible pedestals. Floating modesty panels are available on both size options. A bow top option is also available for the rectangular top.



CREDENZAS

VESTRADA credenzas offer a broad selection of storage solutions for any office. Credenzas are available as full-face units, and units with fixed pedestals that are offset from the worksurface. Additionally, a select number of credenzas offer an added feature, pedestals that are movable. These pedestals can be moved laterally in relation to the worksurface. Moving a pedestal outward provides for more knee-space, while moving the pedestal inward will allow for more space around the unit. Credenzas in this line are available with inset pedestals, with inset and offset pedestal combinations, or as full face units. Credenzas can be specified using modular components (see pages 197-207 or as a factory assembled cases. Modular versions offer the option to move pedestals in toward the kneespace or away from the kneespace depending on space constraints.



ACCESSORIES

All upper storage configurations having a tackboard will provide an area for the support of convenience accessories. An optional extruded aluminum rail is attached to the tackboard in a manner that leaves no visible screws. With the rail attached, suspension of each accessory is a simple manner of hooking onto the rail's edge. Each accessory can be removed or repositioned along the entire length of the rail at any time.

Accessories include a binder bin, flip sorter, paper tray and file hanger.

Each item is construction of eighteen-gauge sheet metal and finished in a powder coated SilverMetallic, to compliment all other metal finishes.



WORK / MOBILE WORK TABLES

Mobile tables are available in two heights in wood or paint. The lower height tables are designed to fit beneath standard worksurface heights. All mobile tables feature 3" locking casters to facilitate easy movement on any floor surface. Alternatively, stationary work tables are available with adjustable glides.

Glass tops are available for the Delta shape only. The 10mm thick tempered glass top is supported on three legs connected to a triangular metal frame.

Each leg is powder coated Silver Metallic to complement all other metal components.

VESTRADA | FEATURES



HUTCHES

VESTRADA hutches provide a traditional solution to overhead storage. See pages 243-245 for more information.



WORKWALL COMPONENTS

Workwall components provide custom overhead storage solutions. See pages 237-242 for Workwall component guidelines.



MODULE

An intrinsic design theme establishes the use of an 8" module throughout the product range. This horizontal dimensional grid establishes a harmonious alignment of cabinet faces when cabinets are combined as a group. Horizontal alignment of drawer and door faces is maintained between cabinets. These properties ensure that the overall appearance of cabinets will be aligned with one another when combined into different settings. To further reinforce a consistent appearance of this module, an 8" wide end support is used for supporting worksurfaces.



MODULARITY

VESTRADA has been designed for change with an enormous standard product offering and the ability to reconfigure and change-out components effortlessly. Pedestals are designed to be offset when space becomes constrained or increased. Metal-to-metal fitments and precise tolerances allow changes to be made quickly and easily without the need for an installer or confusing instructions. With features like TracDesk, mobile pedestals, and mobile work tables, the office can now adjust to the user rather than the user adjusting to the office. VESTRADA is flexible and ready for the changes and demands associated with the workplace – the way it should be.



LATCHES

Hinged door overheads and 8" piers feature touch latches. All other hinged doors are self-closing with pulls.



GLIDES

Adjustable glides are installed at factory and are 1 1/4" long and allow for a range of adjustment of 3/4".



HINGES

Hinged doors are European style with a 95 degree opening angle. Hinges on 8" pier cabinets providing end support have 83 degree hinges to prevent contact with adjacent cabinets or walls. All hinges are fully adjustable.

VESTRADA CUSTOM SIZING

As you can see, the standard range of sizes and options in VESTRADA is huge. But it doesn't end there. Using the instructions below, you can customize the sizing of most components and price yourself. Custom-sized products may require an extended lead time if they have not been previously engineered.

Products that can be custom sized:

Desks	(excluding elliptical top desks and face-mounted modesty panels)
Table Desks	(excluding elliptical top desks)
Run-Off Desks	(excluding curvilinear shaped units with a non-standard radius)
Link Units	
Returns	
Run-Off Worksurfaces	
Kneehole Credenzas	
Shells	
Modular Tops	
Modesty Panels	
Run-Off Worksurfaces	(excluding curvilinear shaped units with a non-standard radius)
Kneehole Credenzas	
Shells	
Modular Tops	
Modesty Panels	(excluding face-mounted glass modesty panel)
Wood Door Overheads	
Wood Door WorkWalls	
Bookcases	
Wood Door Storage Units	

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (same depth). For example: The required custom dimension is 74"x24". The first standard size above this is 80"x24", so in this case, you would apply the price of the 80"x24" unit.


Custom depths: Apply the price of the same unit one size deeper. For example: The required custom dimension is 72"x26". The first standard size above this is 72"x30", so in this case, you would apply the price of the 72"x30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper. For example: The required custom dimension is 74"x26". The first standard size above this is 80"x30", so in this case you would apply the price of the 80"x30" unit.

TESTING INFORMATION

VESTRADA meets or exceeds the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012.

VESTRADA | FILING INSTRUCTIONS




FILING INSTRUCTIONS

All file drawers will accept both letter and legal size filing

All units are equipped with file bars to accommodate filing in either direction

Desk filing capacity


- 16" wide file drawer
 - 21" of letter filing front to back
 - 12" of letter filing side to side and 8" of letter filing front to back
 - 12" of legal filing side to side and 5" of letter filing front to back
- Weight capacity of the pedestal file drawers is 100 pounds



Credenza and Return Pedestal File Drawers


- 16" wide file drawer
- 15" of letter filing front to back
- 12" of legal filing side to side
- 24" wide file drawer
- 20" of letter filing side to side
- 20" of legal filing side to side

Weight capacity of the pedestal file drawers is 100 pound



Lateral File : 32" wide drawers:


- 2 rows 15" of letter filing front to back
 - 28" of legal filing side to side
 - 15" of legal filing front to back and 12" of legal filing side to side
 - 15" of letter filing front to back and 14" of legal filing side to side
- Weight capacity of the pedestal file drawers is 150 pound



Lateral File : 36" wide drawers:


- 2 rows 15" of legal filing front to back
- 2 rows 15" of letter filing front to back
- 1 row 15" of legal filing front to back and 1 row of 15" letter filing front to back
- 1 row of 15" legal filing front to back and 1 row 17" of letter filing side to side
- 2 rows of 15" letter filing side to side

Weight capacity of lateral file drawers is 150 lbs




DRAWER REMOVAL

To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on left side lever at the same time. Continue pulling the drawer out of the case.



GLIDE ADJUSTMENT

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide. Make sure unit is level after adjusting the glides. Please note that the maximum adjustment range of the glides is 3/4". When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage to the case.




BOOKCASE OR HUTCH DOOR ADJUSTMENT


Hinges on all hutch and bookcase doors are designed to be adjusted for depth, horizontal and vertical adjustment by means of screws into the hinge mounting plates. To remove a door, squeeze the release clip and pull out the door, disconnecting the hinges.




The VESTRADA V-Ped is a unique storage drawer consisting of components not normally found in case-goods pedestals. The unique vertical storage drawer is 8" wide and is available in conjunction with 16", 24", 32" pedestals. The interior is accessed by pulling the full vertical drawer face away from the pedestal body. The V-Ped cannot be used as a stand-alone pedestal, or ordered to be installed in the field. Please see below for a full breakdown of all components that come standard in V-Peds:




The top of the interior consists of a tray, into which a Silver plastic pencil tray is fitted. This pencil tray is partitioned into four separate storage areas suitable for a variety of stationery needs.



The V-Ped comes equipped with 2 different sized translucent boxes, which can clip onto one of the 3 bars on the interior of the pedestal. The brackets clip onto the bars on the interior panel of the pedestal. The organizer boxes are an easy way to reduce clutter for stationery.





A translucent CD box holds several CD's and clips onto the interior bars.





Translucent universal brackets are provided for holding any size of hanging files. Simply snap the brackets in place anywhere on the horizontal hanging bars inside the pedestal.



VESTRADA | SAMPLE CONFIGURATIONS




		Walnut Cherry Rift Oak Maple	Anigre
Model			
Desk	81D7236L0R0X31	2817	3239
Hutch	81HT721640	4417	5080
Credenza	81CY72244L16DR16FX41	5490	6312
TOTAL		12,724	14,631







		Walnut Cherry Rift Oak Maple	Anigre
Model			
Desk	81DTV7230E2X31	2718	3125
Overhead	81OOW361614HL	1459	1678
Overhead	81OOW361614HL	1459	1678
Tackboard	81TBOHW3624U	290	290
Tackboard	81TBOHW3624U	290	290
Credenza	81CY72244L16DR16FX41	5490	6312
Storage	81ST16247011R	2688	3089
TOTAL		14,394	10,781



		Walnut Cherry Rift Oak Maple	Anigre
Model			
Desk	81D7236L0R16FX41	4370	5025
Link Unit	81LU4824HX41	1714	1972
Hutch	81HT721640	4417	5080
Credenza	81CY72244L16DR0X41	4774	5491
TOTAL		15,275	17,548



		Walnut Cherry Rift Oak Maple	Anigre
Model			
Return	81RHA7230RE2	1853	2129
Credenza	81CY72204L3202R0X41	6356	7311
Storage	81ST16207013L	2759	3171
TOTAL		10,968	12,611

		Cherry	Maple						
		Walnut							
Description	Model	Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Desk Shell, 3/4 Height Recessed Modesty Panel  	81D6430L0R0X31	2760	3176	64	30	29.25	48	230	39
	81D7230L0R0X31*	2903	3336	72	30	29.25	56	245	44
	81D7236L0R0X31	3042	3498	72	36	29.25	56	288	52
	81D8036L0R0X31	3186	3665	80	36	29.25	64	313	58
	81D8836L0R0X31	3406	3917	88	36	29.25	72	336	64
	81D9636L0R0X31	3775	4342	96	36	29.25	80	356	69
Single Pedestal Desk, 3/4 Recessed Modesty Panel  	81D6430L16DR0X31	4602	5294	64	30	29.25	40	272	39
	81D6430L16FR0X31	4602	5294	64	30	29.25	40	272	39
	81D6430L0R16DX31	4602	5294	64	30	29.25	40	272	39
	81D6430L0R16FX31	4602	5294	64	30	29.25	40	272	39
	81D7230L16DR0X31	4649	5347	72	30	29.25	48	287	44
	81D7230L16FR0X31	4649	5347	72	30	29.25	48	287	44
	81D7230L0R16DX31	4649	5347	72	30	29.25	48	287	44
	81D7230L0R16FX31*	4649	5347	72	30	29.25	48	287	44
	81D7236L16DR0X31	4719	5428	72	36	29.25	48	330	52
	81D7236L16FR0X31	4719	5428	72	36	29.25	48	330	52
	81D7236L0R16DX31	4719	5428	72	36	29.25	48	330	52
	81D7236L0R16FX31	4719	5428	72	36	29.25	48	330	52
	81D8036L16DR0X31	4806	5526	80	36	29.25	56	355	58
	81D8036L16FR0X31	4806	5526	80	36	29.25	56	355	58
	81D8036L0R16DX31	4806	5526	80	36	29.25	56	355	58
	81D8036L0R16FX31	4806	5526	80	36	29.25	56	355	58
	81D8836L16DR0X31	4858	5586	88	36	29.25	64	378	64
	81D8836L16FR0X31	4858	5586	88	36	29.25	64	378	64
	81D8836L0R16DX31	4858	5586	88	36	29.25	64	378	64
	81D8836L0R16FX31	4858	5586	88	36	29.25	64	378	64
	81D9636L16DR0X31	4934	5673	96	36	29.25	72	398	69
	81D9636L16FR0X31	4934	5673	96	36	29.25	72	398	69
	81D9636L0R16DX31	4934	5673	96	36	29.25	72	398	69
	81D9636L0R16FX31	4934	5673	96	36	29.25	72	398	69

ORDERING NOTES: Replace the 3 after the 'X' in the model number with 4 for a full height modesty panel. i.e. 81D9636L0R16FX41.

DIMENSION KEY

W - width
D - depth
H - height
KW - kneehole width
Dimensions are in inches and approximate.
Contact customer service if dimensions are critical.
* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
D - 2 file drawer
F - 2 box, 1 file drawer
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 202 for more wiring grommet information.

VESTRADA | DESKS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Single Pedestal	81D6430L24DWR0X31	4743	5453	64	30	29.25	40	314	39
Desk, 3/4 Height	81D6430L24FWR0X31	4743	5453	64	30	29.25	40	314	39
Recessed Modesty	81D6430L0R24FWX31	4743	5453	64	30	29.25	40	314	39
Panel with 24"	81D6430L0R24DWX31	4743	5453	64	30	29.25	40	314	39
Extended Single	81D7236L24DWR0X31	4863	5590	72	36	29.25	48	372	52
Pedestal	81D7236L24FWR0X31	4863	5590	72	36	29.25	48	372	52
	81D7236L0R24FWX31**	4863	5590	72	36	29.25	48	372	52
	81D7236L0R24DWX31*	4863	5590	72	36	29.25	48	372	52
	81D8036L24DWR0X31	4949	5691	80	36	29.25	56	387	58
	81D8036L24FWR0X31	4949	5691	80	36	29.25	56	387	58
	81D8036L0R24FWX31	4949	5691	80	36	29.25	56	387	58
	81D8036L0R24DWX31	4949	5691	80	36	29.25	56	387	58
	81D8836L24DWR0X31	5003	5752	88	36	29.25	64	420	64
	81D8836L24FWR0X31	5003	5752	88	36	29.25	64	420	64
	81D8836L0R24FWX31	5003	5752	88	36	29.25	64	420	64
	81D8836L0R24DWX31	5003	5752	88	36	29.25	64	420	64

Double Pedestal	81D6430L16DR16DX31	5837	6712	64	30	29.25	32	314	39
Desk, 3/4 Height	81D6430L16DR16FX31	5837	6712	64	30	29.25	32	314	39
Recessed Modesty	81D6430L16FR16DX31	5837	6712	64	30	29.25	32	314	39
Panel, 16" Pedestals	81D6430L16FR16FX31	5837	6712	64	30	29.25	32	314	39
	81D7230L16DR16DX31	5869	6749	72	30	29.25	40	329	44
	81D7230L16DR16FX31	5869	6749	72	30	29.25	40	329	44
	81D7230L16FR16DX31*	5869	6749	72	30	29.25	40	329	44
	81D7230L16FR16FX31	5869	6749	72	30	29.25	40	329	44
	81D7236L16DR16DX31	5947	6839	72	36	29.25	40	372	52
	81D7236L16DR16FX31	5947	6839	72	36	29.25	40	372	52
	81D7236L16FR16DX31	5947	6839	72	36	29.25	40	372	52
	81D7236L16FR16FX31	5947	6839	72	36	29.25	40	372	52
	81D8036L16DR16DX31	6025	6927	80	36	29.25	48	387	58
	81D8036L16DR16FX31	6025	6927	80	36	29.25	48	387	58
	81D8036L16FR16DX31	6025	6927	80	36	29.25	48	387	58
	81D8036L16FR16FX31	6025	6927	80	36	29.25	48	387	58
	81D8836L16DR16DX31	6046	6953	88	36	29.25	56	420	64
	81D8836L16DR16FX31	6046	6953	88	36	29.25	56	420	64
	81D8836L16FR16DX31	6046	6953	88	36	29.25	56	420	64
	81D8836L16FR16FX31	6046	6953	88	36	29.25	56	420	64
	81D9636L16DR16DX31	6111	7028	96	36	29.25	64	440	69
	81D9636L16DR16FX31	6111	7028	96	36	29.25	64	440	69
	81D9636L16FR16DX31	6111	7028	96	36	29.25	64	440	69
	81D9636L16FR16FX31	6111	7028	96	36	29.25	64	440	69

ORDERING NOTES: Replace the 3 after the 'X' in the model number with 4 for a full height modesty panel. i.e. 81D6430L0R0X41.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Pull style and finish, see page 116
- 4) V-beam color, see page 115
- 5) Grommet location and style



* Indicates model illustrated by the drawing.


CODE DESCRIPTION


L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
D - 2 file drawer
F - 2 box, 1 file drawer
W - extended pedestal
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet	
		Rift Oak	Anigre							
	Double Pedestal Desk, 3/4 Height Recessed Modesty Panel, 16" & 24" Pedestals	81D6430L24FWR16FX31	6009	6910	64	30	29.25	32	330	39
		81D6430L24FWR16DX31	6009	6910	64	30	29.25	32	330	39
		81D6430L16FR24FWX31	6009	6910	64	30	29.25	32	330	39
		81D6430L16DR24FWX31	6009	6910	64	30	29.25	32	330	39
		81D7236L24FWR16FX31	6123	7040	72	36	29.25	40	387	52
		81D7236L24FWR16DX31	6123	7040	72	36	29.25	40	387	52
		81D7236L16FR24FWX31	6123	7040	72	36	29.25	40	387	52
		81D7236L16DR24FWX31*	6123	7040	72	36	29.25	40	387	52
		81D8036L24FWR16FX31	6206	7135	80	36	29.25	48	402	58
		81D8036L24FWR16DX31	6206	7135	80	36	29.25	48	402	58
		81D8036L16FR24FWX31	6206	7135	80	36	29.25	48	402	58
		81D8036L16DR24FWX31	6206	7135	80	36	29.25	48	402	58
		81D8836L24FWR16FX31	6230	7162	88	36	29.25	56	435	64
		81D8836L24FWR16DX31	6230	7162	88	36	29.25	56	435	64
		81D8836L16FR24FWX31	6230	7162	88	36	29.25	56	435	64
		81D8836L16DR24FWX31	6230	7162	88	36	29.25	56	435	64

	Double Pedestal Desk, 3/4 Height Recessed Modesty Panel, 24" Pedestals	81D6430L24FWR24FWX31*	6191	7120	64	30	29.25	32	371	32
		81D6430L24FWR24DWX31	6191	7120	64	30	29.25	64	371	32
		81D7236L24FWR24FWX31	6305	7253	72	36	29.25	40	429	40
		81D7236L24FWR24DWX31	6305	7253	72	36	29.25	72	429	40
		81D8036L24FWR24FWX31	6392	7350	80	36	29.25	48	444	48
		81D8036L24FWR24DWX31	6392	7350	80	36	29.25	80	444	48



ORDERING NOTES:

Replace the 3 after the 'X' in the model number with 4 for a full height modesty panel. i.e. 81D6430L0R0X41.

	Bow Top Option	BT81D6430	508	582	64	30	-	-	-	-
		BT81D7236	582	671	72	36	-	-	-	-
		BT81D8036	623	712	80	36	-	-	-	-
		BT81D8836*	695	803	88	36	-	-	-	-
		BT81D9636	778	891	96	36	-	-	-	-

ORDERING NOTES:

Bow tops add 15lbs. to the shipping weight of the desk. Add 'BT' before any standard desk model number and apply upcharge.

DIMENSION KEY

W - width
D - depth
H - height
KW - kneehole width
Dimensions are in inches and approximate.
Contact customer service if dimensions are critical.
* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
W - extended pedestal
X31 - 3/4 height recessed modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 114.

GROMMETS



One wiring grommet in standard position is optional at no charge. See page 202 for more wiring grommet information.

VESTRADA | DESKS


Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Double Pedestal	81DZ7236L16FR16FX3*	6838	7863	72	36	29.25	40	387	52
Desk, Face Mounted	81DZ7236L16DR16FX3	6838	7863	72	36	29.25	40	387	52
Modesty Panel, 16"	81DZ7236L16FR16DX3	6838	7863	72	36	29.25	40	387	52
Pedestals	81DZ8036L16FR16FX3	6927	7966	80	36	29.25	48	414	58
	81DZ8036L16FR16DX3	6927	7966	80	36	29.25	48	414	58
	81DZ8036L16DR16FX3	6927	7966	80	36	29.25	48	414	58



Double Pedestal	81DZ7236L24FWR16FX3*	7044	8100	72	36	29.25	40	410	52
Desk, Face Mounted	81DZ7236L24FWR16DX3	7044	8100	72	36	29.25	40	410	52
Modesty Panel, 24"	81DZ7236L16FR24FWX3	7044	8100	72	36	29.25	40	410	52
& 16" Pedestals	81DZ7236L16DR24FWX3	7044	8100	72	36	29.25	40	410	52
	81DZ8036L24FWR16FX3	7135	8205	80	36	29.25	48	440	58
	81DZ8036L24FWR16DX3	7135	8205	80	36	29.25	48	440	58
	81DZ8036L16FR24FWX3	7135	8205	80	36	29.25	48	440	58
	81DZ8036L16DR24FWX3	7135	8205	80	36	29.25	48	440	58
	81DZ8836L24FWR16FX3	7162	8236	88	36	29.25	56	463	64
	81DZ8836L24FWR16DX3	7162	8236	88	36	29.25	56	463	64
	81DZ8836L16FR24FWX3	7162	8236	88	36	29.25	56	463	64
	81DZ8836L16DR24FWX3	7162	8236	88	36	29.25	56	463	64



Double Pedestal	81DZ7236L24FWR24FWX3*	7118	8184	72	36	29.25	40	421	52
Desk, Face Mounted	81DZ8036L24FWR24FWX3	7254	8342	80	36	29.25	48	446	58
Modesty Panel, 24"	81DZ8836L24FWR24FWX3	7352	8454	88	36	29.25	56	469	64
Pedestals									



Glass Modesty Panel Upcharges
72" Desks= **\$294 list** | 80" Desks= **\$470 list**.

ORDERING NOTES:

Face mounted modesty panel desk pedestals are 6" shallower than top depth. Add (1) after model number for a wood modesty panel. Add (7) after model number for glass modesty panel. Listed pricing applies to wood modesty panel desks only. Add corresponding size upcharge for glass modesty panel. Desks with glass modesty panels are NOT available on KrugExpress.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
 - 2) Wood species and finish
 - 3) Pull style and finish, see page 116
 - 4) V-beam color, see page 115
- Grommet location and style

* Indicates model illustrated by the drawing.



CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer
- W - extended pedestal
- X3 - 3/4 height fixed modesty panel
- Z - face mounted modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Double Pedestal	81DEZ7236L16FR16DX37	8069	9276	72	36	29.25	40	387	52
Elliptical Desk, Face	81DEZ7236L16DR16FX37	8069	9276	72	36	29.25	40	387	52
Mounted Glass	81DEZ7236L16FR16FX37	8069	9276	72	36	29.25	40	387	52
Modesty Panel,	81DEZ8036L16FR16DX37	8250	9486	80	36	29.25	48	402	58
16" Pedestals	81DEZ8036L16DR16FX37	8250	9486	80	36	29.25	48	402	58
	81DEZ8036L16FR16FX37	8250	9486	80	36	29.25	48	402	58



Double Pedestal	81DEZ7236L24FWR16FX37*	8302	9549	72	36	29.25	40	410	52
Elliptical Desk, Face	81DEZ7236L24FWR16DX37	8302	9549	72	36	29.25	40	410	52
Mounted Glass	81DEZ7236L16FR24FWX37	8302	9549	72	36	29.25	40	410	52
Modesty Panel,	81DEZ7236L16DR24FWX37	8302	9549	72	36	29.25	40	410	52
24" & 16" Pedestals	81DEZ8036L24FWR16FX37	8532	9812	80	36	29.25	48	440	58
	81DEZ8036L24FWR16DX37	8532	9812	80	36	29.25	48	440	58
	81DEZ8036L16FR24FWX37	8532	9812	80	36	29.25	48	440	58
	81DEZ8036L16DR24FWX37	8532	9812	80	36	29.25	48	440	58



Double Pedestal	81DEZ7236L24FWR24FWX37*	8387	9643	72	36	29.25	40	428	52
Elliptical Desk,	81DEZ8036L24FWR24FWX37	8666	9968	80	36	29.25	48	443	58
Face Mounted									
Glass Modesty									
Panel, 24"									
Pedestals									



ORDERING NOTES:

Only glass face mounted modesty panels are available on elliptical desks. Power ports are not available on elliptical tops. Elliptical desks are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height
KW - kneehole width
Dimensions are in inches and approximate.
Contact customer service if dimensions are critical.
* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
W - extended pedestal
X37 - 3/4 height fixed glass modesty panel
Z - face mounted modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 202 for more wiring grommet information.

VESTRADA | ANGLED SHAPED DESKS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Canted Inverted Desk with Pedestal and no Modesty Panel	81DCI6430-38L16F	5083	5844	64	30	29.25	24	246	39
	81DCI6430-38L16D	5083	5844	64	30	29.25	24	246	39
	81DCI6430-38R16F	5083	5844	65	30	29.25	24	246	39
	81DCI6430-38R16D	5083	5844	66	30	29.25	24	246	39
	81DCI7230-38L16F	5218	6001	72	30	29.25	32	261	44
	81DCI7230-38L16D	5218	6001	72	30	29.25	32	261	44
	81DCI7230-38R16F	5356	6160	72	30	29.25	32	261	44
	81DCI7230-38R16D	5356	6160	72	30	29.25	32	261	44
	81DCI7236-44L16F*	5218	6001	72	36	29.25	32	304	52
	81DCI7236-44L16D	5218	6001	72	36	29.25	32	304	52
	81DCI7236-44R16F	5356	6160	72	36	29.25	32	304	52
	81DCI7236-44R16D	5356	6160	72	36	29.25	32	304	52
	81DCI8036-44L16F	5637	6482	80	36	29.25	40	329	58
	81DCI8036-44L16D	5637	6482	80	36	29.25	40	329	58
	81DCI8036-44R16F	5637	6482	80	36	29.25	40	329	58
	81DCI8036-44R16D	5637	6482	80	36	29.25	40	329	58
Canted Inverted Desk with Pedestal and 3/4 Floating Wood Modesty Panel	81DCIV6430-38L16FX31	5665	6512	64	30	29.25	24	272	39
	81DCIV6430-38L16DX31	5665	6512	64	30	29.25	24	272	39
	81DCIV6430-38R16FX31	5665	6512	65	30	29.25	24	272	39
	81DCIV6430-38R16DX31	5665	6512	66	30	29.25	24	272	39
	81DCIV7230-38L16FX31	5815	6688	72	30	29.25	32	287	44
	81DCIV7230-38L16DX31	5815	6688	72	30	29.25	32	287	44
	81DCIV7230-38R16FX31	5969	6864	72	30	29.25	32	287	44
	81DCIV7230-38R16DX31	5969	6864	72	30	29.25	32	287	44
	81DCIV7236-44L16FX31*	5815	6688	72	36	29.25	32	330	52
	81DCIV7236-44L16DX31	5815	6688	72	36	29.25	32	330	52
	81DCIV7236-44R16FX31	5969	6864	72	36	29.25	32	330	52
	81DCIV7236-44R16DX31	5969	6864	72	36	29.25	32	330	52
	81DCIV8036-44L16FX31	6281	7226	80	36	29.25	40	355	58
	81DCIV8036-44L16DX31	6281	7226	80	36	29.25	40	355	58
	81DCIV8036-44R16FX31	6281	7226	80	36	29.25	40	355	58
	81DCIV8036-44R16DX31	6281	7226	80	36	29.25	40	355	58

ORDERING NOTES:

Canted Inverted desks are to be used as stand alone desks. They are not to be used in 'U' configurations due to kneespace limitations. Laminate worksurfaces are available at a 10% upcharge, see page 118 for more information.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Pull style and finish, see page 116
- 4) V-beam color, see page 115
- 5) Grommet location and style

* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 V - floating modesty panel
 X31 - 3/4 height recessed modesty panel




STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. End caps on elliptical bases are sating aluminum.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception on bookcases.

VESTRADA | ANGLED SHAPED DESKS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
 Canted Arc Inverted Desk with Pedestal and no Modesty Panel	81DCAI6430-38L16F	5083	5844	64	30	29.25	24	246	39
	81DCAI6430-38L16D	5083	5844	64	30	29.25	24	246	39
	81DCAI6430-38R16F	5083	5844	65	30	29.25	24	246	39
	81DCAI6430-38R16D	5083	5844	66	30	29.25	24	246	39
	81DCAI7230-38L16F	5218	6001	72	30	29.25	32	261	44
	81DCAI7230-38L16D	5218	6001	72	30	29.25	32	261	44
	81DCAI7230-38R16F*	5356	6160	72	30	29.25	32	261	44
	81DCAI7230-38R16D	5356	6160	72	30	29.25	32	261	44
	81DCAI7236-44L16F	5218	6001	72	36	29.25	32	304	52
	81DCAI7236-44L16D	5218	6001	72	36	29.25	32	304	52
	81DCAI7236-44R16F	5356	6160	72	36	29.25	32	304	52
	81DCAI7236-44R16D	5356	6160	72	36	29.25	32	304	52
	81DCAI8036-44L16F	5637	6482	80	36	29.25	40	329	58
	81DCAI8036-44L16D	5637	6482	80	36	29.25	40	329	58
	81DCAI8036-44R16F	5637	6482	80	36	29.25	40	329	58
	81DCAI8036-44R16D	5637	6482	80	36	29.25	40	329	58
 Canted Arc Inverted Desk with Pedestal and 3/4 Floating Wood Modesty Panel	81DCAIV6430-38L16FX31	5665	6512	64	30	29.25	24	272	39
	81DCAIV6430-38L16DX31	5665	6512	64	30	29.25	24	272	39
	81DCAIV6430-38R16FX31	5665	6512	65	30	29.25	24	272	39
	81DCAIV6430-38R16DX31	5665	6512	66	30	29.25	24	272	39
	81DCAIV7230-38L16FX31	5815	6688	72	30	29.25	32	287	44
	81DCAIV7230-38L16DX31	5815	6688	72	30	29.25	32	287	44
	81DCAIV7230-38R16FX31	5969	6864	72	30	29.25	32	287	44
	81DCAIV7230-38R16DX31	5969	6864	72	30	29.25	32	287	44
	81DCAIV7236-44L16FX31*	5815	6688	72	36	29.25	32	330	52
	81DCAIV7236-44L16DX31	5815	6688	72	36	29.25	32	330	52
	81DCAIV7236-44R16FX31	5969	6864	72	36	29.25	32	330	52
	81DCAIV7236-44R16DX31	5969	6864	72	36	29.25	32	330	52
	81DCAIV8036-44L16FX31	6281	7226	80	36	29.25	40	355	58
	81DCAIV8036-44L16DX31	6281	7226	80	36	29.25	40	355	58
	81DCAIV8036-44R16FX31	6281	7226	80	36	29.25	40	355	58
	81DCAIV8036-44R16DX31	6281	7226	80	36	29.25	40	355	58
 Canted Arc Inverted Desk with Elliptical Base and no Modesty Panel	81DCAI6430-38LE2	4050	4656	64	30	29.25	34	209	39
	81DCAI6430-38RE2	4050	4656	64	36	29.25	34	209	39
	81DCAI7230-38LE2	4109	4725	72	30	29.25	42	224	44
	81DCAI7230-38RE2	4167	4792	72	30	29.25	42	224	44
	81DCAI7236-44LE2*	4109	4725	72	36	29.25	42	267	52
	81DCAI7236-44RE2	4167	4792	72	36	29.25	42	267	52
	81DCAI8036-44LE2	4228	4861	80	30	29.25	50	282	58
	81DCAI8036-44RE2	4228	4861	80	36	29.25	50	282	58

ORDERING NOTES:

Canted Arc Inverted desks are to be used as stand alone desks. They are not to be used in 'U' configurations due to kneespace limitations. Laminate worksurfaces are available at a 10% upcharge, see page 118 for more information.

DIMENSION KEY

W - width
D - depth
H - height
KW - kneehole width
Dimensions are in inches and approximate.
Contact customer service if dimensions are critical.
* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.





GROMMETS

One wiring grommet in standard position is optional at no charge. See page 202 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception on bookcases.

VESTRADA | ANGLED SHAPED DESKS

		Cherry Maple Walnut						Shipping	Cubic	
Description	Model	Rift Oak	Anigre	W	D	H	KW	Weight	Feet	
	Oblique Desk with Elliptical Base and no Modesty Panel	81DO6430-36LE2	4050	4656	64	30	29.25	40	209	39
		81DO6430-36RE2	4050	4656	64	30	29.25	40	209	39
		81DO7230-36LE2	4109	4725	72	30	29.25	48	224	44
		81DO7230-36RE2	4109	4725	72	30	29.25	48	224	44
		81DO7236-42LE2*	4167	4792	72	36	29.25	48	267	52
		81DO7236-42RE2	4167	4792	72	36	29.25	48	267	52
		81DO8036-42LE2	4228	4861	80	36	29.25	56	282	58
		81DO8036-42RE2	4228	4861	80	36	29.25	56	282	58
	Oblique Desk with Elliptical Base and 3/4 Floating Wood Modesty Panel	81DOV6430-36LE2X31	4740	5448	64	30	29.25	40	235	39
		81DOV6430-36RE2X31	4740	5448	64	30	29.25	40	235	39
		81DOV7230-36LE2X31	4807	5528	72	30	29.25	48	224	44
		81DOV7230-36RE2X31	4807	5528	72	30	29.25	48	224	44
		81DOV7236-42LE2X31*	4877	5609	72	36	29.25	48	267	52
		81DOV7236-42RE2X31	4877	5609	72	36	29.25	48	267	52
		81DOV8036-42LE2X31	4945	5686	80	36	29.25	56	282	58
		81DOV8036-42RE2X31	4945	5686	80	36	29.25	56	282	58
	Oblique Inverted Desk with Elliptical Base and no Modesty Panel	81DOI6430-36LE2	4050	4656	64	30	29.25	40	235	39
		81DOI6430-36RE2	4050	4656	64	30	29.25	40	235	39
		81DOI7230-36LE2	4109	4725	72	30	29.25	48	224	44
		81DOI7230-36RE2	4109	4725	72	30	29.25	48	224	44
		81DOI7236-42LE2*	4167	4792	72	36	29.25	48	267	52
		81DOI7236-42RE2	4167	4792	72	36	29.25	48	267	52
		81DOI8036-42LE2	4228	4861	80	36	29.25	56	282	58
		81DOI8036-42RE2	4228	4861	80	36	29.25	56	282	58
	Oblique Inverted Desk with Elliptical Base and 3/4 Floating Wood Modesty Panel	81DOIV6430-36LE2X31	4740	5448	64	30	29.25	40	235	39
		81DOIV6430-36RE2X31	4740	5448	64	30	29.25	40	235	39
		81DOIV7230-36LE2X31*	4807	5528	72	30	29.25	48	224	44
		81DOIV7230-36RE2X31	4807	5528	72	30	29.25	48	224	44
		81DOIV7236-42LE2X31	4877	5609	72	36	29.25	48	267	52
		81DOIV7236-42RE2X31	4877	5609	72	36	29.25	48	267	52
		81DOIV8036-42LE2X31	4945	5686	80	36	29.25	56	282	58
		81DOIV8036-42RE2X31	4945	5686	80	36	29.25	56	282	58

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Pull style and finish, see page 116
- 4) V-beam color, see page 117
- 5) Grommet location and style

* Indicates model illustrated by the drawing.






CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

VESTRADA | CURVILINEAR SHAPED DESKS

		Cherry	Maple	Walnut					Shipping	Cubic
Description	Model	Rift Oak	Anigre		W	D	H	KW	Weight	Feet
	Bullet Desk with no Modesty Panel	81DB6430LE2	3292	3786	64	30	29.25	40	184	52
		81DB6430RE2	3292	3786	64	30	29.25	40	184	52
		81DB7230LE2	3350	3854	72	30	29.25	48	199	44
		81DB7230RE2	3350	3854	72	30	29.25	48	199	44
		81DB7236LE2*	3409	3920	72	36	29.25	48	242	58
		81DB7236RE2	3409	3920	72	36	29.25	48	242	58
		81DB8036LE2	3482	4005	80	36	29.25	56	257	57
		81DB8036RE2	3482	4005	80	36	29.25	56	257	57
	Bullet Desk with 3/4 Floating Wood Modesty Panel	81DBV6430LE2X31	3667	4216	64	30	29.25	40	235	40
		81DBV6430RE2X31	3667	4216	64	30	29.25	40	235	40
		81DBV7230LE2X31	3734	4296	72	30	29.25	48	250	48
		81DBV7230RE2X31	3734	4296	72	30	29.25	48	250	48
		81DBV7236LE2X31*	3800	4370	72	36	29.25	48	293	48
		81DBV7236RE2X31	3800	4370	72	36	29.25	48	293	48
		81DBV8036LE2X31	3879	4462	80	36	29.25	56	308	56
		81DBV8036RE2X31	3879	4462	80	36	29.25	56	308	56
	Arc Ended Desk with no Modesty Panel	81DA6430LE2	3135	3603	64	30	29.25	40	184	52
		81DA6430RE2	3135	3603	64	30	29.25	40	184	52
		81DA7230LE2	3190	3670	72	30	29.25	48	199	44
		81DA7230RE2	3190	3670	72	30	29.25	48	199	44
		81DA7236LE2*	3248	3734	72	36	29.25	48	242	58
		81DA7236RE2	3248	3734	72	36	29.25	48	242	58
		81DA8036LE2	3315	3812	80	36	29.25	56	257	57
		81DA8036RE2	3315	3812	80	36	29.25	56	257	57
	Arc Ended Desk with 3/4 Floating Wood Modesty Panel	81DAV6430LE2X31	3665	4213	64	30	29.25	40	235	52
		81DAV6430RE2X31	3665	4213	64	30	29.25	40	235	52
		81DAV7230LE2X31	3734	4296	72	30	29.25	48	250	44
		81DAV7230RE2X31	3734	4296	72	30	29.25	48	250	44
		81DAV7236LE2X31*	3800	4370	72	36	29.25	48	293	58
		81DAV7236RE2X31	3800	4370	72	36	29.25	48	293	58
		81DAV8036LE2X31	3879	4462	80	36	29.25	56	308	57
		81DAV8036RE2X31	3879	4462	80	36	29.25	56	308	57
	P Desk with Elliptical Base and no Modesty Panel	81DP6430-36LE2	3856	4436	64	30	29.25	40	209	39
		81DP6430-36RE2	3856	4436	64	30	29.25	40	209	39
		81DP7230-36LE2	3912	4499	72	30	29.25	48	250	44
		81DP7230-36RE2	3912	4499	72	30	29.25	48	250	44
		81DP7236-42LE2*	3970	4564	72	36	29.25	48	299	52
		81DP7236-42RE2	3970	4564	72	36	29.25	48	299	52
		81DP8036-42LE2	4025	4629	80	36	29.25	56	308	58
		81DP8036-42RE2	4025	4629	80	36	29.25	56	308	58

DIMENSION KEY

W - width
D - depth
H - height
KW - kneehole width
Dimensions are in inches and approximate.
Contact customer service if dimensions are critical.
* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. End caps on elliptical bases are satin aluminum.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

VESTRADA | CURVILINEAR SHAPED DESKS

		Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet	
	P Desk with Elliptical Base and 3/4 Floating Modesty Panel	81DPV6430-36LE2X31	4513	5187	64	30	29.25	40	235	39
		81DPV6430-36RE2X31	4513	5187	64	30	29.25	40	235	39
		81DPV7230-36LE2X31	4576	5264	72	30	29.25	48	250	44
		81DPV7230-36RE2X31	4576	5264	72	30	29.25	48	250	44
		81DPV7236-42LE2X31*	4644	5341	72	36	29.25	48	299	52
		81DPV7236-42RE2X31	4644	5341	72	36	29.25	48	299	52
		81DPV8036-42LE2X31	4709	5415	80	36	29.25	56	308	58
		81DPV8036-42RE2X31	4709	5415	80	36	29.25	56	308	58
	Fin Desk with Elliptical Base and no Modesty Panel	81DF6430LE2	3292	3786	64	30	29.25	36	209	39
		81DF6430RE2	3292	3786	64	30	29.25	36	209	39
		81DF7230LE2*	3350	3854	72	30	29.25	44	224	44
		81DF7230RE2	3350	3854	72	30	29.25	44	224	44
		81DF7236LE2	3409	3920	72	36	29.25	44	267	52
		81DF7236RE2	3409	3920	72	36	29.25	44	267	52
		81DF8036LE2	3482	4005	80	36	29.25	52	282	58
		81DF8036RE2	3482	4005	80	36	29.25	52	282	58
	Fin Desk with Elliptical Base and 3/4 Floating Modesty Panel	81DFV6430LE2X31	3667	4216	64	30	29.25	36	235	39
		81DFV6430RE2X31	3667	4216	64	30	29.25	36	235	39
		81DFV7230LE2X31*	3734	4296	72	30	29.25	44	250	44
		81DFV7230RE2X31	3734	4296	72	30	29.25	44	250	44
		81DFV7236LE2X31	3800	4370	72	36	29.25	44	299	52
		81DFV7236RE2X31	3800	4370	72	36	29.25	44	299	52
		81DFV8036LE2X31	3879	4462	80	36	29.25	52	308	58
		81DFV8036RE2X31	3879	4462	80	36	29.25	52	308	58

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Pull style and finish, see page 116
- 4) V-beam color, see page 117
- 5) Grommet location and style

* Indicates model illustrated by the drawing.

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 V - floating modesty panel
 W - extended pedestal
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. End caps on elliptical bases are satin aluminum.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | TABLE DESKS

		Cherry Maple Walnut Rift Oak	Anigre		W	D	H	KW	Shipping Weight	Cubic Feet
	Rectangular Table	81DT7230E2	2507	2882	72	30	29.25	32	219	44
	Desk with Elliptical	81DT7236E2	2766	3180	72	36	29.25	32	262	52
	Base and no	81DT8030E2*	2897	3332	80	30	29.25	40	240	49
	Modesty Panel	81DT8036E2	3186	3665	80	36	29.25	40	277	58
		81DT8830E2	3243	3730	88	30	29.25	48	259	54
		81DT8836E2	3597	4135	88	36	29.25	48	310	64
	Rectangular Table	81DTV7230E2X31	2934	3374	72	30	29.25	32	245	44
	Desk with Elliptical	81DTV7236E2X31	3233	3717	72	36	29.25	32	288	52
	Base and 3/4	81DTV8030E2X31*	3390	3897	80	30	29.25	40	266	49
	Floating Modesty	81DTV8036E2X31	3551	4082	80	36	29.25	40	303	58
	Panel	81DTV8830E2X31	3795	4365	88	30	29.25	48	236	54
		81DTV8836E2X31	4207	4839	88	36	29.25	48	336	64
	Elliptical Table Desk	81DTE7230E2	3028	3482	72	30	29.25	32	219	44
	with no Modesty	81DTE7236E2	3334	3835	72	36	29.25	32	262	52
	Panel	81DTE8030E2*	3498	4024	80	30	29.25	40	240	49
		81DTE8036E2	3665	4213	80	36	29.25	40	270	58
		81DTE8830E2	3916	4503	88	30	29.25	48	236	54
		81DTE8836E2	4342	4993	88	36	29.25	48	310	64
	Elliptical Table Desk	81DTEV7230E2X31	3542	4074	72	30	29.25	32	219	44
	with 3/4 Floating	81DTEV7236E2X31	3904	4489	72	36	29.25	32	262	52
	Modesty Panel	81DTEV8030E2X31*	4090	4704	80	30	29.25	40	240	49
		81DTEV8036E2X31	4286	4930	80	36	29.25	40	270	58
		81DTEV8830E2X31	4583	5270	88	30	29.25	48	236	54
		81DTEV8836E2X31	5080	5843	88	36	29.25	48	310	64

ORDERING NOTES:

Table desks come standard with 2 elliptical bases.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

VESTRADA | TABLE DESK PEDESTALS

Description	Model	Cherry	Maple	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre	Palette						
Modular Pedestal, File/File-16"	81P16D30*	2427	2793	2186	16	30	26		116	10
	81P16D36	2523	2905	2272	16	36	26		120	10



Modular Pedestal, Box/Box/File-16"	81P16F30*	2614	3005	2352	16	30	26		118	10
	81P16F36	2719	3127	2447	16	36	26		122	12



Modular Pedestal, Box/Box/File-24"	81P24F30	2690	3093	2421	24	30	26		120	17
	81P24F36*	2771	3185	2494	24	36	26		124	12



ORDERING PROCEDURE

To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. End caps on elliptical bases are satin aluminum.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception on bookcases.

VESTRADA | HEIGHT ADJUSTABLE DESK WORKSURFACES

		Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Description	Model								
Electronic Height Adjustable Desk Worksurfaces T-Base 	81HA4824ETS	3375	3543	47.75	24	-	35	109.5	19
	81HA5424ETS	3419	3591	53.5	24	-	41	110	21.5
	81HA6024ETS	3514	3688	59.75	24	-	47	111	24
	81HA6624ETS	3761	3951	65.75	24	-	53	114	26.5
	81HA7224ETS	3939	4137	71.75	24	-	59	119.5	29
	81HA7824ETS	4071	4275	77.75	24	-	65	122.5	31.5
	81HA8424ETS	4149	4357	83.75	24	-	71	127	34
	81HA4830ETS	3516	3692	47.75	30	-	35	122.5	20.5
	81HA5430ETS	3583	3763	53.5	30	-	41	123	23.5
	81HA6030ETS*	3663	3846	59.75	30	-	47	124	26.5
81HA6630ETS	3844	4038	65.75	30	-	53	131	29.75	
81HA7230ETS	4017	4217	71.75	30	-	59	132.5	32.75	
81HA7830ETS	4158	4366	77.75	30	-	65	142.5	35.75	
81HA8430ETS	4238	4452	83.75	30	-	71	143.5	38.75	
81HA4836ETS	3717	3902	47.75	36	-	35	122.5	20.75	
81HA5436ETS	3792	3982	53.5	36	-	41	123	24.5	
81HA6036ETS	3864	4057	59.75	36	-	47	124	28.25	
81HA6636ETS	4015	4215	65.75	36	-	53	134	32	
81HA7236ETS	4148	4355	71.75	36	-	59	151.5	35.5	
81HA7836ETS	4475	4698	77.75	36	-	65	158.5	39.25	
81HA8436ETS	4572	4799	83.75	36	-	71	159.5	43	

ORDERING NOTES:

To order a height adjustable return worksurface to use in place of a return or linking unit insert RH into the model number before the ETS.

To order a height adjustable worksurface with a top overhang of 16" at one end insert O16 into the model number after ETS. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 48" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base add **\$626** to the list price and replace ETS with ETD. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 202 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

E - electric
T - T-base
S - single stage
O16 - 16" overhang
C - C-base
D - dual stage

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

VESTRADA | HEIGHT ADJUSTABLE DESK WORKSURFACES

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Rift Oak						
Electronic Height Adjustable Desk Worksurfaces, Base Enclosures	81HA4824ETSG	5562	5839	47.75	24	-	30	154.5	19
	81HA5424ETSG	5610	5890	53.5	24	-	36	155	21.5
	81HA6024ETSG	5702	5987	59.75	24	-	42	156	24
	81HA6624ETSG	5959	6259	65.75	24	-	48	159	26.5
	81HA7224ETSG	6143	6450	71.75	24	-	54	164.5	29
	81HA7824ETSG	6277	6592	77.75	24	-	60	167.5	31.5
	81HA8424ETSG	6361	6679	83.75	24	-	66	172	34
	81HA4830ETSG	5956	6254	47.75	30	-	30	177.5	20.5
	81HA5430ETSG	6022	6325	53.5	30	-	36	178	23.5
	81HA6030ETSG	6105	6411	59.75	30	-	42	179	26.5
	81HA6630ETSG	6294	6609	65.75	30	-	48	186	29.75
	81HA7230ETSG	6470	6792	71.75	30	-	54	187.5	32.75
	81HA7830ETSG	6613	6944	77.75	30	-	60	197.5	35.75
	81HA8430ETSG	6941	7287	83.75	30	-	66	198.5	38.75
	81HA4836ETSG	6400	6721	47.75	36	-	30	187.5	20.75
	81HA5436ETSG	6479	6802	53.5	36	-	36	188	24.5
	81HA6036ETSG	6554	6881	59.75	36	-	42	189	28.25
	81HA6636ETSG	6709	7045	65.75	36	-	48	199	32
	81HA7236ETSG	6605	6936	71.75	36	-	54	216.5	35.5
	81HA7836ETSG	7182	7540	77.75	36	-	60	223.5	39.25
	81HA8436ETSG	7281	7644	83.75	36	-	66	224.5	43



ORDERING NOTES:

To order a height adjustable return worksurface to use in place of a return or linking unit insert RH into the model number before the ETS.

To order a height adjustable worksurface with a top overhang of 16" at one end insert O16 into the model number after ETS. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 48" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base add **\$626 to the list price** and replace ETS with ETD. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 202 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by the drawing.

CODE DESCRIPTION

- E - electric
- T - T-base
- S - single stage
- G - base enclosure
- O16 - 16" overhang
- C - C-base
- D - dual stage

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 114.

VESTRADA | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
	Electronic Height Adjustable Return	3375	3543	47.75	24	-	35	109.5	19
	Worksurfaces T-Base	3419	3591	53.5	24	-	41	110	21.5
	81HA6024RHETS	3514	3688	59.75	24	-	47	111	24
	81HA6624RHETS	3761	3951	65.75	24	-	53	114	26.5
	81HA7224RHETS	3939	4137	71.75	24	-	59	119.5	29
	81HA7824RHETS	4071	4275	77.75	24	-	65	122.5	31.5
	81HA8424RHETS	4149	4357	83.75	24	-	71	127	34
	81HA4830RHETS	3516	3692	47.75	30	-	35	122.5	20.5
	81HA5430RHETS	3583	3763	53.5	30	-	41	123	23.5
	81HA6030RHETS*	3663	3846	59.75	30	-	47	124	26.5
	81HA6630RHETS	3844	4038	65.75	30	-	53	131	29.75
	81HA7230RHETS	4017	4217	71.75	30	-	59	132.5	32.75
	81HA7830RHETS	4158	4366	77.75	30	-	65	142.5	35.75
	81HA8430RHETS	4238	4452	83.75	30	-	71	143.5	38.75
	81HA4836RHETS	3717	3902	47.75	36	-	35	122.5	20.75
	81HA5436RHETS	3792	3982	53.5	36	-	41	123	24.5
	81HA6036RHETS	3864	4057	59.75	36	-	47	124	28.25
	81HA6636RHETS	4015	4215	65.75	36	-	53	134	32
	81HA7236RHETS	4148	4355	71.75	36	-	59	151.5	35.5
	81HA7836RHETS	4475	4698	77.75	36	-	65	158.5	39.25
	81HA8436RHETS	4572	4799	83.75	36	-	71	159.5	43

ORDERING NOTES:

To order a height adjustable return work surface to use in place of a return or linking unit insert RH into the model number before the ETS.

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 48" or less in length. This option is not available on dual stage electronic height adjustable work surfaces.

To order a dual stage height adjustable base add **\$626 to the list price** and replace ETS with ETD. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 202 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of work surface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

RH - return (cross grain)
E - electric
T- T-base
S- single stage
O16 - 16" overhang
C - C-base
D - dual stage

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 114.

VESTRADA | HEIGHT ADJUSTABLE RETURN WORKSURFACES

ORDERING NOTES:

To order a height adjustable return worksurface to use in place of a return or linking unit insert RH into the model number before the ETS.

To order a height adjustable worksurface with a top overhang of 16" at one end insert O16 into the model number after ETS. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 48" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$626 to the list price** and replace ETS with ETD. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 202 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option.
Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by the drawing.


CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stagel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 114.

VESTRADA | MODESTY PANELS FOR HEIGHT ADJUSTABLE WORKSURFACES WITH BASE ENCLOSURES

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	Shipping Weight
1/2 Height Floating Wood Modesty 	V21-48	314	332	47.75	0.75	12	9
	V21-54	326	340	53.75	0.75	12	10
	V21-60	335	350	59.75	0.75	12	11
	V21-66	345	363	65.75	0.75	12	12
	V21-72	356	374	71.75	0.75	12	14
	V21-78	376	395	77.75	0.75	12	15
	V21-84	420	439	83.75	0.75	12	16
1/2 Height Floating Palette Modesty 	V22-48	314		47.75	0.75	12	9
	V22-54	326		53.75	0.75	12	10
	V22-60	335		59.75	0.75	12	11
	V22-66	345		65.75	0.75	12	12
	V22-72	356		71.75	0.75	12	14
	V22-78	376		77.75	0.75	12	15
	V22-84	420		83.75	0.75	12	16
1/2 Height Floating Back-painted Glass Modesty 	V24-48	1004		47.75	0.75	12	13
	V24-54	1036		53.75	0.75	12	14
	V24-60	1066		59.75	0.75	12	15
	V24-66	1100		65.75	0.75	12	16
	V24-72	1134		71.75	0.75	12	18
	V24-78	1182		77.75	0.75	12	19
	V24-84	1232		83.75	0.75	12	20
1/2 Height Floating Acrylic Modesty 	V29-48	594		47.75	0.75	12	7
	V29-54	612		53.75	0.75	12	8
	V29-60	632		59.75	0.75	12	9
	V29-66	652		65.75	0.75	12	10
	V29-72	670		71.75	0.75	12	12
	V29-78	704		77.75	0.75	12	13
	V29-84	736		83.75	0.75	12	14
Full Height Fixed Wood Modesty 	X41-48	629	660	47.75	0.75	12	15
	X41-54	647	681	53.75	0.75	12	18
	X41-60	668	701	59.75	0.75	29	20
	X41-66	688	724	65.75	0.75	29	24
	X41-72	710	746	71.75	0.75	29	26
	X41-78	751	788	77.75	0.75	29	30
	X41-84	839	883	83.75	0.75	29	36

DIMENSION KEY


W — width
D — depth
H — height of worksurface
KW— kneehole width


Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted
glass modesty
V29 - 1/2 height floating acrylic modesty
X41 - full height fixed wood modesty

VESTRADA | LINKING UNITS


Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
	81LU3620H	818	941	36	20	29.25		34	14
	81LU3624H	826	953	36	24	29.25		48	17
	81LU4020H	850	979	40	20	29.25		42	17
	81LU4024H	875	1008	40	24	29.25		60	21
	81LU4820H	894	1030	48	20	29.25		58	21
	81LU4824H	915	1053	48	24	29.25		77	24
	81LU5620H	919	1058	56	20	29.25		70	24
	81LU5624H	931	1071	56	24	29.25		85	28
	81LU6420H	979	1124	64	20	29.25		93	27
	81LU6424H*	1006	1155	64	24	29.25		118	32
	81LU7220H	1009	1158	72	20	29.25		128	30
	81LU7224H	1023	1177	72	24	29.25		140	36

	81LU3620HX41	1650	1896	36	20	29.25		54	14
	81LU3624HX41	1702	1956	36	24	29.25		68	17
	81LU4020HX41	1737	1994	40	20	29.25		60	17
	81LU4024HX41	1783	2051	40	24	29.25		80	21
	81LU4820HX41	1818	2091	48	20	29.25		78	21
	81LU4824HX41	1851	2129	48	24	29.25		97	24
	81LU5620HX41	1875	2156	56	20	29.25		95	24
	81LU5624HX41*	1898	2184	56	24	29.25		116	28
	81LU6420HX41	1979	2275	64	20	29.25		105	27
	81LU6424HX41	2077	2386	64	24	29.25		128	32
	81LU7220HX41	2123	2442	72	20	29.25		140	30
	81LU7224HX41	2205	2537	72	24	29.25		148	36



ORDERING NOTES:

For cut-out option on modesty panel, note clearly on Purchase Order and **add \$181 list**. Modesty panels are inset from the underside of the V-Beam, as illustrated.

	81LUY3620HX41	1815	2087	36	20	29.25		54	14
	81LUY3624HX41	1872	2152	36	24	29.25		68	17
	81LUY4020HX41	1911	2198	40	20	29.25		60	17
	81LUY4024HX41	1961	2254	40	24	29.25		80	21
	81LUY4820HX41	2003	2301	48	20	29.25		78	21
	81LUY4824HX41	2036	2342	48	24	29.25		97	24
	81LUY5620HX41	2062	2372	56	20	29.25		95	24
	81LUY5624HX41*	2087	2400	56	24	29.25		116	28
	81LUY6420HX41	2174	2501	64	20	29.25		105	27
	81LUY6424HX41	2284	2626	64	24	29.25		128	32
	81LUY7220HX41	2336	2686	72	20	29.25		140	30
	81LUY7224HX41	2424	2787	72	24	29.25		148	36



ORDERING NOTES:

Wire management cut out is standard on hinged modesty panels. Modesty panels are inset from the underside of the V-Beam, as illustrated.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



LINKING UNITS

Linking units are to be used in open plans. They are to be installed against a wall.

LAMINATE WORKSURFACES

Laminate worksurfaces are available at a 10% upcharge, see page 118 for more information.

VESTRADA | LINKING UNITS

Description	Model	Cherry	Maple	W	D	H	Shipping Weight	Cubic Feet
		Walnut	Rift Oak					
Linking Top, 3/4 Floating Wood Modesty Panel  	81LUV3620HX31	1815	2087	36	20	29.25	54	14
	81LUV3624HX31	1872	2152	36	24	29.25	68	17
	81LUV4020HX31	1911	2198	40	20	29.25	66	17
	81LUV4024HX31	1961	2254	40	24	29.25	82	21
	81LUV4820HX31	2003	2301	48	20	29.25	78	21
	81LUV4824HX31	2036	2342	48	24	29.25	97	24
	81LUV5620HX31	2062	2372	56	20	29.25	92	24
	81LUV5624HX31	2087	2400	56	24	29.25	113	28
	81LUV6420HX31	2174	2501	64	20	29.25	100	27
	81LUV6424HX31	2284	2626	64	24	29.25	123	32
	81LUV7220HX31*	2336	2686	72	20	29.25	137	30
	81LUV7224HX31	2424	2787	72	24	29.25	148	36

ORDERING NOTES:

Modesty panels are inset from the underside of the V-Beam, as illustrated.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 V - floating modesty panel
 Y - hinged modesty panel
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114.

LINKING UNITS

Linking units are to be used in open plans. They are to be installed against a wall.

LAMINATE WORKSURFACES

Laminate worksurfaces are available at a 10% upcharge, see page 118 for more information.

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Open Return	81RH3620L	1822	2095	36	20	29.25	28	88	16
	81RH3620R	1822	2095	36	20	29.25	28	88	16
	81RH3624L	1859	2139	36	24	29.25	28	103	19
	81RH3624R	1859	2139	36	24	29.25	28	103	19
	81RH4020L	1917	2206	40	20	29.25	32	101	17
	81RH4020R	1917	2206	40	20	29.25	32	101	17
	81RH4024L	1965	2259	40	24	29.25	32	118	21
	81RH4024R	1965	2259	40	24	29.25	32	118	21
	81RH4820L	2011	2313	48	20	29.25	40	113	21
	81RH4820R	2011	2313	48	20	29.25	40	113	21
	81RH4824L	2056	2366	48	24	29.25	40	133	24
	81RH4824R	2056	2366	48	24	29.25	40	133	24
	81RH5620L	2082	2395	56	20	29.25	48	127	24
	81RH5620R	2082	2395	56	20	29.25	48	127	24
	81RH5624L	2118	2435	56	24	29.25	48	147	28
	81RH5624R	2118	2435	56	24	29.25	48	147	28
	81RH6020L	2144	2467	60	20	29.25	52	138	25
	81RH6020R	2144	2467	60	20	29.25	52	138	25
	81RH6024L	2173	2500	60	24	29.25	52	163	30
	81RH6024R	2173	2500	60	24	29.25	52	163	30
	81RH6420L	2229	2562	64	20	29.25	56	143	27
	81RH6420R	2229	2562	64	20	29.25	56	143	27
	81RH6424L	2270	2610	64	24	29.25	56	168	32
	81RH6424R	2270	2610	64	24	29.25	56	168	32
	81RH6430L	2288	2633	64	20	29.25	56	206	39
	81RH6430R	2288	2633	64	20	29.25	56	206	39
	81RH6436L*	2345	2698	64	24	29.25	56	210	47
	81RH6436R	2345	2698	64	24	29.25	56	210	47
	81RH7220L	2311	2657	72	20	29.25	64	158	30
	81RH7220R	2311	2657	72	20	29.25	64	158	30
	81RH7224L	2352	2707	72	24	29.25	64	187	36
	81RH7224R	2352	2707	72	24	29.25	64	187	36
	81RH7230L	2371	2725	72	20	29.25	64	230	44
	81RH7230R	2371	2725	72	20	29.25	64	230	44
	81RH7236L	2414	2774	72	24	29.25	64	273	52
	81RH7236R	2414	2774	72	24	29.25	64	273	52
	81RH8020L	2394	2752	80	20	29.25	72	156	34
	81RH8020R	2394	2752	80	20	29.25	72	156	34
	81RH8024L	2419	2781	80	24	29.25	72	204	40
	81RH8024R	2419	2781	80	24	29.25	72	204	40
	81RH8030L	2441	2807	80	20	29.25	72	251	49
	81RH8030R	2441	2807	80	20	29.25	72	251	49
	81RH8036L	2459	2827	80	24	29.25	72	288	58
	81RH8036R	2459	2827	80	24	29.25	72	288	58
	81RH8820L	2444	2810	88	20	29.25	80	185	37
	81RH8820R	2444	2810	88	20	29.25	80	185	37
	81RH8824L	2463	2832	88	24	29.25	80	219	43
	81RH8824R	2463	2832	88	24	29.25	80	219	43
	81RH8830L	2503	2879	88	20	29.25	80	270	54
	81RH8830R	2503	2879	88	20	29.25	80	270	54
	81RH8836L	2542	2921	88	24	29.25	80	321	64
	81RH8836R	2542	2921	88	24	29.25	80	321	64

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height workspace
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | RETURNS

Description	Model	Cherry	Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Walnut							
	Desk Height Return, 16" Pedestal	81RH3620L16D	3206	3683	36	20	29.25	20	105	16
		81RH3620L16F	3206	3683	36	20	29.25	20	105	16
		81RH3620R16D	3206	3683	36	20	29.25	20	105	16
		81RH3620R16F	3206	3683	36	20	29.25	20	105	16
		81RH3624L16D	3219	3702	36	24	29.25	20	120	19
		81RH3624L16F	3219	3702	36	24	29.25	20	120	19
		81RH3624R16D	3219	3702	36	24	29.25	20	120	19
		81RH3624R16F	3219	3702	36	24	29.25	20	120	19
		81RH4020L16D	3250	3738	40	20	29.25	24	118	17
		81RH4020L16F	3250	3738	40	20	29.25	24	118	17
		81RH4020R16D	3250	3738	40	20	29.25	24	118	17
		81RH4020R16F	3250	3738	40	20	29.25	24	118	17
		81RH4024L16D	3298	3792	40	24	29.25	24	135	21
		81RH4024L16F	3298	3792	40	24	29.25	24	135	21
		81RH4024R16D	3298	3792	40	24	29.25	24	135	21
		81RH4024R16F	3298	3792	40	24	29.25	24	135	21
		81RH4820L16D	3324	3822	48	20	29.25	32	130	21
		81RH4820L16F	3324	3822	48	20	29.25	32	130	21
		81RH4820R16D	3324	3822	48	20	29.25	32	130	21
		81RH4820R16F	3324	3822	48	20	29.25	32	130	21
		81RH4824L16D*	3340	3841	48	24	29.25	32	150	24
		81RH4824L16F**	3340	3841	48	24	29.25	32	150	24
		81RH4824R16D	3340	3841	48	24	29.25	32	150	24
		81RH4824R16F	3340	3841	48	24	29.25	32	150	24
		81RH5620L16D	3370	3876	56	20	29.25	40	155	24
		81RH5620L16F	3370	3876	56	20	29.25	40	155	24
		81RH5620R16D	3370	3876	56	20	29.25	40	155	24
		81RH5620R16F	3370	3876	56	20	29.25	40	155	24

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. **Add \$181 list upcharge** for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION


L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height workspace
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
Desk Height Return, 16" Pedestal, Continued	81RH5624L16D	3407	3918	56	24	29.25	40	180	28
	81RH5624L16F	3407	3918	56	24	29.25	40	180	28
	81RH5624R16D	3407	3918	56	24	29.25	40	180	28
	81RH5624R16F	3407	3918	56	24	29.25	40	180	28
	81RH6420L16D	3432	3945	64	20	29.25	48	162	27
	81RH6420L16F	3432	3945	64	20	29.25	48	162	27
	81RH6420R16D	3432	3945	64	20	29.25	48	162	27
	81RH6420R16F	3432	3945	64	20	29.25	48	162	27
	81RH6424L16D*	3530	4060	64	24	29.25	48	182	32
	81RH6424L16F**	3530	4060	64	24	29.25	48	182	32
	81RH6424R16D	3530	4060	64	24	29.25	48	182	32
	81RH6424R16F	3530	4060	64	24	29.25	48	182	32
	81RH6430L16D	3645	4190	64	30	29.25	48	243	39
	81RH6430L16F	3645	4190	64	30	29.25	48	243	39
	81RH6430R16D	3645	4190	64	30	29.25	48	243	39
	81RH6430R16F	3645	4190	64	30	29.25	48	243	39
	81RH6436L16D	3767	4331	64	36	29.25	48	257	47
	81RH6436L16F	3767	4331	64	36	29.25	48	257	47
	81RH6436R16D	3767	4331	64	36	29.25	48	257	47
	81RH6436R16F	3767	4331	64	36	29.25	48	257	47
	81RH7220L16D	3722	4282	72	20	29.25	56	176	30
	81RH7220L16F	3722	4282	72	20	29.25	56	176	30
	81RH7220R16D	3722	4282	72	20	29.25	56	176	30
	81RH7220R16F	3722	4282	72	20	29.25	56	176	30
	81RH7224L16D	3837	4414	72	24	29.25	56	205	36
	81RH7224L16F	3837	4414	72	24	29.25	56	205	36
	81RH7224R16D	3837	4414	72	24	29.25	56	205	36
	81RH7224R16F	3837	4414	72	24	29.25	56	205	36
	81RH7230L16D	3916	4503	72	30	29.25	56	273	44
	81RH7230L16F	3916	4503	72	30	29.25	56	273	44
	81RH7230R16D	3916	4503	72	30	29.25	56	273	44
	81RH7230R16F	3916	4503	72	30	29.25	56	273	44
	81RH7236L16D	3971	4565	72	36	29.25	56	316	52
	81RH7236L16F	3971	4565	72	36	29.25	56	316	52
	81RH7236R16D	3971	4565	72	36	29.25	56	316	52
	81RH7236R16F	3971	4565	72	36	29.25	56	316	52

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. **Add \$181 list upcharge** for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | RETURNS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Desk Height Return, 16" Pedestal, Continued	81RH8020L16D	3937	4527	80	20	29.25	64	175	34
	81RH8020L16F	3937	4527	80	20	29.25	64	175	34
	81RH8020R16D	3937	4527	80	20	29.25	64	175	34
	81RH8020R16F	3937	4527	80	20	29.25	64	175	34
	81RH8024L16D*	4000	4599	80	24	29.25	64	223	40
	81RH8024L16F**	4000	4599	80	24	29.25	64	223	40
	81RH8024R16D	4000	4599	80	24	29.25	64	223	40
	81RH8024R16F	4000	4599	80	24	29.25	64	223	40
	81RH8030L16D	4038	4645	80	30	29.25	64	295	49
	81RH8030L16F	4038	4645	80	30	29.25	64	295	49
	81RH8030R16D	4038	4645	80	30	29.25	64	295	49
	81RH8030R16F	4038	4645	80	30	29.25	64	295	49
	81RH8036L16D	4103	4717	80	30	29.25	64	342	58
	81RH8036L16F	4103	4717	80	36	29.25	64	342	58
	81RH8036R16D	4103	4717	80	36	29.25	64	342	58
	81RH8036R16F	4103	4717	80	36	29.25	64	342	58
	81RH8820L16D	4053	4661	88	20	29.25	72	200	37
	81RH8820L16F	4053	4661	88	20	29.25	72	200	37
	81RH8820R16D	4053	4661	88	20	29.25	72	200	37
	81RH8820R16F	4053	4661	88	20	29.25	72	200	37
	81RH8824L16D	4119	4738	88	24	29.25	72	234	43
	81RH8824L16F	4119	4738	88	24	29.25	72	234	43
	81RH8824R16D	4119	4738	88	24	29.25	72	234	43
	81RH8824R16F	4119	4738	88	24	29.25	72	234	43
	81RH8830L16D	4157	4779	88	30	29.25	72	310	54
	81RH8830L16F	4157	4779	88	30	29.25	72	310	54
	81RH8830R16D	4157	4779	88	30	29.25	72	310	54
	81RH8830R16F	4157	4779	88	30	29.25	72	310	54
	81RH8836L16D	4214	4847	88	36	29.25	72	361	64
	81RH8836L16F	4214	4847	88	36	29.25	72	361	64
	81RH8836R16D	4214	4847	88	36	29.25	72	361	64
	81RH8836R16F	4214	4847	88	36	29.25	72	361	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. Add **\$181 list** upcharge for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

Description	Model	Cherry	Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Rift Oak							
Desk Height Return, 24" Pedestal	81RH4820L24D	3426	3939		48	20	29.25	24	155	21
	81RH4820L24F	3426	3939		48	20	29.25	24	155	21
	81RH4820R24D	3426	3939		48	20	29.25	24	155	21
	81RH4820R24F	3426	3939		48	20	29.25	24	155	21
	81RH4824L24D	3440	3953		48	24	29.25	24	175	24
	81RH4824L24F	3440	3953		48	24	29.25	24	175	24
	81RH4824R24D	3440	3953		48	24	29.25	24	175	24
	81RH4824R24F	3440	3953		48	24	29.25	24	175	24
	81RH5620L24D	3468	3986		56	20	29.25	32	165	24
	81RH5620L24F	3468	3986		56	20	29.25	32	165	24
	81RH5620R24D	3468	3986		56	20	29.25	32	165	24
	81RH5620R24F*	3468	3986		56	20	29.25	32	165	24
	81RH5624L24D	3511	4036		56	24	29.25	32	185	28
	81RH5624L24F	3511	4036		56	24	29.25	32	185	28
	81RH5624R24D	3511	4036		56	24	29.25	32	185	28
	81RH5624R24F	3511	4036		56	24	29.25	32	185	28
	81RH6420L24D	3537	4066		64	20	29.25	40	186	27
	81RH6420L24F	3537	4066		64	20	29.25	40	186	27
	81RH6420R24D	3537	4066		64	20	29.25	40	186	27
	81RH6420R24F	3537	4066		64	20	29.25	40	186	27
	81RH6424L24D	3636	4181		64	24	29.25	40	211	32
	81RH6424L24F	3636	4181		64	24	29.25	40	211	32
	81RH6424R24D	3636	4181		64	24	29.25	40	211	32
	81RH6424R24F	3636	4181		64	24	29.25	40	211	32
	81RH6430L24D	3751	4315		64	30	29.25	40	274	39
	81RH6430L24F	3751	4315		64	30	29.25	40	274	39
	81RH6430R24D	3751	4315		64	30	29.25	40	274	39
	81RH6430R24F	3751	4315		64	30	29.25	40	274	39
	81RH6436L24D	3879	4462		64	36	29.25	40	280	47
	81RH6436L24F	3879	4462		64	36	29.25	40	280	47
	81RH6436R24D	3879	4462		64	36	29.25	40	280	47
	81RH6436R24F	3879	4462		64	36	29.25	40	280	47
	81RH7220L24D	3834	4410		72	20	29.25	48	201	30
	81RH7220L24F	3834	4410		72	20	29.25	48	201	30
	81RH7220R24D	3834	4410		72	20	29.25	48	201	30
	81RH7220R24F	3834	4410		72	20	29.25	48	201	30

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. Add **\$181 list** upcharge for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel



WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | RETURNS

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Desk Height Return, 24"	81RH7224L24D	3923	4511	72	24	29.25	48	230	36
	81RH7224L24F	3923	4511	72	24	29.25	48	230	36
Pedestal, Continued	81RH7224R24D	3923	4511	72	24	29.25	48	230	36
	81RH7224R24F	3923	4511	72	24	29.25	48	230	36
	81RH7230L24D	4034	4640	72	30	29.25	48	298	44
	81RH7230L24F*	4034	4640	72	30	29.25	48	298	44
	81RH7230R24D	4034	4640	72	30	29.25	48	298	44
	81RH7230R24F	4034	4640	72	30	29.25	48	298	44
	81RH7236L24D	4089	4703	72	36	29.25	48	341	52
	81RH7236L24F	4089	4703	72	36	29.25	48	341	52
	81RH7236R24D	4089	4703	72	36	29.25	48	341	52
	81RH7236R24F	4089	4703	72	36	29.25	56	341	52
	81RH8020L24D	4055	4664	80	20	29.25	56	200	34
	81RH8020L24F	4055	4664	80	20	29.25	56	200	34
	81RH8020R24D	4055	4664	80	20	29.25	56	200	34
	81RH8020R24F	4055	4664	80	20	29.25	56	200	34
	81RH8024L24D	4119	4738	80	24	29.25	56	248	40
	81RH8024L24F	4119	4738	80	24	29.25	56	248	40
	81RH8024R24D	4119	4738	80	24	29.25	56	248	40
	81RH8024R24F	4119	4738	80	24	29.25	56	248	40
	81RH8030L24D	4158	4781	80	30	29.25	56	320	49
	81RH8030L24F	4158	4781	80	30	29.25	56	320	49
	81RH8030R24D	4158	4781	80	30	29.25	56	320	49
	81RH8030R24F	4158	4781	80	30	29.25	56	320	49
	81RH8036L24D	4226	4859	80	36	29.25	56	367	58
	81RH8036L24F	4226	4859	80	36	29.25	56	367	58
	81RH8036R24D	4226	4859	80	36	29.25	56	367	58
	81RH8036R24F	4226	4859	80	36	29.25	48	367	58
	81RH8820L24D	4173	4797	88	20	29.25	64	367	37
	81RH8820L24F	4173	4797	88	20	29.25	64	367	37
	81RH8820R24D	4173	4797	88	20	29.25	64	367	37
	81RH8820R24F	4173	4797	88	20	29.25	64	367	37
	81RH8824L24D	4244	4881	88	24	29.25	64	251	43
	81RH8824L24F	4244	4881	88	24	29.25	64	251	43
	81RH8824R24D	4244	4881	88	24	29.25	64	251	43
	81RH8824R24F	4244	4881	88	24	29.25	64	251	43

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. Add **\$181 list** upcharge for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawer
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | RETURNS

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
Desk Height Return, 32" Lateral File Pedestal	81RH5620L3201	4135	4754	56	20	29.25	24	172	24
	81RH5620R3201	4135	4754	56	20	29.25	24	172	24
	81RH5624L3201	4155	4778	56	24	29.25	24	192	28
	81RH5624R3201	4155	4778	56	24	29.25	24	192	28
	81RH6420L3201	4160	4783	64	20	29.25	32	193	27
	81RH6420R3201	4160	4783	64	20	29.25	32	193	27
	81RH6424L3201*	4185	4812	64	24	29.25	32	218	32
	81RH6424R3201	4185	4812	64	24	29.25	32	218	32
	81RH6430L3201	4204	4834	64	30	29.25	32	306	39
	81RH6430R3201	4204	4834	64	30	29.25	32	306	39
	81RH6436L3201	4241	4877	64	36	29.25	32	312	47
	81RH6436R3201	4241	4877	64	36	29.25	32	312	47
	81RH7220L3201	4210	4842	72	20	29.25	40	208	30
	81RH7220R3201	4210	4842	72	20	29.25	40	208	30
	81RH7224L3201	4245	4882	72	24	29.25	40	237	36
	81RH7224R3201	4245	4882	72	24	29.25	40	237	36
	81RH7230L3201	4277	4917	72	30	29.25	40	330	44
	81RH7230R3201	4277	4917	72	30	29.25	40	330	44
	81RH7236L3201	4315	4961	72	36	29.25	40	373	52
	81RH7236R3201	4315	4961	72	36	29.25	40	373	52
	81RH8020L3201	4279	4920	80	20	29.25	48	207	34
	81RH8020R3201	4279	4920	80	20	29.25	48	207	34
	81RH8024L3201	4306	4952	80	24	29.25	48	255	40
	81RH8024R3201	4306	4952	80	24	29.25	48	255	40
	81RH8030L3201	4348	5002	80	30	29.25	48	352	49
	81RH8030R3201	4348	5002	80	30	29.25	48	352	49
	81RH8036L3201	4391	5049	80	36	29.25	48	389	58
	81RH8036R3201	4391	5049	80	36	29.25	48	389	58
	81RH8820L3201	4315	4961	88	20	29.25	56	227	37
	81RH8820R3201	4315	4961	88	20	29.25	56	227	37
	81RH8824L3201	4359	5010	88	24	29.25	56	258	43
	81RH8824R3201	4359	5010	88	24	29.25	56	258	43
	81RH8830L3201	4410	5072	88	30	29.25	56	356	54
	81RH8830R3201	4410	5072	88	30	29.25	56	356	54
	81RH8836L3201	4466	5134	88	36	29.25	56	403	64
	81RH8836R3201	4466	5134	88	36	29.25	56	403	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. Add **\$181 list** upcharge for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION


L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
Desk Height Return, 32" 4 Box/1 Lateral File Pedestal	81RH5620L3205	4716	5420	56	20	29.25	24	172	24
	81RH5620R3205	4716	5420	56	20	29.25	24	172	24
	81RH5624L3205	4740	5448	56	24	29.25	24	192	28
	81RH5624R3205	4740	5448	56	24	29.25	24	192	28
	81RH6420L3205	4743	5453	64	20	29.25	32	193	27
	81RH6420R3205	4743	5453	64	20	29.25	32	193	27
	81RH6424L3205	4769	5485	64	24	29.25	32	218	32
	81RH6424R3205	4769	5485	64	24	29.25	32	218	32
	81RH6430L3205	4789	5508	64	30	29.25	32	306	39
	81RH6430R3205	4789	5508	64	30	29.25	32	306	39
	81RH6436L3205	4834	5560	64	36	29.25	32	312	47
	81RH6436R3205	4834	5560	64	36	29.25	32	312	47
	81RH7220L3205	4800	5519	72	20	29.25	40	208	30
	81RH7220R3205	4800	5519	72	20	29.25	40	208	30
	81RH7224L3205*	4839	5566	72	24	29.25	40	237	36
	81RH7224R3205	4839	5566	72	24	29.25	40	237	36
	81RH7230L3205	4875	5605	72	30	29.25	40	330	44
	81RH7230R3205	4875	5605	72	30	29.25	40	330	44
	81RH7236L3205	4918	5657	72	36	29.25	40	373	52
	81RH7236R3205	4918	5657	72	36	29.25	40	373	52
	81RH8020L3205	4879	5611	80	20	29.25	48	207	34
	81RH8020R3205	4879	5611	80	20	29.25	48	207	34
	81RH8024L3205	4910	5645	80	24	29.25	48	255	40
	81RH8024R3205	4910	5645	80	24	29.25	48	255	40
	81RH8030L3205	4955	5699	80	30	29.25	48	352	49
	81RH8030R3205	4955	5699	80	30	29.25	48	352	49
	81RH8036L3205	5005	5756	80	36	29.25	48	389	58
	81RH8036R3205	5005	5756	80	36	29.25	48	389	58
	81RH8820L3205	4918	5657	88	20	29.25	56	227	37
	81RH8820R3205	4918	5657	88	20	29.25	56	227	37
	81RH8824L3205	4972	5717	88	24	29.25	56	258	43
	81RH8824R3205	4972	5717	88	24	29.25	56	258	43
	81RH8830L3205	5028	5780	88	30	29.25	56	356	54
	81RH8830R3205	5028	5780	88	30	29.25	56	356	54
	81RH8836L3205	5087	5850	88	36	29.25	56	403	64
	81RH8836R3205	5087	5850	88	36	29.25	56	403	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. Add **\$181 list** upcharge for wire management cut-out option and state clearly on Purchase Order. For details on pull locations please see page 116.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an up-charge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | RETURNS

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Rift Oak						
Desk Height Return, 24" Extended Pedestal	81RH3620L24FW	4141	4765	36	20	29.25	20	135	16
	81RH3620R24FW	4141	4765	36	20	29.25	20	135	16
	81RH3624L24FW	4172	4796	36	24	29.25	20	145	19
	81RH3624R24FW	4172	4796	36	24	29.25	20	145	19
	81RH4820L24FW	4213	4844	48	20	29.25	32	155	21
	81RH4820R24FW	4213	4844	48	20	29.25	32	155	21
	81RH4824L24FW	4231	4865	48	24	29.25	32	175	25
	81RH4824R24FW	4231	4865	48	24	29.25	32	175	25
	81RH5620L24FW	4267	4907	56	20	29.25	40	165	24
	81RH5620R24FW	4267	4907	56	20	29.25	40	165	24
	81RH5624L24FW	4319	4967	56	24	29.25	40	185	28
	81RH5624R24FW	4319	4967	56	24	29.25	40	185	28
	81RH6420L24FW	4351	5003	64	20	29.25	48	211	27
	81RH6420R24FW	4351	5003	64	20	29.25	48	211	27
	81RH6424L24FW	4472	5144	64	24	29.25	48	274	32
	81RH6424R24FW	4472	5144	64	24	29.25	48	274	32
	81RH6430L24FW	4560	5240	64	30	29.25	48	280	40
	81RH6430R24FW	4560	5240	64	30	29.25	48	280	40
	81RH6436L24FW*	4753	5466	64	36	29.25	48	201	47
	81RH6436R24FW	4753	5466	64	36	29.25	48	201	47
	81RH7220L24FW	4717	5422	72	20	29.25	56	230	31
	81RH7220R24FW	4717	5422	72	20	29.25	56	230	31
	81RH7224L24FW	4878	5610	72	24	29.25	56	298	36
	81RH7224R24FW	4878	5610	72	24	29.25	56	298	36
	81RH7230L24FW	4944	5685	72	30	29.25	56	308	47
	81RH7230R24FW	4944	5685	72	30	29.25	56	308	47
	81RH7236L24FW	5029	5781	72	36	29.25	56	341	52
	81RH7236R24FW	5029	5781	72	36	29.25	56	341	52
	81RH8020L24FW	4992	5740	80	20	29.25	64	200	34
	81RH8020R24FW	4992	5740	80	20	29.25	64	200	34
	81RH8024L24FW	5069	5829	80	24	29.25	64	248	40
	81RH8024R24FW	5069	5829	80	24	29.25	64	248	40
	81RH8030L24FW	5113	5880	80	30	29.25	64	320	49
	81RH8030R24FW	5113	5880	80	30	29.25	64	320	49
	81RH8036L24FW	5184	5964	80	36	29.25	64	367	58
	81RH8036R24FW	5184	5964	80	36	29.25	64	367	58
	81RH8820L24FW	5135	5905	88	20	29.25	72	367	37
	81RH8820R24FW	5135	5905	88	20	29.25	72	367	37
	81RH8824L24FW	5223	6005	88	24	29.25	72	251	44
	81RH8824R24FW	5223	6005	88	24	29.25	72	251	44
	81RH8830L24FW	5280	6072	88	30	29.25	72	324	54
	81RH8830R24FW	5280	6072	88	30	29.25	72	324	54
	81RH8836L24FW	5328	6128	88	36	29.25	72	371	64
	81RH8836R24FW	5328	6128	88	36	29.25	72	371	64

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | ANGLED SHAPED RETURNS


Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
	81RH3624L32FQW	5298	6092	36	24	29.25	12	136	19
	81RH3624R32FQW	5298	6092	36	24	29.25	12	136	19
	81RH4824L32FQW	5354	6159	48	24	29.25	24	166	24
	81RH4824R32FQW	5354	6159	48	24	29.25	24	166	24
	81RH5624L32FQW	5441	6256	56	24	29.25	32	182	28
	81RH5624R32FQW	5441	6256	56	24	29.25	32	182	28
	81RH6424L32FQW	5553	6386	64	24	29.25	40	203	32
	81RH6424R32FQW	5553	6386	64	24	29.25	40	203	32
	81RH7224L32FQW*	5740	6599	72	24	29.25	48	222	36
	81RH7224R32FQW	5740	6599	72	24	29.25	48	222	36
	81RH8024L32FQW	5863	6743	80	24	29.25	56	241	40
	81RH8024R32FQW	5863	6743	80	24	29.25	56	241	40
	81RH8824L32FQW	6008	6909	88	24	29.25	64	250	43
	81RH8824R32FQW	6008	6909	88	24	29.25	64	250	43

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number.

Add 7% list for a full 3/4 or full height modesty panel. **Add \$181 list upcharge** for wire management cut-out option and state clearly on Purchase Order. The 32" BBF and V-Ped is one component. The V-Ped is always located towards the kneespace and is not available for field installation.

A 32" pedestal under an extended return is inset by 24". A 24" pedestal under an extended return is inset by 16"

	81RHCI7230-38L16F	4538	5216	72	30	29.25	46	189	44
	81RHCI7230-38R16F	4538	5216	72	30	29.25	46	189	44
	81RHCI7230-38L16D	4538	5216	72	30	29.25	46	189	44
	81RHCI7230-38R16D	4538	5216	72	30	29.25	46	189	44
	81RHCI7236-44R16F	4660	5358	72	36	29.25	43	232	52
	81RHCI7236-44L16F*	4660	5358	72	36	29.25	43	232	52
	81RHCI7236-44R16D	4660	5358	72	36	29.25	43	232	52
	81RHCI7236-44L16D	4660	5358	72	36	29.25	43	232	52
	81RHCI8030-38L16F	4766	5480	80	30	29.25	52	210	49
	81RHCI8030-38R16F	4766	5480	80	30	29.25	52	210	49
	81RHCI8030-38L16D	4766	5480	80	30	29.25	52	210	49
	81RHCI8030-38R16D	4766	5480	80	30	29.25	52	210	49
	81RHCI8036-44L16F	4856	5584	80	36	29.25	48	247	58
	81RHCI8036-44R16F	4856	5584	80	36	29.25	48	247	58
	81RHCI8036-44L16D	4856	5584	80	36	29.25	48	247	58
	81RHCI8036-44R16D	4856	5584	80	36	29.25	48	247	58

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height workspace
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel



WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | ANGLED SHAPED RETURNS

Description	Model	Cherry	Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Walnut							
Canted Inverted	81RHCIV7230-38L16FX31	5340	6139		72	30	29.25	44	215	44
Desk Height Return,	81RHCIV7230-38R16FX31	5340	6139		72	30	29.25	44	215	44
3/4 Height	81RHCIV7230-38L16DX31	5340	6139		72	30	29.25	44	215	44
Floating Modesty	81RHCIV7230-38R16DX31	5340	6139		72	30	29.25	44	215	44
Panel, 16" Pedestal	81RHCIV7236-44L16FX31*	5485	6305		72	36	29.25	40	258	52
	81RHCIV7236-44R16FX31	5485	6305		72	36	29.25	40	258	52
	81RHCIV7236-44L16DX31	5485	6305		72	36	29.25	40	258	52
	81RHCIV7236-44R16DX31	5485	6305		72	36	29.25	40	258	52
	81RHCIV8030-38L16FX31	5608	6445		80	30	29.25	52	236	49
	81RHCIV8030-38R16FX31	5608	6445		80	30	29.25	52	236	49
	81RHCIV8030-38L16DX31	5608	6445		80	30	29.25	52	236	49
	81RHCIV8030-38R16DX31	5608	6445		80	30	29.25	52	236	49
	81RHCIV8036-44L16FX31	5715	6573		80	36	29.25	48	273	58
	81RHCIV8036-44R16FX31	5715	6573		80	36	29.25	48	273	58
	81RHCIV8036-44L16DX31	5715	6573		80	36	29.25	48	273	58
	81RHCIV8036-44R16DX31	5715	6573		80	36	29.25	48	273	58
Canted Arc Inverted	81RHCAI7230-38L16F	4538	5216		72	30	29.25	44	189	44
Desk Height Return,	81RHCAI7230-38R16F	4538	5216		72	30	29.25	44	189	44
no Modesty Panel,	81RHCAI7230-38L16D	4538	5216		72	30	29.25	44	189	44
16" Pedestal	81RHCAI7230-38R16D	4538	5216		72	30	29.25	44	189	44
	81RHCAI7236-44L16F*	4660	5358		72	36	29.25	40	232	52
	81RHCAI7236-44R16F	4660	5358		72	36	29.25	40	232	52
	81RHCAI7236-44L16D	4660	5358		72	36	29.25	40	232	52
	81RHCAI7236-44R16D	4660	5358		72	36	29.25	40	232	52
	81RHCAI8030-38L16F	4766	5480		80	30	29.25	52	210	49
	81RHCAI8030-38R16F	4766	5480		80	30	29.25	52	210	49
	81RHCAI8030-38L16D	4766	5480		80	30	29.25	52	210	49
	81RHCAI8030-38R16D	4766	5480		80	30	29.25	52	210	49
	81RHCAI8036-44L16F	4856	5584		80	36	29.25	48	249	58
	81RHCAI8036-44R16F	4856	5584		80	36	29.25	48	249	58
	81RHCAI8036-44L16D	4856	5584		80	36	29.25	48	249	58
	81RHCAI8036-44R16D	4856	5584		80	36	29.25	48	249	58

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawer
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | ANGLED SHAPED RETURNS

Description	Model	Cherry	Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Rift Oak							
 Cantled Arc Inverted Desk Height Return, 3/4 Height Floating Modesty Panel, 16" Pedestal	81RHCAIV7230-38L16FX31	5340	6139		72	30	29.25	44	215	44
	81RHCAIV7320-38L16DX31	5340	6139		72	30	29.25	44	215	44
	81RHCAIV7230-38R16FX31	5340	6139		72	30	29.25	44	215	44
	81RHCAIV7230-38R16DX31	5340	6139		72	30	29.25	44	215	44
	81RHCAIV7236-44L16FX31	5485	6305		72	30	29.25	40	258	52
	81RHCAIV7236-44L16DX31	5485	6305		72	36	29.25	40	258	52
	81RHCAIV7236-44R16FX31	5485	6305		72	36	29.25	40	258	52
	81RHCAIV7236-44R16DX31	5485	6305		72	36	29.25	40	258	52
	81RHCAIV8030-38L16FX31*	5608	6445		80	30	29.25	52	236	49
	81RHCAIV8030-38L16DX31	5608	6445		80	30	29.25	52	236	49
	81RHCAIV8030-38R16FX31	5608	6445		80	30	29.25	52	236	49
	81RHCAIV8030-38R16DX31	5608	6445		80	30	29.25	52	236	49
	81RHCAIV8036-44L16FX31	5715	6573		80	36	29.25	48	273	58
	81RHCAIV8036-44L16DX31	5715	6573		80	36	29.25	48	273	58
	81RHCAIV8036-44R16FX31	5715	6573		80	36	29.25	48	273	58
	81RHCAIV8036-44R16DX31	5715	6573		80	36	29.25	48	273	58

 Cantled Arc Inverted Desk Height Return, Elliptical Base	81RHCAI7230-38LE2	3146	3619		72	30	29.25	44	163	44
	81RHCAI7230-38RE2	3146	3619		72	30	29.25	44	163	44
	81RHCAI7236-44LE2	3283	3775		72	36	29.25	40	206	52
	81RHCAI7236-44RE2	3283	3775		72	36	29.25	40	206	52
	81RHCAI8030-38LE2*	3386	3895		80	30	29.25	52	184	49
	81RHCAI8030-38RE2	3386	3895		80	30	29.25	52	184	49
	81RHCAI8036-44LE2	3539	4070		80	36	29.25	48	221	58
	81RHCAI8036-44RE2	3539	4070		80	36	29.25	48	221	58

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawer
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | CURVILINEAR RETURNS

		Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet	
	Oblique Desk	81RHO7230-36LE2	3146	3619	72	30	29.25	56	163	11
	Height Return,	81RHO7230-36RE2	3146	3619	72	30	29.25	56	163	11
	Elliptical Base	81RHO7236-42LE2	3283	3775	72	36	29.25	56	206	12
		81RHO7236-42RE2	3283	3775	72	36	29.25	56	206	12
		81RHO8030-36LE2*	3386	3895	80	30	29.25	64	184	13
		81RHO8030-36RE2	3386	3895	80	30	29.25	64	184	13
		81RHO8036-42LE2	3539	4070	80	36	29.25	64	221	14
		81RHO8036-42RE2	3539	4070	80	36	29.25	64	221	14
	Oblique Desk	81RHO7230-36LE2X41	4228	4861	72	30	29.25	56	189	12
	Height Return,	81RHO7230-36RE2X41	4228	4861	72	30	29.25	56	189	12
	Elliptical Base,	81RHO7236-42LE2X41	4262	4904	72	36	29.25	56	232	13
	Fixed Modesty Panel	81RHO7236-42RE2X41	4262	4904	72	36	29.25	56	232	13
		81RHO8030-36LE2X41*	4353	5005	80	30	29.25	64	210	14
		81RHO8030-36RE2X41	4353	5005	80	30	29.25	64	210	14
		81RHO8036-42LE2X41	4463	5131	80	36	29.25	64	247	15
		81RHO8036-42RE2X41	4463	5131	80	36	29.25	64	247	15
	Oblique Desk	81RHOV7230-36LE2X31	4648	5346	72	30	29.25	56	189	12
	Height Return,	81RHOV7230-36RE2X31	4648	5346	72	30	29.25	56	189	12
	Elliptical Base,	81RHOV7236-42LE2X31	4689	5392	72	36	29.25	56	232	13
	Floating Modesty Panel	81RHOV7236-42RE2X31	4689	5392	72	36	29.25	56	232	13
		81RHOV8030-36LE2X31*	4787	5505	80	30	29.25	64	210	14
		81RHOV8030-36RE2X31	4787	5505	80	30	29.25	64	210	14
		81RHOV8036-42LE2X31	4908	5643	80	36	29.25	64	247	15
		81RHOV8036-42RE2X31	4908	5643	80	36	29.25	64	247	15
	Oblique Inverted	81RHOI7230-36LE2	3146	3619	72	30	29.25	56	163	11
	Desk Height Return,	81RHOI7230-36RE2	3146	3619	72	30	29.25	56	163	11
	Elliptical Base	81RHOI7236-42LE2	3283	3775	72	36	29.25	56	206	12
		81RHOI7236-42RE2	3283	3775	72	36	29.25	56	206	12
		81RHOI8030-36LE2*	3386	3895	80	30	29.25	64	184	13
		81RHOI8030-36RE2	3386	3895	80	30	29.25	64	184	13
		81RHOI8036-42LE2	3539	4070	80	36	29.25	64	221	14
		81RHOI8036-42RE2	3539	4070	80	36	29.25	64	221	14

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | CURVILINEAR RETURNS

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
	81RHOI7230-36LE2X41	4228	4861	72	30	29.25	56	163	11
	81RHOI7230-36RE2X41	4228	4861	72	30	29.25	56	163	11
	81RHOI7236-42LE2X41	4262	4904	72	36	29.25	56	189	12
	81RHOI7236-42RE2X41	4262	4904	72	36	29.25	56	189	12
	81RHOI8030-36LE2X41*	4353	5005	80	30	29.25	64	184	13
	81RHOI8030-36RE2X41	4353	5005	80	30	29.25	64	184	13
	81RHOI8036-42LE2X41	4463	5131	80	36	29.25	64	210	14
	81RHOI8036-42RE2X41	4463	5131	80	36	29.25	64	210	14

	81RHOIV7230-36LE2X31	4648	5346	72	30	29.25	56	189	12
	81RHOIV7230-36RE2X31	4648	5346	72	30	29.25	56	189	12
	81RHOIV7236-42LE2X31	4689	5392	72	36	29.25	56	232	13
	81RHOIV7236-42RE2X31	4689	5392	72	36	29.25	56	232	13
	81RHOIV8030-36LE2X31*	4787	5505	80	30	29.25	64	210	14
	81RHOIV8030-36RE2X31	4787	5505	80	30	29.25	64	210	14
	81RHOIV8036-42LE2X31	4908	5643	80	36	29.25	64	247	15
	81RHOIV8036-42RE2X31	4908	5643	80	36	29.25	64	247	15

	81RHA7230LE2	2000	2299	72	30	29.25	56	164	12
	81RHA7230RE2	2000	2299	72	30	29.25	56	164	12
	81RHA7236LE2	2060	2370	72	36	29.25	56	207	13
	81RHA7236RE2	2060	2370	72	36	29.25	56	207	13
	81RHA8030LE2*	2087	2400	80	30	29.25	64	185	14
	81RHA8030RE2	2087	2400	80	30	29.25	64	185	14
	81RHA8036LE2	2166	2492	80	36	29.25	64	222	15
	81RHA8036RE2	2166	2492	80	36	29.25	64	222	15

	81RHA7230LE2X41	2488	2860	72	30	29.25	56	190	12
	81RHA7230RE2X41	2488	2860	72	30	29.25	56	190	12
	81RHA7236LE2X41	2714	3121	72	36	29.25	56	233	13
	81RHA7236RE2X41	2714	3121	72	36	29.25	56	233	13
	81RHA8030LE2X41*	2742	3152	80	30	29.25	64	211	14
	81RHA8030RE2X41	2742	3152	80	30	29.25	64	211	14
	81RHA8036LE2X41	2984	3431	80	36	29.25	64	248	15
	81RHA8036RE2X41	2984	3431	80	36	29.25	64	248	15

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | CURVILINEAR RETURNS

		Cherry	Maple	Walnut					Shipping	Cubic
Description	Model	Rift Oak	Anigre	W	D	H	KW	Weight	Feet	
Arc End Desk Height	81RHAV7230LE2X31	2736	3146	72	30	29.25	56	190	12	
Return, Elliptical	81RHAV7230RE2X31	2736	3146	72	30	29.25	56	190	12	
Base, Floating	81RHAV7236LE2X31*	2985	3432	72	36	29.25	56	233	13	
Modesty Panel	81RHAV7236RE2X31	2985	3432	72	36	29.25	56	233	13	
	81RHAV8030LE2X31	3015	3470	80	30	29.25	64	211	14	
	81RHAV8030RE2X31	3015	3470	80	30	29.25	64	211	14	
	81RHAV8036LE2X31	3281	3773	80	36	29.25	64	248	15	
	81RHAV8036RE2X31	3281	3773	80	36	29.25	64	248	15	

	Bullet Desk Height	81RHB7230LE2	2059	2369	72	30	29.25	56	164	10
	Return, Elliptical	81RHB7230RE2	2059	2369	72	30	29.25	56	164	10
	Base	81RHB7236LE2	2121	2440	72	36	29.25	56	207	11
		81RHB7236RE2	2121	2440	72	36	29.25	56	207	11
		81RHB8030LE2*	2149	2473	80	30	29.25	64	185	12
		81RHB8030RE2	2149	2473	80	30	29.25	64	185	12
		81RHB8036LE2	2232	2565	80	36	29.25	64	222	13
		81RHB8036RE2	2232	2565	80	36	29.25	64	222	13

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

	Bullet Desk Height	81RHB7230LE2X41	2308	2653	72	30	29.25	56	190	11
	Return, Elliptical	81RHB7230RE2X41	2308	2653	72	30	29.25	56	190	11
	Base, Fixed	81RHB7236LE2X41	2379	2736	72	36	29.25	56	233	12
	Modesty Panel	81RHB7236RE2X41	2379	2736	72	36	29.25	56	233	12
		81RHB8030LE2X41*	2411	2773	80	30	29.25	64	211	13
		81RHB8030RE2X41	2411	2773	80	30	29.25	64	211	13
		81RHB8036LE2X41	2503	2879	80	36	29.25	64	248	14
		81RHB8036RE2X41	2503	2879	80	36	29.25	64	248	14

	Bullet Desk Height	81RHBV7230LE2X31	2542	2921	72	30	29.25	56	190	11
	Return, Elliptical	81RHBV7230RE2X31	2542	2921	80	30	29.25	56	190	11
	Base, Floating	81RHBV7236LE2X31	2618	3011	72	30	29.25	56	233	12
	Modesty Panel	81RHBV7236RE2X31	2618	3011	80	30	29.25	56	233	12
		81RHBV8030LE2X31*	2652	3050	72	36	29.25	64	211	13
		81RHBV8030RE2X31	2652	3050	80	36	29.25	64	211	13
		81RHBV8036LE2X31	2752	3167	72	36	29.25	64	248	14
		81RHBV8036RE2X31	2752	3167	80	36	29.25	64	248	14

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | CURVILINEAR RETURNS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
 P- Desk Height Return, Elliptical Base	81RHP7230-36LE2	3146	3619	72	30	29.25	56	163	10
	81RHP7230-36RE2	3146	3619	80	30	29.25	56	163	10
	81RHP7236-42LE2	3283	3775	72	36	29.25	56	206	11
	81RHP7236-42RE2	3283	3775	80	36	29.25	56	206	11
	81RHP8030-36LE2*	3386	3895	72	30	29.25	64	184	12
	81RHP8030-36RE2	3386	3895	80	30	29.25	64	184	12
	81RHP8036-42LE2	3539	4070	72	36	29.25	64	221	13
	81RHP8036-42RE2	3539	4070	80	36	29.25	64	221	13

 P- Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHP7230-36LE2X41	4228	4861	72	30	29.25	56	189	12
	81RHP7230-36RE2X41	4228	4861	80	30	29.25	56	189	12
	81RHP7236-42LE2X41	4262	4904	72	36	29.25	56	232	13
	81RHP7236-42RE2X41	4262	4904	80	36	29.25	56	232	13
	81RHP8030-36LE2X41	4353	5005	72	30	29.25	64	210	14
	81RHP8030-36RE2X41	4353	5005	80	30	29.25	64	210	14
	81RHP8036-42LE2X41*	4463	5131	72	36	29.25	64	247	15
	81RHP8036-42RE2X41	4463	5131	80	36	29.25	64	247	15

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

 P- Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHPV7230-36LE2X31	4648	5346	72	30	29.25	56	188	12
	81RHPV7230-36RE2X31	4648	5346	80	30	29.25	56	188	12
	81RHPV7236-42LE2X31	4689	5392	72	36	29.25	56	231	13
	81RHPV7236-42RE2X31	4689	5392	80	36	29.25	56	231	13
	81RHPV8030-36LE2X31	4787	5505	72	30	29.25	64	209	14
	81RHPV8030-36RE2X31	4787	5505	80	30	29.25	64	209	14
	81RHPV8036-42LE2X31*	4908	5643	72	36	29.25	64	249	15
	81RHPV8036-42RE2X31	4908	5643	80	36	29.25	64	249	15

 Fin Desk Height Return, Elliptical Base	81RHF7230LE2	2059	2369	72	30	29.25	56	163	10
	81RHF7230RE2	2059	2369	80	30	29.25	56	163	10
	81RHF7236LE2	2121	2440	72	30	29.25	56	206	11
	81RHF7236RE2	2121	2440	80	30	29.25	56	206	11
	81RHF8030LE2*	2149	2473	72	36	29.25	60	184	12
	81RHF8030RE2	2149	2473	80	36	29.25	60	184	12
	81RHF8036LE2	2232	2565	72	36	29.25	60	221	13
	81RHF8036RE2	2232	2565	80	36	29.25	60	221	13

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 117 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | TRACDESKS


Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Fin Desk Height	81RHFV7230LE2X31	2308	2653	72	30	29.25	56	189	11
Return, Elliptical	81RHFV7230RE2X31	2308	2653	80	30	29.25	56	189	11
Base, Floating	81RHFV7236LE2X31	2379	2736	72	30	29.25	56	232	12
Modesty Panel	81RHFV7236RE2X31	2379	2736	80	30	29.25	56	232	12
	81RHFV8030LE2X31*	2411	2773	72	36	29.25	60	210	13
	81RHFV8030RE2X31	2411	2773	80	36	29.25	60	210	13
	81RHFV8036LE2X31	2504	2880	72	36	29.25	60	247	14
	81RHFV8036RE2X31	2504	2880	80	36	29.25	60	247	14




ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.


Desk Height, Oblique TracDesk	81RHJO6436LE2	3471	3989	72	36	29.25	48	139	14.5
	81RHJO6436RE2	3471	3989	72	36	29.25	48	139	14.5
	81RHJO7236LE2	3594	4133	72	36	29.25	56	164	15.5
	81RHJO7236RE2	3594	4133	72	36	29.25	56	164	15.5
	81RHJO7242LE2*	3657	4207	80	42	29.25	56	207	17
	81RHJO7242RE2	3657	4207	80	42	29.25	56	207	17
	81RHJO8042LE2	3729	4286	80	42	29.25	64	222	18.5
	81RHJO8042RE2	3729	4286	80	42	29.25	64	222	18.5



Desk Height, Oblique Inverted TracDesk	81RHJOI6436LE2	3471	3989	72	36	29.25	48	139	14.5
	81RHJOI6436RE2	3471	3989	72	36	29.25	48	139	14.5
	81RHJOI7236LE2	3594	4133	72	36	29.25	56	164	15.5
	81RHJOI7236RE2	3594	4133	72	36	29.25	56	164	15.5
	81RHJOI7242LE2*	3657	4207	80	42	29.25	56	207	17
	81RHJOI7242RE2	3657	4207	80	42	29.25	56	207	17
	81RHJOI8042LE2	3729	4286	80	42	29.25	64	222	18.5
	81RHJOI8042RE2	3729	4286	80	42	29.25	64	222	18.5



Desk Height, Arc End TracDesk	81RHJA6430LE2	2403	2764	64	30	29.25	48	139	12.5
	81RHJA6430RE2	2403	2764	64	30	29.25	48	139	12.5
	81RHJA7230LE2	2483	2856	72	30	29.25	56	164	14.5
	81RHJA7230RE2	2483	2856	72	30	29.25	56	164	14.5
	81RHJA7236LE2*	2525	2907	72	36	29.25	56	207	15.5
	81RHJA7236RE2	2525	2907	72	36	29.25	56	207	15.5
	81RHJA8030LE2	2516	2893	80	30	29.25	56	215	17
	81RHJA8030RE2	2516	2893	80	30	29.25	56	215	17
	81RHJA8036LE2	2572	2958	80	36	29.25	64	222	18.5
	81RHJA8036RE2	2572	2958	80	36	29.25	64	222	18.5



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height work surface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
 Desk Height, Bullet TracDesk	81RHJB6430LE2	2448	2814	64	30	29.25	48	134	12.5
	81RHJB6430RE2	2448	2814	64	30	29.25	48	134	12.5
	81RHJB7230LE2	2532	2912	72	30	29.25	56	159	14.5
	81RHJB7230RE2	2532	2912	72	30	29.25	56	159	14.5
	81RHJB7236LE2*	2577	2964	72	36	29.25	56	202	15.5
	81RHJB7236RE2	2577	2964	72	36	29.25	56	202	15.5
	81RHJB8030LE2	2592	2981	80	30	29.25	64	208	17
	81RHJB8030RE2	2592	2981	80	30	29.25	64	208	17
	81RHJB8036LE2	2628	3022	80	36	29.25	64	217	18.5
	81RHJB8036RE2	2628	3022	80	36	29.25	64	217	18.5
 Desk Height, P- TracDesk	81RHJP6436LE2	3471	3989	64	36	29.25	48	139	14.5
	81RHJP6436RE2	3471	3989	64	36	29.25	48	139	14.5
	81RHJP7236LE2	3592	4132	72	36	29.25	56	164	15.5
	81RHJP7236RE2	3592	4132	72	36	29.25	56	164	15.5
	81RHJP7242LE2*	3656	4206	72	42	29.25	56	207	17
	81RHJP7242RE2	3656	4206	72	42	29.25	56	207	17
	81RHJP8042LE2	3729	4286	80	42	29.25	64	222	18.5
	81RHJP8042RE2	3729	4286	80	42	29.25	64	222	18.5
 Desk Height, Fin TracDesk	81RHJF6430LE2	2448	2814	64	30	29.25	44	139	12.5
	81RHJF6430RE2	2448	2814	64	30	29.25	44	139	12.5
	81RHJF7230LE2	2536	2914	72	30	29.25	52	164	14
	81RHJF7230RE2	2536	2914	72	30	29.25	52	164	14
	81RHJF7236LE2*	2576	2963	72	36	29.25	52	207	15
	81RHJF7236RE2	2576	2963	72	36	29.25	52	207	15
	81RHJF8030LE2	2592	2981	80	30	29.25	60	215	15.5
	81RHJF8030RE2	2592	2981	80	30	29.25	60	215	15.5
	81RHJF8036LE2	2630	3025	80	36	29.25	60	222	16.5
	81RHJF8036RE2	2630	3025	80	36	29.25	60	222	16.5

ORDERING NOTES:

Find compatible credenzas on pages 170-183. TracDesks are not available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel



WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of **\$142 list**. See page 202 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 189.

VESTRADA | CREDENZAS

		Cherry Maple Walnut						Shipping	Cubic
Description	Model	Rift Oak	Anigre	W	D	H	KW	Weight	Feet
	81C64204L0R0	2465	2833	64	20	29.25	48	120	27
	81C64244L0R0	2523	2905	64	24	29.25	48	145	32
	81C72204L0R0	2562	2946	72	20	29.25	56	135	30
	81C72244L0R0	2660	3059	72	24	29.25	56	164	36
	81C80204L0R0	2731	3140	80	20	29.25	64	133	34
	81C80244L0R0	2835	3259	80	24	29.25	64	181	40
	81C88204L0R0	2910	3347	88	20	29.25	72	162	37
	81C88244L0R0	3006	3456	88	24	29.25	72	196	43
	81C96204L0R0	3284	3778	96	20	29.25	80	173	40
81C96244L0R0*	3390	3897	96	24	29.25	80	209	47	
	81C64204L16FR0	4311	4959	64	20	29.25	40	128	27
	81C64204L0R16F	4311	4959	64	20	29.25	40	128	27
	81C64204L16DR0	4311	4959	64	20	29.25	40	128	27
	81C64204L0R16D	4311	4959	64	20	29.25	40	128	27
	81C64244L16FR0	4346	5000	64	24	29.25	40	153	32
	81C64244L0R16F	4346	5000	64	24	29.25	40	153	32
	81C64244L16DR0	4346	5000	64	24	29.25	40	153	32
	81C64244L0R16D	4346	5000	64	24	29.25	40	153	32
	81C72204L16FR0	4352	5004	72	20	29.25	48	143	30
	81C72204L0R16F	4352	5004	72	20	29.25	48	143	30
	81C72204L16DR0	4352	5004	72	20	29.25	48	143	30
	81C72204L0R16D	4352	5004	72	20	29.25	48	143	30
	81C72244L16RF0	4379	5036	72	24	29.25	48	172	36
	81C72244L0R16F	4379	5036	72	24	29.25	48	172	36
	81C72244L16DR0	4379	5036	72	24	29.25	48	172	36
	81C72244L0R16D	4379	5036	72	24	29.25	48	172	36
	81C80204L16FR0	4389	5048	80	20	29.25	56	160	34
	81C80204L0R16F	4389	5048	80	20	29.25	56	160	34
	81C80204L16DR0	4389	5048	80	20	29.25	56	160	34
	81C80204L0R16D	4389	5048	80	20	29.25	56	160	34
	81C80244L16FR0	4408	5071	80	24	29.25	56	189	40
	81C80244L0R16F	4408	5071	80	24	29.25	56	189	40
	81C80244L16DR0	4408	5071	80	24	29.25	56	189	40
	81C80244L0R16D	4408	5071	80	24	29.25	56	189	40
	81C88204L16FR0	4417	5079	88	20	29.25	64	170	37
	81C88204L0R16F*	4417	5079	88	20	29.25	64	170	37
	81C88204L16DR0	4417	5079	88	20	29.25	64	170	37
	81C88204L0R16D	4417	5079	88	20	29.25	64	170	37
	81C88244L16FR0	4437	5101	88	24	29.25	64	204	43
	81C88244L0R16F	4437	5101	88	24	29.25	64	204	43
	81C88244L16DR0	4437	5101	88	24	29.25	64	204	43
	81C88244L0R16D	4437	5101	88	24	29.25	64	204	43

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please **add \$282 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 H - desk height worksurface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES




For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 202 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry Maple Walnut		Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak								
Single Pedestal	81C96204L16FR0	4448	5115		96	20	29.25	72	181	40
Credenza, no	81C96204L0R16F	4448	5115		96	20	29.25	72	181	40
Modesty Panel, 16"	81C96204L16DR0	4448	5115		96	20	29.25	72	181	40
Pedestal, Continued	81C96204L0R16D	4448	5115		96	20	29.25	72	181	40
	81C96244L16FR0	4457	5126		96	24	29.25	72	217	47
	81C96244L0R16F	4457	5126		96	24	29.25	72	217	47
	81C96244L16DR0	4457	5126		96	24	29.25	72	217	47
	81C96244L0R16D	4457	5126		96	24	29.25	72	217	47
Single Pedestal	81C64204L24FR0	4446	5112		64	20	29.25	32	176	27
Credenza, no	81C64204L0R24F	4446	5112		64	20	29.25	32	176	27
Modesty Panel, 24"	81C64244L24FR0	4480	5152		64	24	29.25	32	201	32
Pedestal	81C64244L0R24F	4480	5152		64	24	29.25	32	201	32
	81C72204L24FR0	4486	5160		72	20	29.25	40	191	30
	81C72204L0R24F*	4486	5160		72	20	29.25	40	191	30
	81C72244L24FR0	4516	5193		72	24	29.25	40	220	36
	81C72244L0R24F	4516	5193		72	24	29.25	40	220	36
	81C80204L24FR0	4525	5204		80	20	29.25	48	189	34
	81C80204L0R24F	4525	5204		80	20	29.25	48	189	34
	81C80244L24FR0	4544	5226		80	24	29.25	48	237	40
	81C80244L0R24F	4544	5226		80	24	29.25	48	237	40
	81C88204L24FR0	4555	5237		88	20	29.25	56	218	37
	81C88204L0R24F	4555	5237		88	20	29.25	56	218	37
	81C88244L24FR0	4574	5260		88	24	29.25	56	252	43
	81C88244L0R24F	4574	5260		88	24	29.25	56	252	43
	81C96204L24FR0	4586	5273		96	20	29.25	64	229	40
	81C96204L0R24F	4586	5273		96	20	29.25	64	229	40
	81C96244L24FR0	4595	5282		96	24	29.25	64	265	47
	81C96244L0R24F	4595	5282		96	24	29.25	64	265	47
Single Pedestal	81C72204L3205R0	5889	6771		72	20	29.25	32	207	30
Credenza, no	81C72204L0R3205	5889	6771		72	20	29.25	32	207	30
Modesty Panel, 32"	81C72244L3205R0	5914	6802		72	24	29.25	32	236	36
4 Box/ 1 Lateral	81C72244L0R3205	5914	6802		72	24	29.25	32	236	36
File Pedestal	81C80204L3205R0	5928	6815		80	20	29.25	40	215	34
	81C80204L0R3205*	5928	6815		80	20	29.25	40	215	34
	81C80244L3205R0	5944	6836		80	24	29.25	40	253	40
	81C80244L0R3205	5944	6836		80	24	29.25	40	253	40
	81C88204L3205R0	5955	6847		88	20	29.25	48	234	37
	81C88204L0R3205	5955	6847		88	20	29.25	48	234	37
	81C88244L3205R0	5974	6869		88	24	29.25	48	268	43
	81C88244L0R3205	5974	6869		88	24	29.25	48	268	43
	81C96204L3205R0	5984	6883		96	20	29.25	56	245	40
	81C96204L0R3205	5984	6883		96	20	29.25	56	245	40
	81C96244L3205R0	5996	6895		96	24	29.25	56	281	47
	81C96244L0R3205	5996	6895		96	24	29.25	56	281	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please **add \$282 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116..

VESTRADA | CREDENZAS

		Cherry Maple Walnut						Shipping Weight	Cubic Feet	
Description	Model	Rift Oak	Anigre	W	D	H	KW			
	Single Pedestal	81C72204L3202R0	5835	6708	72	20	29.25	32	207	30
	Credenza, no	81C72204L0R3204	5835	6708	72	20	29.25	32	207	30
	Modesty Panel, 32"	81C72244L3202R0	5860	6737	72	24	29.25	32	236	36
	Combination	81C72244L0R3204	5860	6737	72	24	29.25	32	236	36
	Pedestal	81C80204L3202R0	5872	6750	80	20	29.25	40	215	34
		81C80204L0R3204	5872	6750	80	20	29.25	40	215	34
		81C80244L3202R0	5890	6772	80	24	29.25	40	253	40
		81C80244L0R3204*	5890	6772	80	24	29.25	40	253	40
		81C88204L3202R0	5900	6784	88	20	29.25	48	234	37
		81C88204L0R3204	5900	6784	88	20	29.25	48	234	37
		81C88244L3202R0	5918	6804	88	24	29.25	48	268	43
		81C88244L0R3204	5918	6804	96	20	29.25	48	268	43
		81C96204L3202R0	5930	6819	96	20	29.25	56	245	40
		81C96204L0R3204	5930	6819	88	24	29.25	56	245	40
		81C96244L3202R0	5938	6829	96	24	29.25	56	281	47
		81C96244L0R3204	5938	6829	96	24	29.25	56	281	47
	Single Pedestal	81C72204L3201R0	5597	6437	72	20	29.25	32	207	30
	Credenza, no	81C7220RL0R3201	5597	6437	72	20	29.25	32	207	30
	Modesty	81C72244L3201R0	5627	6470	72	24	29.25	32	236	36
	Panel, 32" Lateral	81C72244L0R3201	5627	6470	72	24	29.25	32	236	36
	File Pedestal	81C80204L3201R0	5637	6482	80	20	29.25	40	215	34
		81C80204L0R3201*	5637	6482	80	20	29.25	40	215	34
		81C80244L3201R0	5654	6502	80	24	29.25	40	253	40
		81C80244L0R3201	5654	6502	80	24	29.25	40	253	40
		81C88204L3201R0	5668	6516	88	20	29.25	48	234	37
		81C88204L0R3201	5668	6516	88	20	29.25	48	234	37
		81C88244L3201R0	5686	6537	88	24	29.25	48	268	43
		81C88244L0R3201	5686	6537	88	24	29.25	48	268	43
		81C96204L3201R0	5697	6552	96	20	29.25	56	245	40
		81C96204L0R3201	5697	6552	96	20	29.25	56	245	40
		81C96244L3201R0	5707	6563	96	24	29.25	56	281	47
		81C96244L0R3201	5707	6563	96	24	29.25	56	281	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please **add \$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 115
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES




For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry	Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Rift Oak							
	Single Pedestal	81C72204L32BCR0	4797	5517	72	20	29.25	32	202	30
	Credenza, no	81C72204L0R32BC	4797	5517	72	20	29.25	32	202	30
	Modesty Panel, 32"	81C72244L32BCR0	4827	5548	72	24	29.25	32	231	36
	Bookcase Pedestal	81C72244L0R32BC	4827	5548	72	24	29.25	32	231	36
		81C80204L32BCR0	4837	5562	80	20	29.25	40	210	34
		81C80204L0R32BC	4837	5562	80	20	29.25	40	210	34
		81C80244L32BCR0	4855	5583	80	24	29.25	40	248	40
		81C80244L0R32BC*	4855	5583	80	24	29.25	40	248	40
		81C88204L32BCR0	4867	5597	88	20	29.25	48	229	37
		81C88204L0R32BC	4867	5597	88	20	29.25	48	229	37
		81C88244L32BCR0	4883	5616	88	24	29.25	48	263	43
		81C88244L0R32BC	4883	5616	88	24	29.25	48	263	43
		81C96204L32BCR0	4895	5630	96	20	29.25	56	240	40
		81C96204L0R32BC	4895	5630	96	20	29.25	56	240	40
		81C96244L32BCR0	4907	5642	96	24	29.25	56	276	47
		81C96244L0R32BC	4907	5642	96	24	29.25	56	276	47
	Single Pedestal	81C72204L3601R0	5667	6514	72	20	29.25	28	223	30
	Credenza, no	81C72204L0R3601	5667	6514	72	20	29.25	28	223	30
	Modesty Panel, 36"	81C72244L3601R0	5694	6547	72	24	29.25	28	252	36
	Lateral File Pedestal	81C72244L0R3601	5694	6547	72	24	29.25	28	252	36
		81C80204L3601R0	5702	6558	80	20	29.25	36	231	34
		81C80204L0R3601	5702	6558	80	20	29.25	36	231	34
		81C80244L3601R0*	5722	6580	80	24	29.25	36	269	40
		81C80244L0R3601	5722	6580	80	24	29.25	36	269	40
		81C88204L3601R0	5734	6594	88	20	29.25	44	218	37
		81C88204L0R3601	5734	6594	88	20	29.25	44	218	37
		81C88244L3601R0	5751	6615	88	24	29.25	44	284	43
		81C88244L0R3601	5751	6615	88	24	29.25	44	284	43
		81C96204L3601R0	5763	6629	96	20	29.25	52	261	40
		81C96204L0R3601	5763	6629	96	20	29.25	52	261	40
		81C96244L3601R0	5772	6639	96	24	29.25	52	297	47
		81C96244L0R3601	5772	6639	96	24	29.25	52	297	47
	Single Pedestal	81C72204L36BCR0	4844	5572	72	20	29.25	28	207	30
	Credenza, no	81C72204L0R36BC	4844	5572	72	20	29.25	28	207	30
	Modesty Panel, 36"	81C72244L36BCR0	4877	5609	72	24	29.25	28	236	36
	Bookcase Pedestal	81C72244L0R36BC	4877	5609	72	24	29.25	28	236	36
		81C80204L36BCR0	4885	5619	80	20	29.25	36	215	34
		81C80204L0R36BC*	4885	5619	80	20	29.25	36	215	34
		81C80244L36BCR0	4906	5641	80	24	29.25	36	253	40
		81C80244L0R36BC	4906	5641	80	24	29.25	36	253	40
		81C88204L36BCR0	4914	5651	88	20	29.25	44	234	37
		81C88204L0R36BC	4914	5651	88	20	29.25	44	234	37
		81C88244L36BCR0	4933	5672	88	24	29.25	44	268	43
		81C88244L0R36BC	4933	5672	88	24	29.25	44	268	43
		81C96204L36BCR0	4948	5690	96	20	29.25	52	245	40
		81C96204L0R36BC	4948	5690	96	20	29.25	52	245	40
		81C96244L36BCR0	4953	5697	96	24	29.25	52	281	47
		81C96244L0R36BC	4953	5697	96	24	29.25	52	281	47

ORDERING NOTES: Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number. e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add **\$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
O - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | CREDENZAS

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
 Single Pedestal Credenza, no Modesty Panel, 24" 2 Box/ 1 File Pedestal	81C64204L24FWR0	4834	5560	64	20	29.25	40	176	27
	81C64204L0R24FW	4834	5560	64	20	29.25	40	176	27
	81C64244L24FWR0	4869	5599	64	24	29.25	40	201	32
	81C64244L0R24FW	4869	5599	64	24	29.25	40	201	32
	81C72204L24FWR0	4877	5609	72	20	29.25	48	191	30
	81C72204L0R24FW	4877	5609	72	20	29.25	48	191	30
	81C72244L24FWR0	4908	5643	72	24	29.25	48	220	36
	81C72244L0R24FW*	4908	5643	72	24	29.25	48	220	36
	81C80204L24FWR0	4917	5654	80	20	29.25	56	189	34
	81C80204L0R24FW	4917	5654	80	20	29.25	56	189	34
	81C80244L24FWR0	4936	5676	80	24	29.25	56	237	40
	81C80244L0R24FW	4936	5676	80	24	29.25	56	237	40
	81C88204L24FWR0	4951	5695	88	20	29.25	64	218	37
	81C88204L0R24FW	4951	5695	88	20	29.25	64	218	37
	81C88244L24FWR0	4972	5717	88	24	29.25	64	252	43
	81C88244L0R24FW	4972	5717	88	24	29.25	64	252	43
	81C96204L24FWR0	4983	5733	96	20	29.25	72	229	40
	81C96204L0R24FW	4983	5733	96	20	29.25	72	229	40
	81C96244L24FWR0	4994	5742	96	24	29.25	72	265	47
	81C96244L0R24FW	4994	5742	96	24	29.25	72	265	47
 Double Pedestal Credenza, no Modesty Panel, 16" Pedestals	81C64204L16FR16F	5781	6648	64	20	29.25	32	192	27
	81C64204L16FR16D	5781	6648	64	20	29.25	32	192	27
	81C64204L16DR16F	5781	6648	64	20	29.25	32	192	27
	81C64204L16DR16D	5781	6648	64	20	29.25	32	192	27
	81C64244L16FR16F	5817	6691	64	24	29.25	32	217	32
	81C64244L16FR16D	5817	6691	64	24	29.25	32	217	32
	81C64244L16DR16F*	5817	6691	64	24	29.25	32	217	32
	81C64244L16DR16D	5817	6691	64	24	29.25	32	217	32
	81C72204L16FR16F	5846	6723	72	20	29.25	40	207	30
	81C72204L16FR16D	5846	6723	72	20	29.25	40	207	30
	81C72204L16DR16F	5846	6723	72	20	29.25	40	207	30
	81C72204L16DR16D	5846	6723	72	20	29.25	40	207	30
	81C72244L16FR16F	5902	6788	72	24	29.25	40	236	36
	81C72244L16FR16D	5902	6788	72	24	29.25	40	236	36
	81C72244L16DR16F	5902	6788	72	24	29.25	40	236	36
	81C72233L16DR16D	5902	6788	72	24	29.25	40	236	36
	81C80204L16FR16F	5931	6820	80	20	29.25	48	215	34
	81C80204L16FR16D	5931	6820	80	20	29.25	48	215	34
	81C80204L16DR16F	5931	6820	80	20	29.25	48	215	34
	81C80204L16DR16D	5931	6820	80	20	29.25	48	215	34
	81C80244L16FR16F	5976	6873	80	24	29.25	48	253	40
	81C80244L16FR16D	5976	6873	80	24	29.25	48	253	40
	81C80244L16DR16F	5976	6873	80	24	29.25	48	253	40
	81C80244L16DR16D	5976	6873	80	24	29.25	48	253	40

ORDERING NOTES: Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please **add \$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114.


GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry Maple		W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut Rift Oak	Anigre						
Double Pedestal	81C88204L16FR16F	6000	6900	88	20	29.25	56	234	37
Credenza, no	81C88204L16FR16D	6000	6900	88	20	29.25	56	234	37
Modesty Panel, 16"	81C88204L16DR16F	6000	6900	88	20	29.25	56	234	37
Pedestals continued	81C88204L16DR16D	6000	6900	88	20	29.25	56	234	37
	81C88244L16FR16F	6066	6975	88	24	29.25	56	268	43
	81C88244L16FR16D	6066	6975	88	24	29.25	56	268	43
	81C88244L16DR16F	6066	6975	88	24	29.25	56	268	43
	81C88244L16DR16D	6066	6975	88	24	29.25	56	268	43
	81C96204L16FR16F	6085	7000	96	20	29.25	64	245	40
	81C96204L16FR16D	6085	7000	96	20	29.25	64	245	40
	81C96204L16DR16F	6085	7000	96	20	29.25	64	245	40
	81C96204L16DR16D	6085	7000	96	20	29.25	64	245	40
	81C96244L16FR16F	6131	7049	96	24	29.25	64	281	47
	81C96244L16FR16D	6131	7049	96	24	29.25	64	281	47
	81C96244L16DR16F	6131	7049	96	24	29.25	64	281	47
	81C96244L16DR16D	6131	7049	96	24	29.25	64	281	47

Double Pedestal	81C64204L16FR24FW	5955	6847	64	20	29.25	32	208	27
Credenza, no	81C64204L16DR24FW	5955	6847	64	20	29.25	32	208	27
Modesty Panel, 16"	81C64204L24FWR16F	5955	6847	64	20	29.25	32	208	27
& 24" Pedestals	81C64204L24FWR16D	5955	6847	64	20	29.25	32	208	27
	81C64244L16FR24FW	5995	6893	64	24	29.25	32	233	32
	81C64244L16DR24FW	5995	6893	64	24	29.25	32	233	32
	81C64244L24FWR16F	5995	6893	64	24	29.25	32	233	32
	81C64244L24FWR16D	5995	6893	64	24	29.25	32	233	32
	81C72204L16FR24FW	6024	6926	72	20	29.25	40	223	30
	81C72204L16DR24FW	6024	6926	72	20	29.25	40	223	30
	81C72204L24FWR16F	6024	6926	72	20	29.25	40	223	30
	81C72204L24FWR16D	6024	6926	72	20	29.25	40	223	30
	81C72244L16FR24FW	6080	6994	72	24	29.25	40	252	36
	81C72244L16DR24FW	6080	6994	72	24	29.25	40	252	36
	81C72244L24FWR16F	6080	6994	72	24	29.25	40	252	36
	81C72244L24FWR16D	6080	6994	72	24	29.25	40	252	36
	81C80204L16FR24FW	6110	7026	80	20	29.25	48	231	34
	81C80204L16DR24FW*	6110	7026	80	20	29.25	48	231	34
	81C80204L24FWR16F	6110	7026	80	20	29.25	48	231	34
	81C80204L24FWR16D	6110	7026	80	20	29.25	48	231	34
	81C80244L16FR24FW	6156	7079	80	24	29.25	48	269	40
	81C80244L16DR24FW	6156	7079	80	24	29.25	48	269	40
	81C80244L24FWR16F	6156	7079	80	24	29.25	48	269	40
	81C80244L24FWR16D	6156	7079	80	24	29.25	48	269	40

ORDERING NOTES: Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price. Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add **\$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS


For details please see page 116.

VESTRADA | CREDENZAS


Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Double Pedestal Credenza, no Modesty Panel, 24" Pedestals	81C64204L24FWR24FW	6134	7055	64	20	29.25	32	198	27
	81C64244L24FWR24FW	6174	7099	64	24	29.25	32	223	32
	81C72204L24FWR24FW	6204	7133	72	20	29.25	40	213	30
	81C72244L24FWR24FW*	6262	7201	72	24	29.25	40	233	36
	81C80204L24FWR24FW	6292	7234	80	20	29.25	48	221	34
	81C80244L24FWR24FW	6341	7293	80	24	29.25	48	259	40



Credenza Shell, Hinged Modesty Panel	81CY64204L0R0X41	2911	3349	64	20	29.25	48	150	27
	81CY64244L0R0X41	2986	3435	64	24	29.25	48	176	32
	81CY62204L0R0X41	3030	3483	72	20	29.25	56	165	30
	81CY72244L0R0X41	3149	3621	72	24	29.25	56	194	36
	81CY80204L0R0X41	3232	3716	80	20	29.25	64	181	34
	81CY80244L0R0X41*	3354	3857	80	24	29.25	64	211	40
	81CY88204L0R0X41	3444	3960	88	20	29.25	72	191	37
	81CY88244L0R0X41	3553	4087	88	24	29.25	72	226	43
	81CY96204L0R0X41	3885	4468	96	20	29.25	80	203	40
	81CY96244L0R0X41	4008	4609	96	24	29.25	80	239	47



Single Pedestal Credenza, Hinged Modesty Panel, 16" Pedestal	81CY64204L16FR0X41	5076	5837	64	20	29.25	40	154	27
	81CY64204L0R16FX41	5076	5837	64	20	29.25	40	154	27
	81CY64204L16DR0X41	5076	5837	64	20	29.25	40	154	27
	81CY64204L0R16DX41	5076	5837	64	20	29.25	40	154	27
	81CY64244L16FR0X41	5115	5881	64	24	29.25	40	179	32
	81CY64244L0R16FX41	5115	5881	64	24	29.25	40	179	32
	81CY64244L16DR0X41	5115	5881	64	24	29.25	40	179	32
	81CY64244L0R16DX41	5115	5881	64	24	29.25	40	179	32
	81CY72204L16FR0X41	5120	5889	72	20	29.25	48	169	30
	81CY72204L0R16FX41	5120	5889	72	20	29.25	48	169	30
	81CY72204L16DR0X41	5120	5889	72	20	29.25	48	169	30
	81CY72204L0R16DX41	5120	5889	72	20	29.25	48	169	30
	81CY72244L16FR0X41	5155	5930	72	24	29.25	48	198	36
	81CY72244L0R16FX41*	5155	5930	72	24	29.25	48	198	36



ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add **\$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry Maple Walnut Rift Oak		W	D	H	KW	Shipping Weight	Cubic Feet
		Anigre							
 Single Pedestal Credenza, Hinged Modesty Panel, 16" Pedestal Continued	81CY72244L16DR0X41	5155	5930	72	24	29.25	48	198	36
	81CY72244L0R16DX41	5155	5930	72	24	29.25	48	198	36
	81CY80204L16FR0X41	5167	5942	80	20	29.25	56	167	34
	81CY80204L0R16FX41	5167	5942	80	20	29.25	56	167	34
	81CY80204L16DR0X41	5167	5942	80	20	29.25	56	167	34
	81CY80204L0R16DX41	5167	5942	80	20	29.25	56	167	34
	81CY80244L16FR0X41	5187	5968	80	24	29.25	56	215	40
	81CY80244L0R16FX41	5187	5968	80	24	29.25	56	215	40
	81CY80244L16DR0X41	5187	5968	80	24	29.25	56	215	40
	81CY80244L0R16DX41	5187	5968	80	24	29.25	56	215	40
	81CY88204L16FR0X41	5199	5977	88	20	29.25	64	196	37
	81CY88204L0R16FX41	5199	5977	88	20	29.25	64	196	37
	81CY88204L16DR0X41	5199	5977	88	20	29.25	64	196	37
	81CY88204L0R16DX41	5199	5977	88	20	29.25	64	196	37
	81CY88244L16FR0X41	5223	6005	88	24	29.25	64	230	43
	81CY88244L0R16FX41	5223	6005	88	24	29.25	64	230	43
	81CY88244L16DR0X41	5223	6005	88	24	29.25	64	230	43
	81CY88244L0R16DX41	5223	6005	88	24	29.25	64	230	43
	81CY96204L16FR0X41	5234	6019	96	20	29.25	72	207	40
	81CY96204L0R16FX41	5234	6019	96	20	29.25	72	207	40
	81CY96204L16DR0X41	5234	6019	96	20	29.25	72	207	40
	81CY96204L0R16DX41	5234	6019	96	20	29.25	72	207	40
	81CY96244L16FR0X41	5249	6033	96	24	29.25	72	243	47
	81CY96244L0R16FX41	5249	6033	96	24	29.25	72	243	47
	81CY96244L16DR0X41	5249	6033	96	24	29.25	72	243	47
	81CY96244L0R16DX41	5249	6033	96	24	29.25	72	243	47
 Single Pedestal Credenza, Hinged Modesty Panel, 24" Pedestal	81CY64204L24FR0X41	5231	6016	64	20	29.25	32	202	27
	81CY64204L0R24FX41	5231	6016	64	20	29.25	32	202	27
	81CY64244L24FR0X41	5273	6063	64	24	29.25	32	227	32
	81CY64244L0R24FX41	5273	6063	64	24	29.25	32	227	32
	81CY72204L24FR0X41	5279	6071	72	20	29.25	40	217	30
	81CY72204L0R24FX41	5279	6071	72	20	29.25	40	217	30
	81CY72244L24FR0X41	5314	6111	72	24	29.25	40	246	36
	81CY72244L0R24FX41*	5314	6111	72	24	29.25	40	246	36
	81CY80204L24FR0X41	5326	6126	80	20	29.25	48	215	34
	81CY80204L0R24FX41	5326	6126	80	20	29.25	48	215	34
	81CY80244L24FR0X41	5349	6151	80	24	29.25	48	263	40
	81CY80244L0R24FX41	5349	6151	80	24	29.25	48	263	40
	81CY88204L24FR0X41	5362	6165	88	20	29.25	56	244	37
	81CY88204L0R24FX41	5362	6165	88	20	29.25	56	244	37
	81CY88244L24FR0X41	5384	6193	88	24	29.25	56	278	43
	81CY88244L0R24FX41	5384	6193	88	24	29.25	56	278	43
	81CY96204L24FR0X41	5395	6204	96	20	29.25	64	255	40
	81CY96204L0R24FX41	5395	6204	96	20	29.25	64	255	40
	81CY96244L24FR0X41	5410	6222	96	24	29.25	64	291	47
	81CY96244L0R24FX41	5410	6222	96	24	29.25	64	291	47

ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add **\$304** list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.




GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak		W	D	H	KW	Shipping Weight	Cubic Feet
		Anigre							
Single Pedestal	81CY72204L3205R0X41	6929	7970	72	20	29.25	32	233	30
Credenza, Hinged	81CY72204L0R3205X41	6929	7970	72	20	29.25	32	233	30
Modesty Panel, 32"	81CY72244L3205R0X41	6960	8001	72	24	29.25	32	260	36
4 Box/1 Lateral File	81CY72244L0R3205X41	6960	8001	72	24	29.25	32	260	36
Pedestal	81CY80204L3205R0X41	6975	8021	80	20	29.25	40	241	34
	81CY80204L0R3205X41	6975	8021	80	20	29.25	40	241	34
	81CY80244L3205R0X41	6996	8044	80	24	29.25	40	279	40
	81CY80244L0R3205X41*	6996	8044	80	24	29.25	40	279	40
	81CY88204L3205R0X41	7009	8062	88	20	29.25	48	260	37
	81CY88204L0R3205X41	7009	8062	88	20	29.25	48	260	37
	81CY88244L3205R0X41	7032	8086	88	24	29.25	48	294	43
	81CY88244L0R3205X41	7032	8086	88	24	29.25	48	294	43
	81CY96204L3205R0X41	7044	8100	96	20	29.25	56	271	40
	81CY96204L0R3205X41	7044	8100	96	20	29.25	56	271	40
	81CY96244L3205R0X41	7058	8117	96	24	29.25	56	307	47
	81CY96244L0R3205X41	7058	8117	96	24	29.25	56	307	47
Single Pedestal	81CY72204L3202R0X41	6865	7895	72	20	29.25	32	233	30
Credenza, Hinged	81CY72204L0R3204X41	6865	7895	72	20	29.25	32	233	30
Modesty Panel, 32"	81CY72244L3202R0X41	6898	7932	72	24	29.25	32	262	36
Combination	81CY72244L0R3204X41	6898	7932	72	24	29.25	32	260	36
Pedestal	81CY80204L3202R0X41	6911	7947	80	20	29.25	40	241	34
	81CY80204L0R3204X41	6911	7947	80	20	29.25	40	241	34
	81CY80244L3202R0X41	6930	7971	80	24	29.25	40	279	40
	81CY80244L0R3204X41*	6930	7971	80	24	29.25	40	279	40
	81CY88204L3202R0X41	6945	7987	88	20	29.25	48	260	37
	81CY88204L0R3204X41	6945	7987	88	20	29.25	48	260	37
	81CY88244L3202R0X41	6967	8012	88	24	29.25	48	294	43
	81CY88244L0R3204X41	6967	8012	88	24	29.25	48	294	43
	81CY96204L3202R0X41	6977	8024	96	20	29.25	56	271	40
	81CY96204L0R3204X41	6977	8024	96	20	29.25	56	271	40
	81CY96244L3202R0X41	6990	8037	96	24	29.25	56	307	47
	81CY96244L0R3204X41	6990	8037	96	24	29.25	56	307	47
Single Pedestal	81CY72204L3201R0X41	6592	7579	72	20	29.25	32	233	30
Credenza, Hinged	81CY72204L0R3201X41	6592	7579	72	20	29.25	32	233	30
Modesty Panel, 32"	81CY72244L3201R0X41	6622	7616	72	24	29.25	32	262	36
Lateral File Pedestal	81CY72244L0R3201X41	6622	7616	72	24	29.25	32	262	36
	81CY80204L3201R0X41	6637	7631	80	20	29.25	40	241	34
	81CY80204L0R3201X41*	6637	7631	80	20	29.25	40	241	34
	81CY80244L3201R0X41	6656	7655	80	24	29.25	40	279	40
	81CY80244L0R3201X41	6656	7655	80	24	29.25	40	279	40
	81CY88204L3201R0X41	6670	7670	88	20	29.25	48	260	37
	81CY88204L0R3201X41	6670	7670	88	20	29.25	48	260	37
	81CY88244L3201R0X41	6692	7695	88	34	29.25	48	294	43
	81CY88244L0R3201X41	6692	7695	88	24	29.25	48	294	43
	81CY96204L3201R0X41	6706	7711	96	20	29.25	56	271	40
	81CY96204L0R3201X41	6706	7711	96	20	29.25	56	271	40
	81CY96244L3201R0X41	6714	7721	96	24	29.25	56	307	47
	81CY96244L0R3201X41	6714	7721	96	24	29.25	56	307	47

ORDERING NOTES: Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add \$304 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 115
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer
- 0 - no pedestal
- J - TracDesk option
- W - extended pedestal option
- X31 - 3/4 height recessed modesty panel
- X41 - full height recessed modesty panel

STANDARD FINISHES




For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet	
		Walnut	Anigre							
		Rift Oak								
Single Pedestal	81CY72204L32BCR0X41	5646	6494	72	20	29.25	32	228	30	
Credenza, Hinged	81CY72204L0R32BCX41	5646	6494	72	20	29.25	32	228	30	
Modesty Panel, 32"	81CY72244L32BCR0X41	5678	6530	72	24	29.25	32	262	36	
Bookcase Pedestal	81CY72244L0R32BCX41	5678	6530	72	24	29.25	32	262	36	
	81CY80204L32BCR0X41	5694	6547	80	20	29.25	40	241	34	
	81CY80204L0R32BCX41	5694	6547	80	20	29.25	40	241	34	
	81CY80244L32BCR0X41	5714	6571	80	24	29.25	40	279	40	
	81CY80244L0R32BCX41	5714	6571	80	24	29.25	40	279	40	
	81CY88204L32BCR0X41	5727	6588	88	20	29.25	48	260	37	
	81CY88204L0R32BCX41*	5727	6588	88	20	29.25	48	260	37	
	81CY88244L32BCR0X41	5748	6610	88	24	29.25	48	294	43	
	81CY88244L0R32BCX41	5748	6610	88	24	29.25	48	294	43	
	81CY96204L32BCR0X41	5763	6629	96	20	29.25	56	271	40	
	81CY96204L0R32BCX41	5763	6629	96	20	29.25	56	271	40	
	81CY96244L32BCR0X41	5772	6639	96	24	29.25	56	307	47	
	81CY96244L0R32BCX41	5772	6639	96	24	29.25	56	307	47	
	Single Pedestal	81CY72204L3601R0X41	7245	8332	72	20	29.25	28	249	30
	Credenza, Hinged	81CY72204L0R3601X41	7245	8332	72	20	29.25	28	249	30
	Modesty Panel, 36"	81CY72244L3601R0X41	7281	8374	72	24	29.25	28	278	36
	Lateral File Pedestal	81CY72244L0R3601X41	7281	8374	72	24	29.25	28	278	36
	81CY80204L3601R0X41	7298	8392	80	20	29.25	36	257	34	
	81CY80204L0R3601X41	7298	8392	80	20	29.25	36	257	34	
	81CY80244L3601R0X41	7320	8416	80	24	29.25	36	295	40	
	81CY80244L0R3601X41	7320	8416	80	24	29.25	36	295	40	
	81CY88204L3601R0X41	7336	8435	88	20	29.25	44	244	37	
	81CY88204L0R3601X41*	7336	8435	88	20	29.25	44	244	37	
	81CY88244L3601R0X41	7357	8461	88	24	29.25	44	310	43	
	81CY88244L0R3601X41	7357	8461	88	24	29.25	44	310	43	
	81CY96204L3601R0X41	7372	8480	96	20	29.25	52	287	40	
	81CY96204L0R3601X41	7372	8480	96	20	29.25	52	287	40	
	81CY96244L3601R0X41	7384	8490	96	24	29.25	52	323	47	
	81CY96244L0R3601X41	7384	8490	96	24	29.25	52	323	47	
	Single Pedestal	81CY72204L36BCR0X41	6201	7130	72	20	29.25	28	244	30
	Credenza, Hinged	81CY72204L0R36BCX41	6201	7130	72	20	29.25	28	244	30
	Modesty Panel, 36"	81CY72244L36BCR0X41	6235	7173	72	24	29.25	28	273	36
	Bookcase Pedestal	81CY72244L0R36BCX41	6235	7173	72	24	29.25	28	273	36
	81CY80204L36BCR0X41	6251	7190	80	20	29.25	36	252	34	
	81CY80204L0R36BCX41	6251	7190	80	20	29.25	36	252	34	
	81CY80244L36BCR0X41	6274	7214	80	24	29.25	36	290	40	
	81CY80244L0R36BCX41	6274	7214	80	24	29.25	36	290	40	
	81CY88204L36BCR0X41	6290	7231	88	20	29.25	44	239	37	
	81CY88204L0R36BCX41	6290	7231	88	20	29.25	44	239	37	
	81CY88244L36BCR0X41	6313	7259	88	24	29.25	44	305	43	
	81CY88244L0R36BCX41*	6313	7259	88	24	29.25	44	305	43	
	81CY96204L36BCR0X41	6327	7274	96	20	29.25	52	282	40	
	81CY96204L0R36BCX41	6327	7274	96	20	29.25	52	282	40	
	81CY96244L36BCR0X41	6340	7291	96	24	29.25	52	318	47	
	81CY96244L0R36BCX41	6340	7291	96	24	29.25	52	318	47	

ORDERING NOTES: Wire management cut-out is standard on all credenza hinged modesty panels. Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see page 160). For TracDesk option please add **\$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Double Pedestal	81CY64204L16DR16DX41	5564	6398	64	20	29.25	32	192	27
Credenza, Hinged	81CY64204L16DR16FX41	5564	6398	64	20	29.25	32	192	27
Modesty Panel, 16"	81CY64204L16FR16DX41	5564	6398	64	20	29.25	32	192	27
Pedestals	81CY64204L16FR16FX41	5564	6398	64	20	29.25	32	192	27
	81CY64244L16DR16DX41	5674	6526	64	24	29.25	48	217	32
	81CY64244L16DR16FX41	5674	6526	64	24	29.25	48	217	32
	81CY64244L16FR16DX41	5674	6526	64	24	29.25	48	217	32
	81CY64244L16FR16FX41	5674	6526	64	24	29.25	48	217	32
	81CY72204L16DR16DX41	5784	6649	72	20	29.25	32	207	30
	81CY72204L16DR16FX41	5784	6649	72	20	29.25	32	207	30
	81CY72204L16FR16DX41	5784	6649	72	20	29.25	32	207	30
	81CY72204L16FR16FX41	5784	6649	72	20	29.25	32	207	30
	81CY72244L16DR16DX41	5929	6817	72	24	29.25	56	236	36
	81CY72244L16DR16FX41*	5929	6817	72	24	29.25	56	236	36
	81CY72244L16FR16DX41	5929	6817	72	24	29.25	56	236	36
	81CY72244L16FR16FX41	5929	6817	72	24	29.25	56	236	36
	81CY80204L16DR16DX41	6063	6972	80	20	29.25	40	215	34
	81CY80204L16DR16FX41	6063	6972	80	20	29.25	40	215	34
	81CY80204L16FR16DX41	6063	6972	80	20	29.25	40	215	34
	81CY80204L16FR16FX41	6063	6972	80	20	29.25	40	215	34
	81CY80244L16DR16DX41	6118	7035	80	24	29.25	56	253	40
	81CY80244L16DR16FX41	6118	7035	80	24	29.25	56	253	40
	81CY80244L16FR16DX41	6118	7035	80	24	29.25	56	253	40
	81CY80244L16FR16FX41	6118	7035	80	24	29.25	56	253	40
	81CY88204L16DR16DX41	6181	7108	88	20	29.25	40	234	37
	81CY88204L16DR16FX41	6181	7108	88	20	29.25	40	234	37
	81CY88204L16FR16DX41	6181	7108	88	20	29.25	40	234	37
	81CY88204L16FR16FX41	6181	7108	88	20	29.25	40	234	37
	81CY88244L16DR16DX41	6211	7144	88	24	29.25	64	268	43
	81CY88244L16DR16FX41	6211	7144	88	24	29.25	64	268	43
	81CY88244L16FR16DX41	6211	7144	88	24	29.25	64	268	43
	81CY88244L16FR16FX41	6211	7144	88	24	29.25	64	268	43
	81CY96204L16DR16DX41	6239	7176	96	20	29.25	48	245	40
	81CY96204L16DR16FX41	6239	7176	96	20	29.25	48	245	40
	81CY96204L16FR16DX41	6239	7176	96	20	29.25	48	245	40
	81CY96204L16FR16FX41	6239	7176	96	20	29.25	48	245	40
	81CY96244L16DR16DX41	6284	7228	96	24	29.25	64	281	47
	81CY96244L16DR16FX41	6284	7228	96	24	29.25	64	281	47
	81CY96244L16FR16DX41	6284	7228	96	24	29.25	64	281	47
	81CY96244L16FR16FX41	6284	7228	96	24	29.25	64	281	47
Double Pedestal	81CY64204L24FWR24FWX41	7196	8274	64	20	29.25	32	198	27
Credenza, Hinged	81CY64244L24FWR24FWX41	7231	8319	64	24	29.25	48	223	32
Modesty Panel, 24"	81CY72204L24FWR24FWX41	7237	8323	72	20	29.25	32	213	30
Pedestals	81CY72244L24FWR24FWX41	7271	8362	72	24	29.25	48	233	36
	81CY80204L24FWR24FWX41	7280	8373	80	20	29.25	40	221	34
	81CY80244L24FWR24FWX41*	7300	8394	80	24	29.25	56	259	40
	81CY88204L24FWR24FWX41	7315	8413	88	20	29.25	40	240	37
	81CY88244L24FWR24FWX41	7336	8435	88	24	29.25	56	274	43

ORDERING NOTES: Wire management cut-out is standard on all credenza hinged modesty panels. Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see page 106). For TracDesk option please add **\$304 list** to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

VESTRADA | FULL FACE CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak		Anigre	W	D	H	Shipping Weight	Cubic Feet
 2 Segment Full Face Credenza, Lateral File & Bookcase Pedestals	81C642040101	6330	7279		64	20	29.25	238	27
	81C6420401BC	5779	6646		64	20	29.25	218	27
	81C64204BCBC	4891	5624		64	20	29.25	198	27
	81C64204BC01	5779	6646		64	20	29.25	218	27
	81C642440101	6617	7612		64	24	29.25	246	32
	81C6424401BC	6028	6930		64	24	29.25	226	32
	81C64244BCBC	5087	5850		64	24	29.25	214	32
	81C64244BC01	6028	6930		64	24	29.25	226	32
	81C722040101	6712	7718		72	20	29.25	248	30
	81C7220401BC*	6122	7039		72	20	29.25	228	30
	81C72204BCBC	5212	5996		72	20	29.25	208	30
	81C72204BC01	6122	7039		72	20	29.25	228	30
	81C722440101	6799	7817		72	24	29.25	256	36
	81C7224401BC	6238	7175		72	24	29.25	236	36
	81C72244BCBC	5285	6080		72	24	29.25	224	36
	81C72244BC01	6238	7175		72	24	29.25	236	36
 3 Segment Full Face Credenza, 2 Box/ 1 File, Lateral File, 2 File Pedestals	81C64204F01D	6196	7124		64	20	29.25	264	27
	81C64204F01F	6196	7124		64	20	29.25	264	27
	81C64204D01D	6196	7124		64	20	29.25	264	27
	81C64204D01F	6196	7124		64	20	29.25	264	27
	81C64204D01F	6196	7124		64	20	29.25	264	27
	81C64244F01D	6314	7261		64	24	29.25	291	32
	81C64244F01F*	6314	7261		64	24	29.25	291	32
	81C64244D01D	6314	7261		64	24	29.25	291	32
	81C64244D01F	6314	7261		64	24	29.25	291	32
 3 Segment Full Face Credenza, 2 Box/ 1 File, Bookcase, 2 File Pedestals	81C64204FBCD	5735	6595		64	20	29.25	264	27
	81C64204FBCF	5735	6595		64	20	29.25	264	27
	81C64204DBCF	5735	6595		64	20	29.25	264	27
	81C64204DBCD	5735	6595		64	20	29.25	264	27
	81C64244FBCD	5845	6722		64	24	29.25	291	32
	81C64244FBCF	5845	6722		64	24	29.25	291	32
	81C64244DBCF*	5845	6722		64	24	29.25	291	32
	81C64244DBCD	5845	6722		64	24	29.25	291	32
	81C72204FBCD	5890	6772		72	20	29.25	271	30
	81C72204FBCF	5890	6772		72	20	29.25	271	30
	81C72204DBCF	5890	6772		72	20	29.25	271	30
	81C72204DBCD	5890	6772		72	20	29.25	271	30
	81C72244FBCD	6058	6965		72	24	29.25	303	36
	81C72244FBCF	6058	6965		72	24	29.25	303	36
	81C72244DBCF	6058	6965		72	24	29.25	303	36
	81C72244DBCD	6058	6965		72	24	29.25	303	36

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
01 - lateral file drawer
05 - 4 box, 1 lateral file
BC - bookcase pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS


For details please see page 116.

VESTRADA | FULL FACE CREDENZAS


Description	Model	Cherry Maple Walnut		W	D	H	Shipping Weight	Cubic Feet
		Rift Oak	Anigre					
2 Segment Full Face Credenza, Lateral	81C642040501	6704	7710	64	20	29.25	204	27
File & 4 Box/ 1	81C642040105	6704	7710	64	20	29.25	204	27
Lateral File	81C642440505	6704	7710	64	20	29.25	204	27
Pedestals	81C642440501*	6994	8042	64	24	29.25	271	32
	81C642440105	6994	8042	64	24	29.25	271	32
	81C642440505	6994	8042	64	24	29.25	214	32




3 Segment Full Face Credenza, Lateral	81C8020401BCBC	7412	8525	80	20	29.25	278	34
File & Bookcase	81C80204BCBC01*	7412	8525	80	20	29.25	278	34
Pedestals	81C8024401BCBC	7757	8921	80	24	29.25	315	40
	81C80244BCBC01	7757	8921	80	24	29.25	315	40



3 Segment Full Face Credenza, Bookcase Pedestal	81C80204BCBCBC	6525	7502	80	20	29.25	208	30
	81C80244BCBCBC*	6723	7733	80	24	29.25	208	30



3 Segment Full Face Credenza, Lateral	81C96204010101	9483	10904	96	20	29.25	357	40
File & Bookcase	81C96204BC01BC	8253	9491	96	20	29.25	357	40
Pedestals	81C9620401BC01*	8780	10098	96	20	29.25	357	40
	81C96244010101	9794	11264	96	24	29.25	369	47
	81C96244BC01BC	8524	9802	96	24	29.25	369	47
	81C9624401BC01	9067	10429	96	24	29.25	369	47



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.


GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak			W	D	H	KW	Shipping Weight	Cubic Feet
		Anigre								
 Corner Credenza Shell, no Modesty Panel	81CC6432-20-R20L0	2749	3163		64	32	29.25	48	128	42
	81CC6432-20-L20R0	2749	3163		64	32	29.25	48	128	42
	81CC6432-20-R24L0	2749	3163		64	32	29.25	48	128	42
	81CC6432-20-L24R0	2749	3163		64	32	29.25	48	128	42
	81CC6436-24-R20L0	2785	3205		64	36	29.25	48	153	47
	81CC6436-24-L20R0	2785	3205		64	36	29.25	32	153	47
	81CC6436-24-R24L0	2785	3205		64	36	29.25	48	153	47
	81CC6436-24-L24R0	2785	3205		64	36	29.25	48	153	47
	81CC7232-20-R20L0	2796	3214		64	32	29.25	56	143	48
	81CC7232-20-L20R0*	2796	3214		72	32	29.25	56	143	48
	81CC7232-20-R24L0	2796	3214		72	32	29.25	56	143	48
	81CC7232-20-L24R0	2796	3214		72	32	29.25	56	143	48
	81CC7236-24-R20L0	2819	3241		72	36	29.25	56	172	52
	81CC7236-24-L20R0	2819	3241		72	36	29.25	56	172	52
	81CC7236-24-R24L0	2819	3241		72	36	29.25	56	172	52
	81CC7236-24-L24R0	2819	3241		72	36	29.25	56	172	52
	81CC8032-20-R20L0	2825	3250		80	32	29.25	64	141	52
	81CC8032-20-L20R0	2825	3250		80	32	29.25	64	141	52
	81CC8032-20-R24L0	2825	3250		80	32	29.25	64	141	52
	81CC8032-20-L24R0	2825	3250		80	32	29.25	64	141	52
	81CC8036-24-R20L0	2883	3317		80	36	29.25	64	189	58
	81CC8036-24-L20R0	2883	3317		80	36	29.25	64	189	58
	81CC8036-24-R24L0	2883	3317		80	36	29.25	64	189	58
	81CC8036-24-L24R0	2883	3317		80	36	29.25	64	189	58
 Corner Credenza, no Modesty Panel, 16" Pedestal	81CC6432-20-R20L16F*	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-L20R16F	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-R20L16D	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-L20R16D	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-R24L16F	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-L24R16F	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-R24L16D	3586	4123		64	32	29.25	40	160	27
	81CC6432-20-L24R16D	3586	4123		64	32	29.25	40	160	27
	81CC6436-24-R20L16F	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-L20R16F	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-R20L16D	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-L20R16D	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-R24L16F	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-L24R16F	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-R24L16D	3639	4186		64	36	29.25	40	185	32
	81CC6436-24-L24R16D	3639	4186		64	36	29.25	40	185	32
	81CC7232-20-R20L16F	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-L20R16F	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-R20L16D	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-L20R16D	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-R24L16F	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-L24R16F	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-R24L16D	3649	4198		72	32	29.25	48	175	30
	81CC7232-20-L24R16D	3649	4198		72	32	29.25	48	175	30

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS


For details please see page 116.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry	Maple	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut	Anigre						
Corner Credenza, no Modesty Panel, 16" Pedestal	81CC7236-24-R20L16F	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-L20R16F	3731	4289	72	36	29.25	48	204	36
Continued	81CC7236-24-R20L16D	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-L20R16D	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-R24L16F	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-L24R16F	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-R24L16D	3731	4289	72	36	29.25	48	204	36
	81CC7236-24-L24R16D	3731	4289	72	36	29.25	48	204	36
	81CC8032-20-R20L16F	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-L20R16F	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-R20L16D	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-L20R16D	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-R24L16F	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-L24R16F	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-R24L16D	3919	4509	80	32	29.25	56	173	34
	81CC8032-20-L24R16D	3919	4509	80	32	29.25	56	173	34
	81CC8036-24-R20L16F	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-L20R16F	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-R20L16D	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-L20R16D	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-R24L16F	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-L24R16F	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-R24L16D	3952	4544	80	36	29.25	56	221	40
	81CC8036-24-L24R16D	3952	4544	80	36	29.25	56	221	40

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side

Corner Credenza, no Modesty Panel, 24"	81CC8032-20-R20L24FQ	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-R20L24DQ	5441	6256	80	32	29.25	48	189	34
2 Box/1 File or 2 File with V-Ped Pedestal	81CC8032-20-L20R24FQ*	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-L20R24DQ	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-R24L24FQ	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-R24L24DQ	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-L24R24FQ	5441	6256	80	32	29.25	48	189	34
	81CC8032-20-L24R24DQ	5441	6256	80	32	29.25	48	189	34
	81CC8036-24-R20L24FQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-R20L24DQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-L20R24FQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-L20R24DQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-R24L24FQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-R24L24DQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-L24R24FQ	5473	6295	80	36	29.25	48	237	40
	81CC8036-24-L24R24DQ	5473	6295	80	36	29.25	48	237	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation
Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 115
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer
- O - no pedestal
- J - TracDesk option
- W - extended pedestal option

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.


GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak		Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
 Corner Credenza, no Modesty Panel, 24" 2 Box/1 File Pedestal	81CC7232-20-R20L24F	3938	4530		72	32	29.25	40	191	30
	81CC7232-20-L20R24F*	3938	4530		72	32	29.25	40	191	30
	81CC7232-20-R24L24F	3938	4530		72	32	29.25	40	191	30
	81CC7232-20-L24R24F	3938	4530		72	32	29.25	40	191	30
	81CC7236-24-R20L24F	4029	4635		72	36	29.25	40	220	36
	81CC7236-24-L20R24F	4029	4635		72	36	29.25	40	220	36
	81CC7236-24-R24L24F	4029	4635		72	36	29.25	40	220	36
	81CC7236-24-L24R24F	4029	4635		72	36	29.25	40	220	36
	81CC8032-20-R20L24F	4039	4646		80	32	29.25	48	189	34
	81CC8032-20-L20R24F	4039	4646		80	32	29.25	48	189	34
	81CC8032-20-R24L24F	4039	4646		80	32	29.25	48	189	34
	81CC8032-20-L24R24F	4039	4646		80	32	29.25	48	189	34
	81CC8036-24-R20L24F	4072	4682		80	36	29.25	48	237	40
	81CC8036-24-L20R24F	4072	4682		80	36	29.25	48	237	40
	81CC8036-24-R24L24F	4072	4682		80	36	29.25	48	237	40
	81CC8036-24-L24R24F	4072	4682		80	36	29.25	48	237	40
 Corner Credenza, no Modesty Panel, 32" 2 Box/1 File, V-Ped Pedestal	81CC8032-20-R20L32FQ	5561	6394		80	32	29.25	40	215	34
	81CC8032-20-L20R32FQ*	5561	6394		80	32	29.25	40	215	34
	81CC8032-20-R24L32FQ	5561	6394		80	32	29.25	40	215	34
	81CC8032-20-L24R32FQ	5561	6394		80	32	29.25	40	215	34
	81CC8036-24-R20L32FQ	5593	6430		80	36	29.25	40	253	40
	81CC8036-24-L20R32FQ	5593	6430		80	36	29.25	40	253	40
	81CC8036-24-R24L32FQ	5593	6430		80	36	29.25	40	253	40
	81CC8036-24-L24R32FQ	5593	6430		80	36	29.25	40	253	40
 Corner Credenza, no Modesty Panel, 32" Lateral File Pedestal	81CC8032-20-R20L3201	5341	6142		80	32	29.25	40	210	34
	81CC8032-20-L20R3201*	5341	6142		80	32	29.25	40	210	34
	81CC8032-20-R24L3201	5341	6142		80	32	29.25	40	210	34
	81CC8032-20-L24R3201	5341	6142		80	32	29.25	40	210	34
	81CC8036-24-R20L3201	5417	6231		80	36	29.25	40	248	40
	81CC8036-24-L20R3201	5417	6231		80	36	29.25	40	248	40
	81CC8036-24-R24L3201	5417	6231		80	36	29.25	40	248	40
	81CC8036-24-L24R3201	5417	6231		80	36	29.25	40	248	40

ORDERING NOTES: Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.


VESTRADA | CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza, no Modesty Panel, 32" Bookcase Pedestal 	81CC8032-20-R20L32BC	4864	5593	80	32	29.25	40	210	34
	81CC8032-20-L20R32BC*	4864	5593	80	32	29.25	40	210	34
	81CC8032-20-R24L32BC	4864	5593	80	32	29.25	40	210	34
	81CC8032-20-L24R32BC	4864	5593	80	32	29.25	40	210	34
	81CC8036-24-R20L32BC	4864	5593	80	36	29.25	40	248	40
	81CC8036-24-L20R32BC	4864	5593	80	36	29.25	40	248	40
	81CC8036-24-R24L32BC	4864	5593	80	36	29.25	40	248	40
	81CC8036-24-L24R32BC	4864	5593	80	36	29.25	40	248	40

Corner Credenza, no Modesty Panel, 32" 2 File, V-Ped Pedestal 	81CC8032-20-R20L32DQ	5561	6394	80	32	29.25	40	215	34
	81CC8032-20-L20R32DQ*	5561	6394	80	32	29.25	40	215	34
	81CC8032-20-R24L32DQ	5561	6394	80	32	29.25	40	215	34
	81CC8032-20-L24R32DQ	5561	6394	80	32	29.25	40	215	34
	81CC8036-24-R20L32DQ	5593	6430	80	36	29.25	40	253	40
	81CC8036-24-L20R32DQ	5593	6430	80	36	29.25	40	253	40
	81CC8036-24-R24L32DQ	5593	6430	80	36	29.25	40	253	40
	81CC8036-24-L24R32DQ	5593	6430	80	36	29.25	40	253	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

Corner Credenza Shell, Fixed Modesty Panel 	81CC6432-20-R20L0X41	2959	3404	64	32	29.25	48	154	27
	81CC6432-20-L20R0X41	2959	3404	64	32	29.25	48	154	27
	81CC6432-20-R24L0X41	2959	3404	64	32	29.25	48	154	27
	81CC6432-20-L24R0X41	2959	3404	64	32	29.25	48	154	27
	81CC6436-24-R20L0X41	2991	3442	64	36	29.25	48	179	32
	81CC6436-24-L20R0X41	2991	3442	64	36	29.25	48	179	32
	81CC6436-24-R24L0X41	2991	3442	64	36	29.25	48	179	32
	81CC6436-24-L24R0X41	2991	3442	64	36	29.25	48	179	32
	81CC7232-20-R20L0X41	3007	3458	72	32	29.25	56	169	30
	81CC7232-20-L20R0X41*	3007	3458	72	32	29.25	56	169	30
	81CC7232-20-R24L0X41	3007	3458	72	32	29.25	56	169	30
	81CC7232-20-L24R0X41	3007	3458	72	32	29.25	56	169	30
	81CC7236-24-L20R0X41	3030	3483	72	36	29.25	56	198	36
	81CC7236-24-R20L0X41	3030	3483	72	36	29.25	56	198	36
	81CC7236-24-R24L0X41	3030	3483	72	36	29.25	56	198	36
	81CC7236-24-L24R0X41	3030	3483	72	36	29.25	56	198	36
	81CC8032-20-R20L0X41	3041	3496	80	32	29.25	64	167	34
	81CC8032-20-L20R0X41	3041	3496	80	32	29.25	64	167	34
	81CC8032-20-R24L0X41	3041	3496	80	32	29.25	64	167	34
	81CC8032-20-L24R0X41	3041	3496	80	32	29.25	64	167	34
	81CC8036-24-R20L0X41	3101	3567	80	36	29.25	64	215	40
	81CC8036-24-L20R0X41	3101	3567	80	36	29.25	64	215	40
	81CC8036-24-R24L0X41	3101	3567	80	36	29.25	64	215	40
	81CC8036-24-L24R0X41	3101	3567	80	36	29.25	64	215	40

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry Maple Walnut		W	D	H	KW	Shipping Weight	Cubic Feet
		Rift Oak	Anigre						
Corner Credenza, Fixed Modesty Panel, 16" Pedestal	81CC6432-20-R20L16FX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-R20L16DX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-L20R16FX41*	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-L20R16DX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-R24L16FX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-R24L16DX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-L24R16FX41	3856	4436	64	32	29.25	40	186	27
	81CC6432-20-L24R16DX41	3856	4436	64	32	29.25	40	186	27
	81CC6436-24-R20L16FX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-20-R20L16DX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-L20R16FX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-L20R16DX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-R24L16FX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-R24L16DX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-L24R16FX41	3912	4499	64	36	29.25	40	201	32
	81CC6436-24-L24R16DX41	3912	4499	64	36	29.25	40	201	32
	81CC7232-20-R20L16FX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-R20L16DX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-L20R16FX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-L20R16DX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-R24L16FX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-L24R16FX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-R24L16DX41	3923	4511	72	32	29.25	48	191	30
	81CC7232-20-L24R16DX41	3923	4511	72	32	29.25	48	191	30
	81CC7236-24-R24L16FX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-R20L16FX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-R20L16DX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-L20R16DX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-L20R16FX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-L24R16FX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-R24L16DX41	4011	4614	72	36	29.25	48	220	36
	81CC7236-24-L24R16DX41	4011	4614	72	36	29.25	48	220	36
	81CC8032-20-R20L16FX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-R20L16DX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-L20R16FX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-L20R16DX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-R24L16FX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-R24L16DX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-L24R16FX41	4214	4847	80	32	29.25	56	189	34
	81CC8032-20-L24R16DX41	4214	4847	80	32	29.25	56	189	34
	81CC8036-24-R20L16FX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-R20L16DX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-L20R16FX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-L20R16DX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-R24L16FX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-L24R16FX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-R24L16DX41	4250	4885	80	36	29.25	56	237	40
	81CC8036-24-L24R16DX41	4250	4885	80	36	29.25	56	237	40

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.




GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza, Fixed Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal 	81CC8032-20-R20L24FQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-R24L24FQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-R20L24DQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-R24L24DQX41*	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-L20R24FQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-L24R24FQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-L20R24DQX41	5736	6596	80	32	29.25	48	205	34
	81CC8032-20-L24R24DQX41	5736	6596	80	32	29.25	48	205	34
	81CC8036-24-R20L24FQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-R24L24FQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-R20L24DQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-R24L24DQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-L20R24FQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-L24R24FQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-L20R24DQX41	5770	6638	80	36	29.25	48	253	40
	81CC8036-24-L24R24DQX41	5770	6638	80	36	29.25	48	253	40
Corner Credenza, Fixed Modesty Panel, 24" 2 Box/ 1 File 	81CC7232-20-R20L24FX41	4235	4870	72	32	29.25	40	207	30
	81CC7232-20-R24L24FX41	4235	4870	72	32	29.25	40	207	30
	81CC7232-20-L20R24FX41*	4235	4870	72	32	29.25	40	207	30
	81CC7232-20-L24R24FX41	4235	4870	72	32	29.25	40	207	30
	81CC7236-24-R20L24FX41	4333	4982	72	36	29.25	40	236	36
	81CC7236-24-R24L24FX41	4333	4982	72	36	29.25	40	236	36
	81CC7236-24-L20R24FX41	4333	4982	72	36	29.25	40	236	36
	81CC7236-24-L24R24FX41	4333	4982	72	36	29.25	40	236	36
	81CC8032-20-R20L24FX41	4342	4993	80	32	29.25	48	205	34
	81CC8032-20-R24L24FX41	4342	4993	80	32	29.25	48	205	34
	81CC8032-20-L20R24FX41	4342	4993	80	32	29.25	48	205	34
	81CC8032-20-L24R24FX41	4342	4993	80	32	29.25	48	205	34
	81CC8036-24-R20L24FX41	4378	5034	80	36	29.25	48	253	40
	81CC8036-24-R24L24FX41	4378	5034	80	36	29.25	48	253	40
	81CC8036-24-L20R24FX41	4378	5034	80	36	29.25	48	253	40
	81CC8036-24-L24R24FX41	4378	5034	80	36	29.25	48	253	40
Corner Credenza, Fixed Modesty Panel, 32" 2 Box/ 1 File or 2 File with V-Ped Pedestal 	81CC8032-20-R20L32FQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-R20L32DQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-R24L32FQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-R24L32DQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-L20R32FQX41*	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-L24R32FQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-L20R32DQX41	5863	6743	80	32	29.25	40	231	34
	81CC8032-20-L24R32DQX41	5863	6743	80	32	29.25	40	231	34
	81CC8036-24-R20L32FQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-R24L32FQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-R20L32DQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-R24L32DQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-L20R32FQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-L24R32FQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-L20R32DQX41	5899	6783	80	36	29.25	40	269	40
	81CC8036-24-L24R32DQX41	5899	6783	80	36	29.25	40	269	40

ORDERING NOTES: Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal
- Q - V-Ped
- X41 - full height modesty panel

STANDARD FINISHES




For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza, Fixed Modesty Panel, 32" Lateral File Pedestal 	81CC8032-20-R20L3201X41*	5743	6606	80	32	29.25	40	231	34
	81CC8032-20-R24L3201X41	5743	6606	80	32	29.25	40	231	34
	81CC8032-20-L20R3201X41	5743	6606	80	32	29.25	40	231	34
	81CC8032-20-L24R3201X41	5743	6606	80	32	29.25	40	231	34
	81CC8036-24-R20L3201X41	5828	6699	80	36	29.25	40	269	40
	81CC8036-24-R24L3201X41	5828	6699	80	36	29.25	40	269	40
	81CC8036-24-L20R3201X41	5828	6699	80	36	29.25	40	269	40
	81CC8036-24-L24R3201X41	5828	6699	80	36	29.25	40	269	40
Corner Credenza, Fixed Modesty Panel, 32" Bookcase Pedestal 	81CC8032-20-R20L32BCX41	5230	6015	80	32	29.25	40	226	34
	81CC8032-20-R24L32BCX41	5230	6015	80	32	29.25	40	226	34
	81CC8032-20-L20R32BCX41*	5230	6015	80	32	29.25	40	226	34
	81CC8032-20-L24R32BCX41	5230	6015	80	32	29.25	40	226	34
	81CC8036-24-R20L32BCX41	5307	6104	80	36	29.25	40	259	40
	81CC8036-24-R24L32BCX41	5307	6104	80	36	29.25	40	259	40
	81CC8036-24-L20R32BCX41	5307	6104	80	36	29.25	40	259	40
	81CC8036-24-L24R32BCX41	5307	6104	80	36	29.25	40	259	40
Corner Credenza Shell, Hinged Modesty Panel 	81CCY6432-20-R20L0X41	3253	3740	64	32	29.25	48	154	27
	81CCY6432-20-L20R0X41	3253	3740	64	32	29.25	48	154	27
	81CCY6432-20-R24L0X41	3253	3740	64	32	29.25	48	154	27
	81CCY6432-20-L24R0X41	3253	3740	64	32	29.25	48	154	27
	81CCY6436-24-R20L0X41	3293	3789	64	36	29.25	48	179	32
	81CCY6436-24-L20R0X41	3293	3789	64	36	29.25	48	179	32
	81CCY6436-24-R24L0X41	3293	3789	64	36	29.25	48	179	32
	81CCY6436-24-L24R0X41	3293	3789	64	36	29.25	48	179	32
	81CCY7232-20-R20L0X41	3307	3803	72	32	29.25	56	169	30
	81CCY7232-20-L20R0X41*	3307	3803	72	32	29.25	56	169	30
	81CCY7232-20-R24L0X41	3307	3803	72	32	29.25	56	169	30
	81CCY7232-20-L24R0X41	3307	3803	72	32	29.25	56	169	30
	81CCY7236-24-R20L0X41	3332	3833	72	36	29.25	56	198	36
	81CCY7236-24-L20R0X41	3332	3833	72	36	29.25	56	198	36
	81CCY7236-24-R24L0X41	3332	3833	72	36	29.25	56	198	36
	81CCY7236-24-L24R0X41	3332	3833	72	36	29.25	56	198	36
	81CCY8032-20-R20L0X41	3345	3845	80	32	29.25	64	167	34
	81CCY8032-20-L20R0X41	3345	3845	80	32	29.25	64	167	34
	81CCY8032-20-R24L0X41	3345	3845	80	32	29.25	64	167	34
	81CCY8032-20-L24R0X41	3345	3845	80	32	29.25	64	167	34
	81CCY8036-24-R20L0X41	3409	3920	80	36	29.25	64	215	40
	81CCY8036-24-R24L0X41	3409	3920	80	36	29.25	64	215	40
	81CCY8036-24-L20R0X41	3409	3920	80	36	29.25	64	215	40
	81CCY8036-24-L24R0X41	3409	3920	80	36	29.25	64	215	40

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | CORNER CREDENZAS

Description	Model	Wood Species				W	D	H	KW	Shipping Weight	Cubic Feet
		Cherry	Maple	Walnut	Rift Oak						
Corner Credenza, Hinged Modesty Panel, 16" Pedestal	81CCY6432-20-R20L16FX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-R20L16DX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-L20R16FX41*	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-L20R16DX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-R24L16FX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-R24L16DX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-L24R16FX41	4243	4880			64	32	29.25	40	186	27
	81CCY6432-20-L24R16DX41	4243	4880			64	32	29.25	40	186	27
	81CCY6436-24-R20L16FX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-R20L16DX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-L20R16FX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-L20R16DX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-R24L16FX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-R24L16DX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-L24R16FX41	4305	4951			64	36	29.25	40	201	32
	81CCY6436-24-L24R16DX41	4305	4951			64	36	29.25	40	201	32
	81CCY7232-20-R20L16FX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-R24L16FX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-L20R16FX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-L24R16FX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-R20L16DX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-R24L16DX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-L20R16DX41	4313	4960			72	32	29.25	48	191	30
	81CCY7232-20-L24R16DX41	4313	4960			72	32	29.25	48	191	30
	81CCY7236-24-R20L16FX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-R24L16FX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-L20R16FX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-L24R16FX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-R20L16DX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-R24L16DX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-L20R16DX41	4414	5076			72	36	29.25	48	220	36
	81CCY7236-24-L24R16DX41	4414	5076			72	36	29.25	48	220	36
	81CCY8032-20-R20L16FX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-R24L16FX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-L20R16FX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-L24R16FX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-R20L16DX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-R24L16DX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-L20R16DX41	4637	5332			80	32	29.25	56	189	34
	81CCY8032-20-L24R16DX41	4637	5332			80	32	29.25	56	189	34
	81CCY8036-24-R20L16FX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-R24L16FX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-L20R16FX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-L24R16FX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-R20L16DX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-R24L16DX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-L20R16DX41	4675	5376			80	36	29.25	56	237	40
	81CCY8036-24-L24R16DX41	4675	5376			80	36	29.25	56	237	40



ORDERING NOTES: Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 115
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.





GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak		Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza, Hinged Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal  	81CCY8032-20-R20L24FQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-L20R24FQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-R20L24DQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-L20R24DQX41*	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-R24L24FQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-R24L24DQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-L24R24FQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8032-20-L24R24DQX41	6308	7257	80	32	29.25	48		205	34
	81CCY8036-24-R20L24FQX41	6349	7302	80	36	29.25	48		237	40
	81CCY8036-24-R20L24DQX41	6349	7302	80	36	29.25	48		205	34
	81CCY8036-24-L20R24FQX41	6349	7302	80	36	29.25	48		205	34
	81CCY8036-24-L20R24DQX41	6349	7302	80	36	29.25	48		205	34
	81CCY8036-24-R24L24FQX41	6349	7302	80	36	29.25	48		237	40
	81CCY8036-24-R24L24DQX41	6349	7302	80	36	29.25	48		205	34
	81CCY8036-24-L24R24FQX41	6349	7302	80	36	29.25	48		205	34
	81CCY8036-24-L24R24DQX41	6349	7302	80	36	29.25	48		205	34
Corner Credenza, Hinged Modesty Panel, 24" 2 Box/ 1 File Pedestal 	81CCY7232-20-R20L24FX41	4659	5356	72	32	29.25	40		207	30
	81CCY7232-20-R24L24FX41	4659	5356	72	32	29.25	40		207	30
	81CCY7232-20-L20R24FX41*	4659	5356	72	32	29.25	40		207	30
	81CCY7232-20-L24R24FX41	4659	5356	72	32	29.25	40		207	30
	81CCY7236-24-R20L24FX41	4767	5481	72	36	29.25	40		236	36
	81CCY7236-24-R24L24FX41	4767	5481	72	36	29.25	40		236	36
	81CCY7236-24-L20R24FX41	4767	5481	72	36	29.25	40		236	36
	81CCY7236-24-L24R24FX41	4767	5481	72	36	29.25	40		236	36
	81CCY8032-20-R20L24FX41	4774	5492	80	32	29.25	48		205	34
	81CCY8032-20-R24L24FX41	4774	5492	80	32	29.25	48		205	34
	81CCY8032-20-L20R24FX41	4774	5492	80	32	29.25	48		205	34
	81CCY8032-20-L24R24FX41	4774	5492	80	32	29.25	48		205	34
	81CCY8036-24-R20L24FX41	4816	5539	80	36	29.25	48		253	40
	81CCY8036-24-R24L24FX41	4816	5539	80	36	29.25	48		253	40
	81CCY8036-24-L20R24FX41	4816	5539	80	36	29.25	48		253	40
	81CCY8036-24-L24R24FX41	4816	5539	80	36	29.25	48		253	40
Corner Credenza, Hinged Modesty Panel, 32" 2 Box/ 1 File with V-Ped 	81CCY8032-20-R20L32FQX41	6447	7414	80	32	29.25	40		231	34
	81CCY8032-20-R24L32FQX41	6447	7414	80	32	29.25	40		231	34
	81CCY8032-20-L20R32FQX41*	6447	7414	80	32	29.25	40		231	34
	81CCY8032-20-L24R32FQX41	6447	7414	80	32	29.25	40		231	34
	81CCY8036-24-R20L32FQX41	6487	7461	80	36	29.25	40		269	40
	81CCY8036-24-R24L32FQX41	6487	7461	80	36	29.25	40		269	40
	81CCY8036-24-L20R32FQX41	6487	7461	80	36	29.25	40		269	40
	81CCY8036-24-L24R32FQX41	6487	7461	80	36	29.25	40		269	40

ORDERING NOTES: Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS


For details please see page 116.

VESTRADA | CORNER CREDENZAS

Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza, Hinged Modesty Panel, 32" Lateral File Pedestal	81CCY8032-20-R20L3201X41	6317	7265	80	32	29.25	40	231	34
	81CCY8032-20-R24L3201X41	6317	7265	80	32	29.25	40	231	34
	81CCY8032-20-L20R3201X41*	6317	7265	80	32	29.25	40	231	34
	81CCY8032-20-L24R3201X41	6317	7265	80	32	29.25	40	231	34
	81CCY8036-24-R20L3201X41	6408	7367	80	36	29.25	40	269	40
	81CCY8036-24-R24L3201X41	6408	7367	80	36	29.25	40	269	40
	81CCY8036-24-L20R3201X41	6408	7367	80	36	29.25	40	269	40
	81CCY8036-24-L24R3201X41	6408	7367	80	36	29.25	40	269	40



Corner Credenza, Hinged Modesty Panel, 32" Bookcase Pedestal	81CCY8032-20-R20L32BCX41	5751	6615	80	32	29.25	40	226	34
	81CCY8032-20-R24L32BCX41	5751	6615	80	32	29.25	40	226	34
	81CCY8032-20-L20R32BCX41*	5751	6615	80	32	29.25	40	226	34
	81CCY8032-20-L24R32BCX41	5751	6615	80	32	29.25	40	226	34
	81CCY8036-24-L20R32BCX41	5839	6714	80	36	29.25	40	259	40
	81CCY8036-24-R20L32BCX41	5839	6714	80	36	29.25	40	259	40
	81CCY8036-24-R24L32BCX41	5839	6714	80	36	29.25	40	259	40
	81CCY8036-24-L24R32BCX41	5839	6714	80	36	29.25	40	259	40



ORDERING NOTES: Wire management cut-outs are standard on all corner credenza modesty panels. The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 115
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.


ORDERING VESTRADA MODULAR COMPONENTS

STEP 1

TOPS

Determine the size and shape of worksurface you require and find the corresponding model number (see page 188).

Example: A 72" x 36" rectangular desk top is listed as 81TPD-7236.



Installation Note

Case tops feature factory installed inserts while pedestals have blind holes which can be drilled out, and the top bolted in place as per the installation instructions. This provides 16" of pedestal under the top unless the pedestal features a V-Ped, in which case 24" of pedestal lies beneath the top. For situations where tops are not bolted into place, anti-skid tape is provided to be applied to the under side of the V-Beam. In this scenario a minimum of 12" of pedestal must support the top on both sides.

NOTE:

If you plan to order pedestals that extend out from the top, please take into consideration the overall floor space you have to work with when ordering your top size.

STEP 2



PEDESTALS

Determine the pedestal type, width and depth required, and find the corresponding model number (see pages 201-208). The pedestal(s) selected should be the same depth as the top that is ordered. If ordering a face mounted glass modesty panel, the pedestal(s) selected should be 6" less in depth than the top depth.

Pedestals may be positioned entirely under the worksurface or can extend out left or right from beneath the worksurface. A minimum of 16" of pedestal width must be located directly under the worksurface if the top is to be bolted in place. If the need to fill floor space exists, a minimum of 12" of pedestal must support the worksurface. However, in this situation, the top cannot be bolted into place, but rather placed on top of the pedestals with anti-skid tape to hold the top in place. These rules must be taken into consideration when determining what top, pedestal(s) and modesty panels to order.

Example: An 88" top with a 24" left pedestal and a 32" right pedestal can be extended to give an overall unit width of 112".

NOTE: An 18" deep pedestal is required if positioning a pedestal in front of a modesty panel due to the inset of the V-Beam. Only the pedestals listed in 18" depths are available.



VESTRADA | MODULAR GUIDELINES

STEP 3

MODESTY PANELS

Modesty panels are available in a variety of sizes and materials. Please refer to the following chart to find applicable modesty panel for specific tops


Top Type	Modesty Type Available	Top Size
Rectangular Top Desk	3/4 & Full Height Wood	64" - 96"
	Face mounted Wood/Glass	72" - 88"
Elliptical Top Desk	Face mounted Glass	72" - 88"
Credenza	Full Height Wood*	64" - 96"
	Hinged Wood**	64" - 96"
Return	Full Height Wood***	36" - 88"
	Hinged Wood**	36" - 88"

* Wire management cut-out option available at **\$181 list**
** Features wire management cut-out as standard
*** Wire management cut-out option available on wood modesty panel at **\$181 list**


Recessed Modesty Panels

Determine the modesty panel style and size, and find the corresponding model number (see pages 209-210). Modesty panel sizes are determined by subtracting the widths of the pedestals or supports that are located directly underneath the work-surface from your top width.

Example: A 72" top with a 24" pedestal on the right and an 8" support on the left would require a 40" wide modesty panel (72 minus 24 minus 8 = 40).




If specifying extended pedestals, at least 16" of each extended pedestal must be located underneath the worksurface if the top is to be bolted in place. Likewise, 12" of pedestal must support the top if only using the anti-skid tape method of installing. To determine the size of modesty panel required when using extended pedestals, subtract only the amount of each pedestal that is located directly underneath the worksurface from the overall worksurface width to determine the modesty panel width required.



Face Mounted Modesty Panels

Face mounted glass or wood modesty panel widths are determined by subtracting 16" of width from the top size you are ordering. The reasoning behind this formula is simple. Face mounted modesty panels must attach to 8" of pedestal left and right. For this to work, the pedestals must be 16" wide minimum and must always be 6" shallower than the top depth. Please note that 8" modular support pedestals will not support a face mounted modesty panel. Example: If ordering an 80" top, the face mounted glass modesty panel required is 64" wide, regardless of pedestal widths (starting with 16" pedestals).




Modesty panels are available in a limited number of widths. This must be taken into consideration when planning out exactly how pedestals are to be situated. For example, you cannot have 51" of space between the pedestals because there is not a 67" modesty panel available. If a 51" kneespace is required, simply do not order a modesty panel. All available modesty panel widths are listed in the modular components section on pages 209-210.

If planning on extending or retracting your pedestal(s) into different positions in the future, a modesty panel should not be specified, as this will limit future space planning.

VESTRADA modular components are shipped with very durable anti-skid tape. The tape is designed to facilitate the need to move pedestals inward and outward as required, but prevents the top from moving when placed over the pedestals. Remember, a minimum of 12" of pedestal must be below the top for VESTRADA casegoods to be structurally supportive with the anti-skid tape method of installing, and 16" of pedestal below the worksurface to bolt the top in place.


VESTRADA | MODULAR TOPS


Description	Model	Cherry Maple Walnut Rift Oak	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
 Desk Top, Rectangular	81TPD6430	1189	1368	64	30	3.13		82	4
	81TPD7236	1303	1497	72	36	3.13		118	6
	81TPD8036*	1387	1594	80	36	3.13		132	7
	81TPD8836	1432	1649	88	36	3.13		132	7
	81TPD9636	1497	1722	96	36	3.13		153	8


ORDERING NOTES: Model numbers above represent tops to be used in conjunction with recessed modesty panels. Tops ship with V-Beam attached. For tops to be used in conjunction with face mounted modesty panels, add 'Z' to model number prefix, e.g., 81TPDZ

 Desk Top, Elliptical	81TPDEZ7236	2176	2503	72	36	3.13		78	6
	81TPDEZ8036*	2307	2652	80	36	3.13		108	7

ORDERING NOTES: Elliptical tops are only used in conjunction with face mounted glass modesty panels. Tops ship with V-Beam attached. Pedestals for elliptical tops require a designation of PEZ. This item is not available on KrugExpress.

 Credenza Top	81TPC6420	1163	1337	64	20	3.13		53	4
	81TPC6424	1199	1379	64	24	3.13		61	3
	81TPC7220	1206	1385	72	20	3.13		63	4
	81TPC7224	1238	1425	72	24	3.13		65	4
	81TPC8020	1250	1440	80	20	3.13		71	5
	81TPC8024	1270	1457	80	24	3.13		73	4
	81TPC8820	1284	1476	88	20	3.13		82	5
	81TPC8824*	1305	1500	88	24	3.13		84	4
	81TPC9620	1318	1516	96	20	3.13		87	5
	81TPC9624	1329	1528	96	24	3.13		89	5

 Credenza Top for TracDesks	81TPC8020J	1740	2003	80	20	3.13		71	5
	81TPC8024J	1801	2071	80	24	3.13		73	4
	81TPC8820J	1799	2068	88	20	3.13		82	5
	81TPC8824J*	1846	2122	88	24	3.13		84	5
	81TPC9620J	1820	2093	96	20	3.13		87	5
	81TPC9624J	1878	2157	96	24	3.13		89	5

 Credenza Top for TracDesks	81TPR3620L	858	987	36	20	3.13		34	15
	81TPR3620R	858	987	36	20	3.13		34	15
	81TPR3624L	867	996	36	24	3.13		48	17
	81TPR3624R	867	996	36	24	3.13		48	17
	81TPR4020L	891	1027	40	20	3.13		40	19
	81TPR4020R	891	1027	40	20	3.13		40	19
	81TPR4020L	917	1055	40	24	3.13		62	21
	81TPR4024R	917	1055	40	24	3.13		62	21
	81TPR4820L	940	1081	48	20	3.13		58	29
	81TPR4820R	940	1081	48	20	3.13		58	29
	81TPR4824L	959	1104	48	24	3.13		77	36
	81TPR4824R	959	1104	48	24	3.13		77	36

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 115
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114.


GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 204 for glass privacy screen options.

Description	Model	Cherry	Maple	W	D	H	Shipping Weight	Cubic Feet
		Walnut	Anigre					
Return Top continued	81TPR5620L	964	1110	56	20	3.13	70	39
	81TPR5620R	964	1110	56	20	3.13	70	39
	81TPR5624L*	979	1124	56	24	3.13	91	41
	81TPR5624R	979	1124	56	24	3.13	91	41
	81TPR6020L	1024	1179	60	20	3.13	80	45
	81TPR6020R	1024	1179	60	20	3.13	80	45
	81TPR6024L	1055	1213	60	24	3.13	93	52
	81TPR6024R	1055	1213	60	24	3.13	93	52
	81TPR6420L	1163	1337	64	20	3.13	82	53
	81TPR6420R	1163	1337	64	20	3.13	82	53
	81TPR6424L	1199	1379	64	34	3.13	107	61
	81TPR6424R	1199	1379	64	24	3.13	107	61
	81TPR6430L	1247	1434	64	30	3.13	118	58
	81TPR6430R	1247	1434	64	30	3.13	118	58
	81TPR6436L	1305	1500	64	36	3.13	130	60
	81TPR6436R	1305	1500	64	36	3.13	130	60
	81TPR7220L	1206	1385	72	20	3.13	107	63
	81TPR7220R	1206	1385	72	20	3.13	107	63
	81TPR7224L	1238	1425	72	24	3.13	118	65
	81TPR7224R	1238	1425	72	24	3.13	118	65
	81TPR7230L	1307	1501	72	30	3.13	130	68
	81TPR7230R	1307	1501	72	30	3.13	130	68
	81TPR7236L	1367	1571	72	36	3.13	142	70
	81TPR7236R	1367	1571	72	36	3.13	142	70
	81TPR8020L	1250	1440	80	20	3.13	118	74
	81TPR8020R	1250	1440	80	20	3.13	118	74
	81TPR8024L	1270	1457	80	24	3.13	130	76
	81TPR8024R	1270	1457	80	24	3.13	130	76
	81TPR8030L	1371	1575	80	30	3.13	142	79
	81TPR8030R	1371	1575	80	30	3.13	142	79
	81TPR8036L	1451	1669	80	36	3.13	159	81
	81TPR8036R	1451	1669	80	36	3.13	159	81
	81TPR8820L	1284	1476	88	20	3.13	130	84
	81TPR8820R	1284	1476	88	20	3.13	130	84
	81TPR8824L	1305	1500	88	24	3.13	142	86
	81TPR8824R	1305	1500	88	24	3.13	142	86
	81TPR8830L	1416	1627	88	30	3.13	159	89
	81TPR8830R	1416	1627	88	30	3.13	159	89
	81TPR8836L	1503	1728	88	36	3.13	174	91
	81TPR8836R	1503	1728	88	36	3.13	174	91
Half Gable	81HG2909	347	398	1.25	27	27	11	1
	81HG2912	411	473	1.25	27	27	18	1



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS


For details please see page 116.

VESTRADA | MODULAR PEDESTALS

Description	Model	Cherry Rift Oak Walnut			W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette					
8" Modular Pedestal for Hinged or no Modesty Panel	81P0820	1535	1765	1381	8	20	26	16	4
	81P0824*	1594	1835	1436	8	24	26	20	5
	81P0830	1657	1907	1492	8	30	26	24	6
	81P0836	1723	1982	1551	8	36	26	28	7




16" Modular Pedestal, File/File	81P16D18	2515	2890	2261	16	18	26	104	6
	81P16D20	2239	2573	2014	16	20	26	108	7
	81P16D24	2325	2674	2093	16	24	26	112	8
	81P16D30*	2427	2793	2186	16	30	26	116	10
	81P16D36	2523	2905	2272	16	36	26	120	10



ORDERING NOTES: **For use when adding to 24" cases where modesty panels exist.
For elliptical top please specify 'EZ' after P in the model number.

16" Modular Desk Pedestal, File/File	81PD16D30L	2427	2793	2186	16	30	26	116	10
	81PD16D30R	2427	2793	2186	16	30	26	116	10
	81PD16D36L	2523	2905	2272	16	36	26	120	10
	81PD16D36R	2523	2905	2272	16	36	26	120	10




ORDERING NOTES: Please specify 'Z' after PD in the model number for use with a face mounted modesty panel.

16" Modular Pedestal, Box/Box/File	81P16F18	2515	2890	2261	16	18	26	108	6
	81P16F20	2417	2777	2173	16	20	26	110	7
	81P16F24	2515	2890	2261	16	24	26	114	8
	81P16F30*	2614	3005	2352	16	30	26	118	10
	81P16F36	2719	3127	2447	16	36	26	122	12



ORDERING NOTES: **For use when adding to 24" cases where modesty panels exist.
For elliptical top please specify 'EZ' after P in the model number.

16" Modular Desk Pedestal, Box/Box/File	81PD16F30L	2614	3005	2352	16	30	26	118	10
	81PD16F30R	2614	3005	2352	16	30	26	118	10
	81PD16F36L	2719	3127	2447	16	36	26	122	12
	81PD16F36R	2719	3127	2447	16	36	26	122	12



ORDERING NOTES: Please specify 'Z' after PD in the model number for use with a face mounted modesty panel.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.


LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 116.

V-PED


Please see page 117 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

Description	Model	Cherry Rift Oak Walnut			W	D	H	KW	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette						
	81P16BC18L	1989	2288	1791	16	18	26	95	7	
	81P16BC18R	1989	2288	1791	16	18	26	95	7	
	81P16BC20L	1915	2203	1723	16	20	26	99	8	
	81P16BC20R	1915	2203	1723	16	20	26	99	8	
	81P16BC24L*	2009	2310	1807	16	24	26	93	6	
	81P16BC24R	2009	2310	1807	16	24	26	93	6	

ORDERING NOTES: **For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

CPU with Side Storage	81P24CPUQL24*	2742	3152	2468	24	24	26	75	14	
	81P24CPUQR24	2742	3152	2468	24	24	26	75	14	




ORDERING NOTES: This pedestal cannot be used with a case that has a modesty panel. The interior of the CPU is 22-1/4" deep, 14.3" wide and 21-3/4" high. The V-Ped is to be placed towards the kneespace for appropriate access. This item is NOT available on KrugExpress. Please note that the vented side is to be facing the knee space.

	81P24F18	2591	2979	2334	24	18	26	108	10	
	81P24F20*	2489	2861	2240	24	20	26	112	12	
	81P24F24	2590	2978	2332	24	24	26	116	14	
	81P24F30	2690	3093	2421	24	30	26	120	17	
	81P24F36	2771	3185	2494	24	36	26	124	12	

ORDERING NOTES: **For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

	81PD24F30L	2689	3093	2421	24	30	26	120	17	
	81PD24F30R	2689	3093	2421	24	30	26	120	17	
	81PD24F36L	2771	3185	2494	24	36	26	124	12	
	81PD24F36R	2771	3185	2494	24	36	26	124	12	

ORDERING NOTES: Please specify 'Z' after PD in the model number for use with a face mounted modesty panel.

	81P24D18	2591	2979	2334	24	18	26	108	10	
	81P24D20	2489	2861	2240	24	20	26	112	12	
	81P24D24*	2590	2978	2332	24	24	26	116	14	
	81P24D30	2690	3093	2421	24	30	26	120	17	
	81P24D36	2771	3185	2494	24	36	26	124	12	

ORDERING NOTES: **For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.


VESTRADA | MODULAR PEDESTALS

Description	Model	Cherry Rift Oak Walnut			W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette					
24" Modular Desk Pedestal, File/File	81PD24D30L	2690	3093	2421	24	30	26	120	17
	81PD24D30R	2690	3093	2421	24	30	26	120	17
	81PD24D36L	2771	3185	2494	24	36	26	124	12
	81PD24D36R	2771	3185	2494	24	36	26	124	12




ORDERING NOTES: Please specify 'Z' after PD in the model number for use with a face mounted modesty panel.

24" Modular Pedestal, Box/Box/File with V-Ped	81P24FQL24*	4330	4978	3896	24	24	26	112	12
	81P24FQR24	4330	4978	3896	24	24	26	112	12




ORDERING NOTES: V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

24" Modular Pedestal, File/File with V-Ped	81P24DQL24*	4140	4763	3726	24	24	26	112	13
	81P24DQR24	4140	4763	3726	24	24	26	112	13




ORDERING NOTES: V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

32" Modular Pedestal, Lateral File	81P320120	3080	3542	2772	32	20	26	114	15
	81P320124	3205	3682	2883	32	24	26	118	18
	81P320130*	3331	3832	3000	32	30	26	122	22
	81P320136	3464	3983	3117	32	36	26	126	13



ORDERING NOTES: For elliptical top please specify 'EZ' after P in the model number.

32" Modular Pedestal, Box/Box/File, Lateral File	81P320420*	3648	4195	3282	32	20	26	114	13
	81P320424	3791	4359	3413	32	24	26	118	15



ORDERING NOTES: For elliptical top please specify 'EZ' after P in the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 116.

V-PED

Please see page 117 for details on V-Ped.


VESTRADA | MODULAR PEDESTALS

Description	Model	Cherry Rift Oak Walnut			W	D	H	KW	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette						
32" Modular Pedestal, Box/Box/File, Lateral File	81P320220*	3648	4195	3282	32	20	26		114	13
	81P320224	3791	4359	3413	32	24	26		118	15




ORDERING NOTES: For elliptical top please specify 'EZ' after P in the model number.

32" Modular Pedestal, 4 Box/Lateral File	81P320518	4323	4972	3891	32	18	26		110	11
	81P320520	3719	4277	3348	32	20	26		114	13
	81P320524	3871	4451	3484	32	24	26		118	15
	81P320530*	4025	4629	3623	32	30	26		122	18
	81P320536	4186	4813	3767	32	36	26		126	22



ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

32" Modular Pedestal, Bookcase	81P32BC18	2974	3418	2675	32	18	26		110	11
	81P32BC20*	2574	2960	2318	32	20	26		114	13
	81P32BC24	2683	3084	2415	32	24	26		118	15




ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

32" Modular Pedestal, V-Ped with Box/Box/File	81P32FQL24*	4303	4949	3873	32	24	26		114	15
	81P32FQR24	4303	4949	3873	32	24	26		114	15




ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

36" Modular Pedestal, Lateral File	81P360120	3252	3739	2925	36	20	26		116	14
	81P360124*	3381	3887	3043	36	24	26		120	17
	81P360130	3518	4048	3166	36	30	26		124	21
	81P360136	3657	4207	3292	36	36	26		128	24



ORDERING NOTES: For elliptical top please specify 'EZ' after P in the model number.

36" Modular Pedestal, Box/Box/File, Lateral File	81P360418	4493	5165	4041	36	18	26		112	11
	81P360420*	3756	4319	3381	36	20	26		116	14
	81P360424	3906	4493	3516	36	24	26		120	17



ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 116.

V-PED


Please see page 117 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

Description	Model	Cherry Rift			W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Maple	Anigre					
36" Modular Pedestal, File/Box/Box, Lateral File	81P360218	4493	5165	4041	36	18	26	112	11
	81P360220*	3756	4319	3381	36	20	26	116	14
	81P360224	3906	4493	3516	36	24	26	120	17




36" Modular Pedestal, 4 Box/Lateral File	81P360520	3832	4406	3447	36	20	26	116	14
	81P360524	3984	4583	3587	36	24	26	120	17
	81P360530*	4141	4765	3729	36	30	26	124	21
	81P360536	4311	4959	3882	36	36	26	128	24




ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

36" Modular Pedestal, Bookcase	81P36BC18	3036	3491	2734	36	18	26	112	11
	81P36BC20	2746	3159	2472	36	20	26	116	14
	81P36BC24*	2856	3283	2571	36	24	26	120	17




ORDERING NOTES: For elliptical top please specify 'EZ' after P in the model number.

40" Modular Pedestal, V-Ped, Lateral File	81P4001QL24*	4893	5625	4402	40	24	26	118	18
	81P4001QR24	4893	5625	4402	40	24	26	118	18




ORDERING NOTES: **For use when adding to 24" deep cases where modesty panels exist.

40" Modular Pedestal, VPed, 2 Box/ 1 File, Lateral File	81P4004QR24	5570	6405	5010	40	24	26	118	18
---	-------------	------	------	------	----	----	----	-----	----



ORDERING NOTES: V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

40" Modular Pedestal, V-Ped, 1 File/2 Box, Lateral File	81P4002QL24	5570	6405	5010	40	24	26	118	18
---	-------------	------	------	------	----	----	----	-----	----



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawer
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 116.

V-PED

Please see page 117 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS


Description	Model	Cherry Rift Oak Walnut			W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette					
40" Modular Pedestal, V-Ped, 4 Box/Lateral File	81P4005QL24	5643	6490	5079	40	24	26	118	18
	81P4005QR24*	5643	6490	5079	40	24	26	118	18



ORDERING NOTES:

V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.


40" Modular Pedestal, Bookcase, V-Ped	81P40BCQL24*	4393	5051	3953	40	24	26	118	18
	81P40BCQR24	4393	5051	3953	40	24	26	118	18




ORDERING NOTES:

V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

16" Support Pedestal	81PDZ16024L	1961	2254	1765	16	24	26	-	-
	81PDZ16024R*	1961	2254	1765	16	24	26	-	-
	81PDZ16030L	2027	2332	1825	16	30	26	-	-
	81PDZ16030R	2027	2332	1825	16	30	26	-	-
	81PD16030L	1961	2254	1765	16	30	26	-	-
	81PD16030R	1961	2254	1765	16	30	26	-	-
	81PD16036L	2027	2332	1825	16	36	26	-	-
	81PD16036R	2027	2332	1825	16	36	26	-	-




Mobile Pedestal, no Cushion	81MPS16F	2036	2342	1834	16	30	26	-	-
--------------------------------	----------	------	------	------	----	----	----	---	---



ORDERING NOTES:

This item is NOT available on KrugExpress.

Mobile Pedestal, Cushion	81MPSU16F	2430	2794	2187	16	30	26	-	-
-----------------------------	-----------	------	------	------	----	----	----	---	---



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | MODESTY PANELS

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
3/4 Height Recessed Wood Modesty Panel for Desks 	81MPD32X31*	842	967	32	0.75	21.5	35	3
	81MPD40X31	890	1023	40	0.75	21.5	42	3
	81MPD48X31	923	1061	48	0.75	21.5	50	3
	81MPD56X31	957	1100	56	0.75	21.5	60	3
	81MPD64X31	1004	1153	64	0.75	21.5	70	3
	81MPD72X31	1116	1284	72	0.75	21.5	80	3
	81MPD80X31	1211	1391	80	0.75	21.5	85	3

ORDERING NOTES: For wire management cut-out option on modesty panel, note clearly on purchase order and add \$181 list.

Full Height Recessed Wood Modesty Panel for Desks 	81MPD32X41	842	967	32	0.75	28.5	35	3
	81MPD40X41	890	1023	40	0.75	28.5	42	3
	81MPD48X41	923	1061	48	0.75	28.5	50	3
	81MPD56X41	957	1100	56	0.75	28.5	60	3
	81MPD64X41*	1004	1153	64	0.75	28.5	70	3
	81MPD72X41	1116	1284	72	0.75	28.5	80	3
	81MPD80X41	1211	1391	80	0.75	28.5	85	3

Wood Face Mounted Modesty Panel for Desks 	81MPZ48X31*	765	880	48	0.5	19	50	3
	81MPZ56X31	888	1019	56	0.5	21.5	60	3
	81MPZ64X31	940	1081	64	0.5	21.5	70	3
	81MPZ72X31	1592	1832	72	0.5	21.5	80	3

Glass Face Mounted Modesty Panel for Desks 	81MPZ48X37*	994		48	0.5	19	50	3
	81MPZ56X37	1102		56	0.75	21.5	60	3
	81MPZ64X37	1281		64	0.75	21.5	70	3
	81MPZ72X37	2149		72	0.75	21.5	80	3

ORDERING NOTES:
Glass modesty panels are NOT available on KrugExpress.

3/4 Height Modesty Panel for Credenzas 	81MPC32X31*	842	967	32	0.75	21.5	35	3
	81MPC40X31	890	1023	40	0.75	21.5	42	3
	81MPC48X31	923	1061	48	0.75	21.5	50	3
	81MPC56X31	957	1100	56	0.75	21.5	60	3
	81MPC64X31	1004	1153	64	0.75	21.5	70	3
	81MPC72X31	1116	1284	72	0.75	21.5	80	3

ORDERING NOTES: For wire management cut-out option on modesty panel, note clearly on purchase order and add \$181 list.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

VESTRADA | MODESTY PANELS

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
Full Height Modesty Panel for Credenzas	81MPC32X41*	842	967	32	0.75	28.5	35	3
	81MPC40X41	890	1023	40	0.75	28.5	42	3
	81MPC48X41	923	1061	48	0.75	28.5	50	3
	81MPC56X41	957	1100	56	0.75	28.5	60	3
	81MPC64X41	1004	1153	64	0.75	28.5	70	3
	81MPC72X41	1116	1284	72	0.75	28.5	80	3




ORDERING NOTES: For wire management cut-out option on modesty panel, note clearly on purchase order and add **\$181 list**.

Hinged Modesty Panel for Credenzas	81MPY32X41*	886	1017	32	0.75	28.5	35	3
	81MPY40X41	935	1074	40	0.75	28.5	42	3
	81MPY48X41	969	1115	48	0.75	28.5	50	3
	81MPY56X41	1004	1153	56	0.75	28.5	60	3
	81MPY64X41	1054	1212	64	0.75	28.5	70	3
	81MPY72X41	1171	1347	72	0.75	28.5	80	3



ORDERING NOTES: Hinged modesty panels come standard with a wire management cut-out.

Full Height Modesty Panel for Returns	81MPR24X41	793	913	24	0.75	29.5	28	3
	81MPR32X41	842	967	32	0.75	28.5	35	3
	81MPR36X41*	867	996	36	0.75	28.5	40	3
	81MPR40X41	890	1023	40	0.75	28.5	42	3
	81MPR44X41	908	1042	44	0.75	28.5	52	3
	81MPR48X41	923	1061	48	0.75	28.5	55	3
	81MPR52X41	942	1083	52	0.75	28.5	58	3
	81MPR56X41	957	1100	56	0.75	28.5	60	3
	81MPR64X41	1004	1153	64	0.75	28.5	70	3
	81MPR72X41	1116	1284	72	0.75	28.5	80	3
	81MPR80X41	1211	1391	80	0.75	28.5	90	3



ORDERING NOTES: For hinged modesty panel option, replace 'R' with 'Y' (81MPY40X41) and add a 10% upcharge. For wire management cut-out option on modesty panel, note clearly on purchase order and add **\$181 list**.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114.

VESTRADA | WORK TABLES

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
Delta Table, no Casters, Desk Height	81TH0336	1872	2152	36	36	29.25	57	27
	81TH0342*	1896	2183	42	42	29.25	71	36



Delta Table, with Casters, Desk Height	81TH0336M	1909	2194	36	36	29.25	57	27
	81TH0342M*	1935	2224	42	42	29.25	71	36



Delta Table, no Casters, Machine Height	81TM0336	1872	2152	36	36	28.25	58	27
	81TM0342*	1896	2183	42	42	28.25	72	36



Delta Table, with Casters, Machine Height	81TM0336M	1909	2194	36	36	28.25	58	27
	81TM0342M*	1935	2224	42	42	28.25	72	36



ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish, see page 114
 - 3) Pull style and finish, see page 116
 - 4) V-Beam color, see page 117
 - 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- M - with casters
- TH - desk height table
- TM - machine height table
- 01 - arc square
- 03 - delta
- 05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

CASTERS

All casters on mobile tables are locking.

KRUG EXPRESS

Mobile & work tables are NOT available on KrugExpress

VESTRADA | WORK TABLES

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
-------------	-------	-------	---	---	---	-----------------	------------

Glass Delta Table,
no Casters, Machine
Height

81TMG0336

3570


36

36

28.25

91

36



Glass Delta Table,
with Casters,
Machine Height

81TMG0336M

3639

36

36

28.25

91

36



Cherry Rift
Oak Walnut
Maple Anigre

Arc Square Table, no
Casters, Desk Height

81TH013636
81TH014242*


1840 2115
1862 2143

36 36
42 42

29.25 29.25

75 90

27 36



Arc Square Table,
with Casters, Desk
Height

81TH013636M
81TH014242M*

1878 2157
1903 2187

36 36
42 42

29.25 29.25

75 90

27 36



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

M - with casters
TH - desk height table
TM - machine height table
01 - arc square
03 - delta
05 - round

STANDARD FINISHES

For a complete list of standard wood finishes
please see page 114.

CASTERS


All casters on mobile tables are locking.

KRUG EXPRESS

Mobile & work tables are NOT available on
KrugExpress

VESTRADA | WORK TABLES


Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
Arc Square Table, no Casters, Machine Height	81TM013636M	1878	2157	36	36	28.25	75	27
	81TM014242M*	1903	2187	42	42	28.25	91	36



Arc Square Table, with Casters, Machine Height	81TM013636	1840	2115	36	36	28.25	75	27
	81TM014242*	1862	2143	42	42	28.25	91	36



Round Table, no Casters, Desk Height	81TH0536	1773	2038	36	36	29.25	69	27
	81TH0542*	1815	2087	42	42	29.25	75	36



Round Table, with Casters, Desk Height	81TH0536M	1811	2081	36	36	29.25	69	27
	81TH0542M*	1851	2129	42	42	29.25	75	36



ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish, see page 114
 - 3) Pull style and finish, see page 116
 - 4) V-Beam color, see page 117
 - 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- M - with casters
- TH - desk height table
- TM - machine height table
- 01 - arc square
- 03 - delta
- 05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 116.

V-PED

Please see page 117 for details on V-Ped.

VESTRADA | WORK TABLES

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
Round Table, no Casters, Machine Height	81TM0536	1773	2038	36	36	28.25	69	27
	81TM0542*	1815	2087	42	42	28.25	75	36



Round Table, with Casters, Machine Height	81TM0536M	1811	2081	36	36	28.25	69	27
	81TM0542M*	1851	2129	42	42	28.25	75	36



Rectangular Mobile Table with Casters, Floating Wood Modesty Panel, Desk Height	81CTHV4224MX31	2043	2349	42	24	28.25	98	14
	81CTHV4824MX31*	2092	2407	48	24	28.25	112	16



Rectangular Mobile Table with Casters, Floating Wood Mod- esty Panel, Machine Height	81CTMV4224MX31	2043	2349	42	24	28.25	96	14
	81CTMV4824MX31*	2092	2407	48	24	28.25	110	16



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

M - with casters
TH - desk height table
TM - machine height table
01 - arc square
03 - delta
05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.








GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.


PULL LOCATIONS

For details please see page 116.

POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	258	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	260	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	250	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	265	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	260	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	377	8	4	-	-	-
 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal power port shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use.						


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	127	8	4	-	-	-



Port Includes: Port Cover & Bracket/Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. PortPort lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
---	-----------	------------------------------------	---	---	---	---	---



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page XX.

Velcro Wire Manager (qty 1)	WM-4	24	2	4.5	0.5	-	-
-----------------------------	------	----	---	-----	-----	---	---




2 velcro wire managers are included with Ports 1-5.

Wire Management Trough	WM-72	169	72	3	1	-	-
------------------------	-------	-----	----	---	---	---	---



Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	214	72	3	1	-	-
---------------------------	-------	-----	----	---	---	---	---







4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.




Round Grommet	Round Grommet - Silver Metallic	142	-	-	-	-	-
	Round Grommet - Black	142	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

POWER/DATA

SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	37
	M04	Adaptor Plate (4) - accepts four snap in data ports	37
	M06	Adaptor Plate (6) - accepts six snap in data ports	37
ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.			
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	45
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	31
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	165
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	59

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Rectangular Grommet	GROMMET	142	4.13	2.69	-	-	-
 ORDERING NOTES: Please see page 117 for information on rectangular grommet and it's locations. One rectangular grommet in standard position is optional at no upcharge. Please specify color.							
Height Adjustable Table Programmable Display- 4 Position Memory	88HAPD	349	-	-	-	-	-
							
Binder Bin	81ABB	130	4	10	10	3	1
							
Hanging File Bars	81AFB	106	1.75	9.75	2.5	0.5	1
							

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

G - glass
OB - organizer bar
ABB - binder bin
AFB - file bar
AFO - file organizer
APT - paper tray

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.



GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | ACCESSORIES

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
File Organizer	81AFO	106	6	9.75	2.5	1.75	2
							
Paper Tray	81APT	94	12	10.75	2	1.75	4
							
Organizer Rails	81AOB64	106	64	-	2.5	-	-
	81AOB72	114	72	-	2.5	-	-
	81AOB80	119	80	-	2.5	-	-
	81AOB88	119	88	-	2.5	-	-
	81AOB96	130	96	-	2.5	-	-
							
Privacy Screens	81SC3614G	353	32	0.25	14	30	8
	81SC4014G	403	38	0.25	14	40	10
	81SC4814G	452	46	0.25	14	50	12
	81SC5614G	516	54	0.25	14	60	14
	81SC6414G	570	62	0.25	14	70	16
	81SC7214G	623	70	0.25	14	80	18
	81SC8014G	653	78	0.25	14	80	18
	81SC8814G	686	86	0.25	14	85	20
	81SC9614G	768	94	0.25	14	90	22
							
ORDERING NOTES: The model number sizing reflects appropriate worksurface size. Glass screens are inset on appropriate top size. Glass screens are NOT available on KrugExpress.							
Articulating Keyboard Tray	81KBAMT1912	644	-	-	-	20	2
							

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
 OB - organizer bar
 ABB - binder bin
 AFB - file bar
 AFO - file organizer
 APT - paper tray

GROMMETS

Please see page 117 for more information on wire management solutions and wire management grommet locations.

POWERPORT


PowerPort powerbar is UL approved.

WIRING MANAGEMENT

All VESTRADA products specified with wire management grommets come with the wire management trough.

VESTRADA | WALL HUNG OVERHEADS

Description	Model	Cherry Rift		W	D	H	Doors	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre						
Single Height Wall Hung Overhead with Wood Doors	81OHW321614HL	2371	2725	32	16	13.5	2	118	6
	81OHW361614HL	2474	2845	36	16	13.5	2	122	7
	81OHW441614HL	2726	3137	44	16	13.5	2	129	8
	81OHW481614HL	2811	3233	48	16	13.5	3	140	9
	81OHW641614HL*	3315	3812	64	16	13.5	4	158	11



ORDERING NOTES: Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer


Single Height Wall Hung Overhead with Glass Doors	81OHW321614HLG	2654	3053	32	16	13.5	2	128	6
	81OHW361614HLG	2771	3185	36	16	13.5	2	132	7
	81OHW441614HLG	3053	3511	44	16	13.5	2	139	8
	81OHW481614HLG	3146	3619	48	16	13.5	3	150	9
	81OHW641614HLG*	3713	4271	64	16	13.5	4	168	11



Single Height Wall Hung Overhead, Open	81OOW321614HL	1503	1728	32	16	13.5	2	108	6
	81OOW361614HL	1576	1812	36	16	13.5	2	112	7
	81OOW441614HL	1669	1918	44	16	13.5	2	119	8
	81OOW481614HL	1744	2005	48	16	13.5	3	130	9
	81OOW641614HL*	2183	2509	64	16	13.5	4	148	11



Double Height Wall Hung Overhead with Wood Doors	81OHW321628HL	2829	3254	32	16	27	2	230	11
	81OHW361628HL	2955	3398	36	16	27	2	240	12
	81OHW441628HL	3237	3722	44	16	27	2	250	14
	81OHW481628HL*	3343	3843	48	16	27	3	275	16



ORDERING NOTES: Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

Double Height Wall Hung Overhead with Glass Doors	81OHW321628HLG	3169	3643	32	16	27	2	240	11
	81OHW361628HLG	3308	3804	36	16	27	2	250	12
	81OHW441628HLG	3625	4168	44	16	27	2	260	14
	81OHW481628HLG*	3743	4303	48	16	27	3	285	16



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
OHW - overhead with wood doors
OOW - open overhead

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

STORAGE DOORS

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

Hutches include a tackboard, priced at Gr 1/COM. Use this chart to get the upcharges for tackboard fabrics graded 2-9, and add it to the list price of the hutch

Fabric Grades

	1	2	3	4	5	6	7	8	9	W	H	COM	WT
81TBOHW3224U	312	346	381	436	569	694	822	956	1069	31.75	24	1	8
81TBOHW3624U	313	347	382	437	570	695	807	1124	1070	35.75	24	1.5	10
81TBOHW4424U	354	477	505	626	753	868	996	1148	1288	41.75	24	1.5	11
81TBOHW4824U	387	479	503	631	757	868	1003	1150	1319	47.75	24	1.75	12
81TBOHW6424U	479	653	642	852	1023	1215	1382	1577	1789	64	24	2	15

ORDERING NOTES:

Krug panel fabrics are available at grade 1 pricing. See page 4 for more information. Only Krug panel fabrics are available on KrugExpress. Please contact Customer Service for information on yardage required when ordering two or more tackboards.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish, see page 114
 - 3) Pull style and finish, see page 116
 - 4) V-Beam color, see page 117
 - 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
2 Hi, Lateral File	81ST32202901	3404	3912	32	20	29.3	129	14
	81ST32242901*	3450	3969	32	24	29.3	155	17
	81ST36202901	3508	4033	36	20	29.3	151	16
	81ST36242901	3559	4090	36	24	29.3	181	19



ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

2 Hi, Closed Bookcase	81ST32202911	2590	2978	32	20	29.3	94	14
	81ST32242911*	2634	3030	32	24	29.3	120	17
	81ST36202911	2671	3069	36	20	29.3	116	16
	81ST36242911	2718	3126	36	24	29.3	146	19




ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

3 Hi, Lateral File	81ST32204201	4284	4927	32	20	41.8	164	20
	81ST32244201*	4373	5031	32	24	41.8	183	23
	81ST36204201	4416	5078	36	20	41.8	196	22
	81ST36244201	4509	5183	36	24	41.8	218	26



4 Hi, Single Width, Closed Shelves with Wood Door	81ST16205611L	2745	3158	16	20	55.5	125	14
	81ST16205611R	2745	3158	16	20	55.5	125	14
	81ST16245611L*	2776	3191	16	24	55.5	148	17
	81ST16245611R	2776	3191	16	24	55.5	148	17



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list** per set of 2 doors. Locks are standard on all lateral files and file drawer

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 117 for more wiring grommet information.

PULL LOCATIONS

For details please see page 116.

VESTRADA | STORAGE


Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
4 Hi, Lateral File	81ST32205601	4973	5718	32	20	55.5	220	26
	81ST32245601*	5079	5840	32	24	55.5	245	31
	81ST36205601	5125	5892	36	20	55.5	245	29
	81ST36245601	5234	6019	36	24	55.5	270	34




4 Hi, Open Shelves	81ST32205617	3638	4183	32	20	55.5	175	26
	81ST32245617*	3777	4344	32	24	55.5	195	28
	81ST36205617	3744	4304	36	20	55.5	195	29
	81ST36245617	3891	4475	36	24	55.5	205	35



4 Hi, Closed Shelves with Wood Doors	81ST32205611*	4075	4685	32	20	55.5	185	26
	81ST32245611	4250	4885	32	24	55.5	205	31
	81ST36205611	4195	4822	36	20	55.5	205	29
	81ST36245611	4378	5034	36	24	55.5	235	34



4 Hi, 2 Lateral Files, 2 Open Shelves	81ST32205603	4112	4730	32	20	55.5	195	26
	81ST32245603*	4183	4810	32	24	55.5	220	31
	81ST36205603	4245	4882	36	20	55.5	220	29
	81ST36245603	4313	4960	36	24	55.5	245	34



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE


ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Maple Anigre					
4 Hi, 2 Lateral Files, 2 Closed Shelves with Wood Doors	81ST32205604	4148	4769	32	20	55.5	210	26
	81ST32245604*	4228	4861	32	24	55.5	235	31
	81ST36205604	4277	4917	36	20	55.5	235	29
	81ST36245604	4355	5008	36	24	55.5	260	34



4 Hi, 2 Closed Shelves, 2 Open Shelves	81ST32205613	4001	4602	32	20	55.5	165	26
	81ST32245613*	4175	4800	32	24	55.5	190	31
	81ST36205613	4117	4737	36	20	55.5	190	29
	81ST36245613	4303	4949	36	24	55.5	245	34



5 Hi, Single Width, Closed Shelves with Wood Door	81ST16207011L	2850	3278	16	20	69	143	17
	81ST16207011R	2850	3278	16	20	69	143	17
	81ST16247011L*	2903	3336	16	24	69	172	20
	81ST16247011R	2903	3336	16	24	69	172	20



5 Hi, Single Width, 2 Closed Shelves, 3 Open Shelves	81ST16207013L	2978	3425	16	20	69	111	17
	81ST16207013R	2978	3425	16	20	69	111	17
	81ST16247013L*	3022	3474	16	24	69	115	20
	81ST16247013R	3022	3474	16	24	69	115	20



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

VESTRADA | STORAGE


Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak	Walnut					
		Maple	Anigre					
5 Hi, Single Width, 2	81ST16207014LG	3331	3832	16	20	69	150	17
Closed Shelves, 3 Closed	81ST16207014RG	3331	3832	16	20	69	150	17
Shelves with Matte Silver	81ST16247014LG*	3408	3919	16	24	69	180	20
Framed Glass Door	81ST16247014RG	3408	3919	16	24	69	180	20



5 Hi, Open Shelves	81ST32207017*	3837	4414	32	20	69	200	32
	81ST32247017	4138	4758	32	24	69	210	38
	81ST36207017	3952	4544	36	20	69	210	34
	81ST36247017	4267	4907	36	24	69	220	42



5 Hi, Closed Shelves with Wood Doors	81ST32207011	4235	4870	32	20	69	220	32
	81ST32247011*	4324	4973	32	24	69	230	38
	81ST36207011	4365	5016	36	20	69	230	36
	81ST36247011	4451	5120	36	24	69	240	42



5 Hi, 2 Closed Shelves, 3 Open Shelves	81ST32207013*	4190	4818	32	20	69	210	32
	81ST32247013	4279	4920	32	24	69	220	38
	81ST36207013	4318	4966	36	20	69	220	36
	81ST36247013	4410	5072	36	24	69	230	42



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
OB - organizer bar
ABB - binder bin
AFB - file bar
AFO - file organizer
APT - paper tray

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
5 Hi, 2 Closed Shelves, 3 Closed	81ST32207014G	4911	5646	32	20	69	171	32
Shelves with Matte Silver Framed Glass Doors	81ST32247014G*	5046	5803	32	24	69	178	38
	81ST36207014G	5059	5816	36	20	69	192	36
	81ST36247014G	5196	5975	36	24	69	200	42



5 Hi, 2 Lateral Files, 3 Open Shelves	81ST32207003	5097	5860	32	20	69	160	32
	81ST32247003*	5160	5933	32	24	69	167	38
	81ST36207003	5253	6040	36	20	69	180	36
	81ST36247003	5319	6118	36	24	69	188	42



5 Hi, 2 Lateral Files, 3 Closed Shelves with Wood Doors	81ST32207004	5692	6546	32	20	69	171	32
	81ST32247004*	5759	6620	32	24	69	178	38
	81ST36207004	5867	6747	36	20	69	192	36
	81ST36247004	5933	6825	36	24	69	200	42



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

VESTRADA | STORAGE

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
5 Hi, 2 Lateral Files, 3 Closed Shelves with Matte Silver Framed Glass Doors	81ST32207004G	6133	7052	32	20	69	191	32
	81ST32247004G*	6198	7127	32	24	69	198	38
	81ST36207004G	6307	7255	36	20	69	212	36
	81ST36247004G	6375	7330	36	24	69	220	42



ORDERING NOTES:
Locks are not available on glass doors.

5 Hi, 4 Larteral Files, 1 Open Shelf	81ST32207005	6256	7196	32	20	69	240	32
	81ST32247005*	6337	7287	32	24	69	290	38
	81ST36207005	6450	7418	36	20	69	290	36
	81ST36247005	6533	7510	36	24	69	350	42



5 Hi, 2 Files/3 Wood Closed Shelves, 5 Open Shelves	81ST24207080	4097	4711	24	20	69	220	25
	81ST24207081	4097	4711	24	20	69	220	25
	81ST24247080*	4179	4807	24	24	69	260	29
	81ST24247081	4179	4807	24	24	69	260	29



ORDERING NOTES:
(80) Indicates left 3 closed wood doors and 2 file drawers, right 5 open
(81) Indicates left open, right 3 closed wood doors and 2 file drawers.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish, see page 114
 - 3) Pull style and finish, see page 116
 - 4) V-Beam color, see page 117
 - 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte Silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
5 Hi, 2 Files/3 Closed	81ST24207080G	4462	5130	24	20	69	220	25
Shelves with Matte	81ST24207081G	4462	5130	24	20	69	220	25
Silver Framed Glass	81ST24247080G*	4549	5230	24	24	69	260	29
Door, 5 Open	81ST24247081G	4549	5230	24	24	69	260	29



ORDERING NOTES:

(80G) Indicates left 3 closed glass doors and 2 file drawers, right 5 open


(81G) Indicates left open, right 3 glass wood doors and 2 file drawers

Locks are not available on glass doors.

5 Hi, 2 Files/3 Wood	81ST24207082	4352	5004	24	20	69	225	25
Closed Shelves,	81ST24207083	4352	5004	24	20	69	225	25
5 Closed Shelves with	81ST24247082*	4441	5107	24	24	69	265	29
Wood Doors	81ST24247083	4441	5107	24	24	69	265	29



5 Hi, 2 Files/3 Closed	81ST24207082G	4730	5439	24	20	69	225	25
Shelves with Matte	81ST24207083G	4730	5439	24	20	69	225	25
Silver Framed Glass	81ST24247082G*	4827	5548	24	24	69	265	29
Door, 5 Closed	81ST24247083G	4827	5548	24	24	69	265	29



ORDERING NOTES:

(82G) Indicates left 3 closed glass doors and 2 file drawers, right 5 closed with wood doors

(83G) Indicates left closed with wood doors, right 3 closed glass doors and 2 file drawers

Locks are not available on glass doors.

DIMENSION KEY

W - width

D - depth

H - height

CODE DESCRIPTION

G - glass

OB - organizer bar

ABB - binder bin

AFB - file bar

AFO - file organizer

APT - paper tray

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

VESTRADA | STORAGE

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
5 Hi, 2 Closed	81ST24207084	3987	4587	24	20	69	200	25
Shelves, 3 Closed	81ST24207085	3987	4587	24	20	69	200	25
Shelves with Wood	81ST24247084*	4072	4682	24	24	69	240	29
Doors, 5 Open	81ST24247085	4072	4682	24	24	69	240	29



ORDERING NOTES:

(84) Indicates left 3 closed wood doors and 2 closed doors, right 5 open.

(85) Indicates left 5 open, right 3 closed wood doors and 2 closed doors.

5 Hi, 2 Closed	81ST24207084G	4369	5022	24	20	69	190	25
Shelves, 3 Closed	81ST24207085G	4369	5022	24	20	69	190	25
Shelves with Matte	81ST24247084G*	4457	5126	24	24	69	230	29
Silver Framed Glass	81ST24247085G	4457	5126	24	24	69	230	29
Door, 5 Open								



ORDERING NOTES:

(84G) Indicates left 3 closed glass and 2 closed doors, right 5 open.

(85G) Indicates left 5 open, right 3 closed glass doors and 2 closed doors.

Locks are not available on glass doors.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Maple					
5 Hi, 2 Closed	81ST24207086	4157	4779	24	20	69	205	25
Shelves, 3 Closed	81ST24207087	4157	4779	24	24	69	205	25
Shelves with Wood	81ST24247086*	4242	4878	24	20	69	245	29
Doors, 5 Closed	81ST24247087	4242	4878	24	24	69	245	29




ORDERING NOTES:

(84) Indicates left 3 closed wood doors and 2 closed doors, right 5 closed.

(85) Indicates left 5 closed, right 3 closed wood doors and 2 closed doors.

5 Hi, 2 Closed	81ST24207086G	4518	5196	24	20	69	195	25
Shelves, 3 Closed	81ST24207087G	4518	5196	24	20	69	195	25
Shelves with Matte	81ST24247086G*	4952	5696	24	24	69	235	29
Silver Framed Glass	81ST24247087G	4952	5696	24	24	69	235	29
Door, 5 Closed								




ORDERING NOTES:

(86G) Indicates left 3 closed glass and 2 closed doors, right 5 closed.

(87G) Indicates left 5 closed, right 3 closed glass doors and 2 closed doors.

Locks are not available on glass doors.

6 Hi, Single Width,	81ST16208311L	3054	3512	16	20	83	165	21
Closed Shelves with	81ST16208311R	3054	3512	16	20	83	165	21
Wood Door	81ST16248311L*	3104	3570	16	24	83	195	24
	81ST16248311R	3104	3570	16	24	83	195	24



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

VESTRADA | STORAGE

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
6 Hi, Single Width, 2	81ST16208313L	3116	3584	16	20	83	155	21
Closed Shelves,	81ST16208313R	3116	3584	16	20	83	155	21
4 Open Shelves	81ST16248313L*	3170	3645	16	24	83	185	24
	81ST16248313R	3170	3645	16	24	83	185	24




6 Hi, Single Width, 2	81ST16208314LG	3470	3987	16	20	83	170	21
Closed Shelves, 4	81ST16208314RG	3470	3987	16	20	83	170	21
Closed Shelves with	81ST16248314LG*	3578	4113	16	24	83	200	24
Matte Silver Glass	81ST16248314RG	3578	4113	16	24	83	200	24
Door								



ORDERING NOTES:

This item is NOT available on KrugExpress.
Locks are not available on glass doors.

6 Hi, Open Shelves	81ST32208317*	4256	4895	32	20	83	220	38
	81ST32248317	4526	5205	32	24	83	230	44
	81ST36208317	4384	5045	36	20	83	230	42
	81ST36248317	4562	5244	36	24	83	240	50



6 Hi, Closed Shelves	81ST32208311	4656	5354	32	20	83	235	38
	81ST32248311*	4767	5481	32	24	83	245	45
	81ST36208311	4797	5517	36	20	83	245	42
	81ST36248311	4908	5643	36	24	83	245	50



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
6 Hi, 2 Closed Shelves with Wood Doors, 4 Open Shelves	81ST32208313	4595	5282	32	20	83	240	38
	81ST32248313*	4703	5408	32	24	83	250	45
	81ST36208313	4731	5441	36	20	83	250	42
	81ST36248313	4842	5570	36	24	83	270	50



6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Matte Silver Framed Glass Doors	81ST32208314G	5305	6100	32	20	83	240	38
	81ST32248314G*	5488	6308	32	24	83	250	45
	81ST36208314G	5480	6301	36	20	83	250	42
	81ST36248314G	5652	6501	36	24	83	260	50



ORDERING NOTES:

This item is NOT available on KrugExpress.
Locks are not available on glass doors.

6 Hi, 2 Lateral Files, 4 Open Shelves	81ST32208303	5746	6608	32	20	83	240	38
	81ST32248303*	5835	6708	32	24	83	250	45
	81ST36208303	5923	6811	36	20	83	250	42
	81ST36248303	6012	6913	36	24	83	260	50



DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

VESTRADA | STORAGE

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak	Walnut					
6 Hi, 2 Lateral Files, 4 Closed Shelves	81ST32208304	5957	6852	32	20	83	250	38
	81ST32248304*	6052	6960	32	24	83	260	45
	81ST36208304	6143	7064	36	20	83	260	42
	81ST36248304	6239	7176	36	24	83	270	50




6 Hi, 2 Lateral Files, 4 Closed Shelves with Matte Silver Framed Glass Doors	81ST32208304G	6474	7444	32	20	83	250	38
	81ST32248304G*	6567	7551	32	24	83	260	45
	81ST36208304G	6658	7658	36	20	83	260	42
	81ST36248304G	6756	7766	36	24	83	270	50



ORDERING NOTES:

Locks are not available on glass doors.

6 Hi, 2 Files/4 Closed Wood Doors, 6 Open Shelves	81ST24208380	4301	4946	24	20	83	240	29
	81ST24208381	4301	4946	24	20	83	240	29
	81ST24248380*	4388	5047	24	24	83	280	35
	81ST24248381	4388	5047	24	24	83	280	35



ORDERING NOTES:

(80) Indicates left 4 closed wood doors and 2 file drawers, right 6 open

(81) Indicates left 6 open, right 4 closed wood doors and 2 file drawers.

Locks are optional on all wood doors for an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all lateral files and file drawer

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".


Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
6 Hi, 2 Files/4 Closed Shelves with Matte	81ST24208380G	4680	5380	24	20	83	240	29
Silver Framed Glass Doors, 6 Open Shelves	81ST24208381G	4680	5380	24	20	83	240	29
	81ST24248380G*	4778	5494	24	24	83	280	35
	81ST24248381G	4778	5494	24	24	83	280	35



ORDERING NOTES:

(80G) Indicates left 4 closed glass doors and 2 file drawers, right 6 open
 (81G) Indicates left 6 open, right 4 closed glass doors and 2 file drawers
 Locks are not available on glass doors.

6 Hi, 2 Files/4 Closed Wood Doors, 6 Closed Shelves	81ST24208382	4568	5253	24	20	83	245	29
	81ST24208383	4568	5253	24	20	83	245	29
	81ST24248382*	4665	5365	24	24	83	285	35
	81ST24248383	4665	5365	24	24	83	285	35



ORDERING NOTES:

(82) Indicates left 4 closed wood doors and 2 file drawers, right 6 closed with wood doors
 (83) Indicates left 6 closed with wood doors, right 4 closed wood doors and 2 file drawers

6 Hi, 2 Files/4 Closed Shelves with Matte	81ST24208382G	4967	5712	24	20	83	245	29
Silver Framed Glass Doors, 6 Closed	81ST24208383G	4967	5712	24	20	83	245	29
	81ST24248382G*	5066	5828	24	24	83	285	35
	81ST24248383G	5066	5828	24	24	83	285	35



ORDERING NOTES:

(82G) Indicates left 4 closed glass doors and 2 file drawers, right 6 closed with wood doors
 (83G) Indicates left 6 closed with wood doors, right 4 closed glass doors and 2 file drawers
 Locks are not available on glass doors.

DIMENSION KEY

W - width
 D - depth
 H - height

CODE DESCRIPTION

L - door hinged left
 R - door hinged right
 G - matte Silver framed glass doors
 ST - storage unit
 BC - bookcase
 WR - wardrobe

STANDARD FINISHES


For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.


VESTRADA | STORAGE

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
		Maple						
6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed	81ST24208384	4187	4815	24	20	83	220	29
Shelves with Wood Doors, 6 Open	81ST24208385	4187	4815	24	20	83	220	29
Shelves with Wood Doors, 4 Closed	81ST24248384*	4276	4916	24	24	83	260	35
Shelves with Wood Doors, 6 Open	81ST24248385	4276	4916	24	24	83	260	35



ORDERING NOTES:
(84) Indicates left 4 closed wood doors and 2 closed doors, right 6 open.
(85) Indicates left 6 open, right 4 closed wood doors and 2 closed doors.

6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Matte Silver Framed Glass Doors, 6 Open	81ST24208384G	4586	5273	24	20	83	210	29
	81ST24208385G	4586	5273	24	20	83	210	29
	81ST24248384G*	4677	5378	24	24	83	250	35
	81ST24248385G	4677	5378	24	24	83	250	35



ORDERING NOTES:
(84G) Indicates left 4 closed glass doors and 2 closed doors, right 6 open.
(85G) Indicates left 6 open, right 4 closed glass doors and 2 closed doors.
Locks are not available on glass doors.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish, see page 114
 - 3) Pull style and finish, see page 116
 - 4) V-Beam color, see page 117
 - 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte Silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
6 Hi, 2 Closed	81ST24208386	4365	5016	24	20	83	225	29
Shelves with Wood	81ST24208387	4365	5016	24	20	83	225	29
Doors, 4 Closed	81ST24248386*	4451	5120	24	24	83	265	35
Shelves with Wood	81ST24248387	4451	5120	24	24	83	265	35
Doors, 6 Closed								




ORDERING NOTES:

(84) Indicates left 4 closed wood doors and 2 closed doors, right 6 closed.

(85) Indicates left 6 closed, right 4 closed wood doors and 2 closed doors.

6 Hi, 2 Closed	81ST24208386G	4744	5455	24	20	83	215	29
Shelves with Wood	81ST24208387G	4744	5455	24	24	83	215	29
Doors, 4 Closed	81ST24248386G*	4841	5568	24	20	83	255	35
Shelves with Matte	81ST24248387G	4841	5568	24	24	83	255	35
Silver Framed Glass								
Doors, 6 Closed								



ORDERING NOTES:

(86G) Indicates left 4 closed glass and 2 closed doors, right 6 closed.

(87G) Indicates left 6 closed, right 4 closed glass doors and 2 closed doors.

Locks are not available on glass doors.

Worksurface	81BCV32162917*	2299	2643	32	16	29	85	10
Bookcase	81BCV36162917	2564	2948	36	16	29	105	11



ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
	81BC32162917	1978	2275	32	16	29	75	10
	81BC36162917	2016	2288	36	16	29	95	11
	81BC32165617	2392	2750	32	16	55.5	180	21
	81BC36165617	2441	2807	36	16	55.5	180	24
	81BC32167017*	2721	3129	32	16	69	190	26
	81BC36167017	2776	3191	36	16	69	200	29

6 Hi, Bookcase	81BC32168317*	2853	3280	36	16	83	220	36
	81BC36168317	2910	3347	32	16	83	210	31




ORDERING NOTES:

Bookcases are intended to be secured to a wall for safety, they also feature unfinished backs. These units accommodate standard binder storage, therefore they do not align with other case heights.

5 Hi, Single Width Wardrobe	81WR16247002L*	2822	3245	16	24	69	170	20
	81WR16247002R	2822	3245	16	24	69	170	20



5 Hi, Wardrobe, Closed Shelves	81WR32247001*	3763	4327	32	24	69	217	38
	81WR36247001	3877	4457	36	24	69	230	42



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
 R - door hinged right
 G - matte Silver framed glass doors
 ST - storage unit
 BC - bookcase
 WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


ADJUSTABLE SHELVEING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

LOCK OPTION

Locks are available on wood doors for an upcharge of **\$142 list** per lock. 24", 30" & 36" wardrobes require 2 locks.


Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
5 Hi, 2 Files/3 Closed Shelves with Wood Door, Wardrobe	81WR24247014*	4306	4952	24	24	69	260	29
	81WR24247015	4306	4952	24	24	69	260	29



ORDERING NOTES:

(14) Indicates left 3 closed wood door shelves centre-hinged and 2 file drawers, right 5 closed wood door wardrobe.
(15) Indicates right 3 closed wood door shelves centre-hinged and 2 file drawers, left 5 closed wood door wardrobe.


5 Hi, 2 Files/3 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24247014G*	4680	5380	24	24	69	260	29
	81WR24247015G	4680	5380	24	24	69	260	29



ORDERING NOTES:

(14G) Indicates left 3 closed glass door shelves centre-hinged and 2 file drawers, right 5 closed wood door wardrobe.
(15G) Indicated right 3 closed glass door shelves centre-hinged and 2 file drawers, left 5 closed wood door wardrobe. Locks are not available on glass doors. This item is not available on KrugExpress.

5 Hi, 2 Closed Shelves with Wood Doors/3 Closed Shelves with Wood Door, Wardrobe	81WR24247016*	4113	4731	24	24	69	240	29
	81WR24247017	4113	4731	24	24	69	240	29



ORDERING NOTES:

(16) Indicates left 3 closed wood door shelves and 2 closed wood door shelves centre-hinged, right 5 closed wood door wardrobe.
(17) Indicated right 3 closed wood door shelves and 2 closed wood door shelves centre-hinged, left 5 closed wood door wardrobe.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

LOCK OPTION

Locks are available on wood doors for an upcharge of **\$142 list** per lock 24, 30 and 36" wardrobes require 2 locks.

VESTRADA | STORAGE

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
5 Hi, 2 Closed Shelves with Wood Doors/3 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24247016G*	4471	5142	24	24	69	230	29
	81WR24247017G	4471	5142	24	24	69	230	29



ORDERING NOTES:

(16G) Indicates left 3 closed glass door shelves and 2 closed wood door shelves centre-hinged, right 5 closed wood door wardrobe.

(17G) Indicated right 3 closed glass door shelves and 2 closed wood door shelves centre-hinged, left 5 closed wood door wardrobe.

Locks are not available on glass doors. This item is not available on KrugExpress.

6 Hi, Wardrobe, Closed Shelves	81WR32248301*	4145	4767	32	24	83	232	45
	81WR36248301	4271	4909	36	24	83	245	50



6 Hi, Single Width Wardrobe	81WR16248302L*	3008	3459	16	24	69	190	24
	81WR16248302R	3008	3459	16	24	83	190	24



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
 R - door hinged right
 G - matte Silver framed glass doors
 ST - storage unit
 BC - bookcase
 WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

LOCK OPTION

Locks are available on wood doors for an upcharge of **\$142 list** per lock. 24", 30" & 36" wardrobes require 2 locks.


Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
6 Hi, 2 Files/4 Closed Shelves with Wood Door, Wardrobe	81WR24248314*	4522	5202	24	24	83	280	35
	81WR24248315	4522	5202	24	24	83	280	35



ORDERING NOTES:

(14) Indicates left 4 closed wood door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.(15) Indicated right 4 closed wood door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe. Locks are not available on glass doors. This item is not available on KrugExpress.

6 Hi, 2 Files/4 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24248314G*	4914	5651	24	24	83	280	35
	81WR24248315G	4914	5651	24	24	83	280	35



ORDERING NOTES:

(14G) Indicates left 4 closed glass door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.(15G) Indicated right 4 closed glass door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe. Locks are not available on glass doors. This item is not available on KrugExpress.

6 Hi, 2 Closed Wood Door/ 4 Closed Wood Doors, Wardrobe	81WR24248316*	4320	4968	24	24	83	260	35
	81WR24248317	4320	4968	24	24	83	260	35




ORDERING NOTES:

(16) Indicates left 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.

(17) Indicated right 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.

6 Hi, 2 Closed Wood Door/ 4 Closed Matte Silver Framed Glass Door, Wardrobe	81WR24248316G*	4696	4696	24	24	83	250	35
	81WR24248317G	4696	4696	24	24	83	250	35



ORDERING NOTES:

(16G) Indicates left 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.

(17G) Indicated right 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.

Locks are not available on glass doors. This item is not available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte Silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

LOCK OPTION

Locks are available on wood doors for an upcharge of **\$142 list** per lock. 24", 30" & 36" wardrobes require 2 locks.

VESTRADA | WORKWALL COMPONENTS | GUIDELINES

VESTRADA HUTCHES

Hutches include L.E.D. Lights that are factory installed and require no field adjustment
L.E.D. Lights are mounted beneath the cabinet and hidden from view.

A tackboard in Grade 1 fabric is included with all Hutches.

Upcharges for higher graded fabrics are listed on page 234.

Tackboard fabric selections should be supplied with the order information. Palette options are listed on page 114.

Tackboards for Hutches are installed at the factory and require no additional set up on site.

Hutches over 84" in length are made in two pieces and require special installation.

Hutches are available with a finished inside back panel at standard list price, but must be clearly specified on order.
This option is available on Hutches up to 84" in length only. This option does not include a tackboard.

Locks are optional on wood hutch doors and can be specified at time of order for an upcharge of **\$142 list per set** of (2) doors.

WORKWALL COMPONENTS | GUIDELINES

Unlike other Krug product lines, VESTRADA features the WorkWall as well as the traditional hutch.

WorkWalls are comprised of combination of overheads, worksurface piers and/or full height piers.

VESTRADA WorkWalls are available with an exceptional number of options and accommodate all standard credenza lengths.

THE BASICS


A WorkWall consists of 3 components: One Overhead and two storage Piers.

The Piers can either sit on the worksurface or extend to the floor.

There are 3 types of WorkWalls. These types are determined by the way the Overhead Unit is supported.


NOTE: Shaded horizontal tops in the drawings above represent Credenza tops.

1. End supported WorkWalls*: Overhead is supported on both ends.




* WorkWalls that are End-Supported (as shown above) accommodate Paper Management Shelving.

2. Under supported WorkWalls: Overhead is supported from underneath on both ends.



3. Under and end supported WorkWalls: Overhead is under-supported on one side and end-supported on the other side.




VESTRADA | WORKWALL COMPONENTS | GUIDELINES

The following are guidelines to bear in mind when building a WorkWall from components.

PIERS

When supporting an Overhead in a WorkWall, there are some basic guidelines to follow:

- Unless the Overhead is a Sliding Glass Door Overhead with open ends, any Overhead can be under-supported by 8" wide Piers as shown below/left.
- If the Overhead has open ends as shown below/center, it must be under-supported by a minimum of 16" wide Piers in order to sufficiently support the Overhead. Overheads with open ends can not be end-supported.
- 5 hi and 6 hi Storage Units can only be used as end-supporting Piers. 4 hi Storage Units can only be under-supporting.



As mentioned in THE BASICS section, the Pier can either end or under-support the Overhead in a WorkWall.

On page 243, you will have a selection of Piers to choose from. Once you have selected the style and options for your Piers, you will need to specify the designation for each Pier in order to indicate how you would like to support your WorkWall. For example, in the diagram shown below, we are showing a WorkWall that is both under and end-supported.

The codes for these designations are:


SUFFIXES FOR PIERS

LU – Left Pier / Under support

RU – Right Pier / Under support

LE – Left Pier / End support

RE – Right Pier / End support



In the example shown left the suffixes would be as follows

A : (Worksurface Pier) - LU Left Pier under support

C : (Storage Unit) - RE Right Pier end support


VESTRADA | WORKWALL COMPONENTS | GUIDELINES

OVERHEADS

Overheads in this section are only to be used in WorkWalls with supporting Piers. For Wall Hung Overheads see page 235.


There are two different heights of Overheads in VESTRADA, single and double height.

Single height Overheads are available with the following options in wood or paint as shown on page 235:



- Hinged Doors
- Open
- Combination Open / Closed Hinged Doors
- Sliding Glass Door / Closed Ends
- Sliding Glass Door / Open Ends
- Aluminum Framed Glass Doors
- Combination Wood / Aluminum Framed Glass Doors

* Combination Sliding Glass / Open not available.



- Hinged Doors
- Aluminum Framed Glass Doors
- Combination Wood / Aluminum Framed Glass Doors

Therefore, Sliding Glass Doors are only available on single height Overheads, whereas Aluminum Framed Glass is available on single and double height Overheads.

As illustrated in the PIERS section, the user must indicate a suffix when ordering an Overhead for a WorkWall configuration. There is one exception to this: open ended Sliding Glass Door Overheads can only be under-supported by 16" or larger Piers.

For example, in the diagram shown below, we are showing a WorkWall with an Overhead that is both under and end-supported. The codes for all Overhead designations are:


SUFFIXES FOR OVERHEADS

LURU – Left Under and Right Under supported

LERE – Left End and Right End supported

LURE – Left Under and Right End supported

LERU – Left End and Right Under supported




In the example shown left the suffixes would be as follows:

(B) : (Overhead) - LURE Left Under supported / Right End supported

VESTRADA | WORKWALL COMPONENTS | GUIDELINES

Piers and Overheads Summary

In conclusion, the suffixes for each component of the WorkWall line drawing are as follows:



- | | | |
|-------------------------------------|--------|--|
| A - Desk Top Pier | - LU | Left Under Support |
| B - Overhead | - LURE | Left Under supported/Right End supported |
| C - Full Height Pier - Storage Unit | - RE | Right End support |

OVERHEAD PAPER MANAGEMENT




Paper management in VESTRADA can be specified in 1 or 2 tier versions. The general guideline for paper management is that the overhead, for which the paper management is being specified, must be end-supported on both ends. To specify paper management for your WorkWall, the overhead for which the paper management is to be added must be designated. A “PM” in the model number denotes that the overhead will be machined to accept paper management.

For example, if the model number for the overhead being specified is 81OH-641628 and the user requires paper management (either 1 or 2 tier), the model number would change to: 81OH-641628PMLERE

It is not necessary to designate on the overhead model number whether a 1 or 2 tier paper management unit is required. The type of paper management used is to be specified in the tackboard, L.E.D. light model number. Depending on the size of WorkWall and location of piers and overheads, the paper management price will vary. For pricing on paper management options, please refer to the paper management upcharge/sizing chart on page 242.

****The machining for paper management cannot be done in the field.**



VESTRADA | WORKWALL COMPONENTS | GUIDELINES

TACKBOARDS, L.E.D. LIGHTS AND PAPER MANAGEMENT SHELVING



Tackboards and L.E.D. lights need to be specified as a separate line item and are acknowledged separately on an order for WorkWall. A TBHL must be ordered to complete a WorkWall. The model number prefix for the tackboard, L.E.D. light is TBHL.

When paper management is to be added, it must also appear in the tackboard, L.E.D. light model number as they are all built as one part. The model number prefix for tackboard, L.E.D. light and paper management tiers are:

- (a) 81TBHLP1—(for one tier paper management)
- (b) 81TBHLP2—(for two tier paper management)

Depending on the size of WorkWall and location of piers and overheads, the 81TBHL price will vary. For pricing and model numbers, please refer to the TBHL pricing chart .



LINKWALLS

LinkWalls are WorkWall components that meet at a corner.

LinkWalls are comprised of two overheads that are end supported by a corner pier creating a corner solution.

Please follow these steps to specify your LinkWall from WorkWall components:

STEP 1: Choose your left pier.

- Designate under or end-supporting.

STEP 2: Choose your left overhead*

- Designate left end or under-supported.
- The right designation can only be end-supported.
- If specifying paper management add PM to overhead model number.

With paper management both sides must be end-supported.

*Sliding glass door overheads with open ends are not available in LinkWall configurations

STEP 3: Specify corner pier - model number 81PRC-161640

- If paper management** is required specify 1 or 2 tier by adding PM1 or PM2 to the end of the pier model number.

**The 1 or 2 tier paper management can only be ordered if used on both sides of the LinkWall.

STEP 4: Choose your right overhead*

- Designate end or under-supported.
- The left designation can only be end-supported.
- If specifying paper management add PM to overhead model number.

With paper management both sides must be end-supported.

*Sliding glass door overheads with open ends are not available in LinkWall configurations

STEP 5: Choose your right pier

- Designate under or end-supporting.


STEP 6: Specify tackboard - TBHL for both overheads

- Determine TBHL size.


If the overhead and piers are both end-supporting simply use the size of the overhead.

If a pier is under-supporting subtract the amount of the pier which sits underneath the overhead from the size of the overhead.



- If specifying paper management add PM1 or PM2 to TBHL model number and apply applicable upcharge to the price of the TBHL.





VESTRADA | WORKWALL COMPONENTS | GUIDELINES




Model	Cherry	Oak
	Maple	Anigre
Walnut		
81PR-161640-11LE	2008	2309
81OO-641640PMLERE	2680	3021
81TBHLP1-642415U	1308	1308
81PRC-161640PM1	1918	2206
81OH-641614PMLERE	2934	3316
81TBHLP1-642415U	1308	1308
81PR-161640-11RE	2008	2309
	14164	15777



Model	Cherry	Oak
	Maple	Anigre
Walnut		
81PR-081426-11LU	1740	1711
81OS-641614LURE	3190	3136
81TBHL-562415U	898	898
81PRC-161640	1918	2206
81OH-641614LERE	2552	2936
81TBHL-642415U	927	927
81PR-081640-11RE	1949	2242
	13174	13013






Model	Cherry	Oak
	Maple	Anigre
Walnut		
81PR-161653-11LE	2373	2732
81OH-801628LEREG	3497	4020
81TBHL-802415U	970	970
81PRC-161640	1918	2206
81OH-801628LERE	3181	3657
81TBHL-802415U	970	970
81ST162483-11RE	3036	3490
	15945	18045



NOTE: If specifying palette finish change model number prefix to 83
NOTE: All Tackboard pricing reflect a Grade 1 palette fabric

VESTRADA | HUTCHES

Description	Model	Cherry Rift		W	D	H		Shipping Weight	Cubic Feet
		Oak Walnut	Anigre						
5 Hi, Wood Door Hutches 	81HT641640	4062	4671	64	16	40	25.5	192	27
	81HT721640*	4770	5486	72	16	40	25.5	201	30
	81HT801640	5338	6136	80	16	40	25.5	215	35
	81HT881640	6872	7902	88	16	40	25.5	274	44
	81HT961640	7742	8904	96	16	40	25.5	293	47
5 Hi, Matte Silver Framed Glass Door Hutches 	81HT641640G	4793	5511	64	16	40	25.5	192	27
	81HT721640G*	5627	6470	72	16	40	25.5	201	30
	81HT801640G	6298	7242	80	16	40	25.5	215	35
	81HT881640G	8108	9325	88	16	40	25.5	274	44
	81HT961640G	9137	10506	96	16	40	25.5	293	47
5 Hi, Open Hutches 	81HTO641640	3643	4189	64	16	40	25.5	190	27
	81HTO721640*	4039	4646	72	16	40	25.5	199	30
	81HTO801640	4353	5005	80	16	40	25.5	213	35
	81HTO881640	5678	6530	88	16	40	25.5	272	44
	81HTO961640	6415	7376	96	16	40	25.5	291	47
5 Hi, 64" & 72" Combination Hutches 	81HTHO64164002	3853	4430	64	16	40	25.5	192	27
	81HTHO72164002*	4404	5064	72	16	40	25.5	201	30

ORDERING NOTES:

Paper management shelving is not available on 88" and 96" wide hutches. 88" and 96" hutches come in two pieces. For paper management, please add PM1 or PM2 after the model number, e.g., 81HT801640PM1. Please see page 234. for upcharges. Specify a Voice/Power/Data module with any hutch by adding 'W' at the end of the model number and a **\$234 list upcharge**. Hutches come standard with a Krug panel grade 1 fabric tackboard and L.E.D. lights. See page 234 for fabric upcharges. Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers. Glass door hutches are NOT available on KrugExpress. Locks are not available on glass door hutches.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - matte Silver framed frosted glass doors
W - voice/power/data module
02 - two closed left, remainder open
04 - three closed left, remainder open
06 - four closed left, remainder open
PM - paper management (optional)
HT - closed hinged door hutch
HT0 - open hutch
HTH0- combination open and closed hinged hutch
HUTCH- double height hinged closed/open hutch

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.


PAPER MANAGEMENT


For paper management, add PM1 or PM2 after hutch model number. Apply appropriate upcharge from page 234 to hutch.

TACKBOARDS


Hutches come standard with a Krug panel grade 1 fabric tackboard and L.E.D. lights. See page 234 for fabric upcharges.

Description	Model	Cherry Rift		W	D	H		Shipping Weight	Cubic Feet
		Oak	Walnut						
5 Hi, 80" Combination Hutches	81HTHO80164004	Maple	Anigre	80	16	40	25.5	215	35



	81HT641653	5017	5769	64	16	53	25.5	273	27
	81HT721653*	5743	6606	72	16	53	25.5	281	30
	81HT801653	6660	7659	80	16	53	25.5	299	35
	81HT881653	8537	9820	88	16	53	25.5	358	44
	81HT961653	9643	11093	96	16	53	25.5	377	47

6 Hi, Matte Silver Framed Glass Door Hutches	81HT641653G	5919	6809	64	16	53	25.5	273	27
	81HT721653G*	6772	7789	72	16	53	25.5	281	30
	81HT801653G	7810	8983	80	16	53	25.5	299	35
	81HT881653G	10073	11584	88	16	53	25.5	358	44
	81HT961653G	11382	13089	96	16	53	25.5	377	47



6 Hi, Wood Door/Open Combination Hutches	81HTCH641653	4768	5484	64	16	53	25.5	273	27
	81HTCH721653*	5455	6274	72	16	53	25.5	281	30
	81HTCH801653	6285	7229	80	16	53	25.5	299	35



ORDERING NOTES:

Paper management shelving is not available on 88" and 96" wide hutches. 88" and 96" hutches come in two pieces. For paper management, please add PM1 or PM2 after the model number, e.g., 81HT801640PM1. Please see page 248 for upcharges. Specify a Voice/Power/Data module with any hutch by adding 'W' at the end of the model number

and a **\$234 list upcharge**.

Hutches come standard with a Krug panel grade 1 fabric tackboard and L.E.D. lights. See page 248 for fabric upcharges. Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers. Glass door hutches are NOT available on KrugExpress. Locks are not available on glass door hutches.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

G - matte Silver framed frosted glass doors
W - voice/power/data module
02 - two closed left, remainder open
04 - three closed left, remainder open
06 - four closed left, remainder open
PM - paper management (optional)
HT - closed hinged door hutch
HT0 - open hutch
HTH0 - combination open and closed hinged hutch
HUTCH - double height hinged closed/open hutch

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

PAPER MANAGEMENT

For paper management, add PM1 or PM2 after hutch model number. Apply appropriate upcharge from page 248 to hutch.

VESTRADA | HUTCH, TACKBOARDS, PAPER MANAGEMENT PRICING

Tackboard upcharges for hutches.
Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch. FABRIC GRADES

	2	3	4	5	6	7	8	9	com
64" hutch tackboard	163	350	350	687	852	1014	1179	1464	2
72" hutch tackboard	195	419	419	823	1017	1216	1412	1697	2.25
80" hutch tackboard	273	570	570	1116	1390	1661	1934	2286	2.5
88" hutch tackboard	309	639	639	1251	1559	1865	2170	2518	2.75
96" hutch tackboard	338	702	702	1375	1714	2053	2384	2768	3.00

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by COM requirement on the chart.
The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

* Palette Panel fabrics are Grade 3 fabrics.

A tackboard in grade 1 fabric is included in the price of the hutch.



Paper Management upcharges to be added to the price of the hutch.

	TACKBOARD SIZE		
	64"	72"	80"
1 Tier	385	424	447
2 Tier	775	840	914



VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
Wood Door Overheads	81OH481614LERE	2338	2689	48	16	13.75	120	9
	81OH481614LERU	2338	2689	48	16	13.75	120	9
	81OH481614LURU	2338	2689	48	16	13.75	120	9
	81OH481614LURE	2338	2689	48	16	13.75	120	9
	81OH641614LERE*	2610	3002	64	16	13.75	150	11
	81OH641614LERU	2610	3002	64	16	13.75	150	11
	81OH641614LURU	2610	3002	64	16	13.75	150	11
	81OH641614LURE	2610	3002	64	16	13.75	150	11
	81OH801614LERE	3003	3450	80	16	13.75	180	14
	81OH801614LERU	3003	3450	80	16	13.75	180	14
	81OH801614LURU	3003	3450	80	16	13.75	180	14
	81OH801614LURE	3003	3450	80	16	13.75	180	14
	81OH961614LERE	3453	3974	96	16	13.75	210	17
	81OH961614LERU	3453	3974	96	16	13.75	210	17
	81OH961614LURU	3453	3974	96	16	13.75	210	17
	81OH961614LURE	3453	3974	96	16	13.75	210	17
Open Overheads	81OO481614LERE*	2221	2555	48	16	13.75	110	9
	81OO481614LERU	2221	2555	48	16	13.75	110	9
	81OO481614LURU	2221	2555	48	16	13.75	110	9
	81OO481614LURE	2221	2555	48	16	13.75	110	9
	81OO641614LERE**	2350	2702	64	16	13.75	140	11
	81OO641614LERU	2350	2702	64	16	13.75	140	11
	81OO641614LURU	2350	2702	64	16	13.75	140	11
	81OO641614LURE	2350	2702	64	16	13.75	140	11
	81OO801614LERE	2852	3279	80	16	13.75	170	14
	81OO801614LERU	2852	3279	80	16	13.75	170	14
	81OO801614LURU	2852	3279	80	16	13.75	170	14
	81OO801614LURE	2852	3279	80	16	13.75	170	14
	81OO961614LERE	3280	3772	96	16	13.75	200	17
	81OO961614LERU	3280	3772	96	16	13.75	200	17
	81OO961614LURU	3280	3772	96	16	13.75	200	17
	81OO961614LURE	3280	3772	96	16	13.75	200	17

ORDERING NOTES:

Please see page 226 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall.

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION



G - matte Silver framed frosted glass doors
W - voice/power/data module
02 - two closed left, remainder open
04 - three closed left, remainder open
06 - four closed left, remainder open
PM - paper management (optional)
HT - closed hinged door hutch
HT0 - open hutch
HTH0 - combination open and closed hinged hutch
HUTCH - double height hinged closed/open hutch

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

COMBINATION OVERHEADS Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak	Walnut					
	81OS481614LERE*	2921	3361	48	16	13.75	115	9
	81OS481614LERU	2921	3361	48	16	13.75	115	9
	81OS481614LURU	2921	3361	48	16	13.75	115	9
	81OS481614LURE	2921	3361	48	16	13.75	115	9
	81OS641614LERE**	3263	3751	64	16	13.75	145	11
	81OS641614LERU	3263	3751	64	16	13.75	145	11
	81OS641614LURU	3263	3751	64	16	13.75	145	11
	81OS641614LURE	3263	3751	64	16	13.75	145	11
	81OS801614LERE	3751	4315	80	16	13.75	175	14
	81OS801614LERU	3751	4315	80	16	13.75	175	14
	81OS801614LURU	3751	4315	80	16	13.75	175	14
	81OS801614LURE	3751	4315	80	16	13.75	175	14
	81OS961614LERE	4315	4961	96	16	13.75	205	17
	81OS961614LERU	4315	4961	96	16	13.75	205	17
	81OS961614LURU	4315	4961	96	16	13.75	205	17
	81OS961614LURE	4315	4961	96	16	13.75	205	17
	81OIS481614LURU*	2921	3361	48	16	13.75	120	9
	81OIS641614LURU**	3263	3751	64	16	13.75	150	11
	81OIS801614LURU	3751	4315	80	16	13.75	180	14
	81OIS961614LURU	4315	4961	96	16	13.75	210	17

ORDERING NOTES:

Please see page 226 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing.

Paper management cases can only be end supported.

Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall.

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers.

Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 E - end-supported
 U - under-supported
 OH - hinged door overheads
 OO - open overheads
 OS - sliding glass overhead, closed ends
 PM - paper management



STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
48" Wood Door/Open Combination Over- heads 	81OHO48161401LERE*	2282	2623	48	16	14	120	9
	81OHO48161402LERE**	2282	2623	48	16	14	120	9
	81OHO48161401LERU	2282	2623	48	16	14	120	9
	81OHO48161402LERU	2282	2623	48	16	14	120	9
	81OHO48161401LURE	2282	2623	48	16	14	120	9
	81OHO48161402LURE	2282	2623	48	16	14	120	9
	81OHO48161401LURU	2282	2623	48	16	14	120	9
	81OHO48161402LURU	2282	2623	48	16	14	120	9
64" Wood Door/Open Combination Over- heads 	81OHO64161402LERE*	2478	2850	64	16	14	150	11
	81OHO64161403LERE**	2478	2850	64	16	14	150	11
	81OHO64161402LERU	2478	2850	64	16	14	150	11
	81OHO64161403LERU	2478	2850	64	16	14	150	11
	81OHO64161402LURE	2478	2850	64	16	14	150	11
	81OHO64161403LURE	2478	2850	64	16	14	150	11
	81OHO64161402LURU	2478	2850	64	16	14	150	11
	81OHO64161403LURU	2478	2850	64	16	14	150	11
80" Wood Door/Open Combination Over- heads 	81OHO80161402LERE	2928	3367	80	16	14	180	14
	81OHO80161403LERE*	2928	3367	80	16	14	180	14
	81OHO80161404LERE	2928	3367	80	16	14	180	14
	81OHO80161402LERU	2928	3367	80	16	14	180	14
	81OHO80161403LERU	2928	3367	80	16	14	180	14
	81OHO80161404LERU	2928	3367	80	16	14	180	14
	81OHO80161402LURE	2928	3367	80	16	14	180	14
	81OHO80161403LURE	2928	3367	80	16	14	180	14
	81OHO80161404LURE	2928	3367	80	16	14	180	14
	81OHO80161402LURU	2928	3367	80	16	14	180	14
	81OHO80161403LURU	2928	3367	80	16	14	180	14
	81OHO80161404LURU	2928	3367	80	16	14	180	14

ORDERING NOTES:

Please see page 226 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall.

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers.

Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
03 - two glass left, remainder wood
04 - two wood left, remainder glass
07 - four glass left, remainder glass
08 - four wood left, remainder glass
09 - one glass, wood, one glass


STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
 96" Wood Door/Open Combination Overheads	81OHO96161402LERE*	3416	3929	96	16	14	210	17
	81OHO96161407LERE	3416	3929	96	16	14	210	17
	81OHO96161402LERU	3416	3929	96	16	14	210	17
	81OHO96161407LERU	3416	3929	96	16	14	210	17
	81OHO96161402LURE	3416	3929	96	16	14	210	17
	81OHO96161407LURE	3416	3929	96	16	14	210	17
	81OHO96161402LURU	3416	3929	96	16	14	210	17
	81OHO96161407LURU	3416	3929	96	16	14	210	17

ORDERING NOTES:

Please see page 226 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall.

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION




L - left hand position
 R - right hand position
 E - end-supported
 U - under-supported
 03 - two glass left, remainder wood
 04 - two wood left, remainder glass
 07 - four glass left, remainder glass
 08 - four wood left, remainder glass
 09 - one glass, wood, one glass

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

COMBINATION OVERHEADS Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak Walnut	Anigre					
Double Height Wood Door Overheads  *  **	81OH481628LERE*	2764	3178	48	16	28	150	15
	81OH641628LERE	3065	3523	64	16	28	200	21
	81OH801628LERE	3253	3740	80	16	28	250	26
	81OH961628LERE	3587	4124	96	16	28	300	30
	81OH481628LERU	2764	3178	48	16	28	150	15
	81OH641628LERU	3065	3523	64	16	28	200	21
	81OH801628LERU	3253	3740	80	16	28	250	26
	81OH961628LERU	3587	4124	96	16	28	300	30
	81OH481628LURE	2764	3178	48	16	28	150	15
	81OH641628LURE**	3101	3523	64	16	28	200	21
	81OH801628LURE	3253	3740	80	16	28	250	26
	81OH961628LURE	3587	4124	96	16	28	300	30
	81OH481628LURU	2764	3178	48	16	28	150	15
	81OH641628LURU	3065	3523	64	16	28	200	21
	81OH801628LURU	3253	3740	80	16	28	250	26
	81OH961628LURU	3587	4124	96	16	28	300	30
Double Height Matte Silver Framed Glass Door Overheads  *	81OH481628LEREG	3038	3492	48	16	28	150	15
	81OH641628LEREG	3372	3878	64	16	28	200	21
	81OH801628LEREG	3577	4112	80	16	28	250	26
	81OH961628LEREG	3946	4539	96	16	28	300	30
	81OH481628LERUG	3038	3492	48	16	28	150	15
	81OH641628LERUG	3372	3878	64	16	28	200	21
	81OH801628LERUG	3577	4112	80	16	28	250	26
	81OH961628LERUG	3946	4539	96	16	28	300	30
	81OH481628LUREG	3038	3492	48	16	28	150	15
	81OH641628LUREG*	3372	3878	64	16	28	200	21
	81OH801628LUREG	3577	4112	80	16	28	250	26
	81OH961628LUREG	3946	4539	96	16	28	300	30
	81OH481628LURUG	3038	3492	48	16	28	150	15
	81OH641628LURUG	3372	3878	64	16	28	200	21
	81OH801628LURUG	3577	4112	80	16	28	250	26
	81OH961628LURUG	3946	4539	96	16	28	300	30

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
OH - hinged door overheads
OO - open overheads
OS - sliding glass overhead, closed ends
PM - paper management

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.



SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
 48" Double Height Matte Silver Framed Glass/Wood Door Combination Overheads	81OH48162802LERE	2945	3386	48	16	28	150	11
	81OH48162803LERE	2945	3386	48	16	28	150	11
	81OH48162802LERU	2945	3386	48	16	28	150	11
	81OH48162803LERU	2945	3386	48	16	28	150	11
	81OH48162802LURU	2945	3386	48	16	28	150	11
	81OH48162803LURU	2945	3386	48	16	28	150	11
	81OH48162802LURE	2945	3386	48	16	28	150	11
	81OH48162803LURE	2945	3386	48	16	28	150	11
	81OH48162809LERE*	2945	3386	48	16	28	150	11
	81OH48162810LERE	2853	3280	48	16	28	150	11
	81OH48162809LERU	2945	3386	48	16	28	150	11
	81OH48162810LERU	2853	3280	48	16	28	150	11
	81OH48162809LURU	2945	3386	48	16	28	150	11
	81OH48162810LURU	2853	3280	48	16	28	150	11
	81OH48162809LURE	2945	3386	48	16	28	150	11
	81OH48162810LURE	2853	3280	48	16	28	150	11
 64" Double Height, Matte Silver Framed Glass/ Wood Door Combination Overheads	81OH64162803LERE*	3218	3699	64	16	28	200	21
	81OH64162806LERE	3117	3586	64	16	28	200	21
	81OH64162803LERU	3218	3699	64	16	28	200	21
	81OH64162806LERU	3117	3586	64	16	28	200	21
	81OH64162803LURE	3218	3699	64	16	28	200	21
	81OH64162806LURE	3117	3586	64	16	28	200	21
	81OH64162803LURU	3218	3699	64	16	28	200	21
	81OH64162806LURU	3117	3586	64	16	28	200	21
	81OH64162809LERE	3218	3699	64	16	28	200	21
	81OH64162810LERE	3218	3699	64	16	28	200	21
	81OH64162809LERU	3218	3699	64	16	28	200	21
	81OH64162810LERU	3218	3699	64	16	28	200	21
	81OH64162809LURE	3218	3699	64	16	28	200	21
	81OH64162810LURE	3218	3699	64	16	28	200	21
	81OH64162809LURU	3218	3699	64	16	28	200	21
	81OH64162810LURU	3218	3699	64	16	28	200	21

ORDERING NOTES:

Please see page 226 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing.

Paper management cases can only be end supported.

Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall.

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers.

Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing


CODE DESCRIPTION

- L - left hand position
- R - right hand position
- E - end-supported
- U - under-supported

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

Description	Model	Cherry Rift Oak Walnut		W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre					
80" Double Height, Matte Silver Framed Glass/ Wood Door Combination Overheads 	81OH80162803LERE	3359	3864	80	16	28	250	26
	81OH80162806LERE	3359	3864	80	16	28	250	26
	81OH80162803LERU	3359	3864	80	16	28	250	26
	81OH80162806LERU	3359	3864	80	16	28	250	26
	81OH80162803LURE	3359	3864	80	16	28	250	26
	81OH80162806LURE	3359	3864	80	16	28	250	26
	81OH80162803LURU	3359	3864	80	16	28	250	26
	81OH80162806LURU	3359	3864	80	16	28	250	26
	81OH80162809LERE	3359	3864	80	16	28	250	26
	81OH80162810LERE*	3470	3987	80	16	28	250	26
	81OH80162809LERU	3359	3864	80	16	28	250	26
	81OH80162810LERU	3470	3987	80	16	28	250	26
	81OH80162809LURE	3359	3864	80	16	28	250	26
	81OH80162810LURE	3470	3987	80	16	28	250	26
	81OH80162809LURU	3359	3864	80	16	28	250	26
	81OH80162810LURU	3470	3987	80	16	28	250	26
96" Double Height, Matte Silver Framed Glass/ Wood Door Combination Overheads 	81OH96162803LERE	3677	4231	96	16	28	300	30
	81OH96162804LERE	3856	4436	96	16	28	300	30
	81OH96162807LERE	3856	4436	96	16	28	300	30
	81OH96162808LERE	3677	4231	96	16	28	300	30
	81OH96162803LERU	3677	4231	96	16	28	300	30
	81OH96162804LERU	3856	4436	96	16	28	300	30
	81OH96162807LERU	3856	4436	96	16	28	300	30
	81OH96162808LERU	3677	4231	96	16	28	300	30
	81OH96162803LURU	3677	4231	96	16	28	300	30
	81OH96162807LURU	3856	4436	96	16	28	300	30
	81OH96162804LURU	3856	4436	96	16	28	300	30
	81OH96162808LURU	3677	4231	96	16	28	300	30
	81OH96162804LURE	3856	4436	96	16	28	300	30
	81OH96162803LURE	3677	4231	96	16	28	300	30
	81OH96162807LURE	3856	4436	96	16	28	300	30
	81OH96162808LURE	3677	4231	96	16	28	300	30
	81OH96162809LERE	3677	4231	96	16	28	300	30
	81OH96162810LERE	3856	4436	96	16	28	300	30
	81OH96162811LERE	3856	4436	96	16	28	300	30
	81OH96162812LERE	3677	4231	96	16	28	300	30
	81OH96162809LERU	3677	4231	96	16	28	300	30
	81OH96162810LERU	3677	4436	96	16	28	300	30
	81OH96162812LERU	3856	4231	96	16	28	300	30
	81OH96162811LERU	3856	4436	96	16	28	300	30
	81OH96162809LURU	3677	4231	96	16	28	300	30
	81OH96162810LURU	3856	4436	96	16	28	300	30
	81OH96162811LURU	3856	4436	96	16	28	300	30
	81OH96162812LURU	3677	4231	96	16	28	300	30
	81OH96162809LURE	3677	4231	96	16	28	300	30
	81OH96162810LURE	3856	4436	96	16	28	300	30
	81OH96162811LURE	3856	4436	96	16	28	300	30
	81OH96162812LURE	3677	4231	96	16	28	300	30

ORDERING NOTES:

Please see page 228 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under-supported/Right End supported. For paper management, please add PM before the 'L' in the model number, see page 228 for ordering instructions and pricing. Paper management cases can only be end supported. Tackboard and L.E.D. lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall. Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving. Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
03 - two glass left, remainder wood
04 - two wood left, remainder glass
06 - three wood left, remainder glass
07 - four glass left, remainder glass
08 - four wood left, remainder glass
09 - one glass, wood, one glass
10 - one wood, glass, one wood
11 - two glass, wood, two glass
12 - two wood, glass, two wood
Updated February 2024

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS/OVERHEADS

TBHL - TACKBOARD L.E.D. LIGHT PRICING CHART A TBHL must be ordered in order to complete a WorkWall.

Model	FABRIC GRADES									W	H	COM
	1	2	3	4	5	6	7	8	9			
81TBHL8 402415U	793	808	839	942	1128	1305	1481	1666	1909	40	23.5	1.25
81TBHL8 482415U	860	878	912	1029	1235	1434	1634	1839	2110	48	23.5	1.50
81TBHL8 562415U	919	937	969	1089	1305	1507	1712	1927	2205	56	23.5	1.74
81TBHL8 642415U	948	964	991	1125	1349	1559	1773	1992	2284	64	23.5	2.00
81TBHL8 722415U	969	987	1011	1154	1381	1596	1814	2040	2317	72	23.5	2.25
81TBHL8 802415U	994	1013	1034	1185	1417	1641	1865	2101	2395	80	23.5	2.50
81TBHL8 882415U	1012	1030	1052	1203	1442	1669	1895	2133	2444	88	23.5	2.75
81TBHL8 962415U	1029	1047	1071	1222	1468	1697	1928	2170	2483	96	23.5	3.0


Krug Momentum Panel Fabrics are available at grade 1 pricing. See page 9 for more information.
Only Krug Momentum Panel fabrics are available on *KrugExpress*.

PAPER MANAGEMENT

The following paper management upcharges are to be added to the price of the TBHL. Specify 1 tier or 2 tier paper management with a PM1 or PM2 before size in TBHL model number, e.g., 81TBHLPM1-482415U.

TACKBOARD SIZE	48"	64"	80"	96"
1 Tier	350	355	384	422
2 Tier	703	705	767	838

VESTRADA | WORKWALL COMPONENTS / WORKSURFACE STORAGE PIERS

Description	Model	Cherry Rift Oak Walnut			W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette					
 8" Piers, 26" High	81PR08142617LU*	1620	1862	1456	8	14	26	16	3
	81PR08142617RU	1780	2047	1604	8	14	26	16	3
	81PR08142611LU	1780	2047	1604	8	14	26	20	3
	81PR08142611RU	1701	1954	1528	8	14	26	20	3
	81PR08142661LU	1701	1954	1528	8	14	26	18	3
	81PR08142661RU	1693	1947	1524	8	14	26	18	3
 16" Piers, 26" High	81PR16142617LU	1693	1947	1524	16	14	26	20	5
	81PR16142617RU	1840	2115	1654	16	14	26	20	5
	81PR16142611LU*	1840	2115	1654	16	14	26	28	5
	81PR16142611RU	1765	2028	1590	16	14	26	28	5
	81PR16142661LU	1765	2028	1590	16	14	26	23	5
	81PR16142661RU				16	14	26	23	5
 32" Piers, 26" High	81PR32142617LU	1983	2282	1785	32	14	26	36	9
	81PR32142617RU	1983	2282	1785	32	14	26	36	9
	81PR32142611LU*	2156	2478	1940	32	14	26	46	9
	81PR32142611RU	2156	2478	1940	32	14	26	46	9
	81PR32142661LU	2067	2377	1860	32	14	26	43	9
	81PR32142661RU	2067	2377	1860	32	14	26	43	9
 8" Piers, 40" High	81PR08164017LE*	1913	2199	1721	8	16	40	40	5
	81PR08164017RE	1913	2199	1721	8	16	40	40	5
	81PR08164011LE	1993	2294	1796	8	16	40	46	5
	81PR08164011RE	1993	2294	1796	8	16	40	46	5
	81PR08164061LE	1967	2261	1771	8	16	40	44	5
	81PR08164061RE	1967	2261	1771	8	16	40	44	5
 16" Piers, 40" High	81PR16164017LE	1973	2270	1775	16	16	40	55	8
	81PR16164017RE	1973	2270	1775	16	16	40	55	8
	81PR16164011LE*	2055	2362	1850	16	16	40	70	8
	81PR16164011RE	2055	2362	1850	16	16	40	70	8
	81PR16164011LEG	2310	2655	2080	16	16	40	73	8
	81PR16164011REG	2310	2655	2080	16	16	40	73	8
	81PR16164061LE	2036	2342	1834	16	16	40	64	8
	81PR16164061RE	2036	2342	1834	16	16	40	64	8
 32" Piers, 40" High	81PR32164017LE	2123	2442	1911	32	16	40	95	13
	81PR32164017RE	2123	2442	1911	32	16	40	95	13
	81PR32164011LE*	2358	2711	2122	32	16	40	110	13
	81PR32164011RE	2358	2711	2122	32	16	40	110	13
	81PR32164011LEG	2653	3052	2386	32	16	40	120	13
	81PR32164011REG	2653	3052	2386	32	16	40	120	13
	81PR32164061LE	2214	2547	1992	32	16	40	115	13
	81PR32164061RE	2214	2547	1992	32	16	40	115	13

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - door, hinged left
R - door, hinged right
E - end support
U - under support
G - glass doors
17 - open
11 - closed
61 - one open/closed wood
PRC- linkwall corner pier




STANDARD FINISHES

For a complete list of standard wood finishes please see page 114.

LOCKS

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers

VESTRADA | WORKWALL COMPONENTS/WORKSURFACE STORAGE PIERS

Description	Model	Cherry Rift Oak Walnut			W	D	H	Shipping Weight	Cubic Feet
		Maple	Anigre	Palette					
 36" Piers, 40" High	81PR36164017LE	2232	2565	2008	36	16	40	100	15
	81PR36164017RE	2232	2565	2008	36	16	40	100	15
	81PR36164011LE*	2409	2771	2168	36	16	40	120	15
	81PR36164011RE	2409	2771	2168	36	16	40	120	15
	81PR36164011LEG	2710	3117	2440	36	16	40	130	15
	81PR36164011REG	2710	3117	2440	36	16	40	130	15
	81PR36164061LE	2327	2676	2094	36	16	40	120	15
	81PR36164061RE	2327	2676	2094	36	16	40	120	15
 8" Piers, 53" High	81PR08165317LE*	2053	2359	1847	8	16	53	45	6
	81PR08165317RE	2053	2359	1847	8	16	53	45	6
	81PR08165311LE	2282	2623	2077	8	16	53	45	6
	81PR08165311RE	2282	2623	2077	8	16	53	45	6
 16" Piers, 53" High	81PR16165317LE	2234	2569	2010	16	16	53	70	11
	81PR16165317RE	2234	2569	2010	16	16	53	70	11
	81PR16165311LE*	2427	2793	2186	16	16	53	86	11
	81PR16165311RE	2427	2793	2186	16	16	53	86	11
	81PR16165311LEG	2769	3183	2492	16	16	53	90	11
	81PR16165311REG	2769	3183	2492	16	16	53	90	11
	81PR16165361LE	2331	2679	2099	16	16	53	82	11
	81PR16165361RE	2331	2679	2099	16	16	53	82	11
 32" Piers, 53" High	81PR32165317LE	2619	3012	2358	32	16	53	125	18
	81PR32165317RE	2619	3012	2358	32	16	53	125	18
	81PR32165311LE	2872	3303	2585	32	16	53	140	18
	81PR32165311RE	2872	3303	2585	32	16	53	140	18
	81PR32165311LEG	3231	3715	2907	32	16	53	150	18
	81PR32165311REG	3231	3715	2907	32	16	53	150	18
	81PR32165361LE*	2734	3142	2459	32	16	53	150	18
	81PR32165361RE	2734	3142	2459	32	16	53	150	18
 36" Piers, 53" High	81PR36165317LE	2676	3077	2408	36	16	53	135	20
	81PR36165317RE	2676	3077	2408	36	16	53	135	20
	81PR36165311LE	2932	3372	2640	36	16	53	155	20
	81PR36165311RE	2932	3372	2640	36	16	53	155	20
	81PR36165311LEG*	3299	3794	2969	36	16	53	165	20
	81PR36165311REG	3299	3794	2969	36	16	53	165	20
	81PR36165361LE	2792	3211	2514	36	16	53	165	20
	81PR36165361RE	2792	3211	2514	36	16	53	165	20
 16" Corner Pier- for use in Link Wall	81PRC161640	1962	2257	1768	16	16	40	70	8

ORDERING NOTES:

If used on overheads with 1 tier paper manager add suffix PM1 to the end of the model number. If used on overheads with 2 tier paper manager add suffix PM2 to the end of the model number. This pier can only be end supporting. Please see page 226 for ordering information.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 114
- 3) Pull style and finish, see page 116
- 4) V-Beam color, see page 117
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
02 - one wood, remainder glass

STANDARD FINISHES

For a complete list of standard wood finishes please see page 114. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

LOCKS

Locks are optional at an upcharge of **\$142 list per set** of 2 doors. Locks are standard on all file and lateral file drawers.



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG

Updated February 2024