ZOLAPrice and Specification Guide
CANADA



krug

Advancing Design Through Innovation

ZOLA | TABLE OF CONTENTS

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables


GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard colean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat.



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 22 for locations and page 83 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See <u>page</u> 83 for pricing.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS


Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech
ZOL3 M1201	5	1312
ZOL3 MS1S1	1	830
ZOL4 LKM12	1	941
ZOL4 LKE18	1	1046
ZOL4 LKC90	1	1222
ZOL4 241815	1	1131
Total List	\$	11,730






Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1353
ZOL4 LKM18	2	995
ZOL3 M1101	2	1446
ZOL3 MCIS90D	2	3321
ZOL3 M2101	2	2531
ZOL4 LKC90X2	1	2427







Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	830	
ZOL3 MS21	2	1160	
ZOL4 LKC90	2	1222	
ZOL4 LKM18	2	995	
Total List		\$8,414	

ZOLA | LOUNGE

DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire Unit	COM 2 Entire Units	COM 3 Entire Units	COM 4 Entire Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COW TANDAGES	(individual Co	mponems					
	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for
- 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see <u>page</u> 3.

ZOLA | LOUNGE

		COM		COL	COL FABRIC GRADES		LEATHER			
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2079	2192	2304	2500	2696	2892	3088	3127	3567
	One-Seat Plus ZOL3 FB1111	2304	2416	2531	2725	2922	3118	3314	3509	3794
	NOTE: One-Seat Plus is 30)" wide b	oetween a	rms.						
	Two-seat ZOL3 F2111	3070	3216	3350	3561	3772	3983	4192	4403	4735
	Two-seat Plus ZOL3 FB2111	3156	3298	3434	3643	3853	4065	4275	4486	4819
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth l	eg for ext	ra support.				
					-					
	Three-seat ZOL3 F3111	4171	4383	4592	5013	5437	5857	6280	6701	7422
	Three-seat Plus ZOL3 FB3111	4270	4481	4690	5111	5534	5956	6374	6797	7520

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	102 74 231	Solid Surface Arm Cap (per pair)	433	442	466	490

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 3 for more information on Zola options and features. Plus versions are not available with Caster options.

PRODUCT CODE KEY

ODOO! OODE IN	••					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - V	VITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19 25	88	9.75	

18.5

18.5

18.5

19.25

19.25

19.25

120

154

96

17.6

26.3

11.5

COM YARDAGES - ARMLESS UNITS

Two-seat Three-seat

One-Seat (Plus)

52

75

36

27

27

27

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

OOM IANDAGE	-0 1111117111110			
	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

34

34

34

COM YARDAGES - Individual Components

COM IANDAG	LO - Illulviuu	ai Compoi	iciita						
	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 10.1 Initia Take the variage for 4 units, matapy by 2, and variage for
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

	p , -			
Option Upcharge	\$ List	Option Upcharge	\$ List	
Arms (Right or Left)	74	One-Seat - seat	45	
Interim Arm	59	Two-seat - seat	65	
One-Seat - back	65	Three-seat - seat	81	
Two-seat - back	93	One-Seat Plus - seat	59	
Three-seat - back	116			
One-Seat Plus - back	74			

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see <u>page</u> 102, Zola Benches see <u>page</u> 85 and Zola Tablets see <u>page</u> 14.

ZOLA | MODULAR -WOOD BACK

			COM		C	COL FABRIC GRADES			LEATHER				
DESCRIPTION/MODI	EL/SPECIES		1		2	3	4	5	6	7	7 8	3	9
~	One-Seat, Wood	or Palett	e Back,	Armless	3								
	ZOL3 MW1201	Beech	1312	1342	1372	1433	1492	1	554	1612	1672	1764	
		Maple/	1349	1379	1410	1467	1530	1	589	1650	1711	1800	
		Cherry											
		Palette	1312	1342	1372	1433	1492	1	554	1612	1672	1764	
_	One-Seat, Wood	or Palett	e Back v	w/ Upho	Istered Pa	d, Armles	ss						
	ZOL3 MW1301	Beech	1521	1566	1597	1672	1732	1	794	1854	1915	2034	
		Maple/	1560	1605	1634	1711	1770	1	831	1891	1951	2070	
		Cherry											
		Palette	1521	1566	1597	1672	1732	1	794	1854	1915	2034	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	102	
2 Casters/2 Legs (#3 Leg Type below)	74	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODE	=1	SPECIES	COM	2	COL 3	FA 4	BRIC (GRADE 6	ES 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING	
DEGOTIII TIOTVIVIODI	<u></u>	OI LOILO										TAITDAGE	WEIGHT	OODLO
	One-Seat Woo	od/Palette B	Back w/	UPH F	Pad									
	ZOL3 MB13	Beech	590	603	618	648	680	709	741	770	813	0.6	21	3.1
		Maple /Cherry	634	648	663	695	724	754	770	800	861	0.6	21	3.1
		Palette	590	603	618	648	680	709	741	770	813	0.6	25	3.1
	One-Seat Woo	od/Palette B	Back											
)/// *//>	ZOL3 MB12	Beech	408									-	19	3.1
		Maple /Cherry	446									-	19	3.1
		Palette	408									-	23	3.1

PRODUCT CODE KI	EY					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
				op au		3 Combination 2 Front Standard Legs

Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

		COM		COL	FΑ	BRIC GRA	ADES		LEATHER	3		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9		
	One-Seat, Upholstered Back ZOL3 M1101 n/a	Armless 1446	1521	1597	1732	1867	2005	2138	2274	2515		
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	Back, Arn 1566	nless 1612	1688	1823	1959	2093	2230	2365	2608		
	ORDERING NOTES: One-Seat Plus seat is 30" wide. One-Seat, Upholstered Back with Arms ZOL3 M1111											
				2433	2629	2823	3017	3216	3410	3705		
	· •			2554	2747	2945	3138	3335	3532	3823		
	ORDERING NOTES: One-Seat Plus is 30" wide between the arms.											
	Two-seat, Upholstered Back ZOL3 M2101 n/a	Armless 2531	2673	2808	3017	3229	3439	3649	3864	4192		
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2613	aless 2756	2892	3102	3312	3523	3734	3945	4275		
	Two-seat, Upholstered Back ZOL3 M2111	with Arms	s 3439	3578	3788	3998	4210	4419	4630	4962		
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3379	Arms 3523	3660	3871	4082	4291	4503	4713	5044		
	Three-seat, Upholstered Bac ZOL3 M3101	ck Armless 3631	3841	4050	4471	4895	5316	5737	6159	6881		
	Three-seat Plus Upholstered ZOL3 MB3101	l Back Arn 3728	nless 3937	4148	4568	4992	5414	5833	6256	6979		
	Three-seat, Upholstered Bac ZOL3 M3111 n/a	ck with Arr 4396	ns 4608	4819	5240	5660	6083	6504	6924	7649		
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	l Back witl 4495	n Arms 4706	4915	5338	5759	6182	6601	7022	7744		

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	arges	List C	ption		A-White	A-Col	or B	С
4 Casters (#2 Leg T 2 Casters/2 Legs (# Urethane Arm Caps	#3 Leg Type below)	74 S	olid Surface Arm Cap (olid Surface Arm Cap (olid Surface Arm Cap -	per pair)	217 433 177	220 442 178	233 466 180	245 490 184
PRODUCT CODE KEY								
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Typ	e
ZOL Zola	3 Lounge	M Modular	1 One-Seat	1 Fully Uph Back	0 Armles	s	1 Standard Leg	+ Glide
		MB Modular	2 Two-seat		1 Uph Arr	m	2 4 Caste] rs
		Plus Upgrade	3 Three-seat		2 Urethane Ari	m Cap	3 Combinat	ion
					3 Solid Surf		Pront Standa & 2 Rear Ca	

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FAI	BRIC (GRADE	S L	EATHE	R	COM	SHIPPING	J
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr ZOL3 MAL ZOL3 MAR	n 468	507	542	620	695	770	844	918	1023	1.5	19	3.1
	ZOL3 MAI	332	348	363	392	423	455	485	513	559	0.33	13	1.8
	Left, Right,or Interim Arr	n - Uretl	nane C	ар									
	ZOL3 MALU	590	627	663	741	813	890	966	1040	1145	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	422	436	454	474	512	541	571	602	646	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

	Grades							
Option	A-White	A-Color	В	С				
Solid Surface Arm Cap (per arm)	217	220	233	245				
Solid Surface Arm Cap (per pair)	433	442	466	490				
Solid Surface Arm Cap - Interim (per arm)	177	178	180	184				

DESCRIPTION/MODEL	SPECIES	COM 1	2	COL 3	FA 4	BRIC 5	GRAD 6	ES 7	LEATHE 8	:R 9	COM YARDAGE	SHIPPING WEIGHT	-
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11		001	1063 1295	867 1145 1403 950	1312 1612	1478 1822	1228 1642 2034 1312	1498 1807 2244 1433	1619 1974 2457 1554	1764 2170 2712 1711	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

	COM			COL	FAE	BRIC GF	RADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	660 852 1071	682 899 1125	704 947 1181	735 1014 1256	771 1089 1345	803 1158 1421	838 1236 1508	884 1330 1615	928 1426 1724	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	723 862	767 911	808 957	869 1023	938 1100	999 1169	1067 1245	1153 1341	1241 1437	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	793 1122	834 1181	878 1241	939 1323	1009 1417	1067 1498	1138 1593	1223 1713	1309 1831	1.3 2.4	31 62	6.6 12.6

ORDERING NOTES: Seat height is 17.5 " from the floor.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	I/MODEL	SPECIES	COM 1	2	COL 3	- FA 4	ABRIC 5	GRAD	ES 7	LEATHE 8	ER 9	COM YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	eat Wo	od Bac	:k									
[1]	ZOL3 RBM12		348									_	19	3.1
		Maple/Cherry	386									-	19	3.1
		Palette	348									-	23	3.1
		Modular One-Se	eat Wo	od Bac	k w/ U	pholste	ered P	ad				0.0	0.4	
	ZOL3 RBM13		530	542		590		648	680	709	754	0.6	21	3.1
		Maple/Cherry	573	590	603	634	663		709	741	800	0.6	21	3.1
	Danlagament	Palette Back Pad -only	530	542	559	590	620		680	709	754	0.6	25	3.1
	ZOL3 RP	Dack Fau -Only	213	228	243	271	303	332	363	392	437	0.6	1.6	2
	Replacement	Upholstered Bad	ck											
Λ	ZOL3 RBM11	*	687	746	806	928	1046	1169	1439	1560	1703	1.75	23	5.2
(<i>l</i>)	ZOL3 RBM21		918	1003	1085	1252	1415	1583	1748	1915	2109	2.5	39	9.4
	ZOL3 RBM31			1236			1764			2397	2649	3.5	54	14
	ZOL3 RBBM1	1	770	830	890	1011	1131	1252	1372	1492	1650	2	28	6.1
	existing "L" br and Replacen component to	NOTES: Modular rackets on site properties on site properties of the replacement of the re	rior to a les do l lt comp	asseml not inc conent	oly to the lude leg	ne bend gs and	ch. Re joining	placer g bracl	nent Ba kets. Th	acks do ne hardv	not inclu ware can	ude mountin be transfer	ig brackets red from the	and legs e original
		Replacement Up				F07	040	717	700	067	071	1 5	4.4	0
() ()	ZOL3 RAMR ZOL3 RAML		415	455	490	567	640	717	793	867	971	1.5	14	3
	ZOL3 RAMRU	ı	536	573	611	687	761	837	912	987	1092	1.5	15.5	3
	ZOL3 RAMLU		550	373	011	007	701	007	312	301	1032	1.0	10.0	Ü
	arms with ure	thane cap. Zola	replac	ement	arms a	are ava	ilable	with S	olid Su	ırface A	rm Caps	s, see optior	n upcharge	acement chart on
	page 12. Woo	othane cap. Zola od back units are a special - please	not d	esigne	d to be	are ava specif	ilable ied wi	with S th star	iolid Su ndard Z	ırface A	rm Caps	s, see optior	n upcharge	chart on
	page 12. Woo units only as a	od back units are	e not d e conta at	esigne act Cus	d to be stomer	are ava specif Service	ilable ied wi e for a	with S th star ssistar	iolid Sundard Z	ırface A ola arm	rm Caps s. Arms	s, see optior can be spec	n upcharge cified on wo	chart on bood back
	page 12. Woo units only as a Replacement ZOL3 RSM1*	od back units are a special - please	e not d e conta at 741	esigne act Cus 783	d to be stomer 830	are ava e specif Service 912	ilable ied wi e for a	with Star ssistar	folid Sundard Zance.	urface A Yola arm	rm Caps s. Arms 1412	s, see optior can be spec	n upcharge cified on wo	chart on bood back
	Replacement ZOL3 RSM1* ZOL3 RSM2	od back units are a special - please	e not de conta	esigne act Cus 783 1122	d to be stomer 830 1174	are ava specif Service 912 1290	ilable ied wi e for as 995 1403	with S th star ssistar 1080 1514	folid Sundard Zance. 1160 1627	rface A cola arm 1243 1740	rm Caps s. Arms 1412 1928	s, see optior can be spec 1.33 1.75	upcharge cified on wo 25 39	chart on bood back 5.2 9.4
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3	od back units are a special - please Upholstered Sea	e not d e conta at 741 1069 1394	783 1122 1467	830 1174 1543	912 1290 1703	ilable ied wi for as 995 1403 1861	with S th star ssistar 1080 1514 2018	1160 1627 2175	1243 1740 2335	rm Caps s. Arms 1412 1928 2531	1.33 1.75 2.5	upcharge cified on wo 25 39 50	5.2 9.4 14
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSM81	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957	783 783 7122 7467	830 1174 1543 1046	912 1290 1703 1139	995 1403 1861 1228	1080 1514 2018 1319	1160 1627 2175 1410	1243 1740 2335 1498	rm Caps s. Arms 1412 1928 2531 1634	1.33 1.75 2.5	25 39 50 26	5.2 9.4 14 6.1
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3	od back units are a special - please Upholstered Sea	e not de conta e conta at 741 1069 1394 957 1145	783 1122 1467	830 1174 1543 1046 1267	912 1290 1703 1139 1379	ilable ied wi for as 995 1403 1861	1080 1514 2018 1319 1605	1160 1627 2175 1410 1718	1243 1740 2335	rm Caps s. Arms 1412 1928 2531	1.33 1.75 2.5	upcharge cified on wo 25 39 50	5.2 9.4 14
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB1 ZOL3 RSMB1	od back units are a special - please Upholstered Sea	e not de conta e conta at 741 1069 1394 957 1145	783 783 783 783 783 783 783 783 783 783	830 1174 1543 1046 1267	912 1290 1703 1139 1379	995 1403 1861 1228	1080 1514 2018 1319 1605	1160 1627 2175 1410 1718	1243 1740 2335 1498 1831	1412 1928 2531 1634 2018	1.33 1.75 2.5 1.75	25 39 50 26 39	5.2 9.4 14 6.1 9.4
	Page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover	od back units are a special - please Upholstered Sea	e not de conta e conta at 741 1069 1394 957 1145	783 783 783 783 783 783 783 783 783 783	830 1174 1543 1046 1267	912 1290 1703 1139 1379	995 1403 1861 1228 1492 2093	1080 1514 2018 1319 1605	1160 1627 2175 1410 1718	1243 1740 2335 1498 1831 2500	1412 1928 2531 1634 2018	1.33 1.75 2.5 1.75 2.5	25 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14
	Page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1*	od back units are a special - please Upholstered Sea	at 741 1069 1394 957 1145 1672	783 783 783 71122 7467 7003 71206 71748	830 1174 1543 1046 1267 1823	912 1290 1703 1139 1379 1959	995 1403 1861 1228 1492 2093	1080 1514 2018 1319 1605 2230	1160 1627 2175 1410 1718 2365 890 1295	1243 1740 2335 1498 1831 2500	1412 1928 2531 1634 2018 2712	1.33 1.75 2.5 1.75	25 39 50 26 39 50	5.2 9.4 14 6.1 9.4
	Page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover	od back units are a special - please Upholstered Sea	e not de conta 741 1069 1394 957 1145 1672	783 9 1122 1 1467 1003 6 1206 2 1748	830 1174 1543 1046 1267 1823	912 1290 1703 1139 1379 1959	995 1403 1861 1228 1492 2093	1080 1514 2018 1319 1605 2230 770 1115	1160 1627 2175 1410 1718 2365	1243 1740 2335 1498 1831 2500	1412 1928 2531 1634 2018 2712	1.33 1.75 2.5 1.75 2.5 2.5	25 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14
	Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3	od back units are a special - please Upholstered Sea	at 741 1069 1394 957 1145 1672 288 392	783 9 1122 1 1467 1003 5 1206 2 1748 348 485	830 1174 1543 1046 1267 1823 408 573	912 1290 1703 1139 1379 1959	995 1403 1861 1228 1492 2093 648 936 1206	1080 1514 2018 1319 1605 2230 770 1115	1160 1627 2175 1410 1718 2365 890 1295 1688	1243 1740 2335 1498 1831 2500	1412 1928 2531 1634 2018 2712 1206 1703	1.33 1.75 2.5 1.75 2.5 2.5	25 39 50 26 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14 1.7
	page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RCB1* ZOL3 RCB1 ZOL3 RCB1 ZOL3 RCB1 ZOL3 RCB1	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320	783 783 783 783 783 71122 71003 71206 71748 71748 71748 71748 71748 71748 71748 71748	830 1174 1543 1046 1267 1823 408 573 724 437	912 1290 1703 1139 1379 1959 530 754 966	995 1403 1861 1228 1492 2093 648 936 1206 680	1080 1514 2018 1319 1605 2230 770 1115 1446 800	1160 1627 2175 1410 1718 2365 890 1295 1688 918	1243 1740 2335 1498 1831 2500 1011 1478 1928	1412 1928 2531 1634 2018 2712 1206 1703 2230	1.33 1.75 2.5 1.75 2.5 2.5 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7
	Page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1 ZOL3 RCB1 ZOL3 RCB3 ZOL3 RCB3	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320	783 9 1122 1 1467 1003 5 1206 2 1748 348 485 603	830 1174 1543 1046 1267 1823 408 573 724	912 1290 1703 1139 1379 1959 530 754 966	995 1403 1861 1228 1492 2093 648 936 1206 680	1080 1514 2018 1319 1605 2230 770 1115 1446	1160 1627 2175 1410 1718 2365 890 1295 1688	1243 1740 2335 1498 1831 2500 1011 1478 1928	1412 1928 2531 1634 2018 2712 1206 1703 2230	1.33 1.75 2.5 1.75 2.5 2.5	25 39 50 26 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14 1.7 1.7
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCBAR ZOL3 RCAR	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320	783 783 783 783 783 71122 71467 71003 71206 71748 7148 71	830 1174 1543 1046 1267 1823 408 573 724 437	912 1290 1703 1139 1379 1959 530 754 966 559	995 1403 1861 1228 1492 2093 648 936 1206 680	1080 1514 2018 1319 1605 2230 770 1115 1446 800	1160 1627 2175 1410 1718 2365 890 1295 1688 918	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222	1.33 1.75 2.5 1.75 2.5 2.5 2.5 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 ——————————————————————————————————
	Page 12. Woo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAR	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 rim 258	783 9 1122 1 1467 1003 6 1206 2 1748 348 485 603 379 303	830 1174 1543 1046 1267 1823 408 573 724 437 348	912 1290 1703 1139 1379 1959 530 754 966 559 437	995 1403 1861 1228 1492 2093 648 936 1206 680 530	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288	1160 1627 2175 1410 1718 2365 890 1295 1688 918	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386	1.33 1.75 2.5 1.75 2.5 2.5 2.3 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCBAR ZOL3 RCAR	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320	783 783 783 783 783 71122 71467 71003 71206 71748 7148 71	830 1174 1543 1046 1267 1823 408 573 724 437	912 1290 1703 1139 1379 1959 530 754 966 559	995 1403 1861 1228 1492 2093 648 936 1206 680 530	1080 1514 2018 1319 1605 2230 770 1115 1446 800	1160 1627 2175 1410 1718 2365 890 1295 1688 918	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222	1.33 1.75 2.5 1.75 2.5 2.5 2.5 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 ——————————————————————————————————
	Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RCB1* ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAL	od back units are a special - please Upholstered Sea	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 rim 258 168 258	783 9 1122 1 1467 1003 6 1206 2 1748 348 485 603 379 303 181 303 Arm Co	830 1174 1543 1046 1267 1823 408 573 724 437 348 198 348	912 1290 1703 1139 1379 1959 530 754 966 559 437 228 437	995 1403 1861 1228 1492 2093 648 936 1206 680 530	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288 620	1160 1627 2175 1410 1718 2365 890 1295 1688 918 709	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040 800 348 800	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386 918	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2 3 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB1 Arm Covers F ZOL3 RCAL Z	od back units are a special - please Upholstered Sea Upholster	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 erim 258 168 258	783 3 1122 1 1467 1003 5 1206 2 1748 348 485 603 379 303 181 303 Arm Com cap	830 1174 1543 1046 1267 1823 408 573 724 437 348 198 348	912 1290 1703 1139 1379 1959 530 754 966 559 437 228 437	995 1403 1861 1228 1492 2093 648 936 1206 680 530 258 530 ght) ar	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288 620 e spece	1160 1627 2175 1410 1718 2365 890 1295 1688 918 709 319 709	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040 800 348 800	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386 918	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2 3 3.75 2	25 39 50 26 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB1 ORDERING N COVERS FOR ARCAL ZOL3 RCALU ORDERING N COVERS FOR ARCAL SOL3 RCS1*	od back units are a special - please Upholstered Sea Upholster	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 erim 258 168 258	783 9 1122 1 1467 1003 5 1206 2 1748 348 485 603 379 303 181 303 Arm Com cap	830 1174 1543 1046 1267 1823 408 573 724 437 348 198 348	912 1290 1703 1139 1379 1959 530 754 966 559 437 228 437	995 1403 1861 1228 1492 2093 648 936 1206 680 530 ght) ar	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288 620 e spece	1160 1627 2175 1410 1718 2365 890 1295 1688 918 709 319 709	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040 800 348 800	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386 918	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2.3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 DL3 RCALL	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7 1.7
	Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB1 ORDERING N COVERS FOR ART COVERS FOR ART ZOL3 RCAL ZOL3 RCS1* ZOL3 RCS1* ZOL3 RCS2	od back units are a special - please Upholstered Sea Upholster	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 Firm 258 168 258	783 9 1122 1 1467 1003 5 1206 2 1748 348 485 603 379 303 181 303 Arm Com cap	830 1174 1543 1046 1267 1823 408 573 724 437 348 198 348 overs (le option.	912 1290 1703 1139 1379 1959 530 754 966 559 437 228 437 eft or rig	995 1403 1861 1228 1492 2093 648 936 1206 680 530 ght) ar	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288 620 e spece	1160 1627 2175 1410 1718 2365 890 1295 1688 918 709 319 709	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040 800 348 800 1056	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386 918 I. ZOL3 F	1.33 1.75 2.5 1.75 2.5 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 DL3 RCALL	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7 1.7
	Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB2 ZOL3 RCB1 ORDERING N COVERS FOR ARCAL ZOL3 RCALU ORDERING N COVERS FOR ARCAL SOL3 RCS1*	od back units are a special - please Upholstered Sea Upholster	e not de conta at 741 1069 1394 957 1145 1672 288 392 485 320 erim 258 168 258	783 9 1122 1 1467 1003 5 1206 2 1748 348 485 603 379 303 181 303 Arm Com cap	830 1174 1543 1046 1267 1823 408 573 724 437 348 198 348	912 1290 1703 1139 1379 1959 530 754 966 559 437 228 437	995 1403 1861 1228 1492 2093 648 936 1206 680 530 ght) ar 530 695 724	1080 1514 2018 1319 1605 2230 770 1115 1446 800 620 288 620 e spece	1160 1627 2175 1410 1718 2365 890 1295 1688 918 709 319 709	1243 1740 2335 1498 1831 2500 1011 1478 1928 1040 800 348 800 1056	1412 1928 2531 1634 2018 2712 1206 1703 2230 1222 918 386 918	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2.3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 DL3 RCALL	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7 1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	
	Caster Without Brake ZOL3 RC1	56					0.4	0125
	ORDERING NOTE: Casters ca	annot be orde	ered as replac	cement item	s for plus	units.		
<i>♣</i>	Caster With Brake ZOL3 RC2	67					0.4	0.125
	ORDERING NOTE: Casters ca	annot be orde	ered as replac	cement item	s for plus	units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	121					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim Ar ZOL3 AIU	m 90					1.0	0.3
			A-White	Grade A-Color	es B	С		
	Solid Surface Arm Cap (per an ZOL3 ASR ZOL3 ASL	m)	217	220	233	245	1.5	0.3
	Solid Surface Arm Cap - Interior ZOL3 ASI	m (per arm)	177	178	180	184	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513				12	2
	Tablet with Palette Fin ZOL3 T2	ish n/a	392				12	2
	Clear Glass Tablet ZOL3 T3	n/a	746				13	2
	Laminate Tablet ZOL3 T4	n/a	507				12	2
	ORDERING NOTES: handed and do not no					ner edge. Pleas	se note Zola Tablets are un	iversally
	Solid Surface Tablet - ZOL3 T5AW	Grade A Wh	ite 611				14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Col n/a	or 620				14	2
	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654				14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	706				14	2


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°ັ	36	28.5	34	18.5	22.5	50	18
i5°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
0°	59	31	34	18.5	22.5	69	26
ouble seat							
0°	58	30	34	18.5	22.5	90	32
5°	64	31	34	18.5	22.5	97.2	33
0°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

· ·	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components

oom raraagoo	mairiadai oc	iii poi ioi ito						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside




Single Seat, Uph 45° Inside




Single Seat, Uph 60° Inside




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30°	33.75	28.25	34	18.5	22.5	48	23
45° 60° 90°	38.75 43.5 52	28.75 29.25 29.75	34 34 34	18.5 18.5 18.5	22.5 22.5 22.5	49 50 51	24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


-	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve



Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

	-		
Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

DESCRIPTION/MOD		COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHEF 8	9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2193	2317	2438	2611	2807	2982	3178	3421	3668
	Single-Seat, 30° Inside Curve F ZOL3 MCBIS30D1	Plus 2285	2410	2531	2703	2900	3073	3269	3516	3761
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2580	2737	2894	3116	3370	3591	3845	4161	4480
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2684	2842	2998	3222	3475	3696	3949	4267	4584
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2923	3081	3238	3461	3714	3935	4188	4505	4822
	Single-Seat, 60° Inside Curve F ZOL3 MCBIS60D1	Plus 3041	3199	3356	3580	3833	4055	4307	4624	4941
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3321	3520	3719	3997	4315	4592	4910	5309	5708
	Single-Seat, 90° Inside Curve F ZOL3 MCBIS90D1	Plus 3479	3679	3875	4155	4471	4750	5067	5467	5866
	Single-Seat, 30° Outside Curve ZOL3 MCOS30D1	1974	2086	2195	2348	2528	2683	2859	3081	3300
	Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1	Plus 2066	2178	2289	2442	2618	2775	2950	3173	3393
	Single-Seat, 45° Outside Curve ZOL3 MCOS45D1	2320	2463	2608	2806	3034	3234	3461	3747	4032
	Single-Seat, 45° Outside Curve ZOL3 MCBOS45D1	Plus 2425	2568	2712	2911	3138	3339	3565	3852	4135
	Single-Seat, 60° Outside Curve ZOL3 MCOS60D1	2632	2773	2916	3115	3343	3541	3770	4056	4340
	Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1	Plus 2751	2892	3036	3235	3462	3661	3889	4173	4459
	Single-Seat, 90° Outside Curve ZOL3 MCOS90D1	2988	3165	3346	3595	3883	4134	4420	4779	5137
	Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1	Plus 3146	3323	3504	3753	4040	4292	4580	4937	5295

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular	Inside Curve	Single	30 Degree	Standard Leg + Glide
		MCB	0	D	45D	
		Modular	Outside Curve	Double	45 Degree	
		Plus Upgrade			60D	
					60 Degree	
					90D	

90 Degree

	COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODE	L 1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 3837	4050	4268	4567	4912	5213	5559	5990	6419
	Double-Seat, 30° Inside Curve Plus ZOL3 MCBID30D1 3983	4196	4413	4712	5057	5360	5704	6135	6565
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 4511	4789	5065	5450	5894	6284	6728	7280	7834
	Double-Seat, 45° Inside Curve Plus ZOL3 MCBID45D1 4683	4961	5236	5622	6066	6456	6898	7450	8006
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 5112	5390	5665	6055	6497	6885	7330	7882	8437
	Double-Seat, 60° Inside Curve Plus ZOL3 MCBID60D1 5296	5574	5849	6238	6682	7068	7513	8066	8620
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1 5809	6158	6506	6993	7548	8037	8593	9291	9986
	Double-Seat, 90° Inside Curve Plus ZOL3 MCBID90D1 6019	6368	6714	7204	7759	8246	8804	9500	10196
	Double-Seat, 30° Outside Curve ZOL3 MCOD30D1 3454	3646	3841	4111	4422	4694	5004	5390	5780
	Double-Seat, 30° Outside Curve Plu ZOL3 MCBOD30D1 3598	3791	3986	4256	4567	4839	5148	5535	5925
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 4060	4310	4559	4907	5306	5656	6055	6554	7050
	Double-Seat, 45° Outside Curve Plu ZOL3 MCBOD45D1 4231	4482	4730	5078	5478	5826	6225	6724	7221
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 4601	4851	5100	5448	5847	6197	6596	7093	7592
	Double-Seat, 60° Outside Curve Plu ZOL3 MCBOD60D1 4784		5284	5633	6032	6380	6780	7278	7776
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 5227	5542	5854	6293	6795	7233	7735	8363	8989
	Double-Seat, 90° Outside Curve Plu ZOL3 MCBOD90D1 5437	s 5752	6063	6503	7006	7443	7945	8571	9198

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


PRODUCT GODE KI	<u>- 1 </u>					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

	33.1.1.1.23.1.23.1.3	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start. Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABLET

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10' cord.

Modular arms can attach to the left or right ends

of seating units as well as interim locations

between units. They are fully upholstered and

can optionally be trimmed with urethane or solid



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

MODULAR ARM

surface arm caps.

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.



SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



SEAT POWER

The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$561 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model	Qty	Price (ea)
ZOP3-M1F1S	1	2252
ZOP3-MCIS90DF1C	2	5587
ZOP3-MCIS90DF1C	2	558 <i>7</i>
ZOP3-M2F1C	4	3394
ZOP3-M1F1S	1	2252


TOTAL \$29,254






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5629
ZOP3-MCID60DF0C	3	5629
ZOP3-MCID60DF0E	1	5629
ZOL4-30D15	1	1325
TOTAL		\$29,470


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2472
ZOP3-MCIS90DM0C	2	4354
ZOP3-M2M0C	1	2472
ZOP3-M2M0E	1	2472
ZOL4-242415	1	1131


TOTAL \$17,255






Model	Qty	Price (\$)
ZOL4-LKE18	4	1046
ZOP3-MB1F1S	2	2730
ZOP3-MCID90DF1C	2	7499
ZOP3-MB1F1E	2	2730
ZOL4 E482915	1	1920

TOTAL \$32,022





Model	Qty	Price (\$)
ZOP3-MPF0S	2	901
ZOP3-M3F0C	2	3783
ZOP3-MPF0E	2	901
ZOP4-E482915	1	1920

TOTAL \$13,090

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSION	IS
-----------	-----------

DIMENSIONS								
	0 "	Width	0 "	0 "		0 1	01	
	Overall Width	Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Preconfigured F	ull Height Bacl							
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	lid Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGE	3							
COW TANDAGE	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured F	ull Height Bacl	k/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	lid Height Bacl	k/Privacy Pane	I					
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured F	ull Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	lid Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				
	0							

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FABRIC GRADES			LEATHER			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	åOne-Seat Plus with Priva ZOP3-PCB1MPF0	te Modular 3768	Side Pane 4065	el and Full 4365	Height Bac 4888	ck 5437	5960	6510	7108	8059	
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Moo 3076	dular Side 3291	Panel and 3508	Full Heigh 3866	t Back 4249	4608	4992	5424	6045	
	One-Seat Plus with Private ZOP3-PCB1MPM0	e Modular S 3323	Side Panel 3540	and Mid F 3756	leight Bacl 4133	k 4526	4898	5295	5728	6396	
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Mod 2841	dular Side 3016	Panel and 3195	Mid Heigh 3489	t Back 3804	4098	4414	4767	5276	

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTIC	ON UPCHARGES	\$ List			
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Plus Upgrade option		61 611 included			
PRODUCT CODE KEY	•				
Line	Series	Type	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0 Two-Seat Plus with F ZOP3-PCB2MPF0	4354	4712	5074	5686	6337	6948 7071	7598 7721	8323 8446	9409 9532
	Two-Seat with Semi-ZOP3-PC2SMPF0	-Private M 3660	odular Sic 3938	de Panel a 4216	nd Full He	ight Back 5150	5597	6082	6639	7395
	Two-Seat Plus with \$ ZOP3-PCB2SMPF0		ate Modula 4062	ar Side Pa 4340	nel and Fu 4788	ıll Height E 5274	Back 5721	6205	6763	7519
	Two-Seat with Privat	e Modular	r Side Pan	al and Mid	d Height R	ack				
	ZOP3-PC2MPM0	3600	3866	4131	4582	5055	5500	5978	6511	7287
	Two-Seat Plus with F	Private Mo	dular Side	e Panel an	d Mid Hei	aht Back				
	ZOP3-PCB2MPM0	3723	3990	4255	4706	5179	5624	6101	6634	7410
	Two Coat with Care	Drivete M	adular C:	da Danal -	nd Mid II-	ight Dock				
	Two-Seat with Semi-ZOP3-PC2SMPM0	3116	3343	3568	3937	4332	4699	5095	5548	6166
	Two-Seat Plus with S ZOP3-PCB2SMPM0		ate Modula 3467	ar Side Pa 3693	nel and Mi 4061	id Height E 4457	3ack 4823	5220	5673	6290

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

PRODUCT CODE KEY

ODOO! OODE IKE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

D=00DiD=101/4/0D=1		COM		COL		BRIC GRAI		_	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Three-Seat with Privat ZOP3-PC3MPF0	e Modular 5234	Side Pano 5658	el and Full 6086	Height Ba 6792	ack 7546	8251	9007	9861	11079
	Three-Seat Plus with F ZOP3-PCB3MPF0	Private Mo 5420	dular Side 5844	Panel and 6272	d Full Heig 6979	ht Back 7733	8438	9193	10046	11265
	Three-Seat with Semi-	Drivata Ma	ndular Sid	o Panol ar	nd Full Hai	aht Back				
	ZOP3-PC3SMPF0	4541	4884	5227	5769	6360	6899	7490	8179	9065
	Three-Seat Plus with S ZOP3-PCB3SMPF0	Semi-Priva 4728	te Modula 5069	r Side Par 5414	nel and Fu 5956	ll Height E 6545	3ack 7087	7676	8365	9251
	Three Coet with Drivet	a Madular	Cida Dan	al and Mid	I I laight D	a a l				
	Three-Seat with Privat ZOP3-PC3MPM0	4670	4995	5319	5856	6429	6961	7535	8186	9094
	Three-Seat Plus with F	Private Mo	dular Side	Panel and	d Mid Heid	aht Back				
	ZOP3-PCB3MPM0	4856	5182	5506	6042	6615	7147	7721	8372	9280
	Three-Seat with Semi-	.Privata M	ndular Sid	o Panol ar	nd Mid Hai	ight Back				
	ZOP3-PC3SMPM0	4187	4473	4758	5211	5705	6159	6653	7225	7973
	Three-Seat Plus with S	Semi-Priva	te Modula	r Side Par	nel and Mi	d Heiaht E	Back			
	ZOP3-PCB3SMPM0	4373	4659	4944	5397	5891	6345	6839	7411	8160

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Overall										
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping				
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes			
Full Height Back												
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6			
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8			
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0			
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8			
Mid Height Back												
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8			
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1			
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5			
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6			
Modular Corner Seat w	ith Full Height	Back										
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26			
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26			
Modular Corner Seat w	vith Mid Height	Back										
One-Seat	27	27	40	50	62.5	18.5	20.25	93	26			
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	93	26			
. ,												

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner Se	eat with Fu	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner Se	eat with M	id Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	123	
Plus Upgrade Three-Seat	186	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Sing	le, Full He	ight No Sc	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Sing	le, Full He	ight with S	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Sing	le, Mid He	ight No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Sing	le, Mid He	ight with S	Screen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sic												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sic	le Panel, S	Single, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Madular Habalat	and Ama											
Modular Upholst		3	11 F	10.75	25	1.1	1 22	0.11	2.0	2 56	4.44	5
ZOP3-MAUPHL*			14.5 14.5	19.75 19.75	25 25	1.1 1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5
ZOP3-MAUPHR ZOP3-MAUPHC		3 3	14.5	19.75	25 25	1.1	1.33	2.11	2.8 2.8	3.56	4.44 4.44	5 5
Modulos Lista in ta	oved A	حاجمها الربيد	o Cor									
Modular Upholst	erea Arm			00.05	00	4.4	1.00	0.11	0.0	0.50	1 1 1	_
ZOP3-MAUREL	k	3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm											
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
	One-Seat, Full Height BazoP3-M1F0F	ack	1833	1962	2091	2275	2486	2671	2881	3138	3411
	_	h/Laminate e/Palette nen ordering units wi ding, Start and End	2252 2343 ith shelf ounits with	h the she	elf option	require co	ounterba	lance we	eight adc	led to ea	ch seat
	One-Seat, Full Height BazOP3-M1F2F				2361	2544	2755	2940	3150	3408	3681
	ORDERING NOTES: Ur	its with Privacy Scre	en Optio	n are not	: available	with Rem	novable E	Back Cov	ver option	ı.	
	One-Seat, Mid Height B ZOP3-M1M0F	ack	1725	1827	1930	2073	2237	2383	2546	2751	2961
	<u> </u>	h/Laminate e/Palette nen ordering units wi ding, Start and End	2145 2235 ith shelf ounits with	n the she	elf option	require co	ounterba	lance we	eight add	led to ea	ch sea
	One-Seat, Mid Height B ZOP3-M1M2F				2198	2343	2507	2651	2817	3019	3229
	ORDERING NOTES: Ur	its with Privacy Scre	en Optio	n are not	available	with Rem	novable E	Back Cov	er option	ı.	
Zola Privacy C	ption Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat lultiple unit configurations)	61 45 65 77	SI	eat Powe nelf Powe able Pow		it)			611 571 561		
PRODUCT COD	DE KEY										
Line	Series	Chair Type	S	eat Count		Back	Туре		Le	д Туре	
ZOP Zola	3 Lounge	M Modular	[1 One Seat 2 Two Seat		Full Height	ght Back	h		F anding Un S art Unit	t
			Т	3 hree Seat		Full Height Privacy Sci	2 t Back wit reen Optio		Cen	C ter Unit	
						Mid Heigh		·h	en	d Unit	

Mid Height Back with
Shelf Option

M2

Mid Height Back with
Privacy Screen Option

LEATHER

FABRIC GRADES

	MODEL (SDECIES	1 CON		COL 3	FA 4	BRIC GF		7	LEATHE	
DESCRIPTION/I	MODEL/SPECIES One-Seat Plus, Full Height Back	-	2	<u> </u>	4	5	6	7	8	9
	ZOP3-MB1F0F	2299	2428	2557	2742	2952	3136	3346	3605	3877
	One-Seat Plus, Full Height Back ZOP3-MB1F1_ Beech/Laminat Maple/Palette	•	2859 2950	2988 3081	3172 3265	3384 3474	3566 3660	3777 3870	4036 4128	431 439
	ORDERING NOTES: When orde 42", 36" or 30". Freestanding, Staunit, please add \$289 List upcha	art and End units w	ith the sh	elf option	require o	counterba	alance w	eight ad	ded to ea	ch se
	One-Seat Plus, Full Height Back ZOP3-MB1F2F	with Privacy Scree 2639	n Option 2768	2896	3082	3292	3475	3686	3944	421
	ORDERING NOTES: Units with F	Privacy Screen Opt	ion are no	ot availabl	e with Re	movable	Back Co	ver optio	n.	
	One-Seat Plus, Mid Height Back ZOP3-MB1M0F	2195	2297	2399	2543	2709	2852	3016	3221	343
	One-Seat Plus, Mid Height Back ZOP3-MB1M1_ Beech/Laminat Maple/Palette	•	2727 2819	2829 2922	2974 3066	3138 3229	3284 3374	3448 3539	3652 3744	386 395
	ORDERING NOTES: When orde 42", 36" or 30". Freestanding, Staunit, please add \$289 List upcha	art and End units w	ith the sh	elf option	require o	counterba	alance w	eight ad	ded to ea	ch se
	One-Seat Plus, Mid Height Back ZOP3-MB1M2F	with Privacy Scree 2535	en Option 2637	2740	2884	3048	3193	3356	3561	377
	ORDERING NOTES: Units with F	Privacy Screen Opt	ion are no	ot availabl	e with Re	movable	Back Co	ver optio	n.	
ola Privacy O _l	ption Upcharges	\$ List					;	\$ List		
Removable Sea Removable Bac	& CAL 133(per yard) t Covers One-Seat k Covers One-Seat ultiple unit configurations)	45 65	Shelf Pov Table Pov		,	s Upgra	de	611 571 561		
PRODUCT CODE		anio Tomon	0+0	-4	Des	J. T			T	
Line	Series Ch	nair Type	Seat Coul	TIL .		k Type F0			eg Type	
Zola		1odular	One Sea	t		eight Back		Freest	tanding Un	it
	[MB	2			F1			S	
		Modular SUpgrade	Two Sea	t	0	ht Back w f Option	ith	Si	tart Unit	
			3 Three Sea	at		F2 ht Back w	ith	Ce	C nter Unit	
					Privacy S	creen Opt		Г		
						M0 eight Back	(E	E nd Unit	
					Mid Heig	M1 ht Back w	rith			
						f Option M2 ht Back w	rith			
					Privacy S			F4 F1 = =		- A

COM

COL

	MODEL/SPECIES			COM 1	2	COL 3	FAE 4	BRIC GRA 5	ADES 6	7	LEATHER 8	{ 9
	Two-Seat, Full H ZOP3-M2F0F	eight Back		2885	3078	3267	3540	3852	4128	4437	4820	522
	Two-Seat, Full H ZOP3-M2F1_	eight Back S Beech/Lar Maple/Pal	minate	3394 3489	3584 3680	3775 3871	4050 4145	4362 4457	4636 4731	4945 5040	5329 5422	573 583
	ORDERING NO. 42", 36" or 30". I unit, please add	Freestanding	, Start and End	d units with	the she	elf option	require c	ounterba	lance we	eight add	ded to eac	h sea
	Two-Seat, Full H ZOP3-M2F2F	eight Back v	vith Privacy Sc	reen Optio 3352	on 3541	3734	4007	4319	4593	4768	5285	569
	ORDERING NO	TES: Units w	ith Privacy Scr	een Optior	າ are not	available	with Rem	novable E	Back Cov	er option	1.	
	Two-Seat, Mid H ZOP3-M2M0F	eight Back		2472	2623	2775	2992	3238	3456	3701	4005	43
	Two-Seat, Mid H ZOP3-M2M1_	leight Back v Beech/Lar Maple/Pal	minate .	on 2983 3078	3134 3227	3285 3378	3503 3595	3747 3843	3964 4059	4211 4305	4513 4608	48 49
	ORDERING NO 42", 36" or 30". I unit, please add	Freestanding \$289 List up	, Start and Endocharge per un	d units with iit. Units wi	the she th shelf c	elf option	require c	ounterba	lance we	eight add	ded to eac	h se
	ZOP3-M2M2F	TFS: Inite W	vith Privacy Scr	2940	3091	3242	3460	3706	3921	4169	4470	
	ORDERING NO	i Eo. Onits w	nurr rivacy oci	een Optior	n are not	available	with Ren	novable E	Back Cov	er option	1.	47
ola Privacy O	ORDERING NO	red: Office w	\$ List	een Option	n are not	available	with Rem	novable E		er option	1.	479
oisture Barrier emovable Sea emovable Bac		ard) t		Se St Ta	eat Powe nelf Pow able Pow	er (per ur er	iit)	novable E		·	n. 	479
oisture Barrier emovable Sea emovable Bac ual Leg (for Mu RODUCT COD	ption Upcharges r & CAL 133(per ya it Covers Two-Seat k Covers Two-Sea ultiple unit configur E KEY	ard) t	\$ List 61 65 93 77	Se Sh Ta Pl	eat Powe nelf Pow able Pow lus Upgra	er (per ur er er ade Two-	iit) Seat (B)			611 571 561 123		479
oisture Barrier emovable Sea emovable Bac ual Leg (for Mo RODUCT CODI Line	ption Upcharges r & CAL 133(per ya tt Covers Two-Seat kt Covers Two-Sea ultiple unit configur E KEY Series	ard) t	\$ List 61 65 93 77 Chair Type	Se Sh Ta Pl	eat Powe helf Pow able Pow lus Upgra	er (per ur er er ade Two-	Seat (B)	< Type		611 571 561 123	ед Туре	47!
oisture Barrier emovable Sea emovable Bac ual Leg (for Mo RODUCT COD	ption Upcharges r & CAL 133(per ya it Covers Two-Seat k Covers Two-Sea ultiple unit configur E KEY	ard) t	\$ List 61 65 93 77	Se Si Ta Pi	eat Powe nelf Pow able Pow lus Upgra	er (per ur er er ade Two-	Bacl Full Heigh	< Type To ght Back	\$	611 571 561 123 Le		479

M1
Mid Height Back with Shelf Option

M2
Mid Height Back with Privacy Screen Option

22001111 11011/11	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR. 5	ADES 6	7	LEATHEF 8	9
	Three-Seat, Full H ZOP3-M3F0F	eight Back	3794	4050	4309	4673	5091	5458	5873	6388	6925
	Three-Seat, Full H ZOP3-M3F1_	leight Back Shelf Option Beech/Laminate Maple/Palette	4391 4489	4647 4747	4904 5005	5271 5370	5687 5788	6056 6156	6470 6569	6983 7083	7523 7624
	- 42", 36" or 30". F	ES: When ordering units w Freestanding, Start and Enc 289 List upcharge per uni	d units with	n the she	If option r	equire co	ounterba	lance we	ight adde	ed to eac	h sea
	Three-Seat, Full H ZOP3-M3F2F	leight Back with Privacy S	creen Opti 4460	ion 4717	4972	5341	5758	6125	6540	7053	759
	ORDERING NOTI	ES: Units with Privacy Scre	en Option	n are not a	available v	with Rem	ovable E	Back Cove	er option.		
	Three-Seat, Mid F ZOP3-M3M0F	leight Back	3570	3783	3993	4296	4639	4943	5288	5709	6159
	Three-Seat, Mid H ZOP3-M3M1_	leight Back Shelf Option Beech/Laminate Maple/Palette	4169 4268	4380 4481	4589 4689	4894 4993	5237 5338	5539 5639	5886 5985	6306 6405	675 685
	- 42", 36" or 30". F	ES: When ordering units w reestanding, Start and End 289 List upcharge per uni	d units with	n the she	lf option r	equire co	ounterba	lance we	ight adde	ed to eac	h sea
	Three-Seat, Mid F ZOP3-M3M2F	leight Back with Privacy S	Screen Opt 4238	tion 4448	4659	4963	5307	5610	5955	6374	682
	ORDERING NOT	ES: Units with Privacy Scre	en Option	n are not	available v	with Rem	ovable E	Back Cove	er option.		
ola Privacy Op	otion Upcharges	\$ List						\$	List		
Noisture Barrier	& CAL 133(per yard	d) 61							611		
Removable Back	Covers Three-Seat Covers Three-Sea Iltiple unit configura	t 81 at 116	Sh Ta	nelf Powe ble Powe)		611 571 561 186		
Removable Back Oual Leg (for Mu	c Covers Three-Sea altiple unit configura	t 81 at 116	Sh Ta	nelf Powe ble Powe	er er)		571 561		
lemovable Back Jual Leg (for Mu	c Covers Three-Sea altiple unit configura	t 81 at 116	Sh Tai Plu	nelf Powe ble Powe	er er ade Three	-Seat (B	Туре		571 561 186	ј Туре	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 tt 116 ttions) 77 Chair Type	Sh Ta Plu Se	nelf Power ble Power us Upgra	er er ade Three	-Seat (B	Type		571 561 186	F	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea eltiple unit configura	t 81 ht 116 htions) 77 Chair Type	Sh Ta Plu Se	nelf Powe ble Powe us Upgra	er er ade Three	-Seat (B	Type O ght Back		571 561 186 Leg		
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 rtions) 77 Chair Type M Modular MB Modular	Sh Tal Plu Se	nelf Powership P	er er ade Three	-Seat (B) Back Full Height	Type O ght Back 1 t Back wi	th	571 561 186 Leg	Fnding Unit	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 htions) 77 Chair Type M Modular MB	Sh Tal Plu Se	nelf Power ble P	er er ade Three	-Seat (B) Back Full Height	Type	th	571 561 186 Leg Freestar Star	F Inding Unit	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 rtions) 77 Chair Type M Modular MB Modular	Sh Tal Plu Se C	nelf Power ble P	er er ade Three F	-Seat (B Back Full Heigh Full Heigh Shelf Full Heigh	Type Type Back direction of the state of t	th	571 561 186 Leg Freestar Star	F	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 rtions) 77 Chair Type M Modular MB Modular	Sh Tal Plu Se C	eat Count 1 One Seat 2 Two Seat 3	er er ade Three F	Back Full Height Shelf	Type O ght Back t Back wi Option E Back wi reen Opti	th	Freestar Star	F	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 rtions) 77 Chair Type M Modular MB Modular	Sh Tal Plu Se C	eat Count 1 One Seat 2 Two Seat 3	er er ade Three F	Back Full Height Shelf Full Height Full Height Full Height rivacy Sc	t Back wireen Option	th on	Freestar Star Cent	F	
Removable Back Dual Leg (for Mu PRODUCT CODE Line	C Covers Three-Sea Iltiple unit configura E KEY Series	t 81 ht 116 rtions) 77 Chair Type M Modular MB Modular	Sh Tal Plu Se C	eat Count 1 One Seat 2 Two Seat 3	er er ade Three F P	Back Full Heigh Shelf Full Heighrivacy Sc Mid Heigh Mid Heigh	t Back wireen Option ght Back wireen Option ght Back wireen Aption	th on	Freestar Star Cent	F	

DECODIDATION	MODEL (ODEOLEO	COM	0	COL		RIC GRA			_EATHEF	
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	3865	4086	4307	4616	4971	5282	5636	6079	6522
	Modular Corner Seat, Full Height Back with	n Shelves								
	ZOP3-MCF1LR Beech/Laminate Maple/Palette	4702 4794	4923 5014	5146 5236	5455 5546	5809 5901	6119 6211	6473 6565	6917 7008	7361 7450
	Modular Corner Seat, Full Height Back with	n sinale she	elf left*							
	ZOP3-MCF1L Beech/Laminate	4519	4751	4984	5309	5682	6008	6379	6843	6984
	Maple/Palette	4523	4755	4987	5314	5686	6012	6384	6848	6988
	Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate	n single she	lf right							
u •	Maple/Palette	4519	4751	4984	5309	5682	6008	6379	6843	6984
	·	4523	4755	4987	5314	5686	6012	6384	6848	6988
	Modular Corner Seat, Full Height Back with	n Privacy So	raans							
	ZOP3-MCF2LR	4404	4626	4847	5157	5512	5822	6176	6618	7063
	Modular Corner Seat, Full Height Back with	n Privacy So	creen Le	ft						
	ZOP3-MCF2L	4356	4587	4820	5147	5518	5844	6214	6681	6820
	Modular Corner Seat, Full Height Back with	n Privacy So	creen Ric	aht						
	ZOP3-MCF2R	4356	4587	4820	5147	5518	5844	6214	6681	6820

Zola Privacy Option Upcharges								\$ List						

Moisture Barrier & CAL 133(per yard) 61
Shelf Power 571
Dual Leg (for Multiple unit configurations) 77
Plus Upgrade- Corner Seat 61

PRODUCT CODE KEY

DOOT CODE ILE	•			
Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2	Right Side
			Full Height Back with Privacy Screen Option	LR

ZOLA PRIVACY | MODULAR

5500515501.0	DESCRIPTION/MODEL/SPECIES			COL		BRIC_GR		_	LEATHE	
DESCRIPTION/N	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3108	3291	3473	3730	4021	4278	4570	4937	5303
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1LR Beech/Laminate Maple/Palette	h Shelves 3944 4036	4129 4219	4312 4402	4567 4658	4860 4950	5115 5208	5409 5499	5773 5865	6140 6231
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1L Beech/Laminate	h Single S 3723	helf left* 3917	4108	4377	4685	4954	5261	5643	5764
	Maple/Palette	3728	3920	4177	4381	4688	4958	5265	5647	5767
r −¶ "	Modular Corner Seat, Mid Height Back wit	h Single S	helf Righ	nt						
	ZOP3-MCM1R Beech/Laminate Maple/Palette	3723 3728	3917 3920	4108 4177	4377 4381	4685 4688	4954 4958	5261 5265	5643 5647	5764 5767
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM2LR	h Privacy : 3647	Screens 3831	4014	4270	4562	4819	5111	5475	5843
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	n Privacy \$	Screen L 3753	.eft* 3944	4213	4520	4791	5097	5481	5600
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	n Privacy 9 3560	Screen F 3753	Right 3944	4213	4520	4791	5097	5481	5600

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR
			Mid Height Back with Privacy Screen Option	Loft & Dight Sides

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9
	Side Panel, Singl										
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258
	Side Panel, Single, Full Height with Screen										
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539
	Cida Danal Cinal	- Mid Hainbt Na									
	Side Panel, Single ZOP3-MPM0S	e, Mid Height No Start	731	790	846	963	1078	1192	1307	1421	1650
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650
	ZOI 3-IVII IVIOL	LIIG	701	700	040	000	1070	1102	1001	1721	1000
$\overline{}$	Side Panel, Single	e, Mid Height wi	th Screen								
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933
	ODDEDING NOT	E. Cida Danala	.:11		O		4- 11-4-	:u. D.:i		04:	

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Panel, Single, Start Center End	Mid Height 490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position		
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center		
				E End		

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FAI	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	_	С
Solid Surface Arm Cap (per arm)	123	130	144	150

FINODOGT GODE KET					
Line	Series	Type	Arm	Position	
ZOP	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
	C		URE	R	
			Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC	С	
			Upholstered Arm w/Solid Surface Cap	Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

Overall	201								
	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
30	36	52	n/a	37.5	50	18.5	20.25	124	19.5
	23 46 69 30 23 46 69	23 29 46 52 69 75 30 36 23 29 46 52 69 75	23 29 52 46 52 52 69 75 52 30 36 52 23 29 52 46 52 52 69 75 52	23 29 52 n/a 46 52 52 n/a 69 75 52 n/a 30 36 52 n/a 23 29 52 n/a 46 52 52 n/a 69 75 52 n/a	23 29 52 n/a 50 46 52 52 n/a 50 69 75 52 n/a 50 30 36 52 n/a 50 23 29 52 n/a 37.5 46 52 52 n/a 37.5 69 75 52 n/a 37.5	23 29 52 n/a 50 62.5 46 52 52 n/a 50 62.5 69 75 52 n/a 50 62.5 30 36 52 n/a 50 62.5 23 29 52 n/a 37.5 50 46 52 52 n/a 37.5 50 69 75 52 n/a 37.5 50	23 29 52 n/a 50 62.5 18.5 46 52 52 n/a 50 62.5 18.5 69 75 52 n/a 50 62.5 18.5 30 36 52 n/a 50 62.5 18.5 23 29 52 n/a 37.5 50 18.5 46 52 52 n/a 37.5 50 18.5 69 75 52 n/a 37.5 50 18.5	23 29 52 n/a 50 62.5 18.5 20.25 46 52 52 n/a 50 62.5 18.5 20.25 69 75 52 n/a 50 62.5 18.5 20.25 30 36 52 n/a 50 62.5 18.5 20.25 23 29 52 n/a 37.5 50 18.5 20.25 46 52 52 n/a 37.5 50 18.5 20.25 69 75 52 n/a 37.5 50 18.5 20.25	23 29 52 n/a 50 62.5 18.5 20.25 102 46 52 52 n/a 50 62.5 18.5 20.25 171 69 75 52 n/a 50 62.5 18.5 20.25 241 30 36 52 n/a 50 62.5 18.5 20.25 128 23 29 52 n/a 37.5 50 18.5 20.25 99 46 52 52 n/a 37.5 50 18.5 20.25 166 69 75 52 n/a 37.5 50 18.5 20.25 234

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	Back											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height E	Back											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	247	
Plus Upgrade Twin Three-Seat	370	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

DIMENSIONS &	JOIN HEQU											
		Overall	Overall	Overall	Shipping	0.1	COM	COM	COM	COM	COM	COM
		Width	Depth	Height	Weight	Cubes	1-unit	2-units	3-units	4-units	5-units	6-units
Side Panel, Single	Full Height	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
20P3-WP1F0C	Center	2.75	51.5	43.9	00	0	4	5.5	9.34	12.03	14.72	10.7
Side Panel, Single	Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
20F3-WF1F2C	Center	2.75	31.3	30.4	00	O	4	5.5	9.34	12.03	14.72	10.7
Side Panel, Single	e, Mid Height	No Scree	n									
ZOP3-MPTM0Ŭ	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
2010 1111 111100	Conto	2.70	01.0	01.00	10		2.02	1.02	0.01	0.00	10.0	10.02
Side Panel, Single	e, Mid Height	with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	III Height									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	id Height									
ZOP3-MSPTM0U	Universal	2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Toda Maral Jan Hali	- l- l l . A	_										-
Twin Modular Uph	ioisterea Arn								_			
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	alatarad Ara	/I lvoth	na Can									
	ioistered Am			00.05	10	1.0	0.11	0.50	_	0.5	7.0	0.00
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Upholstered Arm w/Solid Surface Cap												
ZOP3-MATSSCU	ioistereu Am		14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
		3	14.5 14.5	20.25	16	1.8	2.11	3.56	5 5	6.5		
ZOP3-MATSSCC		3	14.5	20.25	10	1.0	2.11	3.30	Э	0.0	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	EL	COM 1	2	COL 3	F 4	FABRIC GRAI 5	DES 6	7	LEATHEF 8	R 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2716	2873	3033	3261	3516	3745	4003	4318	4656
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 2985	Privacy S 3142	creen Optio	on 3531	3786	4014	4271	4587	4924
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2584	2718	2853	3048	3267	3462	3682	3952	4242
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2852	Privacy S 2987	Screen Option	on 3318	3536	3732	3950	4221	4510
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3635	3793	3950	4180	4435	4664	4921	5237	5575
	Twin One-Seat Plus, Full He	eight Back	with Priva	acy Screen	Option					
	ZOP3-MBT1F2F	3974	4133	4291	4519	4774	5005	5261	5578	5915
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat Plus, Mid H ZOP3-MBT1M0F	eight Back 3490	3625	3761	3955	4173	4369	4588	4860	5147
	Twin One-Seat Plus, Mid H ZOP3-MBT1M2F	eight Back 3830	with Priva	acy Screen 4101	Option 4293	4513	4709	4928	5198	5487
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
PRODUCT CODE KEY										
Line	Series C	hair Type		Seat Count		Back Typ	oe		Leg Type	
ZOP Zola	[Mo	MT Jodular Twin MTB Jodular Twin s Upgrade		One Seat 2 Two Seat		Full Height F2 Full Height Ba Privacy Screer	ck with	Free	F estanding Ur S Start Unit	nit
	()	page 39)		3 Three Seat		M0 Mid Height] Back	(C Center Unit	
						M2 Mid Height Ba	ck with		End Unit	
						Privacy Screen				

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	EL	COM 1	2	COL 3	F 4	ABRIC GRA	DES 6	7	LEATHE 8	ER 9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4034	4282	4530	4899	5313	5682	6095	6592	7159
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	Back Priva 4499	cy Screen 4749	Option 4996	5367	5780	6149	6561	7059	7627
	ORDERING NOTES: Units v	with Privac	y Screen	Option are	not avail	able with Re	movable E	Back Cove	option.	
	Twin Two-Seat, Mid Height E ZOP3-MT2M0F	3838	4054	4267	4580	4928	5240	5589	6018	6484
	Twin Two-Seat, Mid Height E ZOP3-MT2M2F	Back with 4305	Privacy Se 4519	creen Opti	on 5044	5395	5707	6057	6484	6951
	ORDERING NOTES: Units v	with Privac	y Screen	Option are	not avail	able with Re	movable E	Back Cove	option.	
	Twin Three-Seat, Full Heigh ZOP3-MT3F0F	nt Back 5542	5862	6180	6631	7147	7598	8111	8749	9408
	Twin Three-Seat, Full Heigh ZOP3-MT3F2F	nt Back Pri 6208	ivacy Scre 6528	een Option 6844	7296	7813	8265	8779	9415	10072
	ORDERING NOTES: Units	with Priva	cy Screen	Option are	e not ava	ilable with R	emovable	Back Cov	er option.	
	Twin Three-Seat, Mid Heigl ZOP3-MT3M0F	ht Back 5100	5380	5659	6060	6514	6915	7367	7928	8519
	Twin Three-Seat, Mid Heigl ZOP3-MT3M2F	ht Back wi 5766	th Privacy 6046	Screen O	ption 6728	7180	7582	8034	8594	9186
	ORDERING NOTES: Units	with Priva	cy Screen	Option are	e not ava	ilable with R	emovable	Back Cov	er option.	
PRODUCT CODE KEY										
Line	Series C	hair Type		Seat Cou	nt	Back T	ype		Leg Type	
ZOP	3 Lounge Mo	MT dular Twin		1 One Sea	t	F0 Full Heigh		Fre	Festanding	Unit
	[Mc	MTB odular Twin us Upgrade		2 Two Sea		F2 Full Height E Privacy Scre	Back with		S Start Unit	
	(1)	oage 39)		3 Three Sea	at	M0 Mid Heigh			C Center Uni	t
						M2	_		E	

End Unit

Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | TWIN - SIDE PANELS

			COM		COL	COL FABRIC GRADES		ES	LEATHER		
DESCRIPTION	I/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, F										
	ZOP3-MPTF0U ZOP3-MPTF0C	Universal End Center	1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
	Twin Side Panel,, Full Height with Screen										
	ZOP3-MPTF2U	Universal End	1911	2037	2163	2413	2665	2916	3166	3419	3919
	ZOP3-MPTF2C	Center	2589	2716	2842	3092	3343	3593	3845	4093	4599
	Twin Side Panel, N	Med. Height No S	creen -								
	ZOP3-MPTM0U	Universal End	1131	1215	1299	1470	1639	1808	1979	2147	2486
	ZOP3-MPTM0C	Center	1807	1894	1979	2147	2317	2486	2656	2824	3164
	Twin Side Panel, N		Screen								
ياسما	ZOP3-MPTM2U	Universal End	1683	1767	1852	2021	2192	2361	2531	2699	3037
	ZOP3-MPTM2C	Center	2360	2445	2531	2699	2868	3037	3207	3375	3717
	ORDERING NOTE	E: Side Panels wil	I only conn	ect to Ce	nter seatir	ng units. U	nits with Pi	rivacy Scre	en Option	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 40 for dimensions and COM.

FRODUCT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		1	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
		1	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	₹	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	eight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See <u>page</u> 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v			1007	4.444	1507	1501	1600	1000	1020	
	ZOP3-MATUREU ZOP3-MATUREC	1193 1885	1266 1944	1327 2006	1411 2089	1507 2186	1591 2271	1688 2367	1809 2488	1930 2609	
	ZOI O WINTONIEO	1000	1044	2000	2000	2100	2211	2001	2400	2003	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С
Solid Surface Arm Cap (per arm)	263	275	303	313

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

	1S	

DIMENSIONS											
		Width				Overall					
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes	
Curved Single-Sea		•									
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	
and an vo	00	00	01.0	40.0	07.0	00	10.0	20.20	100	20	
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	
Curved Double-Se	at - Full H	eight Ba	ck								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	101	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
Curved Double-Se	at - Mid H	leight Ba	ck								
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24	
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31	
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38	
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52	
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	29.5	41.5	37.5 37.5	50	18.5	20.25	99	25	
	65.5	71.5		43	37.5 37.5	50				28	
60° Outside Curve			32				18.5	20.25	105		
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	

Upcharge for Plus Upgrade Option:

Option	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	t 92	Plus Upgrade -Double-seat curve 30° seat	145
Plus Upgrade -Single-seat curve 45° seat	t 106	Plus Upgrade -Double-seat curve 45° seat	172
Plus Upgrade -Single-seat curve 60° seat	t 118	Plus Upgrade -Double-seat curve 60° seat	184
Plus Upgrade -Single-seat curve 90° seat	t 158	Plus Upgrade -Double-seat curve 90° seat	210

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

		Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea		•										
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	at - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bad	ck									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se												
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

		CO		COL		RIC GRA			LEATHE	
DESCRIPTION	/MODEL/SPECIES	1		3	4	5	6	7	8	9
	Single-Seat, 30° Inside Curve, ZOP3-MCIS30DF0F	Full Height Bac 320		3625	3875	4161	4414	4697	5056	5414
	Single-Seat, 30° Inside Curve, ZOP3-MCIS30DF1_ Beech/La Maple/Pa	aminate 38	55 4035	4213 4300	4463 4554	4750 4839	5000 5090	5285 5374	5643 5733	6000 6090
	ORDERING NOTE: When order 42", 36" or 30" and chose requipalance weight added to each	uired leg type	below. Free	standing, S	Start and End	d units w				
	Single-Seat, 30° Inside Curve, ZOP3-MCIS30DF2F	Full Height Bac 383		acy Scree 4189	1 4442	4726	4979	5264	5621	5979
	Single-Seat, 30° Inside Curve, ZOP3-MCIS30DM0F	Mid Height Ba 31		3433	3652	3903	4122	4374	4688	5000
	Single-Seat, 30° Inside Curve, ZOP3-MCIS30DM1_ Beech/Li Maple/Pi	aminate 370	07 3865	4020 4110	4242 4329	4491 4582	4711 4799	4963 5051	5276 5366	5589 5679
	ORDERING NOTE: When order - 36" or 30" and chose required ance weight added to each seasongle-Seat, 30° Inside Curve, ZOP3-MCIS30DM2F	d leg type belo at unit, please	w. Freestan add \$289 L ck with Priv	iding, Start ist upchar	and End urge per unit.					
	Option Upcharges or & CAL 133(per yard)	\$ List 61	Plus Upgra	ade - Singl	e-Seat, 30°	Curve		\$ List		
Seat Power (pe Shelf Power Table Power	er unit)	611 571 561	Removable	e Seat Cov	e unit config vers -Single- ck covers a	Seat, 30	° Curve	77 59 curved b)	
PRODUCT COD										
Line	Series Cha	air Type	Curve Styl	е	Seat Degree		Back Type		Leg Typ	e
ZOP Zola	3 MC Lounge Modular Curve MCB Modular Curve		IS IS IS IS ID IS ID IS ID IS ID IS		30D 45D	Full H	F0 I Height Bac		Eestanding S Start Un	
	,	Plus Ou	OS utside Curve -	-Single	60D	Full H	F2 Height Back		C Center U	nit
		Out	OD tside Curve -	Double	90D		M0 d Height Bac M1 leight Back		End Uni	it
							Shelf Option			

		COM		COL	FABRI	C GRAD	ES		LEATHER	3
DESCRIPTION/N	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Inside Curve, Full H ZOP3-MCIS450DF0F	eight Back 3664	3864	4060	4348	4671	4961	5284	5680	6113
	Single-Seat, 45° Inside Curve, Full H ZOP3-MCIS45DF1_ Beech/Lamina Maple/Palette ORDERING NOTE: When ordering a - 42", 36" or 30" and chose require	te 4270 4359 back with ed leg type	4467 4558 Shelf op below.	4665 4756 otion please Freestan	iding, Start a	nd End	units with			
	counterbalance weight added to each Single-Seat, 45° Inside Curve, Full H ZOP3-MCIS45DF2F					ge per ur 	5533	5857	6253	6684
	Single-Seat, 45° Inside Curve, Mid H ZOP3-MCIS45DM0F	eight Back 3469	3630	3790	4015	4273	4498	4757	5076	5403
	Single-Seat, 45° Inside Curve, Mid H ZOP3-MCIS45DM1_ Beech/Lamina Maple/Palette	te 4075 4163	4233 4323	4395 4485	4618 4710 se clearly spe	4878 4968 ecify on y	5105 5194 your order	5363 5450	5681 5771 uired Shel	6007 6098
	counterbalance weight added to each single-Seat, 45° Inside Curve, Mid H ZOP3-MCIS45DM2F					ge per ur 	5070	5329	5649	5973
Zola Privacy Or	otion Upcharges \$ List	t						\$ Lis	:t	
	& CAL 133(per yard) 61 unit) 611 571 561	Plu Du Re	ial Leg (f movable	or Multip Seat Co	le-Seat, 45° (le unit config overs -Single- ack covers a	urations) Seat, 45	° Curve	10 7 6	6 7 1	
Line	Series Chair Type	(Curve Styl	e	Seat Degree		Back Type		Leg Ty	pe
ZOP Zola	3 MC Lounge Modular Cur MCB Modular Cur Plus	ve Inside Outsid	IS e Curve -S ID OS e Curve -D OS e Curve -D OD e Curve -D	Double -Single	30D 45D 60D 90D	Full H Full H Privac Mid H S Mid H	F0 II Height Back Shelf Option F2 Height Back by Screen C M0 d Height Back Chelf Option M1 Height Back Shelf Option M2 Height Back y Screen O	with on with option	Freestandin S Start U C Center U E End U	Init Jnit

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAB	RIC GRA 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 60° Inside ZOP3-MCIS60DF0F	e Curve, Full Heig	ht Back 4163	4414	4659	5017	5425	5779	6183	6679	7207
	Single-Seat, 60° Inside ZOP3-MCIS60DF1_ ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette hen ordering a ba chose required	4939 5030 ack with leg type	5185 5278 Shelf opt	5434 5524 ion pleas	ding, Start	and End	units with			
	Single-Seat, 60° Inside ZOP3-MCIS60DF2F	e Curve, Full Heig	ht Back 4738	with Priv 4987	racy Scre 5235	een 5591	5994	6353	6756	7253	7780
	Single-Seat, 60° Inside ZOP3-MCIS60DM0F	e Curve, Mid Heig	ght Back 3966	4143	4321	4573	4860	5109	5395	5752	6111
	Single-Seat, 60° Inside ZOP3-MCIS60DM1_ ORDERING NOTE: W - 36" or 30" and che counterbalance weigh	Beech/Laminate Maple/Palette hen ordering a bacse required leg	4740 4831 ack with type be	4919 5009 Shelf opt	5097 5188 ion pleasestandir	ng, Start ar	id End u	inits with			
	Single-Seat, 60° Inside ZOP3-MCIS60DM2F	e Curve, Mid Heig	ght Back 4540	with Priv 4718	acy Scre 4897	een Option 5149	5434	5684	5970	6326	6685
Seat Power (per Shelf Power Table Power	& CAL 133 (per yard) unit)	\$ List 61 611 571 561	Dua Rer	al Leg (fo novable	r Multiple Seat Cov	le-Seat, 60° e unit config vers -Single- ack covers a	urations) Seat, 60°	° Curve	\$ Lis 118 77 82 curved b	3 7 2	
PRODUCT CODE Line	KEY Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	ne.
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Si ID Curve -Do OS e Curve -S	ngle ouble	30D 45D 60D	Full F	F0 Il Height Back F1 Height Back Shelf Option F2 Height Back	with	F Freestandin S Start Ur C Center U	g Unit

OD

Outside Curve -Double

90D

M2 Mid Height Back with Privacy Screen Options

Privacy Screen Option

M0

M1 Mid Height Back with Shelf Option

Mid Height Back

Е

End Unit

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	R 9
	Single-Seat, 90° Inside (ZOP3-MCIS90DF0F	Curve, Full Height	Back 4755	5013	5275	5639	6057	6421	6839	7360	7881
	N	Beech/Laminate Maple/Palette	5587 5680	5847 5940	6107 6201	6472 6566	6890 6982	7254 7346	7672 7764	8190 8284	8712 8806
 	ORDERING NOTE: Whe 42", 36" or 30" and ch counterbalance weight a	nose required leg	g type b	elow. Fre	eestandi	ing, Start an	d End ι	units with			
	Single-Seat, 90° Inside (ZOP3-MCIS90DF2F	Curve, Full Height	Back wi 5660	th Privacy 5920	y Screer 6183	6545	6963	7329	7744	8266	8786
	Single-Seat, 90° Inside C ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4354	4559	4762	5047	5373	5660	5987	6394	6804
	_	Curve, Mid Height Beech/Laminate Maple/Palette	Back wi 5185 5280	ith Shelf 5391 5484	5594 5687	5880 5972	6206 6298	6494 6585	6819 6913	7226 7319	7634 7729
	ORDERING NOTE: Whe 36" or 30" and chose rec weight added to each se Single-Seat, 90° Inside C ZOP3-MCIS90DM2F	quired leg type be eat unit, please ad	low. Free ld \$289 I	estanding List upch	ı, Start a ıarge per	nd End units runit.					
	ZOI O MOIGGODINZI		3201	3400	3070	3933	0201	0307	0093	7290	7700
Zola Privacy	Option Upcharges	\$ List							\$ List	t	
Moisture Barr Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard) per unit)	61 611 571 561	Du Re	ıal Leg (fo movable	or Multip Seat Co	gle-Seat, 90° le unit config overs -Single- ack covers a	urations) Seat, 90	° Curve	158 77 108 curved b	, }	
PRODUCT COI	DE KEY Series	Chair Type		urve Style		Seat Degree		Back Type		Leg Typ	^
ZOP	3	MC MC		IS S		30D		F0		F]
Zola	Lounge	Modular Curve	Inside	Curve -Si	ngle	002	Ful	I Height Bac	k Fr	eestanding	g Unit
		MCB Modular Curve	Incido	ID Curve -Do	nublo.	45D	Eull L	F1 leight Back	with	S Start Un	.i+
		Plus	IIISIUE		Jubie			Shelf Option	WILII	C	1
			Outsid	OS e Curve -S	Single	60D		F2 leight Back		Center U] nit
			Outeida	OD e Curve -D	louble	90D		M0 Height Bac		E End Un]
			Outside	e Guive -D	ouble			M1 leight Back		Liid Oii	ı
							S	Shelf Option M2 Height Back			
								y Screen Op			

		COM		COL	FAR	RIC GRAD)FS	ı	_EATHER	3
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	. 9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ht Back 3098	3268	3438	3676	3948	4186	4458	4797	5136
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required leg counterbalance weight added to each sea	3385 3469 k with Shag type be	3555 3638 elf option elow. Fre	3724 3809 please cl estanding	ı, Start ar	nd End ur				_
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ht Back w 3436	vith Privac 3606	cy Screen 3775	4014	4286	4523	4795	5135	5473
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ht Back 2986	3134	3281	3490	3728	3935	4172	4467	4769
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please according to the seat u	3270 3355 k with Shelow. Frees	3419 3504 elf option standing,	3565 3649 please cl Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ht Back v 3323	vith Priva 3470	cy Screen 3617	Option 3828	4064	4272	4510	4803	5107

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 30° Curve	92
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 30° Curve	59
Table Power	561	Note: Removable back covers are not available on	curved backs

	1					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Uni
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DECODIDEION	/MODEL /ODEOLEO		COM 1	0	COL	FABR	IIC GRAI		7	LEATHER	
DESCRIPTION	/MODEL/SPECIES Single-Seat, 45° Outside ZOP3-MCOS450DF0F	Curve, Full He	· ·	3510	3680	3918	5 4189	6 4427	4698	5037	5378
	_	eech/Laminate aple/Palette en ordering a ba se required leg t	3622 3707 ck with S ype below	3792 3875 helf option. Freest	3960 4045 on please anding, S	Start and En	d units v				
	Single-Seat, 45° Outside ZOP3-MCOS45DF2F	Curve, Full Hei	ight Back 3676	with Pri	vacy Scre 4015	een 4254	4526	4764	5035	5373	5714
	Single-Seat, 45° Outside ZOP3-MCOS45DM0F	Curve, Mid He	ight Back 3221	3368	3515	3723	3960	4170	4408	4702	5004
	Single-Seat, 45° Outside ZOP3-MCOS45DM1_ Br M ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se	eech/Laminate aple/Palette en ordering a ba juired leg type b	3503 3587 ck with S elow.Free	3648 3734 helf opticestanding	3796 3880 on please g, Start ar	nd End units					
	Single-Seat, 45° Outside ZOP3-MCOS45DM2F	Curve, Mid He	ight Back 3558	with Pri 3705	vacy Scre 3850	een Option 4059	4296	4505	4742	5037	5339
Zola Privacy (Option Upcharges	\$ List							\$ Lis	et.	
	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rei	al Leg (fo movable	or Multiple Seat Cov	e-Seat, 45° e unit config vers -Single ck covers a	jurations -Seat, 45	5° Curve	10 7 6	6 7 1	
Line	Series	Chair Type	С	urve Style	:	Seat Degree		Back Type		Leg Typ	oe .
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -S ID Curve -D OS e Curve -S OD e Curve -C	ouble Single	30D 45D 60D 90D	Full I Full I Priva	F0 Ill Height Back F1 Height Back Shelf Option F2 Height Back cy Screen O M0 d Height Bac	with with ption	Freestandin S Start Ur C Center U	nit

M2 Mid Height Back with Privacy Screen Options

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FAI 4	BRIC GRA	DES 6	7	LEATHE 8	R 9
DESCRIPTION,		•		<u> </u>	4	5	U	- 1	0	
	Single-Seat, 60° Outside Curve, Full H ZOP3-MCOS60DF0F	eight Back 3481	3649	3820	4059	4330	4567	4840	5179	5518
	Single-Seat, 60° Outside Curve, Full H	eight Back	with Sh	elf						
B	ZOP3-MCOS60DF1_ Beech/Laminat Maple/Palette	0	3929 4013	4100 4184	4337 4420	4608 4693	4844 4930	5115 5203	5455 5539	5794 5880
	ORDERING NOTES: When ordering a - 42", 36" or 30" and chose required leterbalance weight added to each seat	eg type be	low. Free	standing,	Start and	End units				_
	Single-Seat, 60° Outside Curve, Full H ZOP3-MCOS60DF2F	eight Back 3799	with Pri 3970	vacy Scre 4140	en 4377	4650	4887	5159	5495	5836
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM0F	leight Bacl 3367	k 3515	3663	3871	4108	4317	4554	4849	5150
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM1 Beech/Laminat	•	k with Sh	elf 3941	4147	4385	4593	4830	5128	5425
	Maple/Palette	3729	3877	4023	4232	4469	4680	4915	5211	5511
\	ORDERING NOTE: When ordering a backer of 30" and chose required leg type ance weight added to each seat unit, p	e below. F	-reestand	ding, Start	and End	units with				_
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM2F	leight Bacl 3685	k with Pri 3833	vacy Scre 3981	en Option 4188	4425	4635	4870	5167	5468

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on c	urved backs

PRODUCT CODE RE	1					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve	Inside Curve -Double		Full Height Back with	Start Unit
		Plus			Shelf Option	
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

		СОМ		COL	FABR	IC GRAI	DES		LEATHE	R
N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigh	nt Back 4196	4368	4537	4773	5046	5283	5556	5894	6234
ZOP3-MCOS90DF1_ B. M ORDERING NOTE: Whe 42", 36" or 30" and chos	eech/Laminate aple/Palette n ordering a back e required leg typ	4463 4546 with Shoe below	4635 4717 nelf option v. Freesta	4803 4887 n please nding, S	tart and End	units wi				
Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigh	nt Back 4512	with Priva 4684	acy Scre 4853	en 5090	5363	5599	5870	6210	6550
Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heigl	nt Back 3761	3908	4056	4264	4500	4709	4945	5241	5544
ZOP3-MCOS90DM1_ B. M ORDERING NOTE: Whe	eech/Laminate aple/Palette n ordering a back	4028 4110 with Sh	4174 4257 nelf option	4321 4403 n please						
weight added to each se	at unit, please ad	d \$289	List upch	arge pei	r unit.	4817	5024	5262	5557	5860
Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	e unit config vers -Single-	urations) Seat, 90	° Curve	15 7 10	8 7 8	
DE KEY										
Series	Chair Type	(Curve Style)	Seat Degree		Back Type		Leg Ty	pe
3 Lounge	MC Modular Curve	Inside	IS e Curve -Si	ingle	30D 45D	Fu	F0 Ill Height Ba	ıck	Freestandii	ng Unit
	Single-Seat, 90° Outside ZOP3-MCOS90DF0F Single-Seat, 90° Outside ZOP3-MCOS90DF1_ B. M ORDERING NOTE: Whe 42", 36" or 30" and chose balance weight added to Single-Seat, 90° Outside ZOP3-MCOS90DF2F Single-Seat, 90° Outside ZOP3-MCOS90DM0F Single-Seat, 90° Outside ZOP3-MCOS90DM1_ B. M ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se Single-Seat, 90° Outside ZOP3-MCOS90DM2F Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	Single-Seat, 90° Outside Curve, Full Height ZOP3-MCOS90DF0F Single-Seat, 90° Outside Curve, Full Height ZOP3-MCOS90DF1_Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg typ balance weight added to each seat unit, posingle-Seat, 90° Outside Curve, Full Height ZOP3-MCOS90DF2F Single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM0F Single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM1_Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Poption Upcharges \$ List Or & CAL 133 (per yard) or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or & CAL 133 (per yard) or and chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or & CAL 133 (per yard) or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or & CAL 133 (per yard) or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or & CAL 133 (per yard) or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or & CAL 133 (per yard) or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges Stist Or and Chose required leg type beloweight added to each seat unit, please additional single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F	Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF0F 4196 Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF1_ Beech/Laminate 4463 Maple/Palette 4546 ORDERING NOTE: When ordering a back with SI 42", 36" or 30" and chose required leg type below balance weight added to each seat unit, please at Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF2F 4512 Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F 3761 Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM1_ Beech/Laminate 4028 Maple/Palette 4110 ORDERING NOTE: When ordering a back with SI 36" or 30" and chose required leg type below. Free weight added to each seat unit, please add \$289 Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F 4076 Option Upcharges \$ List Der & CAL 133 (per yard) 61 Plu 571 Re 561 No 100 Plu	Single-Seat, 90° Outside Curve, Full Height Back with Shel ZOP3-MCOS90DF1_ Beech/Laminate 4463 4635 Maple/Palette 4546 4717 ORDERING NOTE: When ordering a back with Shelf option 42", 36" or 30" and chose required leg type below. Freesta balance weight added to each seat unit, please add \$289 List User With Shelf Option Upcharges \$List ORDERING NOTE: When ordering a back with Shelf option 42", 36" or 30" and chose required leg type below. Freesta balance weight added to each seat unit, please add \$289 List upch 4512 4684 Single-Seat, 90° Outside Curve, Full Height Back with Priva ZOP3-MCOS90DM0F 3761 3908 Single-Seat, 90° Outside Curve, Mid Height Back with Shelf Option 36" or 30" and chose required leg type below. Freestanding weight added to each seat unit, please add \$289 List upch Single-Seat, 90° Outside Curve, Mid Height Back with Priva 20P3-MCOS90DM2F 4076 4222 Single-Seat, 90° Outside Curve, Mid Height Back with Priva 20P3-MCOS90DM2F 4076 4222 Single-Seat, 90° Outside Curve, Mid Height Back with Priva 20P3-MCOS90DM2F 4076 4222 Deption Upcharges \$List ORDERING NOTE: When ordering a back with Priva 20P3-MCOS90DM2F 4076 4222 Deption Upcharges \$List ORDERING NOTE: When ordering a back with Priva 20P3-MCOS90DM2F 4076 4222 Deption Upcharges \$List ORDERING NOTE: When ordering a back with Shelf option Upcharges \$List ORDERING NOTE: When ordering a back with Shelf option Upcharges \$List ORDERING NOTE: When ordering a back with Shelf option Upcharges \$List upcharges and \$289 List up	Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF0F 4196 4368 4537 Single-Seat, 90° Outside Curve, Full Height Back with Shelf ZOP3-MCOS90DF1_ Beech/Laminate 4463 4635 4803 Maple/Palette 4546 4717 4887 ORDERING NOTE: When ordering a back with Shelf option please 42", 36" or 30" and chose required leg type below. Freestanding, Shalance weight added to each seat unit, please add \$289 List upch Single-Seat, 90° Outside Curve, Full Height Back with Privacy Scre ZOP3-MCOS90DF2F 4512 4684 4853 Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Scre ZOP3-MCOS90DM0F 3761 3908 4056 Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM1_ Beech/Laminate 4028 4174 4321 Maple/Palette 4110 4257 4403 ORDERING NOTE: When ordering a back with Shelf option please 36" or 30" and chose required leg type below. Freestanding, Start ar weight added to each seat unit, please add \$289 List upcharge per Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Scre ZOP3-MCOS90DM2F 4076 4222 4370 Option Upcharges \$List Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Scre ZOP3-MCOS90DM2F 4076 4222 4370 Option Upcharges \$List Factor Curve, Mid Height Back with Privacy Scre ZOP3-MCOS90DM2F 4076 4222 4370 Option Upcharges \$List Factor Curve, Mid Height Back with Privacy Scre ZOP3-MCOS90DM2F 4076 4222 4370 Option Upcharges \$List Factor Type Curve Style Series Chair Type Curve Style MC IS Lounge Modular Curve Inside Curve-Single	Single-Seat, 90° Outside Curve, Full Height Back with Shelf ZOP3-MCOS90DF0F	Single-Seat, 90° Outside Curve, Full Height Back	Single-Seat, 90° Outside Curve, Full Height Back	NMODEL/SPECIES	Single-Seat, 90° Outside Curve, Full Height Back Single-Seat, 90° Outside Curve, Full Height Back Single-Seat, 90° Outside Curve, Full Height Back Single-Seat, 90° Outside Curve, Full Height Back with Shelf Single-Seat, 90° Outside Curve, Full Height Back with Shelf Single-Seat, 90° Outside Curve, Full Height Back with Shelf Single-Seat, 90° Outside Curve, Full Height Back with Shelf Single-Seat, 90° Outside Curve, Full Height Back with Shelf option please clearly specify on your order the required leg type below. Freestanding, Start and End units with the shelf option require complete with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding, Start and End units with the shelf option required leg type below. Freestanding,

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
DESCRIPTION	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Heigh		4996	5284	5689	6154	6557	7018	7594	8173
	_	Beech/Laminate Maple/Palette en ordering a back se required leg typ	5443 5535 with Shoe below	5731 5823 elf option	nding, St	tart and End	l units w				
	Double-Seat, 30° Inside ZOP3-MCID30DF2F	Curve, Full Heigh	t Back w 5608	rith Privac 5896	y Scree 6185	n 6589	7051	7457	7917	8494	9072
	Double-Seat, 30° Inside ZOP3-MCID30DM0F	Curve, Mid Heigh	t Back 4456	4698	4944	5288	5680	6021	6414	6903	7393
		Beech/Laminate Maple/Palette en ordering a back quired leg type bek	5189 5282 with Sh ow. Free:	5434 5526 elf option standing,	Start an	d End units					
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Heigh	t Back w 5353	vith Privac 5599	sy Scree 5845	n Option 6187	6580	6921	7315	7803	8292
		\$ List 61 611 571 561	Dua Ren	l Leg (for novable S	Multiple eat Cov	le-Seat, 30° unit config ers -Double ck covers a	urations -Seat, 3	0° Curve	\$ Lis 145 77 89 curved b	5 7 9	
Line	Series	Chair Type	Cu	irve Style	;	Seat Degree		Back Type		Leg Typ	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside C	IS Curve -Sing ID Curve -Dou OS Curve -Sir	ble	30D 45D 60D 90D	Full F	F0 II Height Back v F1 Height Back v Shelf Option F2 Height Back v cy Screen Op	with	Freestanding S Start Un C Center U] it]

M2 Mid Height Back with Privacy Screen Options

			COM		COL	FABR	IC GRAD	ES	1	LEATHER	₹
DESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Inside ZOP3-MCID45DF0F	Curve, Full Heigh	t Back 5105	5397	5691	6106	6580	6994	7466	8055	8654
	Double-Seat, 45° Inside ZOP3-MCID45DF1_ Be M		t Back v 5868 5962	with Shelf 6161 6256	6457 6550	6871 6966	7344 7438	7759 7855	8232 8325	8820 8914	9417 9513
	ORDERING NOTE: Who 42", 36" or 30" and choolalance weight added to	se required leg typ	pe belov	w. Freesta	inding, St	art and En	d units wi				
	Double-Seat, 45° Inside ZOP3-MCID45DF2F	Curve, Full Heigh	nt Back v 6013	with Priva 6306	cy Screer 6601	າ 7017	7489	7903	8374	8964	9563
	Double-Seat, 45° Inside ZOP3-MCID45DM0F	Curve, Mid Heigh	nt Back 4860	5112	5367	5728	6138	6498	6910	7417	7943
	Double-Seat, 45° Inside ZOP3-MCID45DM1_ Be		nt Back 5623 5718	with Shelf 5877 5971	6132 6226	6493 6585	6903 6996	7262 7358	7673 7767	8181 8275	8708 8801
	36" or 30" and chose rec weight added to each so Double-Seat, 45° Inside ZOP3-MCID45DM2F	eat unit, please ac	dd \$289	List upch	narge per	unit.	7047	shelf option	7817	e counter 8325	8853
Zola Privacy (Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Du Re	al Leg (foi movable \$	r Multiple Seat Cove	e-Seat, 45 unit config ers -Double ck covers a	jurations) e-Seat, 45		172 77 97 curved b	,	
PRODUCT COD		Chair Type		Ot-1-		N+ D		D1- T		L - T -	
Line	Series	MC MC		urve Style		Seat Degree		Back Type		Leg Typ	∍e ¬
ZOP Zola	3 Lounge	Modular Curve	Inside	Curve -Sir	nale	30D	Full	F0 Height Bac	ck Fr	eestandin	」 a Unit
20.0	2541.95	MCB		ID	.9.0	45D		F1		S]
		Modular Curve	Inside	Curve -Do	uble			eight Back	with	Start Ur	nit
		Plus		OS		60D	5	helf Option F2		С]
			Outside	e Curve -Si	ingle			eight Back y Screen Or		Center U	Init
			Outside	OD e Curve -Do	ouble	90D		M0 Height Bac		End Un	it
								M1 eight Back helf Option	with		
							Mid H	M2 eight Back Screen Op			
				_		- 4	00040		A D. EO		DA EQ

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	e Curve, Full Heigh	t Back 5629	5965	6301	6788	7338	7824	8373	9047	9774
	Double-Seat, 60° Insid ZOP3-MCID60DF1_	e Curve, Full Heigh Beech/Laminate Maple/Palette	t Back v 6444 6540	vith Shelf 6783 6876	7120 7213	7606 7700	8156 8250	8642 8736	9193 9287		10592 10685
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	ose required leg typ	e below	v. Freesta	nding, S	tart and End	l units wi				
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	e Curve, Full Heigh	t Back v 6542	vith Priva 6879	cy Scree 7217	en 7703	8254	8738	9290	9962	10690
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	e Curve, Mid Heigh	t Back 5322	5604	5881	6281	6733	7131	7584	8141	8725
	Double-Seat, 60° Insid ZOP3-MCID60DM1_ ORDERING NOTE: W 36" or 30" and chose reweight added to each	Beech/Laminate Maple/Palette hen ordering a back equired leg type bel	6140 6234 with Show. Free	6421 6515 nelf option estanding	6700 6793 n please , Start ar	nd End units					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F						7647	8045	8496	9056	9641
Zola Privacy (Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rer	al Leg (for movable s	Multiple Seat Cov	ole-Seat, 60° e unit config vers -Double lick covers al	urations) -Seat, 60		175 77 118 curved b	3	
PRODUCT COD											
Line	Series	Chair Type MC	Cı	IS IS	,	Seat Degree	E	Back Type		Leg Type	e
ZOP Zola	3 Lounge	Modular Curve	Inside	Curve -Sin	gle	30D	Full	F0 Height Back	c Fr	eestanding] g Unit
		MCB		ID		45D		F1		S]
		Modular Curve Plus	Inside (Curve -Dou	ıble			eight Back w helf Option	vith	Start Un	it
			Outside	OS Curve -Si	ngle	60D		F2 eight Back w		Center U	nit
			Outside	OD Curve -Do	uble	90D	·	y Screen Opt M0 Height Back		E End Uni] t

M2 Mid Height Back with Privacy Screen Options

M1
Mid Height Back with
Shelf Option

	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	7	LEATHER 8	₹ 9
	Double-Seat, 90° Insid ZOP3-MCID90DF0F	de Curve, Full He	ight Back 6607	6956	7308	7820	8394	8909	9485	10185	1096
	Double-Seat, 90° Insid ZOP3-MCID90DF1_ ORDERING NOTE: W - 42", 36" or 30" and terbalance weight add	Beech/Laminat Maple/Palette /hen ordering a b chose required le	7499 7594 pack with	7847 7944 Shelf op elow. Fre	8200 8295 otion plea eestandin	g, Start and	End units	9801 9896 your orders with the	10377 10471 r the requishelf op	11077 11174 uired She tion requi	1195 If Hei
	Double-Seat, 90° Insid ZOP3-MCID90DF2F	de Curve, Full He	ight Back 7564	with Pr 7913	ivacy Sci 8265	reen 8779	9351	9865	10441	11142	1191
	Double-Seat, 90° Insid ZOP3-MCID90DM0F	de Curve, Mid He	eight Bac	6415	6694	7092	7544	7943	8394	8956	953
	Double-Seat, 90° Insid ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose ance weight added to	Beech/Laminat Maple/Palette /hen ordering a be required leg typ	7028 7124 pack with be below.	7309 7403 Shelf op Freestar	7587 7683 otion plea	art and End u	ınits with				1052 If Hei
	Double-Seat, 90° Insid ZOP3-MCID90DM2F	de Curve, Mid He	eight Baci 7092	k with Pr 7372	rivacy Sc 7651	reen Option 8048	8500	8898	9351	9913	1049
ola Privacy O	ption Upcharges	\$ List									
Moistura Barria	r & CAL 133 (per yard)								\$ Lis	st	
eat Power (per helf Power able Power	r unit)	61 611 571 561	Du Re	al Leg (f movable	or Multip Seat Co	uble-Seat, 90 le unit confiç overs - Doub ack covers a	gurations le-Seat, 9	90° Curve	21 7 12	0 77 21	
eat Power (per helf Power able Power RODUCT CODE	r unit)	611 571	Du Re N o	al Leg (f movable	or Multip e Seat Co novable b	le unit confiç overs - Doub	gurations le-Seat, s are not av	90° Curve	21 7 12	0 77 21	De

Mid Height Back with Privacy Screen Options

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Outs ZOP3-MCOD30DFOF	side Curve, Full Hei	ght Back 4375	4647	4920	5299	5734	6114	6546	7091	7634
	Double-Seat, 30° Outs ZOP3-MCOD30DF1_ ORDERING NOTES: \ - 42", 36" or 30" and co balance weight added	Beech/Laminate Maple/Palette When ordering a ba hose required leg ty	4910 4999 ack with S ype belov	5182 5271 Shelf option. V. Freesta	5454 5544 on please anding, S	Start and End	d units wi				
	Double-Seat, 30° Outs ZOP3-MCOD30DF2F	side Curve, Full Hei	ght Back 4945	with Priv 5218	acy Scre 5490	een 5870	6305	6684	7119	7661	8205
	Double-Seat, 30° Outs ZOP3-MCOD30DMOF	·	ght Back 4189	4417	4641	4959	5320	5637	5997	6448	6900
	Double-Seat, 30° Outs ZOP3-MCOD30DM1_ ORDERING NOTES: \ - 36" or 30" and chose weight added to each	Beech/Laminate Maple/Palette When ordering a barequired leg type be	4725 4814 ack with Selow. Free	4952 5040 Shelf options standing	5178 5266 on please g, Start ar	nd End units					
	Double-Seat, 30° Outs ZOP3-MCOD30DM2F	-					5891	6208	6568	7020	7471
	Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Dua Ren	al Leg (for novable s	Multiple Seat Cov	ole-Seat, 30° e unit configuers -Double ck covers an	urations) -Seat, 30		\$ List 145 77 89 curved b	; ,	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside	IS Curve -Sir ID Curve -Do OS Curve -S OD Curve -Do	ngle uble ingle	Seat Degree 30D 45D 60D	Full H S Full H Privacy Mid Mid H	F0 Height Back to helf Option F2 eight Back to y Screen Option Height Back to y Screen Option Height Back to helf Option	with with otion ck	Leg Type F reestanding S Start Un C Center Un E End Uni	g Unit] it] nit

			СОМ		COL	FABR	IC GRAD	DES		LEATHER	3
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Outsi ZOP3-MCOD45DFOF	de Curve, Full He	ght Back 4570	4842	5113	5493	5929	6309	6743	7287	7830
	Double-Seat, 45° Outsi ZOP3-MCOD45DF1_ ORDERING NOTE: Wh 42", 36" or 30" and che balance weight added	Beech/Laminate Maple/Palette nen ordering a bac ose required leg ty	5107 5195 ck with Sl pe belov	5378 5467 helf option. V. Freest	5650 5738 on please anding, S	Start and End	d units w			7911 ired Shelf	
	Double-Seat, 45° Outsi ZOP3-MCOD45DF2F	de Curve, Full Hei	ght Back 5140	k with Pr 5414	ivacy Scr 5685	een 6063	6499	6879	7315	7858	8400
	Double-Seat, 45° Outsi ZOP3-MCOD45DMOF	de Curve, Mid He	ight Bacl 4363	k 4588	4816	5132	5492	5809	6170	6623	7075
	Double-Seat, 45° Outsi ZOP3-MCOD45DM1_ ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette nen ordering a bac quired leg type be	4898 4987 k with Slelow. Free	5125 5212 helf options	5349 5440 on please g, Start ar	nd End units				red Shelf	
	Double-Seat, 45° Outsi ZOP3-MCOD45DM2F						6062	6379	6742	7193	7646
Zola Privacy C	Option Upcharges	\$ List							\$ Li	st	
	er & CAL 133 (per yard) er unit)	61 611 571 561	Du Re	al Leg (fo movable	or Multiple Seat Cov	ble-Seat, 45 e unit config vers - Doubl ack covers a	jurations) le-Seat, 4	15° Curve	17	72 77 97	
Line	Series	Chair Type	С	urve Style)	Seat Degree		Back Type		Leg Typ	oe
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -S ID Curve -D OS e Curve -S	ouble	30D 45D 60D 90D	Full F Full F Privac	F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen O M0 Id Height Ba	with with ption	Freestandin S Start Ui C Center U	nit Junit

	N/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHEI 8	٦ 9
	Double-Seat, 60° Outsid ZOP3-MCOD60DFOF	e Curve, Full He	ight Back 4810	5082	5352	5733	6166	6546	6982	7524	806
	Double-Seat, 60° Outsid ZOP3-MCOD60DF1_ B N ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate laple/Palette en ordering a bac se required leg ty	5342 5431 ck with Sh vpe below	5614 5701 elf optior . Freestar	5887 5972 n please onding, St	art and End	units wit				_
	Double-Seat, 60° Outsid ZOP3-MCOD60DF2F	e Curve, Full He	ight Back 5379	with Privi 5651	acy Scre 5922	en 6301	6736	7117	7551	8095	863
	Double-Seat, 60° Outsid ZOP3-MCOD60DMOF	le Curve, Mid He	ight Back 4570	4796	5023	5340	5700	6017	6378	6832	728
	ORDERING NOTE: Whe	eech/Laminate laple/Palette en ordering a bac juired leg type be	5105 5191 ck with Shelow. Free:	5329 5416 elf option standing,	5556 5642 n please o Start and	d End units					
	weight added to each see Double-Seat, 60° Outsid ZOP3-MCOD60DM2F						6269	6585	6947	7399	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
Seat Power (p Shelf Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Ren	ıl Leg (for	Multiple	le-Seat, 60° unit configuers - Double	urations)		184 77 118		
Table Power	DE KEY			e: Remov		ck covers ar	e not ava	ilable on d	curvea ba	acks	
PRODUCT COL	DE KEY Series	Chair Type	Cı	re: Remov	vable ba			ilable on d	curvea ba	Leg Typ	е

Mid Height Back with Privacy Screen Options

			COM		COL		RIC GRAD			LEATHER	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Outs ZOP3-MCOD90DF0F	ide Curve, Full He	ight Bac 5390	k 5661	5933	6313	6747	7128	7562	8106	8648
	Double-Seat, 90° Outs	ide Curve, Full He	ight Bac	k with SI	helf						
	ZOP3-MCOD90DF1_	Beech/Laminate Maple/Palette	5917 6004	6188 6274	6461 6546	6840 6925	7275 7362	7656 7742	8089 8176	8633 8721	9174 9262
	ORDERING NOTES: V - 42", 36" or 30" and cl balance weight added	hose required leg t	type belo	ow. Frees	standing,	, Start and Er	nd units v				
	Double-Seat, 90° Outs	ide Curve, Full He	ight Bac	k with P	rivacy Sc	reen					
	ZOP3-MCOD90DF2F		5950	6223	6495	6873	7309	7689	8123	8666	9208
	Double-Seat, 90° Outs ZOP3-MCOD90DM0F	ide Curve, Mid He	eight Bac 5245	5556	5866	6346	6873	7355	7882	8505	9274
	Double Seet 90° Outs	ido Curvo Mid Ho	sight Rac	ok with C	holf						
	Double-Seat, 90° Outs ZOP3-MCOD90DM1_		5772 5861	6083 6169	6394 6481	6873 6962	7400 7489	7882 7969	8410 8495	9031 9118	9801 9888
	ORDERING NOTES: V	•									
	- 36" or 30" and chose weight added to each	required leg type b	elow. Fr	eestandii	ng, Start	and End unit					
	Double-Seat, 90° Outs	ide Curve, Mid He	eight Bac	k with P	rivacy So	creen Option					
	ZOP3-MCOD90DM2F		5807	6116	6428	6910	7436	7915	8443	9064	9837
Zola Privacy (Option Upcharges	\$ List							\$ Lis	t	
Moisture Barrie	er & CAL 133 (per yard)	61	Plu	us Upgra	ıde - Doı	uble-Seat, 90)° Curve		210)	
Seat Power (pe	er unit)	611		0 (le unit confiç			77		
Shelf Power Table Power		571 561				overs - Doub ack covers a	-		121 curved b		
PRODUCT COD	E KEY										
Line	Series	Chair Type	C	Curve Style	е	Seat Degree		Back Type		Leg Typ	ре
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	e Curve -S	Single		Fu	II Height Ba	ck Fr	reestandin	ıg Unit
		MCB		ID		45D		F1		S	
		Modular Curve Plus	Inside	Curve -D	ouble			leight Back Shelf Option		Start U	nit
			0.4-1-	OS	0:	60D	E	F2		C	1
			Outsic	de Curve -	Single			leight Back by Screen O		Center L	Jnit _
			Outsid	OD e Curve -[Double	90D	Mic	M0 d Height Ba	ck	E End Ur	_ nit
							-7111	M1		2.	
								Height Back Shelf Option			
								M2			
								Height Back y Screen Op			

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
		e, Full Height No Sc	reen 903	987	1071	1242	1411	1581	1749	1920	2258
	ZOP3-MPF0S	Start	1164	1248	1332	1503	1670	1840	2009	2178	2517
	ZOP3-MPF0C ZOP3-MPF0E	Center End	903	987	1071	1242	1411	1581	1749	1920	2258
	Side Panel, Single	e, Full Height with S	Screen								
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539
	Side Panel Single	e, Mid Height No So	reen								
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650
	Side Panel, Single	e, Mid Height with S	Screen								
لمسما	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 30 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with		
			Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GRA	ADES		LEATHE	3	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	-ull Height									
	ZOP3-MSPF0S	Start	556	599	642	729	816	904	990	1079	1252	
	ZOP3-MSPF0C	Center	817	862	907	992	1080	1166	1253	1340	1514	
	ZOP3-MSPF0E	End	556	599	642	729	816	904	990	1079	1252	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	490	529	564	640	716	790	866	940	1089	
	ZOP3-MSPM0C	Center	759	796	834	910	984	1059	1135	1209	1360	
	ZOP3-MSPM0E	End	490	529	564	640	716	790	866	940	1089	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FAI	FABRIC GRADES			LEATHER		
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Urd ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole		С
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	gle-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	gle-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ıble-Seat - Fı	ull Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ıble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire	Yardage 2 Entire	Yardage 3 Entire	Yardage 4 Entire	Yardage per	Yardage per 2	Yardage per 3	Yardage per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	Height Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	_		COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	L 7	EATHER 8	9
	Twin Single-Seat, 30 ZOP3-MCTS30DF0F		-	:k 5255	5553	5970	6445	6865	7342	7939	8534
	Twin Single-Seat, 30 ZOP3-MCTS30DF2I		-	k with F 5820	Privacy So 6117	creen Optio	on 7012	7429	7907	8505	9100
	Twin Single-Seat, 30 ZOP3-MCTS30DM0		_	ck 4965	5233	5608	6035	6411	6839	7373	7910
	Twin Single-Seat, 30 ZOP3-MCTS30DM2		-	ck with 5530	Privacy S 5796	Screen Opti 6172	on 6601	6975	7403	7940	8473
	Twin Single-Seat, 45 ZOP3-MCTS45DF0f		Ü	ck 5897	6209	6645	7141	7575	8074	8696	9316
	Twin Single-Seat, 45 ZOP3-MCTS45DF2f		-	ck with 6470	Privacy S 6781	creen Opti 7217	on 7713	8148	8647	9267	9888
Zola Privacy Option U	Incharges	\$ List							\$ List	·	
Moisture Barrier & CAI Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple	_ 133 (per yard)	61 611 571 561 77	Plus Rem Rem	Upgrad lovable lovable	le - Twin Seat Cov Seat Cov	Single-Sea Single-Sea ers -Twin S ers -Twin S ck covers a	t, 45° Cui ingle-Sea ingle-Sea	rve at, 30° Cur at, 45° Cur	274 329 ve 148 ve 159	1 9 3	
PRODUCT CODE KEY	Carios	Chair Tuna	Cun	ıo Ctulo		ant Dogram		Pools Tupo		Log Type	
ZOP Zola	Series 3 Lounge Mod	Chair Type MCT dular Curve Twin	Small	S Radius-le Width		30D		Back Type F0 Height Back	ς Frε	Leg Type F eestanding	
	N	MCTB flodular Curve Twin Plus		D Radius- le Width		45D		F2 eight Back w / Screen Op		Start Uni	t
						90D	Mid He	M0 Height Back M2 eight Back v Screen Opt	vith	C Center Ur E End Unit	

DESCRIPTION/MODE	EL		COM 1	1 2	COI 3	L FABI 4	RIC GRA 5	DES 6	7	LEATHEF 8	R 9
	Twin Single-Seat, ZOP3-MCTS45DN		/lid Height E 5292	Back 5572	5850	6244	6693	7084	7533	8095	8655
	Twin Single-Seat, ZOP3-MCTS45DN		/lid Height E 5268	3ack with 5536	Privacy 5803	Screen Optio	on 6608	6982	7411	7945	8481
	Twin Single-Seat, ZOP3-MCTS60DF		iull Height E 6345	Back 6710	7077	7587	8172	8682	9266	9996	10725
	Twin Single-Seat, ZOP3-MCTS60DF		full Height E 6920	Back with 7285	Privacy \$ 7651	Screen Optio 8161	on 8747	9257	9841	10570	11301
	Twin Single-Seat, ZOP3-MCTS60DN		/lid Height E 6004	3ack 6328	6651	7105	7621	8074	8591	9236	9885
	Twin Single-Seat, ZOP3-MCTS60DN		/lid Height E 7124	Back with 7537	Privacy 7948	Screen Optio 8529	on 9191	9771	10432	11258	12084
Zola Privacy Option	Upcharges	\$ Lis	st						\$ Lis	st	
Moisture Barrier & CA Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple		61 57 56	1 P 1 R 1 R	lus Upgra emovable emovable	nde - Twir e Seat Co e Seat Co	n Single-Sea n Single-Sea overs -Twin S overs -Twin S ack covers a	t, 60° Cu Single-Se Single-Se	ırve eat, 45° Cu eat, 60° Cu	ırve 20	5 9 12	
Line	Series	Chair Type	e (Curve Style	e	Seat Degree		Back Type	,	Leg Ty	pe
ZOP Zola	3 Lounge	MCT Modular Curve	e Twin S	S mall Radiu Single Widt	s-	30D	Fu	F0		Freestandir	
		MCTB Modular Cu Twin Plus		D mall Radiu ouble Wid		45D 60D	Priva	F2 Height Back cy Screen C M0 d Height Ba	Option	S Start U	
						90D	Mid I	M2 Height Back	< with	End U	

	COM			COL	FA	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Single-Seat, 90° Curve, Ful ZOP3-MCTS90DF0F	l Height E 7917	8288	8659	9185	9781	10303	10901	11643	12398	
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F	Height B 8824	ack with 9195	Privacy S 9566	creen Opt 10090	ion 10689	11209	11806	12548	13304	
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	d Height E 7442	3ack 7771	8101	8566	9096	9562	10090	10749	11420	
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	d Height E 7093	Back with 7465	Privacy \$	Screen Op 8358	tion 8951	9472	10067	10809	11553	

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Single-Seat, 90° Curve 492
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77
Shelf Power	571	Removable Seat Covers -Twin Single-Seat, 90° Curve 229
Table Power	561	Note: Removable back covers are not available on curved backs

DOO! OODE IKE	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM			COL FABRIC GRAD			DES LEATHER		
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DF0F	Full Height 6548	Back 6963	7375	7953	8616	9195	9856	10682	11511
	Twin Double-Seat, 30° Curve,	Full Height	Back witl	n Privacy	Screen Op	otion				
	ZOP3-MCTD30DF2F	7448	7863	8275	8854	9516	10094	10756	11584	12409
	Twin Double-Seat, 30° Curve, I	Mid Height (Back							
	ZOP3-MCTD30DM0F	6187	6559	6933	7450	8045	8565	9161	9904	10647
	Twin Double-Seat, 30° Curve, I	Mid Height F	Rack with	Privacy 9	Screen On	ation				
	ZOP3-MCTD30DM2F	7087	7460	7831	8351	8946	9465	10061	10804	11545

Zola Privacy Option Upcharges	\$ List		\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 30° Curve	385	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 30° Co	urve 178	
Table Power	561	Note: Removable back covers are not available on curved backs		

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM	0	COL		BRIC GRA		LEATHER			
DESCRIPTION/MOD	PEL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height B 7385	ack 7808	8234	8828	9508	10101	10781	11630	12481	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height B 8292	eack with 8720	Privacy S 9143	creen Opt 9736	tion 10417	11011	11690	12540	13389	
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM0F	Height E 6997	3ack 7381	7764	8300	8913	9447	10061	10826	11592	
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM2F	I Height E 7909	Back with 8289	Privacy S 8675	Screen Op 9208	tion 9821	10358	10969	11734	12502	

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 45° Curve	437
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers - Twin Double-Seat, 45° Cui	ve 195
Table Power	561	Note: Removable back covers are not available on c	urved backs

RODUCT CODE KEY	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN CURVED

		COM		COL FABRIC GRADES		ES	LEATHER			
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8056	ack 8488	8918	9520	10211	10813	11504	12365	13226
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF2F	Height Ba	ack with 9403	Privacy S 9833	creen Opt 10437	tion 11124	11729	12418	13280	14141
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM0F	I Height B 7614	ack 8004	8392	8937	9561	10104	10728	11508	12283
	Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM2F	Height Ba 8529	ack with I 8918	Privacy Se 9307	creen Opt 9852	ion 10472	11018	11643	12421	13199

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 60° Curve 518	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 60° Curve 237	
Table Power	561	Note: Removable back covers are not available on curved backs	

PRODUCT CODE RET						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

	СОМ		COL	FAB	RIC GRAD	ES	LE	ATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
Twin Side Panel, Med. Height No Screen ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	- 1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
Twin Side Panel, Med. Height with Screen ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center ORDERING NOTE: Side Panels will only with Removable Back Cover option. See p	1683 2360 connect		_		2192 2868 s with Priva	2361 3037 acy Screer	2531 3207 n Option a	2699 3375 are not av	3037 3717 ailable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sir	ngle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sir	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	7	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Grades

Zola Option Upcharges	A-White	A-Cole		С
Solid Surface Arm Cap (per arm)	263	275	303	313

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	392	12	2
	Clear Glass Tablet ZOL3 T3	n/a	746	13	2
	Laminate Tablet ZOL3 T4	n/a	507	12	2
			olet comes standard with a polymer edge. Please note Zola Table fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	611	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	620	14	2
₩	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	706	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	2885
ZOP3-IWF048MP	1	2290
ZOP3-ICWF0L	1	1617
ZOP3-ICWF0R	1	1617
ZOP3-RO48532416	1	1016
TOTAL		\$12.310



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0L ZOP3-ICTWM0R	3 1 1	2472 1634 1634
TOTAL		\$10,684

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1117	1891	1594	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1202	2064	1690	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1285	2148	1786	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1369	2232	1880	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1043	1603	1513	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1128	1775	1608	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1211	1860	1704	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1295	1943	1797	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1256	2030	1734	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1340	2203	1830	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	1423	2287	1923	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	50" 1508	2370	2019	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	12" 1183	1740	1652	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	18" 1267	1915	1747	48	12	37	102	15.25
\	Inline Wall Media, Mid Height & ZOP3-IWM054M	54" 1350	1997	1842	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1435	2082	1937	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Fu	Il Height 42"							
	ZOP3-IWF042P	2066	2840	2544	42	12	50	150	19
	Inline Wall w/Power Docs, Fu	•			40	10	ΕO	010	01.5
	ZOP3-IWF048P	2150	3013	2639	48	12	50	212	21.5
	Inline Wall w/Power Docs, Fu	ll Height 54"			ΕΛ	10	ΕO	105	0.4
	ZOP3-IWF054P	2234	3097	2734	54	12	50	135	24
	Inline Wall w/Power Docs, Fu	ll Height 60"			60	12	50	147	26.5
	ZOP3-IWF060P	2318	3181	2829	00	12	30	147	20.5
	Inline Wall w/Power Docs, Mi	d Height 42"							
	ZOP3-IWM042P	1992	2551	2462	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mi	d Height 48"							
	ZOP3-IWM048P	2077	2724	2557	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mi	d Heiaht 54"							
	ZOP3-IWM054P	2160	2808	2653	54	12	37	116	17
	Inline Wall w/Power Docs, Mi	d Height 60"							
	ZOP3-IWM060P	2244	2892	2746	60	12	37	126	18.75
	Inline Wall Media w/Power Do	ncs Full Height 42"							
	ZOP3-IWF042MP	2206	2979	2683	42	12	50	150	19
	Inline Wall Media w/Power Do	ooo Full Hoight 49"							
	ZOP3-IWF048MP	2290	3153	2779	48	12	50	212	21.5
	Latina Martina di Latina Danca D								
	Inline Wall Media w/Power Do ZOP3-IWF054MP	2373	3236	2872	54	12	50	135	24
~									
	Inline Wall Media w/Power Do ZOP3-IWF060MP	ocs, Full Height 60" 2458	3320	2968	60	12	50	147	26.5
	201 0 1111 0001111	2 100	0020	2000					
	Inline Wall Media w/Power Do	ncs Mid Height 42"							
	ZOP3-IWM042MP	2132	2689	2600	42	12	37	92	13.5
	Inline Well Medie w/Dewer De	ana Mid Haiabt 40"							
	Inline Wall Media w/Power Do ZOP3-IWM048MP	2216	2864	2696	48	12	37	102	15.5
		A4: 111 : 1 : 5 4 P							
	Inline Wall Media w/Power Do ZOP3-IWM054MP	ocs, Mid Height 54" 2299	2946	2790	54	12	37	116	17
			-	-					
	Inline Wall Media w/Power Do ZOP3-IWM060MP	ocs, Mid Height 60" 2384	3031	2886	60	12	37	126	18.75
		2007	0001	2000					

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1617 1617	2275 2275	1948 1948	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1560 1560	2170 2170	1882 1882	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ıdes	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	407	425	530	631
ZOP3-IWF048N	456	477	593	710
ZOP3-IWF054N	505	529	660	790
ZOP3-IWF060N	529	579	725	870

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

FRODUCT CODE RET					
Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Γ CUBE
	Inline Table Wall, Full Height 23' ZOP3-ITWF023N	940	1507	1423	23	25.7	50	100	21
	Inline Table Wall, Full Height 30' ZOP3-ITWF030N	, 1108	1854	1604	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	867	1219	1341	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1035	1565	1520	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs,	Full Height 23"							
	ZOP3-ITWF023P	1890	2457	2373	23	25.7	50	100	21
	Inline Table Wall w/Power Docs, ZOP3-ITWF030P	, Full Height 30" 2058	2803	2553	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1816	2166	2291	23	25.7	37	90	15
5	Inline Table Wall w/Power Docs, ZOP3-ITWM030P	, Mid Height 30" 1984	2514	2469	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	VEIGHT	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1692	2551	2075	28	28	50	140	31
	ZOP3-ICTWF0R	1692	2551	2075	28	28	50	140	31
_	Inline Corner Table Wall, Mid	l Height							
	ZOP3-ICTWM0L	1634	2444	2008	28	28	37	127	23
	ZOP3-ICTWM0R	1634	2444	2008	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAL	SEE WALLS SOLID SOM ACE	Grade	naL3						
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	460	484	602	720					
ZOP3-ITWF030N	577	605	759	912	ORDERING	NOTE	S:		
ZOP3-ITWM023N	460	484	602	720	The Solid Su	rface	top or	otion is pri	iced as
ZOP3-ITWM030N	577	605	759	912	an upcharg				
ZOP3-ITWF023P	460	484	602	720	Please add a				
ZOP3-ITWF030P	577	605	759	912	number and	the u	pchar	ge listed	below.
ZOP3-ITWM023P	460	484	602	720	Zola Solid S				
ZOP3-ITWM030P	577	605	759	912	thickness of	n top	of the	e existing	table,
ZOP3-ICTWF0	579	607	763	916	with a 1 mm	overh	ang (soft radiu	s verti-
ZOP3-ICTWM0	579	607	763	916	cal edge). Pl options.	ease s	ee pa	ige 116 fo	or color
PRODUCT CODE K	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				MO		F	3		
				Mid Height		Ric	 ght		
							,		
			HIGH	CHERRY					
DESCRIPTION/MO	ODE!	THERMOFUSED LAMINATE	PRESSURE LAMINATE		W	D	Н	WEIGHT	
DESCRIPTION/MC	-		LAWINAIL	. BEEGIT	VV		- 11	WEIGITI	
	Run-off Table for 48" Inline W ZOL4-RO48-302416	/all 861	1219	1323	30	24	16	25	3.75
	ZOL4-RO48-372416	909	1315	1386	37	24	16	30	4.5
	ZOL4-RO48-532416	1016	1539	1527	53	24	16	40.5	5.75
	ZOL4-RO48-762416	1173	1860	1732	76	24	16	56	7.5
	2024 11040 102410	1175	1000	1702	70	27	10	00	7.0
	Run-off Table for 54" Inline W		4400	1000					
	ZOL4-RO54-303016	912	1193	1390	30	30	16	35	4.25
	ZOL4-RO54-373016	970	1314	1467	37	30	16	41	5.25
U	ZOL4-RO54-533016	1108	1592	1646	53	30	16	54	6.75
	ZOL4-RO54-763016	1305	1993	1900	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/MODEL		PRICE	WEIGHT	CUBE	
	Wood Tablet 8 ZOL3 RT1	& Mounting Plate Only Beech Maple /Cherry	363 386	5 5	0.32 0.32
	Painted Table ZOL3 RT2	t & Mounting Plate Only n/a	265	5	0.32
	Clear Glass Ta ZOL3 RT3	ablet & Mounting Plate Only n/a	620	6	0.32
	Laminate Tab ZOL3 RT4	let & Mounting Plate Only n/a	379	5	0.32
	ZOL3 RT5	Tablet & Mounting Plate Or Grade - A-White Grade - A-Color Grade - B Grade - C	514 521 550 595		
	ORDERING I	NOTES: The Zola replacem	ent tablets on this page include the	top with mounting plate only.	
	Leg ZOL3 RLS		56	1	0.125
ſ	Caster Leg ZOL3 RLC		38	0.4	0.125
	Dual leg ZOL3 RDL		96	1	0.125
	Leg Glide (4) ZOL3 RLG		23	0.2	0.01
000	Replacement ZOL3 RLKB2	Seat-to-Seat Bracket	91	1	0.125
			each seat is automatically supplied v	with two seat to seat brackets	0.120
	Replacement ZOL3 RLKB1	Table-to-Seat Bracket	109	3	0.125
	ZOL3-POWEI	RDOC1 - Undermount	543	3	0.375
De De G			Seats and Tables as a replacement parower and 2 USB outlets. PowerDoc's		ously spec
	ZOL3-POWEI	RDOC2	617	3	0.375
D D D B			es or Square/Rectangular tables whi B outlets. PowerDoc's have a 10' cor		this powe
	Wire Manager ZOL3 WM10	r Shroud	115	1	0.375
	ORDERING N	NOTES: Comes in a 10' len	gth when ordered. Can be cut to size	on site.	


ZOLA PRIVACY | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 64	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 56	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 71	2	0.32
000	Back-to-Seat Linking hardware ZOP3-RLKS 161	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 179	4	0.32
55:8	ZOP3-POWERDOC3 - Shelves only 630 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 179	1	0.375

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

DIVIENCIONO	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes
One-Seat	23	26	18.5	33	11.5
Two-seat	46	26	18.5	55	21
Three-seat	69	26	18.5	72	32
One-Seat (Plus)	30	26	18.5	45	16
Two-seat (Plus)	46	26	18.5	57	21
Three-seat (Plus)	69	26	18.5	75	32

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	74	One-Seat standard depth seat	45
Interim Arm	59	Two-seat standard depth seat	65
One-Seat back	65	Three-seat standard depth seat	81
Two-seat back	93	One-Seat plus standard depth seat	59
Three-seat back	116	One-Seat full depth seat	50
One-Seat plus back	75	Two-seat full depth seat	71
		Three-seat full depth seat	81
		One-Seat plus full depth seat	64

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	830	873	918	1003	1085	1169	1252	1332	1462
	One-Seat Plus ZOL3 MSB1S1	1046	1092	1139	1228	1319	1410	1498	1589	1724
	ORDERING NOTES: One-Se	eat Plus Be	ench is 30	" wide.						
	Two-Seat ZOL3 MS2S1	1160	1212	1267	1379	1492	1605	1718	1831	2018
	Two-Seat Plus ZOL3 MSB2S1	1236	1295	1355	1467	1583	1694	1807	1921	2109
	ORDERING NOTES: The Tw	o-Seat Plu	is comes	standard v	with a fifth	leg for ext	tra suppor	t.		
	Three-Seat ZOL3 MS3S1	1484	1560	1634	1794	1951	2109	2268	2427	2618
	Three-Seat Plus ZOL3 MSB3S1	1764	1837	1915	2046	2185	2319	2457	2589	2806
	ORDERING NOTES: The Th	ree-Seat F	lus come	s standard	d with a fift	h leg for e	xtra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	PEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	916	963	1008	1068	1141	1203	1273	1363	1481
	One-Seat Plus ZOL3 MSB1F1	1103	1164	1223	1306	1398	1483	1579	1694	1815
	ORDERING NOTES: One	e-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3 MS2F1	1353	1412	1472	1555	1648	1731	1827	1943	2063
	Two-Seat Plus ZOL3 MSB2F1	1404	1463	1521	1605	1697	1781	1875	2132	2113
	ORDERING NOTES: The	Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppoi	t.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus	1830	1920	2008	2130	2275	2402	2544	2723	2902
	ZOL3 MSB3F1	1894	1986	2073	2200	2343	2468	2612	2789	2969

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$102 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$74 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg & Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS INSIDE CURVE

JIDE COITTE						
					Cubos	
vviatri	Deptili	rieigiit	Бериі	vveignt	Cubes	
36	28.5	18.5	22.5	50	18	
42	29	18.5	22.5	54	19	
48	29	18.5	22.5	57	22	
59	31	18.5	22.5	69	26	
58	30	18.5	22.5	90	32	
64	31	18.5	22.5	97.2	33	
70	33	18.5	22.5	102.6	39	
81	36	18.5	22.5	124.2	46	
	42 48 59 58 64 70	Width Depth 36 28.5 42 29 48 29 59 31 58 30 64 31 70 33	Width Depth Height 36 28.5 18.5 42 29 18.5 48 29 18.5 59 31 18.5 58 30 18.5 64 31 18.5 70 33 18.5	Width Depth Height Depth 36 28.5 18.5 22.5 42 29 18.5 22.5 48 29 18.5 22.5 59 31 18.5 22.5 58 30 18.5 22.5 64 31 18.5 22.5 70 33 18.5 22.5	Width Depth Height Depth Weight 36 28.5 18.5 22.5 50 42 29 18.5 22.5 54 48 29 18.5 22.5 57 59 31 18.5 22.5 69 58 30 18.5 22.5 90 64 31 18.5 22.5 97.2 70 33 18.5 22.5 102.6	Width Depth Height Depth Weight Cubes 36 28.5 18.5 22.5 50 18 42 29 18.5 22.5 54 19 48 29 18.5 22.5 57 22 59 31 18.5 22.5 69 26 58 30 18.5 22.5 90 32 64 31 18.5 22.5 97.2 33 70 33 18.5 22.5 102.6 39

COM Yardages

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per	
	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats	
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2	
Double seat 30° 45° 60° 90°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6	
	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6	
	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6	
	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6	




One-Seat, Uph 30° Inside Curve




30°
Two-Seat, Uph 30° Inside Curve




One-Seat, Uph 45° Inside Curve




curve Two-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve



Two-Seat, Uph 60° Inside Curve



One-Seat, Uph 90° Inside Curve



Two-Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat							
30°	33.75	28.25	18.5	22.5	48	23	
45°	38.75	28.75	18.5	22.5	49	24	
60°	43.5	29.25	18.5	22.5	50	29	
90°	52	29.75	18.5	22.5	51	34	
Double seat							
30°	55.75	29.75	18.5	22.5	83	36	
45°	60.75	31	18.5	22.5	84	40	
60°	65.75	32.25	18.5	22.5	86	45	
90°	74	34.5	18.5	22.5	96	56	

COM Yardages


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

COM Yardages - Individual Components

OOW Tardages	- Individual Oc	mponenta						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6



One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Star ZOL3 MCS30DS1	ndard Dep 1192	oth 1297	1408	1557	1727	1877	2047	2265	2479
	Single-Seat, 45° Curve, Star ZOL3 MCS45DS1	ndard Dep 1297	oth 1456	1611	1831	2082	2300	2551	2865	3178
	Single-Seat, 60° Curve, Star ZOL3 MCS60DS1	ndard Der 1466	oth 1624	1780	2000	2248	2468	2719	3033	3346
	Single-Seat, 90° Curve, Star ZOL3 MCS90DS1	ndard Dep 1692	oth 1863	2035	2277	2554	2795	3069	3417	3761
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1311	1428	1546	1712	1900	2065	2256	2489	2725
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1430	1600	1773	2013	2291	2531	2806	3150	3495
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1613	1786	1959	2199	2473	2716	2989	3335	3680
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1861	2047	2240	2506	2808	3076	3377	3759	4137

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

RODUCT CODE K	Eĭ					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	Full	
				90D 90 Degree		

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, St	urve. Standard Depth								
	ZOL3 MCD30DS1	2086	2272	2461	2722	3022	3288	3587	3962	4339
	D. H. O. J. 450 O	and and David	- 11-							
	Double-Seat, 45° Curve, St			0010	0000	0000	4000	4404	5000	
	ZOL3 MCD45DS1	2272	2545	2819	3203	3639	4022	4461	5009	5557
	Double-Seat, 60° Curve, St ZOL3 MCD60DS1	andard Dep 2566	oth 2841	3114	3497	3935	4318	4757	5304	5850
	Double-Seat, 90° Curve, St ZOL3 MCD90DS1	tandard Dep 2958	oth 3261	3562	3985	4468	4891	5372	5975	6580

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	- 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

		COM		COL	FAI	BRIC GRA	DES		LEATHER	?
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	I Depth 2397	2612	2828	3131	3475	3778	4125	4557	4987
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	I Depth 2612	2927	3241	3682	4186	4628	5132	5760	6390
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	Depth 2952	3266	3581	4020	4526	4966	5469	6100	6730
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	I Depth 3403	3748	4093	4583	5137	5623	6178	6872	7567

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GF	RADES		LEATHE		COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sing ZOL3 RMCBIS30D	•	t Inside 1188			1495	1606	1729	1883	2035	1.9	20	8
)\)	ZOL3 RMCBIS45D	1291		1460	1580	1716	1833	1968	2138	2308	2.6	22	8
	ZOL3 RMCBIS60D	1569	1688	1803	1966	2150	2316	2503	2734	2965	2.6	23	10
	ZOL3 RMCBIS90D	1754	1874	1995	2164	2359	2526	2719	2961	3203	2.8	28	11
	Replacement Back Dou				e 2404	0617	2807	3021	3292	2561	0.0	00	
\	ZOL3 RMCBID30D ZOL3 RMCBID45D	1945 2257		2214 2554	2760	2617 2998	3207	3445	3742	3561 4038	2.8 3	38 42	13 13.5
1	ZOL3 RMCBID60D	2747		3156	3439	3766	4050	4377	4783	5189	4.8	43	16.5
	ZOL3 RMCBID90D	3067	3280	3491	3786	4125	4420	4758	5181	5604	4.8	52.5	18
	Replacement Back Sin	gle-sea	t Outsi	de Cur	/e								
	ZOL3 RMCBOS30D				1237			1556	1694	1832	1.7	15	5.0
	ZOL3 RMCBOS45D	1160	1237		1421	1543	1650	1773 2249	1924	2079	1.7	17	7.0
	ZOL3 RMCBOS60D ZOL3 RMCBOS90D	1389 1580	1688	1623 1796	1770 1948	1937 2122	2086 2273	2447	2461 2665	2670 2884	1.7 1.7	20 25	9.0 9.0
	Replacement Back Dou	ıhla-sa	at Oute	ida Cui	2/0								
	ZOL3 RMCBOD30D			1993		2356	2526	2721	2963	3206	3.1	30	9.0
	ZOL3 RMCBOD45D		2164		2486	2699	2886	3098	3367	3635	3.1	34	11.0
	ZOL3 RMCBOD60D	2473	2657	2841	3095	3390	3645	3937	4305	4670	3.1	35	14.0
	ZOL3 RMCBOD90D	2760	2952	3142	3408	3711	3979	4284	4664	5043	3.1	40	14.0
	Replacement Seat Sing						1770	10/0	0164	0270	4.0	00	
	ZOL3 RMCSS30DS	1199		1307 1375	1730	1627 1981	1778 2202	1949 2448	2164 2764	2378 3078	1.8	30 32	11
	ZOL3 RMCSS45DS ZOL3 RMCSS60DS	1369	1522			2148	2369	2617	2931	3246	1.8 1.8	3∠ 34	12 13
	ZOL3 RMCSS90DS	1559	1730	1903	2145	2419	2661	2936	3282	3628	1.8	41	16
	Replacement Seat Dou												
	ZOL3 RMCSD30DS			2360			3185	3488	3864	4238	3.4	52.2	19.5
	ZOL3 RMCSD45DS	2172 2466	2741	2719 3013	3102 3396	3538 3836	3922 4217	4361 4656	5339 5204	5455 5752	3.4	56	21
	ZOL3 RMCSD60DS ZOL3 RMCSD90DS	2825		3431	3850		4757	5240	5844	6445	3.4 3.4	60 72	23 28
	Replacement Seat Sing				ırve								
	ZOL3 RMCSS30DF		1327		1611	1800	1965	2156	2388	2626	1.94	36	13.5
	ZOL3 RMCSS45DF	1514		1672 1859			2614	2704 2891	3050 3236	3394 3580	1.94	39	14.5
-	ZOL3 RMCSS60DF ZOL3 RMCSS90DF			2106				3243		4005	1.94 1.94	41 49	15.5 19
	Replacement Seat Dou	ble-sea	ıt Full Γ	Depth C	urve								
	ZOL3 RMCSD30DF			2727	3031	3375	3679	4022	4456	4887	3.7	63	24
	ZOL3 RMCSD45DF	2512		3140	3582	4085	4528	5030	5659	6289	3.7	69	25.5
	ZOL3 RMCSD60DF	2850		3480	3920	4424	4866	5368	5998	6629	3.7	72	27
	ZOL3 RMCSD90DF	3268	3015	3962	4447	5006	5490	6045	6738	7435	3.7	86	33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS		le-seat 266	Standa 321	ard Dep 397	oth Curv 486	e 562	648	759	869	1.0	2.5	1
	ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS	219	273	328	404	492	569	657	767	874	1.8 1.8	2.5 3.1	1 1
~	ZOL3 RMCBSCS60DS		306	362	437	526	602	691	800	910		3.7	1.5
	ZOL3 RMCBSCS90DS		329	385	460	546	624	711	823	932	1.8	4.3	1.5
	Replacement Seat Cov	er Douk	ole-sea	t Stand	lard De	pth Cur							
	ZOL3 RMCBSCD30DS		471	575	721	886		1198	1404	1611	3.4	4.8	1.5
	ZOL3 RMCBSCD45DS		483	585	729	895		1205	1412	1618	3.4	5.9	1.5
	ZOL3 RMCBSCD60DS		530 544	633 647	777 794	941 960		1252 1270	1460 1478	1665 1684	3.4	7.0	2.5
	ZOL3 RMCBSCD90DS		O 17	0 11	, 54	550		0	0	. 55-7	3.4	8.2	2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS


		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3 RMCBSCS30DF	235	298	362	448	544	634	732	856	981	1.94	2.9	1
	ZOL3 RMCBSCS45DF	244	305	368	456	555	640	741	863	987	1.94	3.6	1
	ZOL3 RMCBSCS60DF	281	342	404	491	591	677	774	899	1022	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	299	362	423	511	610	696	796	917	1042	1.94	4.9	1.5
	Replacement Seat Co	ver Doul	ole-sea	t Full D	epth C	urve							
	ZOL3 RMCBSCD30DI	413	531	648	813	1004	1170	1356	1593	1831	3.7	5.5	1.5
	ZOL3 RMCBSCD45DI	420	539	657	824	1012	1178	1366	1603	1838	3.7	6.8	1.5
	ZOL3 RMCBSCD60DI	470	590	708	872	1063	1228	1417	1653	1890	3.7	8.1	2.5
	ZOL3 RMCBSCD90DI	505	623	741	907	1093	1258	1450	1687	1921	3.7	9.4	2.5

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 2.78%

POST-CONSUMER
RECYCLED CONTENT = 9.71%

Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestr



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.



INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows One Seat - 300lbs Two Seat - 525 Three Seat - 750

One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150



LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.


ADDITIONAL FEATURES

- Lifetime warranty
- Certified to meet CAL 117 with most fabrics



SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.




ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.

SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.

CLEAN OUT

The expanded clean out space on Zola Behavioral Health seating provides an opening between the seat and back to assist in cleaning of the product, and prevents the buildup of debris and germs. It also reduces the ability to use this area for the concealment of contraband or weapons. Alternatively, Restricted Access Upholstery can be specified to hinder the use of this area for such concealment.

ZOLA BEHAVIORAL HEALTH | OPTIONS



RESTRICTED ACCESS UPHOLSTERY

This option provides complete closure and elimination of the normal gap between upholstered seat, back and arm panels in the seat area of the product - hindering the use of these areas for hiding weapons and contraband. This option further reduces the ability to utilize the product for ligature.



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



TARI EQ

A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5	
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38	
Three-seat One-Seat (Plus)	75.25 36.25	27 27	34 34	18.5 18.5	26.75 26.75	69 30	19.25 19.25	116 72	54.5 22.6	

COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire Unit	COM 2 Entire Units	COM 3 Entire Units	COM 4 Entire Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

COM YARDAGES (Individual Components)

	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.75	2.4	3.3	4.2
Two-seat	8.5	1.75	2.4	3.3	4.2
Three-seat	12.5	1.75	2.4	3.3	4.2
One-Seat (Plus)	7	1.75	2.4	3.3	4.2

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat seat	45
One-Seat back	65	Two-seat seat	65
Two-seat back	93	Three-seat seat	81
Three-seat back	116	One-Seat plus seat	59
One-Seat plus back	74		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Restricted Access Upholstery	18
Floor Anchoring Hardware	90
One-Seat Metal Bottom Shield (to min 80lbs)	110
One-Seat Plus Metal Bottom Shield (to min 80lbs)	128
Two-seat Metal Bottom Shield (to min 80lbs)	162
Three-seat Metal Bottom Shield (to min 80lbs)	231
Urethane Arm Caps (pair)	231

ZOLA BEHAVIORAL HEALTH | LOUNGE

DESCRIPTION	MODEL	COM CO 1 2 3			FAE 4	RIC GRAI 5	DES 6 7		LEATHER 8	
	One-Seat ZOL3 BHF1111	2517	2662	2808	3048	3295	3535	3783	3885	4
	Two-Seat ZOL3 BHF2111	3603	3777	3944	4197	4461	4716	4979	5251	ļ
	Three-Seat ZOL3 BHF3111	4791	5032	5274	5742	6212	6680	7151	7636	8
Upcharge for Removabl	le Upholstery Cove \$ List	rs: Option Upo	charge	\$	S List					
			eat eat seat	\$	45 65 81 59					
Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back	74 65 93 116 74	Option Upo One-Seat se Two-seat se Three-seat	eat eat seat	\$	45 65 81					
Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back	\$ List 74 65 93 116 74 Option Upcharges ier (per yard) stery e Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat so Two-seat so Three-seat so One-Seat p \$ List 61 18 90 110 0lbs) 128 162	eat eat seat	*	45 65 81					
Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health O CAL 133 & Moisture Barri Restricted Access Uphols Floor Anchoring Hardware One-Seat Metal Bottom S One-Seat Plus Metal Bottom S Three-seat Metal Bottom S	74 65 93 116 74 Option Upcharges ier (per yard) stery ee Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat so Two-seat so Three-seat so One-Seat p \$ List 61 18 90 110 0lbs) 128 162 231 231	eat eat seat	*	45 65 81					
Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health O CAL 133 & Moisture Barri Restricted Access Uphols Floor Anchoring Hardware One-Seat Metal Bottom S One-Seat Plus Metal Bottom Two-seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair)	74 65 93 116 74 Option Upcharges ier (per yard) stery ee Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat so Two-seat so Three-seat so One-Seat p \$ List 61 18 90 110 00lbs) 128 162 100 110 110 110 110 110 110 110 110 11	eat eat seat		45 65 81	ype	Arm Ty	pe	Leg Typ	е

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat seat	45
One-Seat back	65	Two-seat seat	65
Two-seat back	93	Three-seat seat	81
Three-seat back	116	One-Seat plus seat	59
One-Seat plus back	74		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Restricted Access Upholstery	18
Floor Anchoring Hardware	90
One-Seat Metal Bottom Shield (to min 80lbs)	110
One-Seat Plus Metal Bottom Shield (to min 80lbs)	128
Two-seat Metal Bottom Shield (to min 80lbs)	162
Three-seat Metal Bottom Shield (to min 80lbs)	231
Urethane Arm Caps (pair)	231
(1)	


Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	1 Upholstered	1 Upholstered	1 3" Runner
				Back - STD	Arms - STD	
		FB Freestanding Plus	Z Two Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	
			3 Three Seat			

				COL	FAE	BRIC GRAI	DES		LEATHER	ı
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus ZOL3 BHFB1111	2793	2935	3082	3323	3567	3811	4056	4317	4665



Two-Seat Plus ZOL3 BHFB2111 3683 3862 4026 4282 4544 4798 5061 5337 5731

ORDERING NOTE: The Two-Seat Plus comes standard with center support.



ZOL3 BHFB3111 4887 5131 5370 5841 6310 6776 7250 7735 8520

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Restricted Access Upholstery	18
Floor Anchoring Hardware	90
One-Seat Metal Bottom Shield (to min 80lbs)	110
One-Seat Plus Metal Bottom Shield (to min 80lbs)	128
Two-seat Metal Bottom Shield (to min 80lbs)	162
Three-seat Metal Bottom Shield (to min 80lbs)	231
Urethane Arm Caps (pair)	231

Three-Seat Plus

ZOLA BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	Price	Weight	Cube
	Replacement Arm P ZOL3RBCS	anel Base 161	6	.5

Replacement Floor Mounting Bracket (set of 4) ZOL3RFMB 108

2 .

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	1 Upholstered Back - STD	1 Upholstered Arms - STD	1 3" Runner
		FB Freestanding Plus	2 Two Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	
			3 Three Seat			

ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES


Description I	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top v PVC edge Beech	Wood side v/ Laminate top w/ Wood edge Maple	Wood side Laminate top w/ Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	1324 1695	1287 1673	1057 1337	1256 1594	1292 1646	1309 1660	1344 1710
	Rectangular Tables ZOL4-BH241818 ZOL4-BH482418	1528 2568	1499 2517	1195 2053	1440 2396	1484 2470	1495 2487	1541 2564
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	1142 1396 2703	1186 1450 2590	1216 1536 2854	1057 1312 2615	1170 1435 2577	1179 1389 2716	1291 1513 2675
Zola Behavioral He Floor Anchoring Ha ZOL4-BH181818 -	ardware Weighting to min 8	30lbs	\$ List 87 332					
ZOL4-BH242418 - ZOL4-BH241818 - ZOL4-BH482418 - ZOL4-BH18D18 - V	Weighting to min 8 standard exceeds	30lbs 80lbs	228 123 n/a 370					
ZOL4-BH24D18 - V ZOL4-BH30D18 - s ORDERING NOTE	standard exceeds 8	30lbs	228 n/a re availab		stomer service for	quotes.		
TABLE DIMEN Model Square Tables Rectangular Tables	ISIONS						Veight with d Surface top	Cube
Model			W	D	Н			
Square Tables	ZOL4-BH1818 ZOL4-BH2424		18 24		8 8	39 64	48 80	4.0 5.2
Rectangular Tables	ZOL4-BH2418 ZOL4-BH4824		24 48		8	51 123	63 156	6.9 13.5
Round Tables	ZOL4-BH18D1 ZOL4-BH24D1	8	18 24 30	- 1	8 8 8	30 49 77	38 62 98	4.0 6.9

Model					\A/-:-I-I	vveignt with	0.1
		W	D	Н	Weight	Solid Surface top	Cube
Causaga Tablaa	701 4 DU1101010	18	18	18	39	48	4.0
Square Tables	ZOL4-BH181818 ZOL4-BH242418	24	18	18	64	80	5.2
Rectangular Tables	ZOL4-BH241818	24	24	18	51	63	6.9
nectarigular lables	ZOL4-BH482418	48	24	18	123	156	13.5
Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0
Hourid Tables	ZOL4-BH24D18	24	-	18	49	62	6.9
	ZOL4-BH30D18	30	-	18	77	98	10.6

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$561 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See page 83 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
$\overline{}$	Middle Linking Modu	ılar Table								
	ZOL4 LKM12	941	987	1037	1086	12	16	_	22	2.8
•	ZOL4 LKM18	995	1046	1093	1152	18	16	_	24	4.5
	ZOL4 LKM24	1023	1100	1125	1210	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.					
	Rectangular End Tab	le Square Co	rner							
	ZOL4 LKE12	1003	1056	1103	1160	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1046	1100	1152	1210	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1092	1145	1203	1260	24	16	14.75	5 28	5.7
•	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
\leftarrow	ZOL4 ECLKH12	1142	1187	1174	1223	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1234	1283	1279	1329	18	12	14.75	5 24	3
Ų s	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	971	1023	1069	1125	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1046	1100	1152	1210	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKM12	208	219	248	281
ZOL4-LKM18	257	273	317	365
ZOL4-LKM24	363	387	498	592
ZOL4-LKE12	208	219	248	281
ZOL4-LKE18	257	273	317	365
ZOL4-LKE24	363	387	498	592
ZOL4-ECLKH12	208	219	248	281
ZOL4-ECLKH18	257	273	317	365
ZOL4-LKC30	235	248	285	324
ZOL4-LKC45	294	313	366	425

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	1092	1152	1203	1269	16	17.5	-	20	3.7
6	Curvilinear 90° Table ZOL4 LKC90	e 1222	1290	1344	1417	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	ble 2427	2500	2669	2749	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1063	1115	1170	1227	16	19	14.75	i 18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	361	383	451	533
ZOL4-LKC90	536	568	685	817
ZOL4-LKC90X2	852	889	1087	1313
ZOL4-LKH12	208	219	248	281

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	/EIGHT	Γ CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1046 1131	1100 1192	1152 1243	1210 1309	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	s 1085 1295	1146 1375	1194 1424	1264 1512	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1115 1192 1325	1185 1256 1404	1227 1309 1458	1302 1383 1542	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1215 1366 1503 2157	1265 1421 1561 2242	1258 1422 1606 2294	1311 1481 1669 2385	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1264 1534 1920	1313 1594 1997	1428 1703 2147	1485 1770 2234	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	274	287	336	390
ZOL4 2424	439	447	534	631
ZOL4 2418	327	347	413	486
ZOL4 4824	735	754	924	1115
ZOL4 18D	261	277	323	378
ZOL4 24D	391	422	508	603
ZOL4 30D	627	682	898	1082
ZOL4 EC1818	274	287	336	390
ZOL4 EC2418	327	347	413	486
ZOL4 EC2424	439	447	534	631
ZOL4 EC4824	735	754	924	1115
ZOL4 E2418	327	347	413	486
ZOL4 E3224	518	554	666	795
ZOL4 E4829	865	904	1109	1339

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGH	T CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1136	1181	1150	1198	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1290	1341	1338	1390	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1561	1624	1652	1718	25	29	14.75	27	7
	ZOL4 CR90D1815	1396	1454	1457	1510	17.5	18	14.75	23	3
	ZOL4 CR90D2415		1716	1727	1796	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915		2046	2009	2090	44.5	29	14.75	35	11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	258	273	318	368
ZOL4 CR45D24	384	412	488	574
ZOL4 CR45D29	517	546	655	777
ZOL4 CR90D18	323	354	420	494
ZOL4 CR90D24	549	584	705	843
ZOL4 CR90D29	777	806	984	1183

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO





KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

908 DOMINO

305 MIDNIGHT

64 PUTTY

Grade 2



205 CHARTREUSE

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ















9008 CHARCOAL

82 CLAY

304 CAPRI

31 AEGEAN

LORENZO











32 MIST

24 ALPINE



601 CREAM

106 HENNA

91 FLANNEL

BISCOTTI







91 GRANITE

302 CAPRI

INTRIGUE











27 OLIVE



805 PECAN



908 CHARCOAL

605 STRAW

111 | CANADA | SEATING & OCCASIONAL TABLES | ZOLA



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Light Oak Harvest Oak Mahogany Mellow Oak Espresso

Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut Clear Beech

Medium Anigre Finishes on Cherry

Appalachian Cherry
American Cherry
Imperial Cherry
Sable Cherry
Light Cherry
Medium Cherry
Natural Cherry
Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products.

Black White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR


PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC® certified

krug