ZOLA Price and Specification Guide CANADA



krug

Advancing Design Through Innovation

ZOLA | TABLE OF CONTENTS

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables

GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

	MATERIAL CONTENT		
	6% Fabric 8% Cardboar 20% Urethane 9% Aluminum 18% Steel 37% Plywood	PFoam RECYCLED CONTENT = 6% POST-CONSUMER	
CREDIT 2.1 - 2.2	Construction Waste Management		1-2 point(s)
CREDIT 2.1 - 2.2	Resource Reuse		
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)		1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION





level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

FSC^e C021699

The mark of responsible forestry



AIR-EMISSIONS All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat.



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.

CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)

LEGS





Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.

URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.

SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.

FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as	follows:
One-Seat (Straight or curved)	- 300 lbs
One-Seat Plus	- 750 lbs
Two-seat (Straight or curved)	- 525lbs
Two-seat Plus	- 975 lbs
Three-seat	- 750 lbs
Three-seat Plus	- 1150 lbs

TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 $1/2" \times 3/4"$ in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.

POWER

The flush-mounted Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See <u>page</u> 22 for locations and <u>page</u> 83 for pricing.

UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located below seats and tables. See **page** 83 for pricing.



COMBINATION UPHOLSTERY OPTIONS When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is

the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$62 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ZOLA | FEATURES & OPTIONS

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.


The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.



ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.




ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate	Dimensional	Distortions on	Patterns:
-------------	-------------	----------------	-----------

	Inside Curve	Outside Curve
30 Deg	1 1⁄2″	1″
45 Deg	2″	1 1⁄2″
60 Deg	2 1⁄2″	2″
90 Deg	3″	2 1⁄2″





Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.

Zola seat photo indicates location of seam.





Outside Curve Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.

ZOLA | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1377	_
ZOL3 MS1S1	1	871	
ZOL4 LKM12	1	988	
ZOL4 LKE18	1	1098	
ZOL4 LKC90	1	1283	
ZOL4 241815	1	1187	






\$12,312

Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1420
ZOL4 LKM18	2	1044
ZOL3 M1101	2	1518
ZOL3 MCIS90D	2	3487
ZOL3 M2101	2	2657
ZOL4 LKC90X2	1	2548


Total List

Total List

\$22,800



Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	871	
ZOL3 MS21	2	1218	
ZOL4 LKC90	2	1283	
ZOL4 LKM18	2	1044	
Total List	5	\$8,832	



ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

6 Units = Take the yardage for 4 units and add the yardage for 2 units

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 3.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ZOLA | LOUNGE


		COM		COL	E	ABRIC GR/	LEATHER			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745
	One-Seat Plus ZOL3 FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983
	NOTE: One-Seat Plus is 30)" wide b	between a	rms.						
	Two-seat ZOL3 F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971
	Two-seat Plus ZOL3 FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059
	NOTE : The Two-Seat Plus comes standard with a fifth leg for extra support.									

	Three-seat ZOL3 F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793
	Three-seat Plus ZOL3 FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	в	с
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below)	107 77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See **page** 3 for more information on Zola options and features. Plus versions are not available with Caster options.



ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Height	Depth	Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage Entire Unit wo/ Arms	COM Yardage 2 Entire Units wo/ Arms	COM Yardage 3 Entire Units wo/ Arms	COM Yardage 4 Entire Units wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units

7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat - seat	47
Interim Arm	61	Two-seat - seat	68
One-Seat - back	68	Three-seat - seat	85
Two-seat - back	97	One-Seat Plus - seat	61
Three-seat - back	121		
One-Seat Plus - back	77		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 102, Zola Benches see page 85 and Zola Tablets see page 14.

ZOLA | MODULAR -WOOD BACK

			COM	1	C	COL	FABRIC	GRADES		LEAT	HER
DESCRIPTION/MODEL/SPE	ECIES		1		2	3	4	5	6 7	7 8	3 9
One-	Seat, Wood o	or Palette	Back,	Armless							
ZOL3	3 MW1201 E	Beech	1377	1409	1440	1504	1566	1631	1692	1755	1852
	1	Maple/	1416	1447	1480	1540	1606	1668	1732	1796	1890
\square	(Cherry									
	F	Palette	1377	1409	1440	1504	1566	1631	1692	1755	1852
One-	Seat, Wood o	or Palette	e Back v	v/ Upho	Istered Pa	ad, Armles	s				
ZOL3	3 MW1301 E	Beech	1597	1644	1676	1755	1818	1883	1946	2010	2135
	1	Maple/	1638	1685	1715	1796	1858	1922	1985	2048	2173
	(Cherry									
	F	Palette	1597	1644	1676	1755	1818	1883	1946	2010	2135

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 L∉g Type below)	74	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MOD	DEL	SPECIES	COM 1	2	COL 3	FA 4	BRIC G	RAD	ES 7	LEATHER 8	9		om Dage	SHI E WE			JBES
	One-Seat Wo ZOL3 MB13	od/Palette E Beech Maple /Cherry Palette	Back w/ 619 665 619	UPH 63 68 63	3 0	648 696 648	68 72 68	9	714 760 714	744 791 744		778 808 778	0.6	808 840 808	21	853 904 853	3.1
	One-Seat Wo ZOL3 MB12	od/Palette E Beech Maple /Cherry Palette	3ack 428 468 428												19 19 23		3.1 3.1 3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
						3 Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

		COM		COL	FA	BRIC GRA	DES		LEATHER	7
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
\square	One-Seat, Upholstered Back ZOL3 M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	Back, Arr 1644	nless 1692	1772	1914	2056	2197	2341	2483	2738
•	ORDERING NOTES: One-S	eat Plus s	eat is 30"	wide.						
	One-Seat, Upholstered Back ZOL3 M1111	k with Arm 2324	is 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3 MB1111	Back with 2451	n Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	eat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2743	nless 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Back	with Arm	s							
	ZOL3 M2111	3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3547	Arms 3699	3843	4064	4286	4505	4728	4948	5296
• 1		5547	3099	3043	4004	4200	4303	4720	4940	5290
	Three-seat, Upholstered Bac ZOL3 M3101	ck Armless 3812	3 4033	4252	4694	5139	5581	6023	6466	7225
	Three-seat Plus Upholstered ZOL3 MB3101	d Back Arn 3914	nless 4133	4355	4796	5241	5684	6124	6568	7327
	Three-seat, Upholstered Ba	ok with Ar	me							
	ZOL3 M3111 n/a	4615	4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back wit 4719	h Arms 4941	5160	5604	6046	6491	6931	7373	8131

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

				Grades	3	
Zola Option Upcharges	List	Option	A-White	A-Color	В	С
4 Casters (#2 Leg Type below)	107	Solid Surface Arm Cap (per arm)	227	231	244	257
2 Casters/2 Legs (#3 Leg Type below)	77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242	Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Lounge	M Modular	1 One-Seat	1 Fully Uph Back	0 Armless	1 Standard Leg + Glide
		MB Modular Plus Upgrade	2 Two-seat		1 Uph Arm	2 4 Casters
			3 Three-seat		2 Urethane Arm Cap	3 Combination 2 Front Standard Legs & 2 Rear Casters
					Solid Surface Arm Cap	

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC	GRAD	ES L	EATHE	R		SHIPPING	-
DESCRIPTION/MC	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr	n											
	ZOL3 MAL	491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3 MAR												
	ZOL3 MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right,or Interim Arr	n - Uret	hane C	ap									
	ZOL3 MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3 MARU												
	ZOL3 MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

		Grades	5	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	227	231	244	257
Solid Surface Arm Cap (per pair)	454	464	489	514
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

		СОМ		COL	FA	BRIC	GRADI	ES L	EATHE	R	COM	SHIPPING	à
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11			846 1116 1359 934		1377 1692	1551	1289 1724 2135 1377	1572 1897 2356 1504	1699 2072 2579 1631		1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

		COM		COL	FAE	BRIC GF			LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	693 894 1124	716 943 1181	739 994 1240	771 1064 1318	809 1143 1412	843 1215 1492	879 1297 1583	928 1396 1695	974 1497 1810	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	759 905	805 956	848 1004	912 1074	984 1155	1048 1227	1120 1307	1210 1408	1303 1508	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	832 1178	875 1240	921 1303	985 1389	1059 1487	1120 1572	1194 1672	1284 1798	1374 1922	1.3 2.4	31 62	6.6 12.6

ORDERING NOTES: Height from floor is 17.5".

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION		SPECIES	COM 1	2	COL 3	. FA 4	ABRIC	GRAD	ES 7	LEATHE 8	ER 9	COM YARDAGE	SHIPPING	
			-		-	4	5	0	1	0	5	TANDAGE	WEIGHT	CODES
(Ma	ZOL3 RBM12	Modular One-Se	eat woo 365	od Bad	K							_	19	3.1
		Maple/Cherry	405									_	19	3.1
		Palette	365									-	23	3.1
\bigcap	Replacement ZOL3 RBM13	Modular One-Se									704	0.6	21	3.1
L	ZULS NDIVITS	Maple/Cherry	556	569	586	619		680	714	744	791	0.6	21	3.1
		Palette	601 556	619 569	633 586	665 619	696 651		744 714	778 744	840 791	0.6	25	3.1
	Replacement	Back Pad -only	223	239	255	284		348	381	411	458			
	ZOL3 RP		220	200	200	204	010	040	001	411	400	0.6	1.6	2
	Replacement	Upholstered Ba	ck											
Γ)	ZOL3 RBM11		721	783	846	074	1098	1007	1510	1638	1788	1.75	23	5.2
$\left \right \leq 1$	ZOL3 RBM21		963		1139		1485		1835	2010	2214	2.5	39	9.4
	ZOL3 RBM31			1297			1852			2516	2781	3.5	54	14
	ZOL3 RBBM1	1	808	871	934				1440		1732	2	28	6.1
	ORDERING N	IOTES: Modular	Uphols	stered	Replace	ement E	Backs	are su	oplied v	vith velc	ro uphol	stery that allo	ws for ass	embly of
	existing "L" bra	ackets on site pi	rior to a	assem	oly to th	ne beno	ch. Re	placen	nent Ba	acks do	not inclu	ude mounting	g brackets	and legs
		ent Seat/Bench												
	component to	the replacemen	it comp	oneni	. II new	naruw	areis	require	a, ivio	Jular An	ms/back	S/Denches S		ordered.
	Right or Left F	Replacement Up	holster	red Arr	n									
\square	ZOL3 RAMR	- F F	435	477	514	595	672	752	832	910	1019	1.5	14	3
	ZOL3 RAML													
	ZOL3 RAMRU		562	601	641	721	799	878	957	1036	1146	1.5	15.5	3
	ZOL3 RAMLU													
		od back units are a special - please												
\frown	•	Upholstered Sea	at									1.00	0.5	
	ZOL3 RSM1*		778	822	871	957	1044	1134	1218	1305	1482	1.33	25	5.2
	ZOL3 RSM2 ZOL3 RSM3		1122	1178	1232	1354	1473	1589	1708	1827	2024	1.75 2.5	39 50	9.4 14
	ZOL3 RSMB1			1540			1954			2451	2657	1.75	26	6.1
	ZOL3 RSMB2			1053			1289		1480		1715	1.75	39	9.4
	ZOL3 RSMB3			1266			1566			1922	2118	2.5	50	14
			1/55	1835	1914	2056	2197	2341	2483	2625	2847			
	Back Cover		302	365	428	556	680	808	934	1061	1266	0	0.0	17
)) (ZOL3 RCB1* ZOL3 RCB2		411	509	601	791		1170		1551	1788	2 3	2.8 3.6	1.7 1.7
$\left\{ - \right\}$	ZOL3 RCB3		509	633	760	1014	1266			2024	2341	3.75	4.3	1.7
	ZOL3 RCBB1		336	397	458	586	714	840	963	1092	1283	2	2.8	1.7
	Arm Covers B	light, Left or Inte	rim											
	ZOL3 RCAR	ight, con or inte	270	318	365	458	556	651	744	840	963	1.5	2.5	1.7
	ZOL3 RCAL													
\sum	ZOL3 RCAI		176	190	207	239	270		334	365	405	0.33	1.5	1.7
	ZOL3 RCARU		270	318	365	458	556	651	744	840	963	1.5	2.5	1.7
	ZOL3 RCALU													
		IOTES: Replace ns with the ureth					ght) ar	e spec	ified as	s seated	I. ZOL3 F	RCARU & ZC	L3 RCALI	J are arm
	Seat Cover													
	Seat Cover ZOL3 RCS1*		270	318	365	458	556		744	840	982	1.33	2.3	1.7
	ZOL3 RCS1* ZOL3 RCS2		348	411	477	601	729	853	982	1108	1314	1.75	2.6	1.7
	ZOL3 RCS1* ZOL3 RCS2 ZOL3 RCS3		348 444	411 521	477 601	601 680	729 760	853 840	982 916	1108 997	1314 1122	1.75 2.5	2.6 3.8	1.7 1.7
	ZOL3 RCS1* ZOL3 RCS2		348	411	477	601	729 760	853 840	982 916	1108	1314	1.75	2.6	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	
$\mathbf{\tilde{b}}$	Caster Without Brake ZOL3 RC1	58					0.4	0125
	ORDERING NOTE: Casters ca	annot be orde	ered as replac	cement items	s for plus	s units.		
	Caster With Brake ZOL3 RC2	70					0.4	0.125
	ORDERING NOTE: Casters ca	annot be ord	ered as replac	cement items	s for plus	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim Ar ZOL3 AIU	m 94					1.0	0.3
			A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (per arr ZOL3 ASR ZOL3 ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Interir ZOL3 ASI	n (per arm)	185	186	189	193	1.0	0.3
DESCRIPTIC	N MODEL	SPECIES	PRICE				WEIGH	t cube
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette Fin ZOL3 T2	ish n/a	411				12	2
	Clear Glass Tablet ZOL3 T3	n/a	783				13	2
	Laminate Tablet ZOL3 T4	n/a	532				12	2
	ORDERING NOTES: handed and do not ne					ner edge. Plea	se note Zola Tablets are u	niversall
	Solid Surface Tablet - ZOL3 T5AW	Grade A Wh n/a	iite 641				14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Co n/a	lor 651				14	2
9	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	686				14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	741				14	2

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

-	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat		- /			
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	


COM Yardages - Individual Components


-	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6






Single Seat, Uph 30° Inside Curve






" 27" 27" A4" Double Seat Uph 45° Insid


Single Seat, Uph 60° Inside Curve



Double Seat, Uph 60° Inside Curve



Single Seat, Uph 90° Inside Curve



Double Seat, Uph 90° Inside Curve

Double Seat, Uph 30° Inside Curve

Upcharge for Removable Upholstery Covers:

Double Seat, Uph 45° Inside Curve

\$ List \$ List Option Option Single-seat curve 30° seat 61 Double-seat curve 30° seat 93 101 Single-seat curve 45° seat 64 Double-seat curve 45° seat Single-seat curve 60° seat 86 Double-seat curve 60° seat 123 Single-seat curve 90° seat 113 Double-seat curve 90° seat 127

15 | CANADA | SEATING & OCCASIONAL TABLES | 2025

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30° 45° 60° 90°	33.75 38.75 43.5 52	28.25 28.75 29.25 29.75	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	48 49 50 51	23 24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


JJJ								
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4			
6.8	10.2	13.6						





Curve


Single Seat, Uph 30° Outside Curve




Double Seat, Uph 30° Outside Curve




60.75" 60.75" Double Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve



Double Seat, Uph 60° Outside Curve



Single Seat, Uph 90° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

		СОМ		COL		ABRIC GRA			LEATHE	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30º Inside Curve F ZOL3 MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve I ZOL3 MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve F ZOL3 MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve F ZOL3 MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curve ZOL3 MCOS30D1	9 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1	e Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
	Single-Seat, 45º Outside Curve ZOL3 MCOS45D1	e 2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45º Outside Curve ZOL3 MCBOS45D1	e Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curve ZOL3 MCOS60D1	9 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curve ZOL3 MCOS90D1	9 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1	e Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DUCT CODE KE	=Y					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular	Inside Curve	Single	30 Degree	Standard Leg + Glide
		MCB	0	D	45D	
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	
					90 Degree	


DESCRIPTION/MODE		COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHEI 8	R 9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1	4028	4252	4481	4795	5157	5473	5836	6289	6739
	Double-Seat, 30° Inside Curve ZOL3 MCBID30D1	Plus 4182	4405	4633	4947	5309	5628	5989	6441	6893
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1	4736	5028	5318	5722	6188	6598	7064	7644	8225
	Double-Seat, 45° Inside Curve ZOL3 MCBID45D1	Plus 4917	5209	5497	5903	6369	6778	7242	7822	8406
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1	5367	5659	5948	6357	6821	7229	7696	8276	8858
	Double-Seat, 60° Inside Curve ZOL3 MCBID60D1	Plus 5560	5852	6141	6549	7016	7421	7888	8469	9051
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1	6099	6465	6831	7342	7925	8438	9022	9755	10485
	Double-Seat, 90° Inside Curve ZOL3 MCBID90D1	Plus 6319	6686	7049	7564	8146	8658	9244	9975	10705
	Double-Seat, 30° Outside Curv ZOL3 MCOD30D1	/e 3626	3828	4033	4316	4643	4928	5254	5659	6069
	Double-Seat, 30° Outside Curv ZOL3 MCBOD30D1	/e Plus 3777	3980	4185	4468	4795	5080	5405	5811	6221
	Double-Seat, 45° Outside Curv ZOL3 MCOD45D1	ve 4263	4525	4786	5152	5571	5938	6357	6881	7402
	Double-Seat, 45° Outside Curv ZOL3 MCBOD45D1	ve Plus 4442	4706	4966	5331	5751	6117	6536	7060	7582
	Double-Seat, 60° Outside Curv ZOL3 MCOD60D1	/e 4831	5093	5355	5720	6139	6506	6925	7447	7971
I I I	Double-Seat, 60° Outside Curv ZOL3 MCBOD60D1		5286	5548	5914	6333	6699	7119	7641	8164
	Double-Seat, 90° Outside Curv ZOL3 MCOD90D1	/e 5488	5819	6146	6607	7134	7594	8121	8781	9438
	Double-Seat, 90° Outside Curv ZOL3 MCBOD90D1	ve Plus 5708	6039	6366	6828	7356	7815	8342	8999	9657

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powdercoated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.







Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.

LEGS The le

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.

TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will





AN Zola finis and sup

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

FINISH DURABILITY

Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as	follows:
One-Seat (Straight or curved)	- 300 lbs
One-Seat plus	- 750 lbs
Two-seat (Straight or curved)	- 525lbs
Two-seat plus	- 975 lbs
Three-seat	- 750 lbs
Three-seat plus	- 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



TABLET

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



TABLES

Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB A & C outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10" cord.



MODULAR ARM

Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.

The optional urethane arm cap provides

enhanced durability and protection for the

arms. Urethane arm caps are available in two



color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or

degraded.

URETHANE ARM CAP

SOLID SURFACE ARM CAP The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.

SEAT POWER

The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.

PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.







SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start. Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.


MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)

B - for left side of seat (facing)





Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.

Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.



Under-mount Power The Under-mount Power unit pro-

vides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.


ZOLA PRIVACY | CONNECTING MULTIPLE UNITS

SEATING


Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.


SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.




ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING





ZOP3-MCIS30DF1E ZOP3-MCIS30DF1C	2	4047 4047
ZOL3-MCS30DF1	3	1376
Model ZOP3-MCIS30DM0E ZOP3-MCIS30DM0C ZOP3-MCIS30DM0S	Qty 2 2 2	Price (ea) 3273 3273 3273



Total

\$30,712


Price (ea)


2364

5866

3563

2364







Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391

Total


\$30,941


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model ZOP3-M2M0S	Qty 1	Price (\$) 2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C ZOP3-M2M0E	1 1	2595 2595
ZOL4-242415	1	1187
Total		\$18,114






Total		\$33,618
ZOL4 E482915	1	2016
ZOP3-MB1F1E	2	2866
ZOP3-MCID90DF1C	2	7873
ZOP3-MB1F1S	2	2866
ZOL4-LKE18	4	1098
Model	Qty	Price (\$)

Total





2025 | SEATING & OCCASIONAL TABLES | CANADA | 24

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

verall Vidth	Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
ight Back							
36	30	27	50	18.5	19.25	134	28.3
52	46	27	50	18.5	19.25	161	40.4
75	69	27	50	18.5	19.25	194	57.5
ight Back							
36	30	27	37.5	18.5	19.25	114	20.4
52	46	27	37.5	18.5	19.25	141	29.1
75	69	27	37.5	18.5	19.25	174	41.3
, i	36 52 75 ight Back 36 52	36 30 52 46 75 69 ight Back 36 30 52 46	36 30 27 52 46 27 75 69 27 ight Back 36 30 27 52 46 27	36 30 27 50 52 46 27 50 75 69 27 50 ight Back 36 30 27 37.5 52 46 27 37.5	36 30 27 50 18.5 52 46 27 50 18.5 75 69 27 50 18.5 ight Back 36 30 27 37.5 18.5 52 46 27 37.5 18.5	36 30 27 50 18.5 19.25 52 46 27 50 18.5 19.25 75 69 27 50 18.5 19.25 ight Back 36 30 27 37.5 18.5 19.25 52 46 27 37.5 18.5 19.25	36 30 27 50 18.5 19.25 134 52 46 27 50 18.5 19.25 161 75 69 27 50 18.5 19.25 194 ight Back 36 30 27 37.5 18.5 19.25 114 52 46 27 37.5 18.5 19.25 141

COM YARDAGES	5			
	Yardage	Yardage	Yardage	Yardage
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
Preconfigured Fu	III Height Back	/Privacy Panel	l	
One-Seat Plus	9.59	13.78	17.97	22.16
Two-seat	11.48	16.13	20.83	26.56
Three-seat	13.56	21.32	29.38	37.04
Dreconfigured M	id Waisht Daak		1	
Preconfigured M One-Seat Plus	-	-		10.00
	7.31	10.96	14.61	18.26
Two-seat	8.49	12.22	16.72	21.20
Three-seat	10.60	18.36	26.42	34.08
Preconfigured Fu	ıll Height Back	/Semi-Private	Panel	
One-Seat Plus	6.63	10.82	15.01	19.20
Two-seat	8.52	13.17	17.87	23.60
Three-seat	10.60	18.36	25.42	34.08
Preconfigured M	id Height Back	/Semi-Private	Panel	
One-Seat Plus	5.41	9.06	12.71	16.36
Two-seat	6.59	10.32	14.82	19.30
Three-seat	8.48	14.80	21.42	27.20

ZOLA PRIVACY | PRECONFIGURED

DESCRIPTION/MOD)FI	COM	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	åOne-Seat Plus with Private ZOP3-PCB1MPF0			-		-	6258	6835	7463	8461
	One-Seat Plus with Semi-P ZOP3-PCB1SMPF0	rivate Moc 3229	lular Side 3455	Panel and 3683	Full Heigh 4059	t Back 4461	4838	5241	5695	6347
	One-Seat Plus with Private ZOP3-PCB1MPM0	Modular S 3489	ide Panel 3717	and Mid H 3943	leight Bacl 4339	k 4752	5142	5559	6014	6715
	One-Seat Plus with Semi-P ZOP3-PCB1SMPM0	rivate Moc 2983	lular Side 3166	Panel and 3354	Mid Heigh 3663	nt Back 3994	4302	4634	5005	5539

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641
Plus Upgrade option	included
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAI	BRIC GRA	DES		LEATHEF	2
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat	e Modula	r Side Pan	el and Ful	I Height B	ack				
	ZOP3-PC2MPF0	4571	4947	5327	5970	6653	7295	7977	8739	9879
	Two-Seat Plus with F	Private Mo	odular Side	e Panel an	d Full Heid	ght Back				
	ZOP3-PCB2MPF0	4702	5078	5456	6099	6783	7424	8107	8868	10008
·	Two-Seat with Semi-	Private N	lodular Sic	le Panel a	nd Full He	ight Back				
	ZOP3-PC2SMPF0	3843	4134	4426	4897	5407	5876	6386	6970	7764
	Two-Seat Plus with S		ate Modula	ar Side Pa	nel and Fu	ull Height E	Back			
	ZOP3-PCB2SMPF0	3972	4265	4557	5027	5537	6007	6515	7101	7894
	Two-Seat with Privat	e Modula	r Side Pan	el and Mi	d Height B	ack				
	ZOP3-PC2MPM0	3780	4059	4337	4811	5307	5775	6276	6836	7651
	Two-Seat Plus with I	Private Mo	odular Side	e Panel an	d Mid Hei	ght Back				
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780
	Two-Seat with Semi-	Private N	lodular Sic	le Panel a	nd Mid He	iaht Back				
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474
	Two-Seat Plus with S	Semi-Priva	ate Modula	ar Side Pa	nel and M	id Height I	Back			
	ZOP3-PCB2SMPM0	3403	3640	3877	4264	4679	5064	5481	5956	6604

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	FO
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		


ZOLA PRIVACY | PRECONFIGURED

		COM	0	COL				7	LEATHER	0
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Three-Seat with Privat	te Modular	Side Pan	el and Ful	Height Ba	ack				
	ZOP3-PC3MPF0	5495	5940	6390	7131	7923	8663	9457	10354	11632
	Three-Seat Plus with I					•				
	ZOP3-PCB3MPF0	5691	6136	6585	7327	8119	8859	9652	10548	11828
-										
	Three-Seat with Semi-	-Private M	odular Sid	e Panel ar	nd Full Hei	ight Back				
	ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518
	Three-Seat Plus with S					•				
	ZOP3-PCB3SMPF0	4964	5322	5684	6253	6872	7441	8059	8783	9713
I FTI										
U										
	Three-Seat with Privat	te Modular	Side Pan	el and Mic	Height B	ack				
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548
	Three-Seat Plus with I									
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744
- 1										
	Three-Seat with Semi-	-Private M	odular Sid	e Panel ar	nd Mid He	ight Back				
	ZOP3-PC3SMPM0	4396	4696	4995	5471	5990	6466	6985	7586	8371
					• · · ·		0.00			
	Three-Seat Plus with S	Semi-Priva	te Modula	ar Side Pai	nel and Mi	d Height E	Back			
KST	ZOP3-PCB3SMPM0	4591	4891	5191	5666	6185	6662	7180	7781	8568
• T										

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

\$ List	
64	
641	
33	
64	
	64 641 33



ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

DIVIENSIONS						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with	Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with	Mid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	2.85 4.33	7.33	11.66	14.66	1.25	3.4	5.1	4.2 6.5
Three-seat	8.16	15.92	23.98	31.64	4.33 5.66	11.32	16.98	22.64	2.5	3.4 4.6	7	9
											•	9 5
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	Э
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Heiaht	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	oot with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seal (Flus)	0.40	12	10	24	4.00	0	12	10	2.00	4	0	U

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List
Plus Upgrade Two-Seat	129
Plus Upgrade Three-Seat	195

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

								_	-			
DIMENSIONS &	COM RE	QUIREME	NTS									
		Overall	Overall	Overall	Shipping		COM	COM	COM	COM	COM	COM
		Width	Depth	Height	Weight	Cubes	1-unit	2-units	3-units	4-units	5-units	6-units
Side Panel, Singl	le, Full He	ight No Sc	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	le, Full Hei	ight with S	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	le. Mid He	iaht No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
				01100	20	_		0.000	0.00		0.01	
Side Panel, Singl	,	0										
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sid	e Panel S	Sinale Full	Height									
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sid	e Panel S	Sinale Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholst												
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Urethan	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*	r	3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Solid Sı	urface Can									
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
		•		_0.20						0.00		•

DESCRIPTION/N			COM	2	COL 3	FAB 4	RIC GR	ADES 6	7	LEATHE	
	One-Seat, Full H ZOP3-M1F0F	eight Back	1924	2060	2195	2388	2610	2804	3025	8 3294	9 3581
	ZOP3-M1F1_	eight Back with Shelf Opti Beech/Laminate Maple/Palette	2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	4022 4116
• 十•	42", 36" or 30".	TES: When ordering units Freestanding, Start and Eng 303 list upcharge per unit.	d units witl	h the she	elf option	require co	ounterba	lance we	eight add	led to ea	ch se
	One-Seat, Full H ZOP3-M1F2F	eight Back with Privacy So	creen Opti 2209	on 2342	2479	2671	2892	3087	3307	3578	3865
	ORDERING NO	TES: Units with Privacy Sci	reen Optio	on are not	available	with Rem	novable I	Back Cov	ver optior	1.	
	One-Seat, Mid H ZOP3-M1M0F	leight Back	1811	1918	2026	2176	2348	2502	2673	2888	3109
	One-Seat, Mid H ZOP3-M1M1_	leight Back with Shelf Opti Beech/Laminate Maple/Palette	ion 2252 2346	2357 2452	2464 2560	2615 2713	2789 2883	2942 3036	3114 3209	3327 3424	354 364
	42", 36" or 30". F	TES: When ordering units v Freestanding, Start and End 303 list upcharge per unit.	d units witl	h the she	elf option	require co	ounterba	lance we	eight add	led to ea	ch se
	One-Seat, Mid H ZOP3-M1M2F	leight Back with Privacy So	creen Opti 2092	on 2198	2307	2460	2632	2783	2957	3169	3390
	ORDERING NOT	TES: Units with Privacy Sci	reen Optio	n are not	available	with Rem	novable E	Back Cov	ver optior	1.	
	tion Upcharges	\$ List						\$	List		
Removable Seat Removable Back	& CAL 133(per yar Covers One-Seat Covers One-Seat tiple unit configura	47 68	SI Ta	helf Pow able Pow			ual fabric	s	641 600 647 33		
PRODUCT CODE	KEY										
Line	Series	Chair Type	S	eat Count			Туре		Le	д Туре	
ZOP Zola	3 Lounge	M Modular	(1 One Seat		Full Heig	0 ght Back		Freesta	F anding Uni	t
			[2		F	1			S	
			-	Two Seat		Full Height Shelf	t Back wit Option	th	Sta	art Unit	
				3		F	2			С	
			Т	hree Seat		Full Height Privacy Sci			Cer	iter Unit	
						Mid Heig	0 ght Back		En	E Id Unit	
					I	Mid Heigh Shelf		th			
						Nid Heigh Privacy Sci					
31 CANADA	SEATING & OC	CASIONAL TABLES 20	025			-					

		COM		COL	FA	BRIC GF	RADES		LEATHE	R
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Plus, Full Height Back ZOP3-MB1F0F	2413	2549	2684	2879	3099	3292	3513	3785	4070
	One-Seat Plus, Full Height Back with ZOP3-MB1F1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering 42", 36" or 30". Freestanding, Start a unit, please add 303 list upcharge p	2866 2963 units with shel und End units w	ith the sh	elf optior	require o	counterba	alance w	eight ad	ded to ea	ch sea
	One-Seat Plus, Full Height Back with ZOP3-MB1F2F	n Privacy Scree 2770	n Option 2906	3040	3236	3456	3648	3870	4141	4427
	ORDERING NOTES: Units with Priva	acy Screen Opt	ion are no	ot availabl	e with Re	movable	Back Co	over optio	n.	
	One-Seat Plus, Mid Height Back ZOP3-MB1M0F	2304	2411	2518	2670	2844	2994	3166	3382	3603
	One-Seat Plus, Mid Height Back with ZOP3-MB1M1_ Beech/Laminate Maple/Palette	h Shelf Option 2757 2853	2863 2959	2970 3068	3122 3219	3294 3390	3448 3542	3620 3715	3834 3931	4057 4152
	ORDERING NOTES: When ordering 42", 36" or 30". Freestanding, Start a unit, please add 303 list upcharge po One-Seat Plus, Mid Height Back with ZOP3-MB1M2F	nd End units w er unit. Units wi	ith the sh th shelf o	elf option ption are	require o	counterba	alance w	eight ad	ded to ea	ch sea
	ORDERING NOTES: Units with Priva									0000
Zola Privacy O	ption Upcharges \$Li	st						\$ List		
Removable Sea Removable Bac Dual Leg (for M	at Covers One-Seat Plus covers One-Seat Plus de covers de cove	47 68	Seat Pow Shelf Pow Table Pow One-Sea	ver ver			de	641 600 647		
PRODUCT COD	E KEY Series Chair T	vne	Seat Cour	nt	Bac	k Type		1	eg Type	
ZOP	3 M Lounge Modu MB Modu Plus Upg	lar	1 One Seat 2 Two Seat	t	Full He	F0 eight Back F1 ht Back w f Option		Frees	F tanding Un S tart Unit	it
			3 Three Sea	at	Full Heig Privacy S	F2 ht Back w creen Opt M0 eight Back	lion		C enter Unit E	
					Mid Heig Shel	M1 ht Back w f Option M2 ht Back w				
			202	25 SEA	Privacy S	creen Opt	lion	TABLES	CANAI)A 32

DESCRIPTION/	MODEL /SPECIES		COM	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHER 8	9
	re Barrier & CAL 133(per yard) vable Seat Covers Two-Seat vable Back Covers Two-Seat eg (for Multiple unit configurations) nation Upholstery - dual fabrics UCT CODE KEY Line Series Chair T ZOP 3 M		3029	3231	3430	3717	4044	4334	4658	5061	5490
	ZOP3-M2F1_ ORDERING NOT 42", 36" or 30". F	Beech/Laminate Maple/Palette TES: When ordering unit reestanding, Start and I	3563 3663 s with shelf o End units with	h the she	elf option	require c	ounterba	lance w	eight ad	ded to each	i seat
	ZOP3-M2F2F		3519	3718	3920 available	4207 e with Ren	4534 novable E	4822 Back Cov	5006 ver optior	5549 n.	597
		eight Back	2595	2754	2913	3141	3399	3628	3886	4205	453
	ZOP3-M2M1_ ORDERING NOT 42", 36" or 30". F	Beech/Laminate Maple/Palette TES: When ordering unit reestanding, Start and I	3132 3231 s with shelf of End units with	h the she	elf option	require c	ounterba	lance w	eight ad	ded to eacl	n seat
	ZOP3-M2M2F		3087	3245	3404 available	3633 e with Ren	3891 novable E	4117 Back Cov	4377 ver optior	4693 n.	503
Moisture Barrier Removable Sea Removable Bac Dual Leg (for Mu Combination Up	& CAL 133(per yar t Covers Two-Seat k Covers Two-Seat ultiple unit configur pholstery - dual fab	68 97 ations) 80	S Ta	helf Pow able Pow	er ver	ower unit) -Seat (B)		\$	641 600 647 129		
ZOP		Chair Type M Modular MB Modular Plus Upgrade		Geat Count 1 One Seat 2 Two Seat 3	t	Full Hei Full Heigh Full Heigh Shelf	k Type 	th	Freest	eg Type F anding Unit S art Unit	

			COM		COL	FAE	ADES	DES LEATH			
DESCRIPTION/N	IODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Full Height Ba ZOP3-M3F0F	ack	3983	4252	4524	4906	5345	5730	6166	6707	7271
	Three-Seat, Full Height Ba ZOP3-M3F1_ Beech/ Maple/ ORDERING NOTES: Whe - 42", 36" or 30". Freestan unit, please add 303 list u	Laminate Palette en ordering units w ding, Start and End	l units with	n the she	lf option r	equire co	ounterba	lance we	eight adde	ed to eac	h seat
	Three-Seat, Full Height Ba ZOP3-M3F2F ORDERING NOTES: Unit		4683	4952	5220 available	5608 with Rem	6045 novable E	6431 Back Cov	6867 er option.	7405	7972
	Three-Seat, Mid Height B ZOP3-M3M0F	ack	3748	3972	4192	4510	4870	5190	5552	5994	6466
	Three-Seat, Mid Height B ZOP3-M3M1_ Beech/ Maple/ ORDERING NOTES: Whe - 42", 36" or 30". Freestan unit, please add 303 list u	'Laminate Palette en ordering units w ding, Start and Enc	l units with	n the she	If option r	equire co	ounterba	lance we	eight adde	ed to eac	h seat
	Three-Seat, Mid Height B ZOP3-M3M2F ORDERING NOTES: Unit	-	4449	4670	4891 available v	5211 with Rem	5572 novable E	5890 Back Cov	6252 er option.	6692	7164
Zola Privacy Op	otion Upcharges	\$ List						\$	List		
Moisture Barrier Removable Seat Removable Back Dual Leg (for Mu	& CAL 133(per yard) Covers Three-Seat Covers Three-Seat Itiple unit configurations) holstery - dual fabrics	64 85 121 80 33	Sł Ta	nelf Powe		,)	¥	641 600 647 195		
PRODUCT CODE	Series	Chair Type		eat Count			Туре			ј Туре	
ZOP Zola	3 Lounge	M Modular MB Modular Plus Upgrade] T]	1 Dne Seat 2 Wo Seat 3 hree Seat	F	Full Heigh Shelf Full Heigh rivacy Sc Mid Heigh Mid Heigh Shelf	ght Back 1 t Back wi Option 2 t Back wi reen Opti 0 ght Back 1	th on	Freestal Sta	F nding Unit S t Unit cr Unit E d Unit	t

ZOL

DESCRIP

		COM		COL	FABI	RIC GRA	DES		LEATHEI	F
DESCRIPTION	I/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back with	Shelves								
	ZOP3-MCF1LR Beech/Laminate Maple/Palette	4937 5033	5169 5264	5403 5497	5727 5823	6099 6196	6424 6521	6796 6893	7262 7358	7729 7822
	Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette	single she 4744 4749	lf left* 4988 4992	5233 5236	5574 5579	5966 5970	6308 6312	6697 6703	7185 7190	7333 7337
	Madular Corpor Soct. Full Height Book with	ainala aha	lf right							
	Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette	4744 4749	4988 4992	5233 5236	5574 5579	5966 5970	6308 6312	6697 6703	7185 7190	7333 7337
	Modular Corner Seat, Full Height Back with	Privacy So	creens							
	ZOP3-MCF2LR	4624	4857	5089	5414	5787	6113	6484	6948	7416

	I
KL	
F	

Modular Corner Seat, Full Height Back w ZOP3-MCF2L	ith Privacy So 4573	reen Lef 4816	t 5061	5404	5793	6136	6524	7015	7161
	4373	4010	5001	5404	5795	0130	0524	1015	1101
Modular Corner Seat, Full Height Back w ZOP3-MCF2R	ith Privacy So 4573	reen Rig 4816	ht 5061	5404	5793	6136	6524	7015	7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Combination Upholstery - dual fabrics	33

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	R Right Side
				Left & Right Sides

ZOLA PRIVACY | MODULAR

6

7

4798

LEATHER

8

5183 5568

9

FABRIC GRADES

5

3916 4222 4491

4

DESCRIPTION/MODEL/SPECIES

ZOP3-MCM0

Modular Corner Seat with Mid Height Back

	Seat, Mid Height Back v Beech/Laminate Maple/Palette	vith Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542

2

COL

3

3646

COM

1

3263 3455



Modular Corner :	Seat, Mid Height Back with	Single S	helf left*									
ZOP3-MCM1L	Beech/Laminate	3909	4112	4313	4595	4919	5201	5524	5925	6052		
	Maple/Palette	3914	4116	4385	4600	4922	5205	5528	5929	6055		
Modular Corner Seat, Mid Height Back with Single Shelf Right												
ZOP3-MCM1R	Beech/Laminate	3909	4112	4313	4595	4919	5201	5524	5925	6052		
	Maple/Palette	3914	4116	4385	4600	4922	5205	5528	5929	6055		
Modular Corner S ZOP3-MCM2LR	Seat, Mid Height Back with	Privacy \$	Screens									



1	
ke	

Modular Corner Seat, Full Height Back w	ith Privacy	Screen L	.eft*						
ZOP3-MCM2L	3738	3940	4141	4423	4746	5030	5351	5755	5880
Modular Corner Seat, Full Height Back w ZOP3-MCM2R	ith Privacy 3738	Screen R 3940	Right 4141	4423	4746	5030	5351	5755	5880

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Combination Upholstery - dual fabrics	33

PRODUCT CODE KEY


Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR
			Mid Height Back with Privacy Screen Option	Left & Right Sides

2025 | SEATING & OCCASIONAL TABLES | CANADA | 36

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	NODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Single	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
	Side Panel, Single	e, Full Height wit	th Screen									
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Single	e, Mid Height No	Screen									
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
	Side Panel, Single											
العسعا	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
					<u> </u>				0	O 11		

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.



ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			СОМ		COL				_	LEATHE	-
DESCRIPTION/MODEL			1	2	3	4	5	6	1	8	9
Semi-P	rivate Side	Panel, Single, F	ull Height								
ZOP3-I	MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314
ZOP3-I	MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589
ZOP3-I	MSPF0E	End	583	628	674	765	856	949	1039	1132	1314
Semi-P	rivate Side	Panel, Single, N	/lid Height								
ZOP3-I	MSPM0S	Start	514	555	592	672	751	829	909	987	1143
ZOP3-I	MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428
ZOP3-I	MSPM0E	End	514	555	592	672	751	829	909	987	1143

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C Center E End	

ZOLA PRIVACY | MODULAR ARMS

DESCRIPTION		COM	2	COL 3	FA 4	BRIC GF 5	ADES 6	7	LEATHE 8	R 9
DESCRIPTION	WIODEL	I	2	3	4	Э	0	1	0	9
	Modular Upholstered Arm									
I I	ZOP3-MAUPHL*	702	740	778	853	930	1004	1081	1155	1307
	ZOP3-MAUPHR	702	740	778	853	930	1004	1081	1155	1307
	ZOP3-MAUPHC	784	823	859	935	1012	1087	1163	1239	1390
	Modular Upholstered Arm w/U	rethane Cap								
	ZOP3-MAUREL	840	878	914	990	1066	1141	1218	1292	1445
	ZOP3-MAURER*	840	878	914	990	1066	1141	1218	1292	1445
a										

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

981

1058

1134

1207

1284

1358

1510

942

906

Zola Option Upcharges	A-White	Grade A-Cole	С	
Solid Surface Arm Cap (per arm)	129	136	151	157

ZOP3-MAUREC

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C	

2025 | SEATING & OCCASIONAL TABLES | CANADA | 38

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS COM COM COM COM COM Overall COM Overall Overall Shipping Width Depth Height Weight Cubes 1-unit 2-units 3-units 4-units 5-units 6-units Side Panel, Single, Full Height No Screen ZOP3-MPTF0U Universal 2.75 51.5 43.9 66 6 4 5.5 9.34 12.03 14.72 18.7 ZOP3-MPTF0C Center 2.75 51.5 43.9 66 6 4 5.5 9.34 12.03 14.72 18.7 Side Panel, Single, Full Height with Screen ZOP3-MPTF2U 51.5 56.4 68 6 4 5.5 9.34 12.03 14.72 18.7 Universal 2.75 ZOP3-MPTF2C Center 2.75 56.4 68 6 4 5.5 9.34 12.03 14.72 18.7 51.5 Side Panel, Single, Mid Height No Screen ZOP3-MPTM0U Universal 2.75 51.5 31.38 46 4 2.92 4.92 6.91 8.90 10.9 13.82 ZOP3-MPTM0C 2.75 51.5 31.38 46 4 2.92 4.92 6.91 8.90 10.9 13.82 Center Side Panel, Single, Mid Height with Screen 43.88 48 4 2.92 4.92 6.91 8.90 10.9 13.82 ZOP3-MPTM2U Universal 2.75 51.5 ZOP3-MPTM2C Center 2.75 51.5 43.88 48 4 2.92 4.92 6.91 8.90 10.9 13.82 Twin Semi-Private Side Panel, Single, Full Height ZOP3-MSPTF0U Universal 2.75 26.5 44 43 2.5 2.69 5.38 8.06 10.75 13.44 16.13 ZOP3-MSPTF0C Center 2.75 26.5 44 52 2.5 2.69 5.38 8.06 10.75 13.44 16.13 Twin Semi-Private Side Panel, Single, Mid Height 7.97 32 1.7 1.75 3.99 5.98 9.97 11.96 ZOP3-MSPTM0U Universal 2.75 26.5 31.4 ZOP3-MSPTM0C Center 2.75 39 3.99 5.98 7.97 9.97 11.96 26.5 31.4 1.7 1.75 Twin Modular Upholstered Arm 22 2.5 3.56 5 6.5 7.9 9.33 **ZOP3-MATUPHU** 3 14.5 19.75 2.11 **ZOP3-MATUPHC** 3 14.5 19.75 22 2.5 2.11 3.56 5 6.5 7.9 9.33 Twin Modular Upholstered Arm w/Urethane Cap **ZOP3-MATUREU** 3 14.5 20.25 16 1.8 2.11 3.56 5 6.5 7.9 9.33 **ZOP3-MATUREC** 3 14.5 20.25 16 1.8 2.11 3.56 5 6.5 7.9 9.33 Twin Modular Upholstered Arm w/Solid Surface Cap ZOP3-MATSSCU 1.8 3 56 5 6.5 9.33 14.5 20.25 16 2.11 7.9 3 ZOP3-MATSSCC 3 14.5 20.25 16 1.8 2.11 3.56 5 6.5 7.9 9.33

ZOLA PRIVACY | TWIN SEATS

		COM		COL	F	ABRIC GRA	DES		R	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	Twin One-Seat, Full Heig ZOP3-MT1F0F	ht Back 2851	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Heig ZOP3-MT1F2F	ht Back with 3134	Privacy S 3299	Screen Opt 3465	tion 3707	3975	4214	4484	4816	5170
	ORDERING NOTES: Un	its with Privac	cy Screen	Option ar	e not avai	ilable with Re	emovable	Back Cove	r option.	
	Twin One-Seat, Mid Heig ZOP3-MT1M0F	ght Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
(and	Twin One-Seat, Mid Heig ZOP3-MT1M2F	ght Back with 2994	Privacy S 3136	Screen Op 3278	tion 3483	3712	3918	4147	4432	4735
	ORDERING NOTES: Un	its with Privac	cy Screen	Option an	e not avai	ilable with Re	emovable	Back Cove	r option.	
	Twin One-Seat Plus, Full ZOP3-MBT1F0F	l Height Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full ZOP3-MBT1F2F	l Height Back 4172	with Priv 4339	acy Scree 4505	n Option 4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Un	iits with Privac	cy Screen	Option ar	e not avai	ilable with Re	emovable	Back Cove	r option.	
-	Twin One-Seat Plus, Mic ZOP3-MBT1M0F	l Height Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
Jane 1	Twin One-Seat Plus, Mic ZOP3-MBT1M2F	Height Back 4021	with Priv 4162	acy Scree 4306	n Option 4507	4738	4944	5174	5457	5761
	ORDERING NOTES: Un									
RODUCT CODE KEY										
Line	Series	Chair Type		Seat Cou	nt	Back Ty	pe		Leg Type	
ZOP Zola	-	MT Modular Twin MTB Modular Twin Plus Upgrade (page 39)		1 One Sea 2 Two Sea 3] t	F0 Full Height F2 Full Height B Privacy Scree M0	ack with	Free	F estanding U S Start Unit	nit
				Three Sea		Mid Height M2 Mid Height B Privacy Scree	 ack with	(E E End Unit	

Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	EL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	3ack Priva 4723	cy Screer 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cover	r option.	
	Twin Two-Seat, Mid Height E ZOP3-MT2M0F	3ack 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid Height E ZOP3-MT2M2F	Back with 4520	Privacy S 4744	creen Optio 4970	on 5296	5664	5992	6359	6808	7298
	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	not availa	able with Re	movable E	ack Cover	r option.	
	Twin Three-Seat, Full Heigh ZOP3-MT3F0F	nt Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Full Heigh ZOP3-MT3F2F	nt Back Pri 6518	ivacy Scre 6854	een Option 7186	7660	8203	8678	9217	9885	10575
	ORDERING NOTES: Units	with Priva	cy Screer	Option are	e not avai	ilable with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid Heigh ZOP3-MT3M0F	nt Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
(and)	Twin Three-Seat, Mid Heigl ZOP3-MT3M2F	nt Back wi 6054	th Privacy 6348	/ Screen O 6641	ption 7064	7539	7961	8435	9023	9645
NK	ORDERING NOTES: Units	with Priva	cy Screer	Option are	e not avai	ilable with R	emovable	Back Cove	er option.	
PRODUCT CODE KEY	,									
Line ZOP Zola	3	MT Jodular Twin		Seat Cour 1 One Sea		Back Ty F0 Full Heigh		Fre	Leg Type F estanding	
	Plu	MTB odular Twin is Upgrade		2 Two Sea		F2 Full Height E Privacy Scree	en Option		S Start Unit	

(**page** 39)

3

Three Seat

M0

Mid Height Back

M2 Mid Height Back with Privacy Screen Option С

Center Unit


End Unit

ZOLA PRIVACY | TWIN - SIDE PANELS

	COM COL			FAB	RIC GRAD	ES	LEATHER		
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No So ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	creen 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel,, Full Height with ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	Screen 2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No S ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	Screen - 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	Screen 1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See **page** 40 for dimensions and COM.

PRODUCT CODE KEY



ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

DESCRIPTION/			COM	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHEI 8	۲ 9
	Twin Semi-Private S	Jniversal	gle, Full H 1012 1724		1172 1885	1286 1999	1415 2129	1528 2240	1659 2370	1819 2532	1981 2694
	Twin Semi-Private S	Side Panel, Sing	gle, Mid F	leight							
	ZOP3-MSPTMOU U ZOP3-MSPTM0C (868 1581	919 1633	973 1686	1045 1758	1131 1842	1203 1915	1288 2001	1393 2106	1497 2211

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See <u>page</u> 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

DESCRIPTION/MODEL		COM COL FABRIC GRADES 1 2 3 4 5 6		LEATHER 7 8 9		-				
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608



	Twin Modular Upholstered Arm w/Urethane Cap											
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026		
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739		
5												

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	С	
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE	С	
			Upholstered Arm w/Urethane Cap	Center /Interim	
			SSC		

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes
Curved Single-Sea	t - Full He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	t - Mid He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Sea	at - Full H	eight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Sea				40	07.5	50	10.5	00.05	110	04
30° Inside Curve	58	64 70 5	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25
60° Outside Curve 90° Outside Curve	65.5 74.5	71.5 80.5	32 34.5	44 46.5	37.5 37.5	50 50	18.5 18.5	20.25 20.25	105 115	28 32

Upcharge for Plus Upgrade Option:

Option \$	6 List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	220

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	e Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea		eight Bacl										
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	at - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se		•										
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se												
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

	MODEL/SPECIES	COM	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Inside Curve, Full Hei ZOP3-MCIS30DF0F		3618	3806	4068	4369	4634	4931	5308	5684
	Single-Seat, 30° Inside Curve, Full Hei ZOP3-MCIS30DF1_ Beech/Laminate Maple/Palette	e 4047 4141 back with \$	4236 4328 Shelf optic	4423 4515 on please						
	 - 42", 36" or 30" and chose required le balance weight added to each seat un Single-Seat, 30° Inside Curve, Full Hei ZOP3-MCIS30DF2F 	it, please a	add 303 l i	ist upcha	rge per unit		5227	5527	5902	6277
	Single-Seat, 30° Inside Curve, Mid He ZOP3-MCIS30DM0F	ight Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
R	Single-Seat, 30° Inside Curve, Mid He ZOP3-MCIS30DM1_ Beech/Laminate Maple/Palette	0	with Shelf 4058 4149	4221 4315	4454 4545	4715 4811	4946 5038	5211 5303	5539 5634	5868 5962
	- 36" or 30" and chose required leg typ ance weight added to each seat unit, Single-Seat, 30° Inside Curve, Mid He ZOP3-MCIS30DM2F	olease ado	303 list	upcharge	per unit.	4691	4922	5187	5516	5844
Lola Privacy O	ption Upcharges \$ List							\$ List	t	
Seat Power (pe Shelf Power Table Power	r & CAL 133(per yard) 64 r power unit) 641 600 647 pholstery - dual fabrics 33	Du Re No	ual Leg (fo emovable	or Multiple Seat Cov	e-Seat, 30° e unit config rers -Single ck covers a	urations) -Seat, 30°		96 80 61 curved b)	
			Nume Otudo		Cast Dagree				Les Tur	
ZOP Zola	Series Chair Type 3 MC Lounge Modular Curv MCB Modular Curv	e Inside e Inside	Curve Style	ngle buble	30D 30D 45D 60D	Full Full He Si	F0 Height Bac F1 eight Back helf Option F2	with	Leg Typ F eestanding Start Ur C	g Unit
			le Curve -S		90D	Privacy Mid Mid H	eight Back y Screen O M0 Height Back M1 eight Back helf Option	ption ck with	Center U]
47 CANADA	SEATING & OCCASIONAL TABLE	S 2025				Mid H	M2 eight Back Screen Op	with		

			COM		COL					LEATHER	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Inside Cun ZOP3-MCIS450DF0F	ve, Full Heigl	ht Back 3847	4057	4263	4565	4904	5209	5548	5964	641
	Single-Seat, 45° Inside Cur ZOP3-MCIS45DF1_ Beech		ht Back 4483 4576	with She 4690 4785	elf 4898 4993	5201 5295	5539 5635	5841 5938	6184 6280	6599 6691	705 714
	ORDERING NOTE: When c - 42", 36" or 30" and chos counterbalance weight add	ordering a ba se required I	ick with leg type	Shelf op below.	tion pleas Freestan	se clearly sp ding, Start	ecify on and End	your order units with	the requ	ired She	f Hei
	Single-Seat, 45° Inside Cun ZOP3-MCIS45DF2F	ve, Full Heigl	ht Back 4447	with Priv 4655	vacy Scre 4863	en 5167	5506	5809	6149	6565	701
	Single-Seat, 45° Inside Cun ZOP3-MCIS45DM0F	ve, Mid Heig	ht Back 3642	3811	3979	4215	4486	4722	4994	5329	567
	Single-Seat, 45° Inside Cur ZOP3-MCIS45DM1_ Beect Maple		ht Back 4278 4371	with She 4444 4539	elf 4614 4709	4848 4945	5121 5216	5360 5453	5631 5722	5965 6059	630 640
φ.	ORDERING NOTE: When c - 36" or 30" and chose r counterbalance weight add	ordering a ba equired leg	type be	elow. Fr	eestandir	ng, Start ar	nd End u	units with			
			,				•				
	Single-Seat, 45° Inside Cun ZOP3-MCIS45DM2F						5086	5323	5595	5931	627
Zola Privacy O			ht Back	with Priv	vacy Scre	en Option	-		5595 \$ Lis		627
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics	ve, Mid Heig	ht Back 4243 Plu Du Re	with Priv 4411 Is Upgra al Leg (fo movable	vacy Scre 4580 de -Singl or Multipl s Seat Co	en Option	5086 Curve gurations -Seat, 45	5323) ° Curve	\$ Lis 11 81 6	t 1 0 4	627
Moisture Barrier Seat Power (per Shelf Power Table Power	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY	ve, Mid Heig \$ List 64 641 600 647	ht Back 4243 Plu Du Re No	with Priv 4411 Is Upgra al Leg (fo movable	vacy Scre 4580 de -Singl or Multipl Seat Co ovable ba	en Option 4816 e-Seat, 45° e unit config vers -Single	5086 Curve gurations -Seat, 45 are not av	5323) ° Curve	\$ Lis 11 81 6	t 1 0 4	
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series 3	ve, Mid Heig \$ List 64 641 600 647 33	ht Back 4243 Plu Du Re No	with Priv 4411 as Upgra al Leg (f movable te: Rem	vacy Scre 4580 de -Singl or Multipl Seat Co ovable ba	en Option 4816 e-Seat, 45° e unit config vers -Single ack covers a	5086 Curve gurations -Seat, 45 are not av	5323) 5° Curve railable on Back Type F0	\$ Lis 11 8 6 curved b	t 1 0 4 backs Leg Ty	pe
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE Line	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series A A A A A A A A A A A A A	ve, Mid Heig \$ List 64 641 600 647 33 Chair Type MC	ht Back 4243 Plu Du Re No	with Priv 4411 is Upgra al Leg (fr movable te: Rem	vacy Scre 4580 de -Singl or Multipl e Seat Co ovable ba	e-Seat, 45° e unit config vers -Single ack covers a Seat Degree	5086 Curve gurations -Seat, 45 are not av	5323) j° Curve vailable on Back Type F0 III Height Ba	\$ Lis 11 8 6 curved b	t 1 0 4 Dacks Leg Ty	pe
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE Line	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series A A A A A A A A A A A A A	* List 64 641 600 647 33 Chair Type MC odular Curve MCB	ht Back 4243 Plu Du Re No C	with Priv 4411 is Upgra al Leg (fr movable te: Rem Curve Style IS a Curve -Style IS curve -Style IS Curve -Style IS Curve -Style IS Curve Style	vacy Scre 4580 de -Singl or Multipl e Seat Co ovable ba e Single	e-Seat, 45° e unit config vers -Single ack covers a Seat Degree	5086 Curve gurations -Seat, 45 are not av Full 1	5323) 5° Curve vailable on Back Type F0 III Height Back Shelf Optior F2	\$ Lis 11 8 6 curved b curved b	t 1 0 4 backs Leg Ty F Freestandir Start U C	pe
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE Line	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series A A A A A A A A A A A A A	Ve, Mid Heig \$ List 64 641 600 647 33 Chair Type MC odular Curve MCB odular Curve	ht Back 4243 Plu Du Re No	with Priv 4411 is Upgra al Leg (fr movable te: Rem Curve Style IS Curve -Style IS Curve -D OS le Curve -D	vacy Scre 4580 de -Singl or Multipl 9 Seat Co ovable ba e Single Single	e-Seat, 45° e unit config vers -Single ack covers a Seat Degree	5086 Curve gurations -Seat, 45 are not av Full I Full I Priva	5323) 5° Curve vailable on Back Type F0 III Height Back Shelf Optior F2 Height Back cy Screen C	\$ Lis 11 8 6 curved b curved b uck F	t 1 0 4 backs Leg Ty F F Freestandir S Start U	pe
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE Line	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series A A A A A A A A A A A A A	Ve, Mid Heig \$ List 64 641 600 647 33 Chair Type MC odular Curve MCB odular Curve	ht Back 4243 Plu Du Re No	with Priv 4411 is Upgra al Leg (fr movable te: Rem Uurve Style IS a Curve -Style IS a Curve -Style Uurve -D IS a Curve -D IS a Curve -D	vacy Scre 4580 de -Singl or Multipl 9 Seat Co ovable ba e Single Single	e-Seat, 45° e unit config vers -Single ack covers a Seat Degree 30D 45D 60D	5086 Curve gurations -Seat, 45 are not av Full I Priva Mi	5323) 5° Curve vailable on Back Type F0 III Height Back Shelf Optior F2 Height Back cy Screen C	\$ Lis 11 8 6 curved b curved b curved b curved b curved b	t 1 0 4 backs Leg Ty F Freestandir S Start U C Center I	pe ng Un nit
Moisture Barrier Seat Power (per Shelf Power Table Power Combination Up PRODUCT CODE Line	ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics E KEY Series A A A A A A A A A A A A A	Ve, Mid Heig \$ List 64 641 600 647 33 Chair Type MC odular Curve MCB odular Curve	ht Back 4243 Plu Du Re No	with Priv 4411 is Upgra al Leg (fr movable te: Rem Curve Style IS Curve -Style IS Curve -D OS le Curve -D	vacy Scre 4580 de -Singl or Multipl 9 Seat Co ovable ba e Single Single	e-Seat, 45° e unit config vers -Single ack covers a Seat Degree 30D 45D 60D	5086 Curve gurations -Seat, 45 are not av Full I Priva Mid Mid	5323) 5° Curve vailable on Back Type F0 III Height Back Shelf Optior F2 Height Back Shelf Optior F2 Height Back Cy Screen C M0 d Height Back	\$ Lis 11 8 6 curved b curved curved curved curved curve curved curved c	t 1 0 4 backs Leg Ty F F reestandin S Start U C Center U E	ng Un nit Jnit

		COM		COL				_	LEATHE	
DESCRIPTION/N	IODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Inside Curve ZOP3-MCIS60DF0F	e, Full Height Bac 4371		4891	5267	5696	6067	6492	7012	7567
	Single-Seat, 60° Inside Curve ZOP3-MCIS60DF1_ Beech/ Maple/I	Laminate 5185	5 5444	elf 5705 5800	6080 6179	6504 6600	6879 6974	7303 7399	7822 7920	8380 8474
₩ <u></u>	ORDERING NOTE: When ord - 42", 36" or 30" and chose counterbalance weight addee	required leg typ	below.	Freestandi	ing, Start a	and End	units with			
	Single-Seat, 60° Inside Curve ZOP3-MCIS60DF2F	e, Full Height Bac 4974		vacy Scree 5496	n 5870	6293	6670	7093	7615	8169
	Single-Seat, 60° Inside Curve ZOP3-MCIS60DM0F	e, Mid Height Ba 4164		4537	4801	5103	5364	5664	6039	6416
	Single-Seat, 60° Inside Curve ZOP3-MCIS60DM1_ Beech/ Maple/	Laminate 4977	7 5164	nelf 5351 5447	5614 5712	5914 6009	6179 6271	6477 6574	6852 6946	7229 7324
	ORDERING NOTE: When ord - 36" or 30" and chose red counterbalance weight added Single-Seat, 60° Inside Curve ZOP3-MCIS60DM2F	quired leg type d to each seat ur	below. Fr nit, please ck with Pri	eestanding add 303 lis	, Start an st upcharge	d End u	nits with t			
Zola Privacy Op		\$ List						\$ List		
Seat Power (per Shelf Power Table Power	& CAL 133 (per yard) power unit) holstery - dual fabrics	641 E 600 F	Dual Leg (fe Removable	ide - Single or Multiple Seat Cove ovable Bac	unit config ers -Single-	urations) Seat, 60°		123 80 86 urved ba	 	
PRODUCT CODE	KEY									
Line	Series Ch	air Type	Curve Style	e S	Seat Degree	I	Back Type		Leg Typ	e
ZOP Zola	Lounge Modu	MCB ular Curve Insid Plus	IS de Curve -S ID de Curve -D OS side Curve -	ouble	30D 45D 60D	Full H S Full H	F0 Height Back F1 eight Back (helf Option F2 eight Back (with with	F eestandin S Start Ur C Center U] nit
			OD ide Curve -I	Double	90D	Mid Mid H S Mid H	y Screen Op M0 Height Back M1 eight Back v helf Option M2 eight Back v v Screen Op	k with with	End Un] it
49 CANADA	SEATING & OCCASIONAL	IABLES 2025)							

			COM		COL	FAB	RIC GRAD	DES	I	EATHER	3
DESCRIPTIO	DESCRIPTION/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	e Curve, Full Height	Back 4992	5263	5538	5920	6359	6742	7180	7728	8275
	Single-Seat, 90° Inside ZOP3-MCIS90DF1_	e Curve, Full Height Beech/Laminate Maple/Palette	Back wi 5866 5964	th Shelf 6139 6237	6412 6511	6795 6894	7234 7331	7616 7713	8055 8152	8599 8698	9147 9246

6216

Single-Seat, 90° Inside Curve, Full Height Back with Privacy Screen

5943

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

6492

6872

7311

7695

8131

8679 9225

4 r	

ZOP3-MCIS90DF2F

Single-Seat, 90° Inside Curve, Mid He ZOP3-MCIS90DM0F	ight Back 4571	4786	5000	5299	5641	5943	6286	6713	7144


Single-Seat, 90° Inside	e Curve, Mid Height	Back wi	th Shelf							
ZOP3-MCIS90DM1_	Beech/Laminate	5444	5660	5873	6174	6516	6818	7159	7587	8015
	Maple/Palette	5544	5758	5971	6270	6612	6914	7258	7684	8115

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

Ń	
K	
T	

Single-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS90DM2F 5524 5739 5953 6252 6595 6895 7237 7662 8093

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 90° Curve	165
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 90° Curve	113
Table Power	647	Note: Removable Back Cover are not available on c	urved backs
Combination Upholstery - dual fabrics	33		



		COM		COL	FAB	RIC GRAE	DES	l	LEATHEF	3
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ht Back 3252	3431	3609	3859	4145	4395	4680	5036	5392
ŀ	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette	ht Back v 3554 3642	vith Shelf 3732 3819	3910 3999	4160 4248	4444 4533	4693 4784	4979 5068	5337 5425	5692 5782
	ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required le counterbalance weight added to each se	g type be	elow. Free	standing	, Start an	d End ur				
F.	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ht Back v 3607	vith Privac 3786	y Screen 3963	4214	4500	4749	5034	5391	5746
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ht Back 3135	3290	3445	3664	3914	4131	4380	4690	5007
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette	ht Back v 3433 3522	vith Shelf 3589 3679	3743 3831	3962 4053	4213 4299	4429 4520	4680 4769	4990 5079	5307 5394
	ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please ad Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	elow. Free dd 303 lis	standing, s	Start and e per unit	End units					
Moisture Barr	Option Upcharges\$ Listrier & CAL 133 (per yard)64ber power unit)641600	Dua	al Leg (for	Multiple u	-Seat, 30° unit config rs -Single-	urations)	Curve	\$ List 96 80 61		
Table Power Combination PRODUCT CO	Upholstery - dual fabrics 33	No	te: Remov	able bacl	k covers a	re not ava	ilable on c	curved ba	icks	
Line	Series Chair Type	С	urve Style	S	eat Degree	E	Back Type		Leg Type	
ZOP Zola	3 MC Lounge Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD e Curve -Do	ıble ngle	30D 45D 60D 90D	Full He St Privacy Mid Mid He St	F0 Height Back v nelf Option F2 eight Back v v screen Op M0 Height Back M1 eight Back v nelf Option	with with tion k with	F exestanding S Start Uni C Center Ur E End Uni	it
51 CANAD	A SEATING & OCCASIONAL TABLES	2025					eight Back v Screen Opt			

	MODEL/SPECIES	COM	2	COL 3	FABR 4	IC GRAE	DES 6	7	LEATHEF 8	9
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS450DF0F	Height Back 3508		3864	4113	4398	4648	4932	5288	5646
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS45DF1_ Beech/Lamina Maple/Palette ORDERING NOTE: When ordering a 42", 36" or 30" and chose required le balance weight added to each seat u	ate 3803 3892 back with S eg type below	3981 4068 helf optio w. Freest	4158 4247 on please anding, S	Start and End	d units w		•		0
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS45DF2F	Height Back 3859	with Priv 4038	vacy Scre 4215	een 4466	4752	5002	5286	5641	5999
P	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM0F	Height Back 3382	3536	3690	3909	4158	4378	4628	4937	5254
P	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM1_ Beech/Lamina Maple/Palette ORDERING NOTE: When ordering a 36" or 30" and chose required leg typ weight added to each seat unit, please	ate 3678 3766 back with S be below.Free	3830 3920 helf optio	3985 4074 on please g, Start a	nd End units					
	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM2F	Height Back 3735	with Pri 3890	vacy Scro 4042	een Option 4261	4510	4730	4979	5288	5605
Moisture Barrie Seat Power (pe Shelf Power Table Power	r power unit) 64 60 64 pholstery - dual fabrics 33	64 Plu 11 Du 10 Re 17 No	al Leg (fe movable	or Multipl Seat Co	le-Seat, 45° le unit config vers -Single ack covers a	urations -Seat, 45	5º Curve	\$ Lis 11 [*] 80 64 curved b	1 0 4	
Line ZOP Zola	Series Chair Type	rve Inside rve Inside Outside	Urve Style	ingle ouble Single Double	Seat Degree 30D 45D 60D 90D	Full H Full H Privac Mid H S Mid H S	Back Type F0 I Height Back F1 Height Back Shelf Option F2 Height Back cy Screen Op M0 d Height Back Shelf Option M1 Height Back Shelf Option M2 Height Back y Screen Op	with with ption ck with with otions	Leg Typ	g Unit] iit] init
				2025 8	SEATING &	OCCAS	SIONAL T	ABLES	CANA[DA 52

			СОМ		COL	FABF	RIC GRAE	DES		LEATHEI	R
DESCRIPTION	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Outside ZOP3-MCOS60DF0F	Curve, Full Heig	ht Back 3655	3831	4011	4261	4546	4795	5082	5437	5793
	—	eech/Laminate laple/Palette	3948 4036	4125 4213	4305 4393	4553 4641 e clearly spe	4838 4927 ecify on y	5086 5176 our order	5370 5463 the requi	5727 5815 red Shelf	6083 6174 Height
·	- 42", 36" or 30" and cho terbalance weight added	ose required leg	type bel	ow. Free	standing,	Start and E	nd units				-
	Single-Seat, 60° Outside ZOP3-MCOS60DF2F	Curve, Full Heig	ht Back 3988	with Priv 4168	vacy Scre 4347	en 4595	4882	5131	5416	5769	6127
P	Single-Seat, 60° Outside ZOP3-MCOS60DM0F	Curve, Mid Heig	ght Back 3535	3690	3846	4064	4313	4532	4781	5091	5407
P	Single-Seat, 60° Outside ZOP3-MCOS60DM1_ B N		ht Back 3825 3915	with Sho 3982 4070	elf 4138 4224	4354 4443	4604 4692	4822 4914	5071 5160	5384 5471	5696 5786
·	ORDERING NOTE: Whe - 36" or 30" and chose reance weight added to ea	equired leg type l	below. F	reestand	ling, Start	and End ur					
	Single-Seat, 60° Outside ZOP3-MCOS60DM2F	Curve, Mid Heig	ht Back 3869	with Priv 4024	vacy Scre 4180	een Option 4397	4646	4866	5113	5425	5741
Zola Privacy O	ption Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Table Power	r & CAL 133 (per yard) r power unit) pholstery - dual fabrics	64 641 600 647 33	Dua Rer	al Leg (fo novable	r Multiple Seat Cov	e-Seat, 60° e unit configu ers -Single- ck covers ar	urations) Seat, 60°		123 80 86		
Line	Series	Chair Type	C	urve Style		Seat Degree	E	Back Type		Leg Typ	e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Sii D Curve -Do OS a Curve -S OD Curve -Di	uble	30D 45D 60D 90D	Full He St Privacy Mid Mid He St	F0 Height Back ight Back i helf Option F2 eight Back i Screen Op M0 Height Back M1 eight Back helf Option M2 eight Back	with with otion ok with	F eestanding Start Un Center Un End Uni] it] nit
53 CANADA	SEATING & OCCASIO	NAL TABLES	2025				Privacy	Screen Op	otions		

			СОМ		COL		RIC GRAE			LEATHER	
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 90° Outsic ZOP3-MCOS90DF0F	de Curve, Full Heig	ht Back 4405	4586	4763	5011	5298	5547	5833	6188	6545
	Single-Seat, 90° Outsic ZOP3-MCOS90DF1_ ORDERING NOTE: Wh	Beech/Laminate Maple/Palette	4686 4773	4866 4952	5043 5131	5293 5381	5579 5664	5828 5914 ur order th	6113 6199 e require	6470 6556 ad Shelf F	6828 6913 Jeight -
·	42", 36" or 30" and che balance weight added	ose required leg typ	oe belov	v. Freesta	anding, S	tart and En	d units wi				
	Single-Seat, 90° Outsic ZOP3-MCOS90DF2F	de Curve, Full Heig	ht Back 4737	with Priv 4918	acy Scre 5095	en 5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outsic ZOP3-MCOS90DM0F	de Curve, Mid Heig	ht Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outsic ZOP3-MCOS90DM1_		ht Back 4229 4315	with She 4382 4469	elf 4537 4623	4757 4843	5007 5093	5223 5310	5473 5560	5784 5869	6102 6186
	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each a	equired leg type bel	ow. Free	estanding	, Start ar	nd End units					
	Single-Seat, 90° Outsic ZOP3-MCOS90DM2F	de Curve, Mid Heig	ht Back 4279	with Priv 4433	acy Scre 4588	en Option 4810	5057	5275	5525	5834	6153
Zola Privacy (Option Upcharges	\$ List							\$ Lis	st	
Seat Power (p Shelf Power Table Power	Jpholstery - dual fabrics	64 641 600 647 33	Du Re	ial Leg (fe movable	or Multipl Seat Co	le-Seat, 90 e unit confi vers -Single ack covers a	gurations) e-Seat, 90)° Curve	16 8 11 curved I	0 3	
Line	Series	Chair Type	(Curve Style	e	Seat Degree)	Back Type		Leg Ty	pe
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve		IS e Curve -S ID e Curve -D	-	30D 45D		F0 III Height Ba F1 Height Back		F Freestandir S Start U	
		Plus	Outsic	OS de Curve -	Single	60D	: Full F	Shelf Option F2 Height Back cy Screen O	with	C Center U	 Jnit
			Outsid	OD le Curve -I	Double	90D	Mi	M0 d Height Ba	ck	E End Ur	 hit
								M1 Height Back Shelf Optior			
								M2 Height Back by Screen O			
					2025 3	SEATING &	& OCCA	SIONAL T	ABLES	CANA	DA 54


			COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION	CRIPTION/MODEL/SPECIES Double-Seat, 30° Inside Curve, Full Hei ZOP3-MCID30DF0F Double-Seat, 30° Inside Curve, Full Hei ZOP3-MCID30DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a ba 42", 36" or 30" and chose required leg balance weight added to each seat uni	1	2	3	4	5	6	7	8	9	
	,	de Curve, Full Heig	ht Back 4943	5245	5548	5973	6461	6884	7368	7973	8581
	ZOP3-MCID30DF1_ ORDERING NOTE: V 42", 36" or 30" and c	Beech/Laminate Maple/Palette Vhen ordering a bac hose required leg ty	5715 5811 ck with S /pe belov	6017 6114 helf optio w. Freesta	6319 6418 n please o nding, St	art and Er	nd units wi		•		0
(and a	Double-Seat, 30° Insi ZOP3-MCID30DF2F	de Curve, Full Heig	ht Back v 5888	with Priva 6190	cy Screer 6494	n 6918	7403	7829	8312	8918	9525

ZOP3-MCIE	30DF2F	5888	6190	6494	6918	7403	7829	8312	8918	952
Double-Sea	t, 30° Inside Curve, Mid	d Height Back 4678	4932	5191	5552	5964	6322	6734	7248	776
		4078	4302	5151	0002	0001	0022	0104	1240	

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

	Double-Seat, 30° Inside Curve, ZOP3-MCID30DM2F	Mid Height Back 5620	with Priva 5878	acy Scree 6137	n Option 6496	6909	7267	7680	8193	8706
Zola Privacy (Ontion Uncharges	\$ Liet						¢ Liet		

Zola Privacy Option Opcharges	φList		φ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Double-Seat, 30º Curve	152
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Double-Seat, 30° Curve	93
Table Power	647	Note: Removable back covers are not available on c	urved backs
Combination Upholstery - dual fabrics	33		



DESCRIPTION/MODEL/SPECIES		COM		COL	FAB	RIC GRAD		L	EATHEF	3
DESCRIPTION/I	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Inside Curve, Full Heig ZOP3-MCID45DF0F	ht Back 5360	5666	5975	6411	6909	7343	7839	8457	9086
	Double-Seat, 45° Inside Curve, Full Heig	ht Back	with Shel	f						
	ZOP3-MCID45DF1_ Beech/Laminate Maple/Palette	6161 6260	6469 6568	6779 6877	7214 7314	7711 7809	8146 8247	8643 8741	9261 9359	9887 9988

	Concession of the local division of the loca	
⊿		
1		
		ļ
	K	
		T
		•

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height -
42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counter-
balance weight added to each seat unit, please add 303 list upcharge per unit.

7367

7863

8298

8792

9412 10041

Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F 6313 6621 6931

	Doubl
-	ZOP3
M	

Double-Seat, 45° Inside Curve, Mid Heig	ht Back								
ZOP3-MCID45DM0F	5103	5367	5635	6014	6444	6822	7255	7787	8340


Double-Seat, 45° Inside Curve, Mid Height Back with Shelf											
ZOP3-MCID45DM1_	Beech/Laminate	5904	6170	6438	6817	7248	7625	8056	8590	9143	
	Maple/Palette	6003	6269	6537	6914	7345	7725	8155	8688	9241	

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

)

Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option										
ZOP3-MCID45DM2F	6055	6322	6587	6968	7399	7778	8207	8741	9295	

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Double-Seat, 45° Curve	180
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Double-Seat, 45° Curve	101
Table Power Combination Upholstery - dual fabrics	647 33	Note: Removable back covers are not available on c	urved backs



		COM		COL	FAB	RIC GRAD	DES		LEATHE	R
DESCRIPTION	/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Inside Curv ZOP3-MCID60DF0F	re, Full Height Back 5910		6616	7127	7704	8215	8791	9499	10262
	Maple	/Laminate 6766 /Palette 6867	7122 7219	7476 7573	7986 8085	8563 8662	9074 9172	9652 9751	10358 10458	11219
H I I	ORDERING NOTE: When ord 42", 36" or 30" and chose red balance weight added to each	quired leg type belo	ow. Freesta	nding, Sta	rt and Enc	l units wit				
	Double-Seat, 60° Inside Curv ZOP3-MCID60DF2F	re, Full Height Back 6869		cy Screen 7577	8088	8666	9174	9754	10460	11224
	Double-Seat, 60° Inside Curv ZOP3-MCID60DM0F	re, Mid Height Back 5588		6175	6595	7069	7487	7963	8548	9161
		re, Mid Height Back n/Laminate 6447 /Palette 6545	6742	7035 7132	7452 7550	7927 8026	8344 8445	8820 8918		10020 10120
· T .	ORDERING NOTE: When ord 36" or 30" and chose required weight added to each seat un	d leg type below. Fre	eestanding	, Start and	End units					
	Double-Seat, 60° Inside Curv ZOP3-MCID60DM2F	re, Mid Height Back 6549		cy Screen 7135	Option 7553	8029	8447	8920	9508	10123
Zola Privacy O	ption Upcharges	\$ List						\$ List		
Seat Power (pe Shelf Power Table Power Combination U	pholstery - dual fabrics	641 Di 600 Re	us Upgrad ual Leg (for emovable S ote: Remov	Multiple u Seat Cover	init configi s -Double	urations) -Seat, 60º		183 80 123 urved ba		
Line		Chair Type (Curve Style	Se	at Degree	B	ack Type		Leg Typ	e
ZOP Zola	Ŭ	MCB dular Curve Inside Plus	IS e Curve -Sin ID e Curve -Dou OS de Curve -Sin	ıble	30D 45D 60D	Full He Sh Full He	F0 Height Back F1 ight Back w elf Option F2 ight Back w Screen Opt	ith	F eestanding S Start Un C Center U] it]
	SEATING & OCCASIONA		OD le Curve -Do	uble [90D	[Mid He Sh [Mid He	M0 Height Back M1 ight Back w elf Option M2 ight Back w Screen Opti	⁄ith	End Uni	t

			COM	0	COL				7	LEATHE		
	Double-Seat, 90° Insid ZOP3-MCID90DF0F	de Curve, Full Hei	1 ight Back 6937	2 7303	3 7673	4 8211	5 8813	6 9354	7 9959	8 10694	9	
	Double-Seat, 90° Insid ZOP3-MCID90DF1_ ORDERING NOTE: W - 42", 36" or 30" and of terbalance weight add	Beech/Laminate Maple/Palette /hen ordering a bachose required lea	7873 7973 ack with g type be	8239 8341 Shelf op	8610 8709 tion plea estandin	g, Start and	End unit			11732 Juired She		
	Double-Seat, 90° Insic ZOP3-MCID90DF2F	de Curve, Full Hei	ight Back 7942	with Pr 8308	ivacy Scr 8678	reen 9217	9818	10358	10963	11699	12514	
	Double-Seat, 90° Insic ZOP3-MCID90DM0F	de Curve, Mid He	ight Bacl 6441	< 6735	7028	7446	7921	8340	8813	9403	10014	
	Double-Seat, 90° Insid ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose ance weight added to	Beech/Laminate Maple/Palette /hen ordering a ba e required leg type	7379 7480 ack with e below.	7674 7773 Shelf op Freestar	7966 8067 tion plea iding, Sta	art and End u				10440 juired She	elf Height	
	Double-Seat, 90° Insic ZOP3-MCID90DM2F	de Curve, Mid He	ight Bacl 7446	k with Pr 7740	ivacy Sc 8033	reen Option 8450	8925	9342	9818	10408	11018	
Zola Privacy Op	otion Upcharges	\$ List							\$ Li	st		
Zola Privacy Option Upcharges\$ ListMoisture Barrier & CAL 133 (per yard)64Seat Power (per power unit)641Shelf Power600Table Power647Combination Upholstery - dual fabrics33				Plus Upgrade - Double-Seat, 90° Curve220Dual Leg (for Multiple unit configurations)80Removable Seat Covers - Double-Seat, 90° Curve127								
Line	Series	Chair Type	С	urve Style)	Seat Degree		Back Type		Leg Ty	ре	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -S ID Curve -D OS e Curve -S OD e Curve -E	Duble	30D 45D 60D 90D	Full F Full F Privad Mid F	F0 II Height Back F1 Height Back Shelf Optior F2 Height Back cy Screen C M0 d Height Back M1 Height Back Shelf Optior	with with Option ack	Freestandir S Start U C Center U E End U	 Jnit	

2025 | SEATING & OCCASIONAL TABLES | CANADA | 58

		COM COL			FAE	BRIC GRAI	LEATHER				
DESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Outs ZOP3-MCOD30DFOF	ide Curve, Full Hei	ght Back 4593	4879	5166	5563	6020	6419	6873	7445	8015
	Double-Seat, 30° Outs ZOP3-MCOD30DF1_ ORDERING NOTES: V - 42", 36" or 30" and cl balance weight added	Beech/Laminate Maple/Palette Vhen ordering a ba nose required leg ty	5155 5248 ack with S ype below	5441 5534 Shelf opti w. Freesta	5726 5821 on please anding, S	Start and En	nd units wit				
	Double-Seat, 30° Outs ZOP3-MCOD30DF2F	ide Curve, Full Hei	ght Back 5192	with Priv 5478	vacy Scre 5764	een 6163	6620	7018	7474	8044	8615
	Double-Seat, 30° Outs ZOP3-MCOD30DMOF	ide Curve, Mid Hei	ight Back 4398	4637	4873	5206	5586	5918	6296	6770	7245
P	Double-Seat, 30° Outs ZOP3-MCOD30DM1_ ORDERING NOTES: V - 36" or 30" and chose weight added to each a	Beech/Laminate Maple/Palette Vhen ordering a ba required leg type be	4961 5054 ack with S elow. Free	5199 5292 Shelf opti estanding	5436 5529 on please g, Start ar	nd End units					
	Double-Seat, 30° Outs ZOP3-MCOD30DM2F	ide Curve, Mid Hei	ight Back 4998	with Priv 5236	vacy Scre 5472	een Option 5806	6185	6518	6896	7371	7844
Moisture Barri Seat Power (p Shelf Power Table Power	Option Upcharges er & CAL 133 (per yard) er power unit) Jpholstery - dual fabrics	\$ List 64 641 600 647 33	Du: Rei	al Leg (fo movable	r Multiple Seat Cov	ble-Seat, 30 e unit config vers -Doubl ick covers a	gurations) e-Seat, 30		\$ List 152 80 93 curved ba		
PRODUCT COD	DE KEY Series	Chair Type		urve Style		Seat Degree	r	Back Type		Leg Type	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	IS Curve -Si ID Curve -Dc OS e Curve -D e Curve -D	ngle uble iingle	30D 45D 60D	Full He Sull He Privacy Mid Mid He St	F0 Height Back F1 Dight Back of helf Option F2 Dight Back of Screen Op M0 Height Back M1 Dight Back of helf Option M2	with with otion ok with	Eig iyp] y Unit it nit
59 CANADA	A SEATING & OCCAS	SIONAL TABLES	2025					eight Back Screen Op			

7

7080

6

6624

LEATHER

8

7651

9

8221

FABRIC GRADES

5

6225

DESCRIPTION/MODEL/SPECIES

ZOP3-MCOD45DFOF

Double-Seat, 45° Outside Curve, Full Height Back with Shelf											
ZOP3-MCOD45DF1_ Beech/Laminate	5362	5646	5932	6331	6788	7185	7642	8212	8784		
Maple/Palette	5454	5740	6024	6422	6881	7281	7734	8306	8875		

COL

3

5368

4

5767

COM

1

4798

Double-Seat, 45° Outside Curve, Full Height Back

2

5084

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

	Double-Seat, 45° Outside Curve, Full He	ight Bac	k with Pr	ivacy Scre	en					
	ZOP3-MCOD45DF2F	5397	5684	5969	6366	6823	7222	7680	8250	8820
	Double-Seat, 45° Outside Curve, Mid He	eight Bac	k							
	ZOP3-MCOD45DMOF	4581	4817	5056	5388	5766	6099	6478	6954	7428
	Double-Seat, 45° Outside Curve, Mid He	eight Bac	k with Sh	nelf						
	ZOP3-MCOD45DM1_ Beech/Laminate	5142	5381	5616	5947	6330	6661	7042	7515	7989
	Maple/Palette	5236	5472	5712	6043	6421	6754	7134	7609	8083
1	ORDERING NOTE: When ordering a bar 36" or 30" and chose required leg type b weight added to each seat unit, please a	elow. Fre	estanding	g, Start an	d End unit			•		0
	Double-Seat, 45° Outside Curve, Mid He	eight Bac	k with Pr	ivacy Scre	en Optior	า				
	ZOP3-MCOD45DM2F	5181	5418	5656	5986	6365	6697	7079	7552	8028

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Double-Seat, 45° Curve	180
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers - Double-Seat, 45° Curve	101
Table Power Combination Upholstery - dual fabrics	647 33	Note: Removable back covers are not available on c	urved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3	MC Modular Curve	IS Inside Curve -Single	30D	F0 Full Height Back	F Freestanding Unit
Zola	Lounge	MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS Outside Curve -Single	60D	F2 Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	E End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	


			COM		COL	L FABRIC GRADES			LEATHER		
DESCRIPTION/MODE	EL/SPECIES		1	2	3	4	5	6	7	8	9
	le-Seat, 60° Out -MCOD60DFOF	side Curve, Full Hei	ght Back 5050	5336	5619	6019	6474	6873	7331	7900	8471
COP3	ERING NOTE: W	side Curve, Full Heig Beech/Laminate Maple/Palette /hen ordering a bac hose required leg ty d to each seat unit, p	5609 5702 k with Sh pe below	5894 5986 elf option . Freestan	6181 6270 please iding, St	art and End			•		0
Doub	-	side Curve, Full Hei			-		7072	7472	7928	8499	9067
	le-Seat, 60° Out -MCOD60DMO	side Curve, Mid Hei F	ght Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
		side Curve, Mid Hei Beech/Laminate Maple/Palette	ght Back 5360 5450	with Shel 5595 5686	lf 5833 5924	6164 6256	6543 6634	6875 6968	7257 7346	7731 7821	8205 8296
36" o weigh	r 30" and chose ht added to each le-Seat, 60° Out	Vhen ordering a bac required leg type be seat unit, please ac side Curve, Mid Hei	low. Free dd 303 lis ght Back	standing, st upcharg with Priva	Start an ge per ur acy Scre	d End units v nit. een Option	vith the s	shelf optior	n require	counterb	alance
	-MCOD60DM2F	-	5395	5634	5870	6206	6582	6914	7294	7768	8241
Zola Privacy Option Moisture Barrier & CA Seat Power (per power Shelf Power Table Power Combination Upholster	L 133 (per yard) er unit)	\$ List 64 641 600 647 5 33	Dua Ren	l Leg (for novable S	Multiple eat Cov	le-Seat, 60° a unit configu ers - Double ck covers are	rations) -Seat, 60		\$ List 193 80 123 surved ba	acks	
PRODUCT CODE KEY											
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside ([Outside	IS Curve -Sin D Curve -Dou OS e Curve -Sin OD Curve -Do	ıble ngle	30D 45D 60D 90D	Full H S Full H Privacy Mid Mid H S	F0 Height Back v helf Option F2 eight Back v y Screen Op M0 Height Back M1 eight Back v helf Option M2	with with tion k with	F eestanding S Start Uni C Center Ur E End Uni	it
61 CANADA SEA	TING & OCCA	SIONAL TABLES	2025					eight Back v Screen Op			

		C	ОМ		COL	FABRI	C GRAD	ES		LEATHER	7
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DF0F		it Back 659	5944	6229	6628	7084	7484	7940	8511	9080
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DF1_ Beech/Li Maple/Pa	aminate 6 alette 6 ering a back	212 304 « with §	6497 6587 Shelf opt	6784 6873 ion pleas						
	- 42", 36" or 30" and chose required balance weight added to each s							nin ine sne		require	counter-
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DF2F	-	it Back 247	with Pri 6534	vacy Scr 6819	reen 7216	7674	8073	8529	9099	9668
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DM0F	-	nt Back 507	< 5833	6159	6663	7216	7722	8276	8930	9737
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DM1_ Beech/La Maple/Pa	aminate 6 alette 6	060 154	6387 6477	6713 6805	7216 7310	7770 7863	8276 8367	8830 8919	9573	10291 10382
	• 36" or 30" and chose required l weight added to each seat unit,	eg type belc	ow. Fre	estandin	g, Start a	and End units	ecify on y with the	our order shelf optic	the requir	uired She e counte	lf Height rbalance
	Double-Seat, 90° Outside Curve ZOP3-MCOD90DM2F	-	nt Back 097	with Pri 6421	ivacy Sci 6749	reen Option 7255	7807	8310	8865	9517	10328
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	t	
Seat Power (pe Shelf Power Table Power	r & CAL 133 (per yard) r power unit) pholstery - dual fabrics	64 641 600 647 33	Dua Ren	al Leg (fo novable	r Multiple Seat Cov	ole-Seat, 90° e unit configu vers - Double uck covers ar	urations) e-Seat, 9		220 80 12 curved b	D 7	
PRODUCT CODI	E KEY										
Line		ir Type 1C	Cu	urve Style		Seat Degree	I	Back Type		Leg Ty	pe
Zola	Modu	Plus	Inside (Curve -Si ID Curve -Do OS e Curve -S	buble	45D 60D	Full H S Full H	I Height Back	with with	reestandir S Start U C Center I	nit
		C] Dutside	OD Curve -D	ouble	90D	Mic Mid H	y Screen Op M0 Height Back leight Back shelf Option	ck	E End U	nit
					2025 S	SEATING &	Privacy	leight Back / Screen Op	otions	CANA	DA 62

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single	e, Full Height No Sci	reen								
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370
	Side Panel, Single	e, Full Height with S	creen								
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665
	O'de Devel O'rel										
	ZOP3-MPM0S	e, Mid Height No Sc Start	reen 767	829	888	1011	1131	1251	1372	1492	1732
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732
	Side Panel, Single	e, Mid Height with S	creen								
لمسما	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 30 for Dimensions and COM.



ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

DESCRIPTION/N			COM	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHEI 8	R 9	
	Semi-Private Side	Panel, Single, I		2	0		0	0	1	0	5	
	ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Start Center End	583 857 583	628 905 628	674 952 674	765 1041 765	856 1134 856	949 1224 949	1039 1315 1039	1132 1407 1132	1314 1589 1314	
	Semi-Private Side ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	e Panel, Single, I Start Center End	Mid Height 514 796 514	555 835 555	592 875 592	672 955 672	751 1033 751	829 1111 829	909 1191 909	987 1269 987	1143 1428 1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C Center E End	

ZOLA PRIVACY | MODULAR ARMS

1134 1207 1284

1358

1510

		COM		COL	FA	BRIC GF	RADES		LEATHE	R
DESCRIPTIO	N/MODEL	1	2	3	4	5	6	7	8	9
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390
	Modular Upholstered Arm w/U ZOP3-MAUREL ZOP3-MAURER*	rethane Cap 840 840	878 878	914 914	990 990	1066 1066	1141 1141	1218 1218	1292 1292	1445 1445

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

942

981

1058

906

Zola Option Upcharges	A-White		Grades A-Color B		
Solid Surface Arm Cap (per arm)	129	136	151	157	

ZOP3-MAUREC

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C	

2025 | SEATING & OCCASIONAL TABLES | CANADA | 64

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

DIMENSION									
		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Ful	I Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mid	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fu	III Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	Height Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Dou	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Dou	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	=1		COM 1	2	COL 3	FAB	RIC GRA 5	DES 6	L 7	EATHER 8	9
	Twin Single-Seat, ZOP3-MCTS30DF				5830	6268	6767	7208	7709	8335	8960
447											
	Twin Single-Seat, 3 ZOP3-MCTS30DF		Height Ba 5796	ack with 6111	Privacy S 6422	creen Optic 6862	on 7362	7800	8302	8930	9555
-	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height E 4930	Back 5213	5494	5888	6336	6731	7180	7741	8305
	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height E 5525	ack with 5806	Privacy 5 6085	Screen Opti 6480	on 6931	7323	7773	8337	8896
	Twin Single-Seat, 4 ZOP3-MCTS45DF		Height B 5867	ack 6191	6519	6977	7498	7953	8477	9130	9781
	Twin Single-Seat, ZOP3-MCTS45DF		Height B 6468	ack with 6793	Privacy S 7120	Screen Opti 7577	on 8098	8555	9079	9730	10382
Zola Privacy Option	Upcharges	\$ List							\$ List	:	
Moisture Barrier & CA Seat Power (per power Shelf Power Table Power Dual Leg (for Multiple	er unit)	64 641 600 647 80	Plu Re Re	is Upgrad movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ck covers a	t, 45° Cui Single-Sea Single-Sea	rve at, 30° Cur at, 45° Cur	ve 166		
PRODUCT CODE KEY	Sorioo	Chair Type		urve Style	c	Seat Degree		Back Type		Leg Typ	
Line ZOP Zola	Series 3 Lounge	MCT odular Curve Twir	n Sm	S all Radius-		30D		F0 Height Back	c Fre	F F F]
		MCTB Modular Curve Twin Plus		D all Radius- uble Width		45D		F2 eight Back w / Screen Opt		S Start Un] it
						60D		MO		С]
						90D	Mid	Height Back	K	Center U	nıt]
								eight Back w		End Uni	t
67 CANADA SEA	TING & OCCASIC	NAL TABLES	2025				FIVACY	Screen Opt			

	-1			COM	2	COL 3		RIC GRA			EATHER	
DESCRIPTION/MODI	-∟ Twin Single-Seat,	45° Curve,	Mid I	1 Height B		3	4	5	6	7	8	9
A G	ZOP3-MCTS45DI			5556	5850	6142	6556	7027	7438	7909	8499	9087
	Twin Single-Seat, ZOP3-MCTS45DI		Mid I	Height B 5531	ack with 5812	Privacy S 6093	creen Optio 6489	on 6938	7331	7781	8342	8905
	Twin Single-Seat, ZOP3-MCTS60Df		Full F	Height Ba 6662	ack 7045	7430	7966	8580	9116	9729	10495	11261
	Twin Single-Seat,		Full H	-								
	ZOP3-MCTS60DF	-2F		7266	7649	8033	8569	9184	9719	10333	11098	11866
	Twin Single-Seat, ZOP3-MCTS60DI		Mid I	Height B 6304	ack 6644	6983	7460	8002	8477	9020	9697	10379
	Twin Single-Seat, ZOP3-MCTS60DI		Mid I	Height B 7480	ack with 7913	Privacy S 8345	creen Optio 8955	on 9650	10259	10953	11820	12688
Zola Privacy Option	Upcharges	\$1	List							\$ Lis	t	
Moisture Barrier & Ca Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple	ver unit)	(64 641 600 647 80	Plı Re Re	us Upgrae movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ck covers a	it, 60° Cu Single-Se Single-Se	ırve eat, 45° Cu eat, 60° Cu	irve 21	4 6 2	
PRODUCT CODE KEY												
ZOP	Series	Chair Ty MCT]		S		Seat Degree		Back Type		Leg Typ	
Zola	Lounge	Modular Cur	ve Iwi		nall Radius ngle Width			Fu	II Height Ba	іск F	reestandin	ig Unit
		MCTE Modular (Twin Pl	Jurve		D nall Radius puble Widt		45D		F2 Height Back cy Screen C		S Start U	nit
							60D	-	MO		С]
							90D	Mi	d Height Ba	ack	Center L	Jnit
									Height Back		End Ur	 nit
						2025 S	EATING &		sy Screen O SIONAL 7	-	CANAI	DA 68

		COM		COL	FA	BRIC GRA	ADES		LEATHE	ER
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° C ZOP3-MCTS90DF0F	Curve, Full Height B 8312	ack 8702	9091	9644	10270	10818	11446	12225	13017
	Twin Single-Seat, 90° C	urve Full Height B:	ack with	Privacy S	creen Ont	ion				
	ZOP3-MCTS90DF2F	9265	9654	10044	10594	11223	11769	12396	13175	13969
	Twin Single-Seat, 90° C	urve Mid Height B	lack							
	ZOP3-MCTS90DM0F	7814	8159	8506	8994	9550	10040	10594	11286	11991
	Twin Single-Seat, 90° C	Curve, Mid Height B	lack with	n Privacy S	Screen Op	otion				
	ZOP3-MCTS90DM2F	7447	7838	8230	8775	9398	9945	10570	11349	12130

Zola Privacy Option Upcharges	\$ List	\$	5 List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve	516
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve	240
Table Power	647	Note: Removable back covers are not available on curv	ed backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2 Mid Height Back with Privacy Screen Options	E End Unit

<u>6</u> 7 9654 10348 1	<u>8 9</u> 1216 12086
9654 10348 1	1216 12086
0500 11000 14	0162 12020
0598 11293 17	2163 13029
8993 9619 10	0399 11179
9938 10564 1	1344 12122
	8993 9619 1

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve 404
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 30° Curve 186
Table Power	647	Note: Removable back covers are not available on curved backs


Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Ful ZOP3-MCTD45DF0F	l Height B 7754	ack 8198	8645	9269	9983	10606	11320	12211	13105
	Twin Double-Seat, 45° Curve, Ful ZOP3-MCTD45DF2F	l Height B 8706	ack with 9156	Privacy S 9600	Screen Op 10222	tion 10937	11561	12274	13167	14058
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM0F	d Height E 7346	ack 7750	8152	8715	9358	9919	10564	11367	12171
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM2F	d Height E 8304	ack with 8703	Privacy S 9108	Screen Op 9668	tion 10312	10875	11517	12320	13127

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.


Zola Privacy Option Upcharges	\$ List	\$ L	ist
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve 4	58
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° Curve 2	04
Table Power	647	Note: Removable back covers are not available on curved	lbacks



ZOLA PRIVACY | TWIN CURVED

		COM		COL	FAB	RIC GRAD	DES	L	EATHER	1
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8458	ack 8912	9363	9996	10721	11353	12079	12983	13887
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	ll Height B 9418	ack with 9873	Privacy S 10324	creen Op 10958	tion 11680	12315	13038	13944	14848
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height B 7994	ack 8404	8811	9383	10039	10609	11264	12083	12897
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	l Height Ba 8955	ack with 9363	Privacy S 9772	creen Opt 10344	ion 10995	11568	12225	13042	13858


Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 60° Curve 248
Table Power	647	Note: Removable back covers are not available on curved backs



ZOLA PRIVACY | TWIN SIDE PANELS

	COM COL FABRIC GRADES		DES	LEATHER					
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with Screen ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See **page** 40 for dimensions & C.O.M.



ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM	0	COL		BRIC GR		7	LEATHE		
DESCRIPTION/I	NODEL		I	2	3	4	5	6	1	8	9	
	Twin Semi-Private	Side Panel, Si	ngle, Full H	eight								
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981	
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694	
	Twin Semi-Private	Side Panel, Si	ngle, Mid H	leight								
	ZOP3-MSPTM0U		868	919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	FO	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	C	

Mid Height

Center /Interim

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHER	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608



	Twin Modular Upholstered	Arm w/Urethane	Сар								
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	
n II											

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade		С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE URE Upholstered Arm w/Urethane Cap	C Center /Interim	
			SSC		

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE		V	VEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538			12	2
	Tablet with Palette Fin ZOL3 T2	nish n/a	411			12	2
	Clear Glass Tablet ZOL3 T3	n/a	783			13	2
	Laminate Tablet ZOL3 T4	n/a	532	lard with a polymer edge. Ple	aco poto Zola Tablet	12	2
	handed and do not n				ase note zola Tablet	s are univ	versally
	Solid Surface Tablet ZOL3 T5AW	- Grade A Whit n/a	te 641			14	2
	Solid Surface Tablet ZOL3 T5AC	- Grade A Colo n/a	or 651			14	2
4	Solid Surface Tablet ZOL3 T5B	- Grade B n/a	686			14	2
	Solid Surface Tablet	- Grade C					

741

14 2

ZOL3 T5C

n/a

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends.

The legs offered on Zola Lounge are Silver

Metallic or Matte Black and feature glides that

are adjustable up to 1.25", which provide

leveling capability over longer spans. Caster leg





RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.

LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.

SOLID SURFACE OVERLAY

The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see **page** 116 for color options.




MEDIA & POWER

is not available.


LEGS

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	3029
ZOP3-IWF048MP	1	2404
ZOP3-ICWF0L	1	1697
ZOP3-ICWF0R	1	1697
ZOP3-RO48532416	1	1066
Total		\$12,922



Total		\$11,215
ZOP3-ICTWM0R	1	1715
ZOP3-ICTWM0L	1	1715
ZOP3-M2M0F	3	2595
Model	Qty	Price (\$)

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGH ⁻	T CUBE
	Inline Wall, Full Height 42"								
	ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	2" 1242	1827	1734	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	8" 1330	2010	1834	48	12	37	102	15.25
+	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	4" 1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1506	2186	2033	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	Ν
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	М
				54"	Media
				60	MP
				60"	PowerDoc & Media

PowerDoc & Media

2025 | SEATING & OCCASIONAL TABLES | CANADA | 78

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	IODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	cs, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	cs, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	cs, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	cs, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	cs, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	cs, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

ODUCT CODE KEY					
Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	М
				54"	Media
				60	MP
				60"	PowerDoc & Med

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	IODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
\square	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

	Grades					
Option	A-White	A-Color	В	С		
ZOP3-IWF042N	427	446	556	662		
ZOP3-IWF048N	478	500	622	745		
ZOP3-IWF054N	530	555	693	829		
ZOP3-IWF060N	555	607	761	913		

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position
ZOP	3	ICW	FO	L
Zola	Lounge	Inline Corner Wall	Full Height	Left
			MO	R
			Mid Height	Right

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/M		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGH ⁻	T CUBE
	Inline Table Wall, Full Height 23' ZOP3-ITWF023N	987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30' ZOP3-ITWF030N	, 1163	1946	1684	30	25.7	50	125	26.5
\square	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	" 910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	, 1086	1643	1596	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs, ZOP3-ITWF023P	Full Height 23" 1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs, ZOP3-ITWF030P	Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs, ZOP3-ITWM023P	Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs, ZOP3-ITWM030P	Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP Zola	3 Lounge	ITW Inline Table Wall	F0 Full Height M0	23 23" 30	N None P
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MC	DDEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	нν	VEIGHT (CUBE
	Inline Corner Table Wall, F ZOP3-ICTWF0L ZOP3-ICTWF0R	Full Height 1776 1776	2678 2678	2178 2178	28 28		50 50	140 140	31 31
\square	Inline Corner Table Wall, I ZOP3-ICTWM0L ZOP3-ICTWM0R	Mid Height 1715 1715	2566 2566	2108 2108	28 28	28 28	37 37	127 127	23 23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

	Grades						
Option	A-White	A-Color	В	С			
ZOP3-ITWF023N	483	508	632	756			
ZOP3-ITWF030N	605	635	796	957			
ZOP3-ITWM023N	483	508	632	756			
ZOP3-ITWM030N	605	635	796	957			
ZOP3-ITWF023P	483	508	632	756			
ZOP3-ITWF030P	605	635	796	957			
ZOP3-ITWM023P	483	508	632	756			
ZOP3-ITWM030P	605	635	796	957			
ZOP3-ICTWF0	607	637	801	961			
ZOP3-ICTWM0	607	637	801	961			

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

Right

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position
ZOP	3	ICTW	F0	L
Zola	Lounge	Inline Corner Table Wall	Full Height	Left
			MO	R

Mid Height

DESCRIPTION/MC	DDEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline ZOL4-RO48-302416 ZOL4-RO48-372416 ZOL4-RO48-532416 ZOL4-RO48-762416	Wall 904 954 1066 1231	1279 1380 1615 1953	1389 1455 1603 1818	30 37 53 76	24 24 24 24	16 16 16 16	25 30 40.5 56	3.75 4.5 5.75 7.5

	Run-off Table for 54" Inline Wall								
	ZOL4-RO54-303016	957	1252	1459	30	30	16	35	4.25
	ZOL4-RO54-373016	1018	1379	1540	37	30	16	41	5.25
	ZOL4-RO54-533016	1163	1671	1728	53	30	16	54	6.75
U	ZOL4-RO54-763016	1370	2092	1995	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS


	Wood Tablet & Mounting Plate Only ZOL3 RT1 Beech			
	Maple /Cherry	381 405	5 5	0.32 0.32
	Painted Tablet & Mounting Plate Only ZOL3 RT2 n/a	278	5	0.32
	Clear Glass Tablet & Mounting Plate Only ZOL3 RT3 n/a	651	6	0.32
	Laminate Tablet & Mounting Plate Only ZOL3 RT4 n/a	397	5	0.32
	Solid Surface Tablet & Mounting Plate Or ZOL3 RT5 Grade - A-White Grade - A-Color Grade - B Grade - C	ly 539 547 577 624		
	ORDERING NOTES: The Zola replacement	ent tablets on this page include the top v	vith mounting plate only.	
	Leg ZOL3 RLS	58	1	0.125
	Caster Leg ZOL3 RLC	39	0.4	0.125
	Dual leg ZOL3 RDL	100	1	0.125
	Leg Glide (4) ZOL3 RLG	24	0.2	0.01
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Replacement Seat-to-Seat Bracket ZOL3 RLKB2	95	1	0.125
		each seat is automatically supplied with tw	vo seat to seat brackets	
	Replacement Table-to-Seat Bracket ZOL3 RLKB1	114	3	0.125
	ZOL3-POWERDOC1 - Undermount	573	3	0.375
		Seats and Tables as a replacement part or in ower and USB A & C outlets. PowerDoc's		ously spec-
· · ·	ZOL3-POWERDOC2	647	3	0.375
		es or Square/Rectangular tables which we A & C outlets. PowerDoc's have a 10' cord		this power
	Wire Manager Shroud ZOL3 WM10	120	1	0.375
- Senter	ORDERING NOTES: Comes in a 10' len	gth when ordered. Can be cut to size on si	te.	

ZOLA PRIVACY | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
and the second sec	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
BD	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
10 	Back-to-Seat Linking hardwareZOP3-RLKS169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
	ZOP3-POWERDOC3 - Shelves only 610 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 187	1	0.375

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION





BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
·		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	871	916	963	1053	1139	1227	1314	1398	1535
	One-Seat Plus ZOL3 MSB1S1	1098	1146	1195	1289	1384	1480	1572	1668	1810
	ORDERING NOTES: One-S	eat Plus B	ench is 30)" wide.						
	Two-Seat ZOL3 MS2S1	1218	1272	1330	1447	1566	1685	1803	1922	2118
	Two-Seat Plus ZOL3 MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214
	ORDERING NOTES: The Tw	/o-Seat Plu	us comes	standard	with a fifth	leg for ext	tra suppor	t.		
	Three-Seat ZOL3 MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748
	Three-Seat Plus ZOL3 MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946
	ORDERING NOTES: The Th	ree-Seat F	Plus come	s standard	d with a fift	h leg for e	xtra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

·		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555
	One-Seat Plus ZOL3 MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905
	ORDERING NOTES: One-S	Seat Plus E	Bench is 30)" wide.						
$\langle \rangle$	Two-Seat ZOL3 MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166
	Two-Seat Plus ZOL3 MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218
	ORDERING NOTES: The T	wo-Seat Pl	lus comes	standard	with a fifth	leg for ex	tra suppor	t.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL2 MSP251	1921 1988	2016 2085	2108 2176	2236 2310	2388 2460	2522 2591	2671 2742	2859 2928	3047 3117
٠T	ZOL3 MSB3F1	1900	2003	2170	2010	2400	2331	2142	2320	5117

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of **\$107 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of **\$77 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

OBCCI COBEILEI					
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL	3	MS	1	S	1
Zola	Soft Seating	Modular	One Seat	Standard Depth	Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)


	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat			0				
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	

COM YARDAGES	6				
	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	per Seat	2 Seats	3 Seats	4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	

SINGLE SEAT




30° Curve



45° Curve


22.57 22.57 43.5 60°

60° Curve




90° Curve


DOUBLE SEAT



30° Curve



44" 22.5" 60° 60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)


	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat		-		· · · · ·			
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	


COM Yardages

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	


SINGLE SEAT









60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Curve, Star ZOL3 MCS30DS1	ndard Der 1251	oth 1361	1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Sta ZOL3 MCS45DS1	ndard Der 1361	oth 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Star ZOL3 MCS60DS1	ndard Dep 1539	oth 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Sta ZOL3 MCS90DS1	ndard Der 1776	oth 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL	3	MC	S	30D	S	1
Zola	Soft Seating	Modular	Single	30 Degree	Standard	Standard Leg + Glide
		MCB	D	45D	F	
		Modular Plus	Double	45 Degree	Full	
		Flus		60D		
				60 Degree		
				90D		
				90 Degree		

2025 | SEATING & OCCASIONAL TABLES | CANADA | 90

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Sta ZOL3 MCD30DS1	ndard Dep 2190	oth 2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, Sta ZOL3 MCD45DS1	ndard Der 2385	oth 2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, Sta ZOL3 MCD60DS1	ndard Der 2694	oth 2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, Sta ZOL3 MCD90DS1	ndard Dep 3105	oth 3424	3740	4184	4691	5135	5640	6273	6909

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	Double	45D 45 Degree 60D 60 Degree	Full	
91 CANADA SE	ATING & OCCASI	ONAL TABLES 2	2025	90D 90 Degree		

DESCRIPTION/MOD	FI	COM	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	•	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	l Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	l Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	l Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

Upcharge for Removable Upholstery Covers:

\$ List
93
101
123
127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree	Full	
				60D 60 Degree		
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHEI 8		COM YARDAGE	WEIGHT	CUBE
	Replacement Back Sing ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	-	1247 1443 1772		1443 1659 2064 2272	1569 1801 2257 2476	1686 1924 2431 2652	1815 2066 2628 2854	1977 2244 2870 3109	2136 2423 3113 3363	1.9 2.6 2.6 2.8	20 22 23 28	8 8 10 11
	Replacement Back Dou ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D	uble-sea 2042 2369 2884 3220		2324 2681 3313	2524 2898 3610 3975	2747 3147 3954 4331	2947 3367 4252 4641	3172 3617 4595 4995	3456 3929 5022 5440	3739 4239 5448 5884	2.8 3 4.8 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sing ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	-	t Outsi 1122 1298 1593 1772	1197 1380 1704	/e 1298 1492 1858 2045	1415 1620 2033 2228	1515 1732 2190 2386	1633 1861 2361 2569	1778 2020 2584 2798	1923 2182 2803 3028	1.7 1.7 1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Dou ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	uble-sea 1839 2133 2596 2898	1965 2272 2789	ide Cur 2092 2412 2983 3299	ve 2271 2610 3249 3578	2473 2833 3559 3896	2652 3030 3827 4177	2857 3252 4133 4498	3111 3535 4520 4897	3366 3816 4903 5295	3.1 3.1 3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sing ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	1143 1258 1437	1258 1421 1598	ard Dep 1372 1443 1765 1998	1529	1708 2080 2255	1866 2312 2487 2794	2046 2570 2747 3082	2272 2902 3077 3446	2496 3231 3408 3809	1.8 1.8 1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Dou ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS	ble-sea 2084 2280 2589 2966	2280 2567 2878	dard De 2478 2854 3163 3602	pth Cu 2751 3257 3565 4042	3069	3344 4118 4427 4994	3662 4579 4888 5502	4057 5605 5464 6136	4449 5727 6039 6767	3.4 3.4 3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sing ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1270 1394	1393 1573 1771	epth Cu 1518 1755 1951 2211	1691 2010		2063 2552 2744 3090	2263 2839 3035 3405	2507 3202 3397 3804	2757 3563 3759 4205	1.94 1.94 1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Dou ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2410 2637	2637 2968 3322	2863 3297	3182 3761 4116	4289 4645	4754 5109	4223 5281 5636 6347	4678 5941 6297 7074	5131 6603 6960 7806	3.7 3.7 3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	223 229 265	le-seat 279 286 321 345	Standa 337 344 380 404	ard Dep 416 424 458 483	oth Curv 510 516 552 573	re 590 597 632 655	680 689 725 746	796 805 840 864	912 917 955 978	1.8 1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Cov ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	388 394 446	ble-sea 494 507 556 571	t Stand 603 614 664 679	757 765 815	pth Cur 930 939 988 1008	1083 1090 1140	1257 1265 1314 1333	1474 1482 1533 1551	1691 1698 1748 1768	3.4 3.4 3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	gle-seat	t Full De	epth Cu	irve							
$\langle \rangle$	ZOL3 RMCBSCS30D	F 246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3 RMCBSCS45D	F 256	320	386	478	582	672	778	906	1036	1.94	3.6	1
	ZOL3 RMCBSCS60D	F 295	359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3 RMCBSCS90D	F 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	over Dou	ible-sea	at Full D	epth C	urve							
$\langle \rangle$	ZOL3 RMCBSCD30D	F 433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	F 441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	F 493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	F 530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

Certified Wood

(MUST BE REQUESTED)

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

1 point(s)



rk of reenoneible f



AIR-FMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.



INACCESSIBLE STAPLES

LIGATURE RISK REDUCTION

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

This product has been designed to minimize the ability

to use it for ligature - the closed arm panels, the elimination

of legs, and the option of Restricted Access Upholstery

significantly reduce the points on the product that could

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows: One Seat - 300lbs Two Seat - 525 Three Seat - 750 One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150

ADDITIONAL FEATURES • Lifetime warranty

Certified to meet CAL 117 with most fabrics



SPRINGLESS SEAT CONSTRUCTION A very comfortable and durable sit is achieved without

internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.



ARM PANEL BASE

be used for ligature.

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.



SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.



RESTRICTED ACCESS

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery. This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and restricted access to the interior of the chair

ZOLA BEHAVIORAL HEALTH | OPTIONS



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.

WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

TABLES

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire	COM 2 Entire	COM 3 Entire	COM 4 Entire
	Unit	Units	Units	Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

COM YARDAGES (Individual Components)

	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms	
One-Seat	5.25	1.75	2.4	3.3	4.2	
Two-seat	8.5	1.75	2.4	3.3	4.2	
Three-seat	12.5	1.75	2.4	3.3	4.2	
One-Seat (Plus)	7	1.75	2.4	3.3	4.2	

Upcharge for Removable Upholstery Covers:

Urethane Arm Caps (pair)

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

Zola Behavioral Health Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Floor Anchoring Hardware	94	
One-Seat Metal Bottom Shield (to min 80lbs)	115	
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134	
Two-seat Metal Bottom Shield (to min 80lbs)	170	
Three-seat Metal Bottom Shield (to min 80lbs)	242	

242

ZOLA BEHAVIORAL HEALTH | LOUNGE

DECODIDITION		COM						7	LEATHER		
DESCRIPTION	MODEL One-Seat	1	2	3	4	5	6	7	8		
	ZOL3 BHF1221	2661	2814	2967	3219	3478	3730	3991	4098	4	
	Two-Seat ZOL3 BHF2221	3802	3984	4160	4425	4702	4970	5246	5532	5	
	Three-Seat ZOL3 BHF3221	5049	5302	5556	6048	6541	7032	7527	8036	8	
Upcharge for Removal Option Upcharge Arms (Right or Left)	\$ List 77	Option Upo One-Seat s	eat	\$	5 List 47						
One-Seat back	68	Two-seat se			68						
Two-seat back	97	Three-seat			85						
Three-seat back One-Seat plus back	121 77	One-Seat p	ius seat		61						
Zola Behavioral Health (Option Upcharges	\$ List									
CAL 133 & Moisture Ban Floor Anchoring Hardwa One-Seat Metal Bottom One-Seat Plus Metal Bot Two-seat Metal Bottom Three-seat Metal Bottom Urethane Arm Caps (pair Combination Upholstery Combination Upholstery	re Shield (to min 80lbs) ttom Shield (to min 80 Shield (to min 80lbs) n Shield (to min 80lbs)) - dual fabrics	170									
PRODUCT CODE KEY											
Line	Series C	hair Type	Seat C	ount	Back T	уре	Arm Ty	pe	Leg Typ	e	

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

\$ List
64
94
115
134
170
242
242
33
64

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	1 3" Runner
		FB Freestanding Plus	2 Two Seat			
			3			

Three Seat

ZOLA BEHAVIORAL HEALTH | PLUS LOUNGE

DESCRIPTION	MODEL	COM	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
	One-Seat Plus ZOL3 BHFB1221	2951	3100	3255	3508	3764	4020	4277	4551	4917
	Two-Seat Plus ZOL3 BHFB2221	3886	4074	4246	4515	4790	5056	5332	5622	6036
	ORDERING NOTE:	The Two-	Seat Plus c	omes sta	ndard with	center su	pport.			
	Three-Seat Plus ZOL3 BHFB3221	5150	5406	5657	6151	6644	7133	7631	8140	8964
ola Behavioral Health O	ption Upcharges	\$ List								
AL 133 & Moisture Barri loor Anchoring Hardware ne-Seat Metal Bottom S ne-Seat Plus Metal Bott wo-seat Metal Bottom S hree-seat Metal Bottom rethane Arm Caps (pair)	e shield (to min 80lbs) om Shield (to min 80lbs) hield (to min 80lbs)	64 94 115 134 170 242 242								
Combination Upholstery - Combination Upholstery -	Three fabrics	33 64	EPLAC	EME	NT CO	OMPC	NENT	S		
Description Mode	el Price								Weight	Cube
Repla ZOL3	acement Arm Panel Bas BRBCS 169	e							6	.5
	acement Floor Mounting BRFMB 113	Bracket (s	set of 4)						2	.5
RODUCT CODE KEY										
ZOL Zola So	Series Chair 3-BH F oft Seating Freesta		Seat Co		Back Ty 2 Upholste Back - no	ered	Arm Typ 2 Upholste Arms - no	red	Leg Type	
	F Freesta Plu		2 Two Se	eat						

3 Three Seat

ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES


Description	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top w/ PVC edge Beech	Wood side Laminate top w/ Wood edge Maple	Wood side Laminate top w/ Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	1390 1779	1351 1756	1109 1403	1318 1673	1356 1728	1374 1743	1411 1795
	Rectangular Table ZOL4-BH241818	1604	1573	1254	1512	1558	1569	1618
	ZOL4-BH482418	2696	2642	2155	2515	2593	2611	2692
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	1199 1465 2838	1245 1522 2719	1276 1612 2996	1109 1377 2745	1228 1506 2705	1237 1458 2851	1355 1588 2808
Zola Behavioral	Health Option Upch	arges	\$ List					
Floor Anchoring I			91					
	- Weighting to min - Weighting to min		348 239					
ZOL4-BH241818 ZOL4-BH482418		129 n/a						
	- Weighting to min 8		388					
	 Weighting to min 8 standard exceeds 		239 n/a					
ORDERING NOT	E: Additional weigh	t levels ar	e availat	ole, contact cus	stomer service for	quotes.		

TABLE DIMENSIONS

2	-						Weight with		
	Model		W	D	Н	Weight	Solid Surface top	Cube	
	Causana Tablas	701 4 011101010	18	18	18	39	48	4.0	
1	Square Tables	ZOL4-BH181818 ZOL4-BH242418	24	18	18	64	80	5.2	
Ц	Rectangular Tables	ZOL4-BH241818	24	24	18	51	63	6.9	
	nectangular tables	ZOL4-BH241010 ZOL4-BH482418	48	24	18	123	156	13.5	
	Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0	
		ZOL4-BH24D18	24	-	18	49	62	6.9	
		ZOL4-BH30D18	30	-	18	77	98	10.6	

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a nonporous, scratch and dentresistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add **\$647 list.**

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See **page** 83 for pricing.

ZOLA MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	AMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE		
~	Middle Linking Modular Table											
\leq	ZOL4 LKM12	988	1036	1088	1140	12	16	_	22	2.8		
	ZOL4 LKM18	1044	1098	1147	1209	18	16	-	24	4.5		
	ZOL4 LKM24	1074	1155	1181	1209	24	16	_	29	4.3 5.7		
-		1074	1155	1101	1270	24	10	_	23	5.7		
	ORDERING NOTE: Middle Linking Modular Table ships with 2 KB1 brackets.											
	Rectangular End Table Square Corner											
$\langle \rangle$	ZOL4 LKE12	1053	1108	1158	1218	12	16	14.75	5 19	2.8		
	ZOL4 LKE18	1098	1155	1209	1270	18	16	14.75	5 23	4.5		
	ZOL4 LKE24	1146	1202	1263	1323	24	16	14.75	5 28	5.7		
•	ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.											
$\overline{\qquad}$	End Table Rounded	Corner										
\leftarrow	ZOL4 ECLKH12	1199	1246	1232	1284	12	12	14.75	5 18	2.5		
	ZOL4 ECLKH18	1295	1347	1342	1395	18	12	14.75	5 24	3		
Ŭ.	ORDERING NOTE:	End Linking N	Iodular Table	ships with 1 KB1	bracket.							
	Curvilinear 30° Table ZOL4 LKC30	1019	1074	1122	1181	16	16.5	-	15	2.3		
	Curvilinear 45° Table ZOL4 LKC45	1098	1155	1209	1270	16	17	-	17	2.9		

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zola Solid Surface Upcharges	A-White	Grades A-Color	в	С
	A-writte	A-Color	D	0
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE	MAPLE	W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY	W	D		WEIGHT	CUPE
DESCRIPTION	WODEL	LAMINATE	CHERRY	SIDES	SIDES	vv	D	Н	WEIGHT	CUBE
	Curvilinear 60° Tabl ZOL4 LKC60	le 1146	1209	1263	1332	16	17.5	-	20	3.7
	Curvilinear 90° Tabl ZOL4 LKC90	le 1283	1354	1411	1487	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	able 2548	2625	2802	2886	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1116	1170	1228	1288	16	19	14.75	5 18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	в	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOF W/BEECH SIDES	P LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	нw	/EIGH1	Г CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	5 1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415 ZOL4 EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	в	с
ZOL4 1818	287	301	352	409
ZOL4 2424	460	469	560	662
ZOL4 2418	343	364	433	510
ZOL4 4824	771	791	970	1170
ZOL4 18D	274	290	339	396
ZOL4 24D	410	443	533	633
ZOL4 30D	658	716	942	1136
ZOL4 EC1818	287	301	352	409
ZOL4 EC2418	343	364	433	510
ZOL4 EC2424	460	469	560	662
ZOL4 EC4824	771	791	970	1170
ZOL4 E2418	343	364	433	510
ZOL4 E3224	543	581	699	834
ZOL4 E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Η٧	VEIGHT	L CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1192	1240	1207	1257	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1354	1408	1404	1459	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1639	1705	1734	1803	25	29	14.75	27	7
	ZOL4 CR90D1815 ZOL4 CR90D2415 ZOL4 CR90D2915	1465 1730 2066	1526 1801 2148	1529 1813 2109	1585 1885 2194	17.5 36.25 44.5	18 24 29	14.75 14.75 14.75	23 29 35	3 7.5 11
		2000	21.10	2.00	2.0.					

Zola Solid Surface Upcharges	A-White	Grades A-Color	в	с
ZOL4 CR45D18	270	286	333	386
ZOL4 CR45D24	403	432	512	602
ZOL4 CR45D29	542	573	687	815
ZOL4 CR90D18	339	371	441	518
ZOL4 CR90D24	576	613	740	885
ZOL4 CR90D29	815	846	1033	1242

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.(B) all shipments that will be held in storage for an extended period
- prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and

documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products 1)
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

• Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO				
	306 PETROL	908 CHARCOAL	93 SEAL	601 PEARL
308 MIDNIGHT	84 NUTMEG	62 OATMEAL	90 LIMESTONE	
FRANKLIN				
	3009 MIDNIGHT	67 FAWN	97 CINDER	94 METAL
47 CAMEL	909 BLACK	9004 CHARCOAL	308 PETROL	108 ORCHID
COMRADE				
	84 TEAK	63 LINEN	24 ALPINE	905 IRON
309 MIDNIGHT	601 SNOW	57 MARIGOLD	31 DUCK EGG	
FELICITY				
	305 SKY	603 TAUPE	93 COAL	405 HENNA

62 FAWN

36 BLUEBERRY

601 IVORY 64 PUTTY 109 | CANADA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Stocked Fabric Program

908 DOMINO

305 MIDNIGHT

64 PUTTY

Grade 2



205 CHARTREUSE



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ 306 CADET 104 MULBERRY **61 OYSTER 31 AEGEAN** 82 CLAY 205 SPEARMINT 9008 CHARCOAL 304 CAPRI LORENZO 24 ALPINE 64 LINEN 91 FLANNEL 32 MIST 306 INDIGO 601 CREAM 106 HENNA 604 STUCCO **BISCOTTI** 45 SPICE 61 DESERT 91 GRANITE 302 CAPRI **INTRIGUE**



111 | CANADA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34

Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut

across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER cannot be scheduled into

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin

117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut SilverGrey on Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Cherry

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984–38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.


METAL FINISHES



Silver Metallic


Matte Black

URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



Dove

Deep Night Sky





All products are air emissions certified and are available as FSC® certified



solutions@krug.ca | www.krug.ca | 1.888.578.KRUG