ZOLAPrice and Specification Guide
CANADA



krug

Advancing Design Through Innovation

ZOLA | TABLE OF CONTENTS

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables


GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our







from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies

that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large , easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic and feature Floorsaver nylon glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Floor-saver felt glides, non-slip rubber glides & metal glides are optional at an upcharge. Please see page 343 for more information.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 196 for locations and page 257 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables. See page 257 for pricing.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$67 list per yard.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS







Model	Qty	Price (\$) Beech
ZOL3 M1201	5	1445
ZOL3 MS1S1	1	914
ZOL4 LKM12	1	1037
ZOL4 LKE18	1	1152
ZOL4 LKC90	1	1347
ZOL4 241815	1	1246
Total List	\$	12 921





Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1491
ZOL4 LKM18	2	1096
ZOL3 M1101	2	1593
ZOL3 MCIS90D	2	3661
ZOL3 M2101	2	2789
ZOL4 LKC90X2	1	2675
Total List	\$2	23,935





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	914	
ZOL3 MS21	2	1278	
ZOL4 LKC90	2	1347	
ZOL4 LKM18	2	1096	
Total List	5	\$9,270	

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire	COM 2 Entire	COM 3 Entire	COM 4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COM TANDAGES	(individual Co	mponents)					
	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 237.

ZOLA | LOUNGE

		COM		COL	F.	ABRIC GR	ADES	LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-F1111	2291	2416	2539	2756	2971	3187	3404	3447	3932
	One-Seat Plus ZOL3-FB1111	2539	2662	2789	3004	3221	3436	3652	3868	4182
	NOTE: One-Seat Plus is 3	0" wide l	oetween a	rms.						
	Two-seat ZOL3-F2111	3384	3544	3692	3925	4158	4391	4621	4854	5219
	Two-seat Plus ZOL3-FB2111	3478	3635	3785	4016	4247	4481	4712	4945	5311
	NOTE: The Two-Seat Plus	comes	standard w	vith a fifth I	eg for ext	ra support				
	Three-seat ZOL3-F3111	4597	4832	5062	5526	5993	6456	6923	7387	8182
	Three-seat Plus ZOL3-FB3111	4707	4940	5170	5634	6100	6565	7026	7492	8290

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair) Floor-saver felt glides Non-slip rubber glides Metal glides	112 80 254 30 18 26	Solid Surface Arm Cap (per pair)	476	487	513	539

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 237 for more information on Zola options and features. Plus versions are not available with Caster options.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

		Overall	Overall					
	Overall	Depth	Depth	Overall	Seat	Seat	Shipping	
	Width	Uph. Back	Wood Back	Height	Height	Depth	Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Height	Depth	Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

COM TAMBAGE	S - WITH AINING				
	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
	w/ Arms	w/ Arms	w/ Arms	w/ Arms	
One-Seat	4	7.25	11.5	14.5	
Two-seat	5.5	11	16	21.7	
Three-seat	7.1	13.25	19	28	
One-Seat (Plus)	4.5	9	13.5	18.3	

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	80	One-Seat - seat	49
Interim Arm	64	Two-seat - seat	71
One-Seat - back	71	Three-seat - seat	89
Two-seat - back	101	One-Seat Plus - seat	64
Three-seat - back	127		
One-Seat Plus - back	80		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 318, Zola Benches see page 286 and Zola Tablets see page 188.

ZOLA | MODULAR -WOOD BACK

			CON	Л	CC)L	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MODI	EL/SPECIES		1	2	3		4	5 6	7	8	9	
	One-Seat, Wood	or Palette	e Back,	Armless								
	ZOL3-MW1201	Beech	1445	1479	1512	1579	1644	1712	1776	1842	1944	
		Maple/	1486	1519	1554	1617	1686	1751	1818	1885	1984	
		Cherry										
		Palette	1445	1479	1512	1579	1644	1712	1776	1842	1944	
•												
	One-Seat, Wood	or Palette	e Back	w/ Uphols	tered Pad	, Armles	S					_
	ZOL3-MW1301	Beech	1676	1726	1759	1842	1908	1977	2043	2110	2241	
		Maple/	1719	1769	1800	1885	1950	2018	2084	2150	2281	
		Cherry										
		Palette	1676	1726	1759	1842	1908	1977	2043	2110	2241	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	112	
2 Casters/2 Legs (#3 Leg Type below)	80	
Floor-saver felt glides	30	
Non-slip rubber glides	18	
Metal glides	26	
Combination Upholstery - dual fabrics	34	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

			СОМ		COL		BRIC G		3 L	EATHE		СОМ	SHIPPING	-
DESCRIPTION/MODE	<u>EL</u>	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
\bigcap	One-Seat Woo	od/Palette E	Back w	/ UPH	Pad									
	ZOL3-MB13	Beech	649	664	680	714	749	781	816	848	895	0.6	21	3.1
		Maple /Cherry	698	714	730	765	798	830	848	882	949	0.6	21	3.1
		Palette	649	664	680	714	749	781	816	848	895	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)(\\ `\\)	ZOL3-MB12	Beech	449									-	19	3.1
		Maple /Cherry	491									-	19	3.1
		Palette	449									-	23	3.1

PRODUCT CODE KEY

THODOOT GODE IN	·					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with		2 Casters
				Uph Pad		
						3
						Combination
						2 Front Standard Legs

& 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MODI	EL	COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	7	LEATHER 8	R 9	
	One-Seat, Upholstered Bac ZOL3-M1101 n/a	k Armless 1593	1676	1759	1908	2058	2210	2356	2506	2772	
	One-Seat Plus, Upholstered ZOL3-MB1101 n/a	d Back, Arn 1726	nless 1776	1860	2009	2158	2306	2458	2607	2874	
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.							
	One-Seat, Upholstered Back with Arms 244 ZOL3-M1111 2681 2898 3112 3325 3544 3759 4084										
	One-Seat Plus, Upholstered ZOL3-MB1111	d Back with 2573	Arms 2696	2815	3028	3246	3458	3676	3893	4214	
	ORDERING NOTES: One-Seat Plus is 30" wide between the arms.										
	Two-seat, Upholstered Bac ZOL3-M2101 n/a	k Armless 2789	2946	3095	3325	3559	3790	4022	4259	4621	
	Two-seat Plus, Upholstered ZOL3-MB2101 n/a	Back, Arm 2880	aless 3037	3187	3419	3650	3883	4116	4349	4712	
	Two-seat, Upholstered Bac ZOL3-M2111	k with Arms 3635	s 3790	3943	4175	4406	4641	4870	5104	5470	
	Two-seat Plus, Upholstered ZOL3-MB2111	Back with 3724	Arms 3883	4035	4267	4500	4730	4964	5195	5560	
	Three-seat, Upholstered Ba ZOL3-M3101	ick Armless 4002	4234	4464	4928	5395	5860	6324	6789	7586	
	Three-seat Plus Upholstere ZOL3-MB3101	d Back Arm 4109	nless 4339	4572	5035	5503	5968	6430	6896	7693	
	Three-seat, Upholstered Ba ZOL3-M3111 n/a	ick with Arr 4845	ns 5079	5311	5777	6240	6706	7170	7633	8432	
	Three-seat Plus Upholstere ZOL3-MB3111 n/a	d Back with 4954	n Arms 5188	5418	5884	6348	6815	7277	7741	8537	

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

All Madular I Inita	nd tables will be ship	nad KD (knaaka	d down)	, ,,		`		,
All Modular Offics, a	nd tables will be ship	iped KD (knocke	u down).			Grades	;	
Zola Option Upcha	arges	List Op	otion		A-White A-	-Color	В	С
4 Casters (#2 Leg T 2 Casters/2 Legs (# Urethane Arm Caps Floor-saver felt glide Non-slip rubber glid Metal glides	ype below) 3 Leg Type below) 5 (pair) es	112 Sc 80 Sc	lid Surface Arm Cap (lid Surface Arm Cap (lid Surface Arm Cap	(per pair)	238	242 256 487 513 195 198		
PRODUCT CODE KE	Υ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Type		Leg Type	<u> </u>
ZOL	3 Lounge	M Modular MB Modular Plus Upgrade	One-Seat 2 Two-seat 3 Three-seat	1 Fully Uph Back	O Armless 1 Uph Arm 2 Urethane Arm Ca 3 Solid Surface Arm Cap	ıp (2 Froi	1 dard Leg -4 Casters 3 Combination t Standar 2 Rear Cast	s on rd Legs

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC (GRADI	ES L	EATHE	R	COM	SHIPPING	à
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr ZOL3-MAL	n 515	558	597	683	765	848	930	1011	1127	1.5	19	3.1
	ZOL3-MAR	313	556	397	003	705	040	930	1011	1127		13	0.1
	ZOL3-MAI	365	383	400	431	466	500	534	564	615	0.33	13	1.8
	Left, Right,or Interim Arr	n - Uret	hane C	ар									
	ZOL3-MALU	649	690	730	816	895	980	1064	1146	1262	1.5	20.5	3
	ZOL3-MARU ZOL3-MAIU	465	479	499	521	563	596	628	663	711	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3-MAL3, and clearly state color choice. (See page 342 for color selection)

		Grades	3	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	238	242	256	269
Solid Surface Arm Cap (per pair)	476	487	513	539
Solid Surface Arm Cap - Interim (per arm)	194	195	198	202

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R		SHIPPING	-
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3-MB11* ZOL3-MB21 ZOL3-MB31 ZOL3-MBB11			888 1171 1426 980	955 1262 1546 1046	1445	1222 1628 2008 1313	1810	1650 1991 2473 1579	2175 2707	1944 2391 2989 1885	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	727	751	775	809	849	885	922	974	1022	1.3	18	5.2
	ZOL5-24D	938	990	1043	1117	1200	1275	1361	1465	1571	1.5	26	8.5
	ZOL5-30D	1180	1240	1302	1383	1482	1566	1662	1779	1900	1.7	38	10.5
V													
	Square Seatable												
/ 7	ZOL5-1818	796	845	890	957	1033	1100	1176	1270	1368	1.3	27	5.2
	ZOL5-2424	950	1003	1054	1127	1212	1288	1372	1478	1583	1.5	38	8.5
	Rectangular Seatable												
	ZOL5-2418	873	918	967	1034	1111	1176	1253	1348	1442	1.3	31	6.6
	ZOL5-4824	1236	1302	1368	1458	1561	1650	1755	1887	2018	2.4	62	12.6

ORDERING NOTES:

The seat height is 17.5" from floor.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	I/MODEI	SPECIES	COM 1	2	COL 3	. FA	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S	SHIPPING	
<u>DEGOTIII TION</u>			-									17 (TID) TOL	WEIGHT	OODLO
	ZOL3-RBM12	Modular One-Se	eat Woo	od Bad	CK								19	3.1
<i>X</i> /// <i>X</i> //	ZULS-NDIVI 12	Maple/Cherry	425									_	19	3.1
		Palette	383									_	23	3.1
		1 diotto	303											
	Replacement	Modular One-Se	eat Wo	od Bad	ck w/ U	pholste	ered P	ad						
	ZOL3-RBM13		583	597	615	649	683	714	749	781	830	0.6	21	3.1
		Maple/Cherry	631	649	664	698	730	765	781	816	882	0.6	21	3.1
		Palette	583	597	615	649	683	714	749	781	830	0.6	25	3.1
	Replacement ZOL3-RP	Back Pad -only	234	250	267	298	333	365	400	431	480	0.6	1.6	2
	ZUL3-RP											0.6	1.6	
		Upholstered Ba	ck											
)\)	ZOL3-RBM11		757	822	888	1022	1152	1288	1585	1719	1877	1.75	23	5.2
	ZOL3-RBM21		1011	1105	1195	1379	1559	1745	1926	2110	2324	2.5	39	9.4
	ZOL3-RBM31		1246	1361	1479	1712	1944	2175	2408	2641	2920	3.5	54	14
	ZOL3-RBBM ⁻ 6.1	11	848	914	980	1114	1246	1379	1512	1644	1818		2	28
	ORDERING N	NOTES: Modular	Uphols	stered	Replace	ement E	Backs	are sur	oplied v	vith velo	ro uphol	stery that allow	ws for ass	embly of
	existing "L" br	rackets on site p	rior to a	ssem	bly to th	ne ben	ch. Re	placen	nent Ba	acks do	not inclu	ude mounting	brackets	and legs
	and Replacen	nent Seat/Bench	ies do i	not inc	lude le	gs and	joining	g bracl	kets. Th	ne hard	ware can	be transferre	ed from th	e original
	component to	the replacemen	nt comp	onent	. If new	hardw	are is	require	ed, Mod	dular Ar	ms/Back	s/Benches sl	nould be o	ordered.
	•	Replacement Up												_
	ZOL3-RAMR		456	500	539	624	705	789	873	955	1069	1.5	14	3
	ZOL3-RAML								1001	4007	1000	1 5	15.5	0
	ZOL3-RAMRU ZOL3-RAMLU		590	631	673	757	838	921	1004	1087	1203	1.5	15.5	3
		NOTES: Zola Rep												
		ware. Replaceme												
	arms with ure	ethane cap. Zola ood back units ar	replac	ement Iocian	arms a	are ava	llable fied w	With S	olla Su	riace A 'ola arm	ırm Caps	s, see option	upcnarge fied on w	cnart on
		a special - pleas								Joia airi	13. AIIII3	can be speci	iica oii w	Jou back
-														
	•	Upholstered Sea										4.00	0.5	5 0
	ZOL3-RSM1*		816	863			1096		1278		1556	1.33	25	5.2
	ZOL3-RSM2				1293		1546			1918	2125	1.75 2.5	39 50	9.4 14
	ZOL3-RSM3 ZOL3-RSMB	1			1701		2051			2573	2789	1.75	26	6.1
	ZOL3-RSMB2				1152		1353			1650	1800	1.75	39	9.4
	ZOL3-RSMB3				1396		1644			2018	2223	2.5	50	14
	ZOLO HOMBO	5	1842	1926	2009	2158	2306	2458	2607	2756	2989	2.0	00	
	Back Cover													
)\)	ZOL3-RCB1*		317	383	449	583		848		1114	1329	2	2.8	1.7
$\parallel \perp$	ZOL3-RCB2		431	534			1031			1628	1877	3	3.6	1.7
	ZOL3-RCB3	_	534	664	798		1329			2125	2458	3.75	4.3	1.7
	ZOL3-RCBB1	1	352	416	480	615	749	882	1011	1146	1347	2	2.8	1.7
	Arm Covers 5	Right, Left or Inte	rim											
	ZOL3-RCAR	agait, Lott of fille	283	333	383	480	583	683	781	882	1011	1.5	2.5	1.7
	ZOL3-RCAL		200	000	300	400	500	000	701	002	1011			
	ZOL3-RCAI		184	199	217	250	283	317	350	383	425	0.33	1.5	1.7
$\parallel \rightarrow \parallel$	ZOL3-RCARU	J	283	333		480		683	781	882	1011	1.5	2.5	1.7
	ZOL3-RCALU		200	500	500	-100	500	500	, 01	502	1011			
		NOTES: Replace					ght) ar	e spec	ified as	seated	I. ZOL3-F	RCARU & ZO	L3-RCALI	J are arm
	covers for arr	ns with the ureth	iane ari	т сар	option.									
	Seat Cover													
	ZOL3-RCS1*		283	333	383	480	583	683	781	882	1031	1.33	2.3	1.7
	ZOL3-RCS2		365	431	500	631	765	895	1031	1163	1379	1.75	2.6	1.7
-	ZOL3-RCS3		466	547	631	714	798	882	961	1046	1178	2.5	3.8	1.7
	ZOL3-RCSB1	1	431	491	547	664	781	895	1011	1127	1293	1.75	2.6	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPIN WEIGHT	G 「CUBES
	Caster Without Brake ZOL3-RC1	60					0.4	0125
	ORDERING NOTE: Caste	rs cannot be orde	ered as replac	cement item	s for plu	s units.		
	Caster With Brake ZOL3-RC2	73					0.4	0.125
	ORDERING NOTE: Caste	rs cannot be orde	ered as replac	cement item	s for plu	s units.		
	Urethane Arm Cap ZOL3-AUR ZOL3-AUL	133					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interior ZOL3-AIU	98					1.0	0.3
			A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (pe ZOL3-ASR ZOL3-ASL		238	242	256	269	1.5	0.3
	Solid Surface Arm Cap - In ZOL3-ASI	nterim (per arm)	194	195	198	202	1.0	0.3
DESCRIPTIC	ON MODEL	SPECIES	PRICE				WEIGH	HT CUBE
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	539 564				12	2
	Tablet with Palett ZOL3-T2	e Finish n/a	431				12	2
	Clear Glass Table ZOL3-T3	it n/a	822				13	2
	Laminate Tablet ZOL3-T4	n/a	558				12	2
	ORDERING NOT handed and do n					mer edge. P	Please note Zola Tablets are ι	universally
	Solid Surface Tab ZOL3-T5AW	olet - Grade A Wh	ite 673				14	2
	Solid Surface Tab ZOL3-T5AC	olet - Grade A Col n/a	or 683				14	2
	Solid Surface Tab ZOL3-T5B	olet - Grade B n/a	720				14	2
	Solid Surface Tab							

DIMENSIONS	INSIDE CURVE
	Overall
	\\/id+b


DIMENSIONS IN							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

COM Taraages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45°	1.7 1.7	2.95 2.95	4.65 4.65	5.9 5.9	1.8 1.8	3.6 3.6	5.4 5.4	7.2 7.2
60° 90°	1.7 1.7 1.7	2.95 2.95 2.95	4.65 4.65	5.9 5.9 5.9	1.8 1.8 1.8	3.6 3.6 3.6	5.4 5.4 5.4	7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133

DESCRIPTION/MOD	EL	COM 1	2	COL 3	F <i>A</i> 4	ABRIC GRA	ADES 6	7	LEATHER 8	3
	Single-Seat, 30° Inside Curve ZOL3-MCIS30D1	2417	2553	2686	2878	3094	3287	3502	3771	4043
	Single-Seat, 30° Inside Curve ZOL3-MCBIS30D1	Plus 2518	2656	2789	2979	3197	3387	3603	3875	4146
	Single-Seat, 45° Inside Curve ZOL3-MCIS45D1	2844	3016	3189	3434	3714	3958	4238	4587	4939
	Single-Seat, 45° Inside Curve ZOL3-MCBIS45D1	Plus 2958	3133	3304	3552	3830	4074	4353	4704	5053
	Single-Seat, 60° Inside Curve ZOL3-MCIS60D1	3222	3396	3568	3815	4093	4337	4616	4966	5316
	Single-Seat, 60° Inside Curve ZOL3-MCBIS60D1	Plus 3352	3525	3699	3946	4225	4469	4748	5097	5447
	Single-Seat, 90° Inside Curve ZOL3-MCIS90D1	3661	3880	4099	4405	4756	5062	5412	5852	6292
	Single-Seat, 90° Inside Curve ZOL3-MCBIS90D1	Plus 3834	4055	4271	4580	4928	5236	5586	6027	6466
	Single-Seat, 30° Outside Curv ZOL3-MCOS30D1	e 2175	2299	2419	2588	2786	2957	3151	3396	3638
	Single-Seat, 30° Outside Curv ZOL3-MCBOS30D1	e Plus 2277	2400	2523	2692	2885	3058	3251	3497	3740
	Single-Seat, 45° Outside Curv ZOL3-MCOS45D1	e 2557	2715	2874	3093	3344	3564	3815	4130	4444
	Single-Seat, 45° Outside Curv ZOL3-MCBOS45D1	e Plus 2673	2830	2989	3208	3458	3680	3930	4246	4558
	Single-Seat, 60° Outside Curv ZOL3-MCOS60D1	e 2901	3056	3214	3433	3685	3903	4155	4470	4784
	Single-Seat, 60° Outside Curv ZOL3-MCBOS60D1	e Plus 3032	3187	3346	3565	3816	4036	4287	4600	4915
	Single-Seat, 90° Outside Curv ZOL3-MCOS90D1	3293	3489	3688	3962	4280	4557	4873	5267	5662
	Single-Seat, 90° Outside Curv ZOL3-MCBOS90D1	e Plus 3468	3663	3862	4137	4454	4731	5049	5442	5836

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

I HODOOT CODE K						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

90 Degree

DECORIDEION/MODE		COM	0	COL		BRIC GRA		7	LEATHE	
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3-MCID30D1	4229	4464	4705	5034	5414	5746	6127	6603	7075
	Double-Seat, 30° Inside Curve ZOL3-MCBID30D1	Plus 4391	4625	4864	5194	5574	5909	6288	6763	7237
	Double-Seat, 45° Inside Curve ZOL3-MCID45D1	4972	5279	5583	6008	6497	6927	7417	8026	8636
	Double-Seat, 45° Inside Curve ZOL3-MCBID45D1	Plus 5162	5469	5771	6198	6687	7116	7604	8213	8826
	Double-Seat, 60° Inside Curve ZOL3-MCID60D1	5635	5941	6245	6674	7162	7590	8080	8689	9300
	Double-Seat, 60° Inside Curve ZOL3-MCBID60D1	Plus 5838	6144	6448	6876	7366	7792	8282	8892	9503
	Double-Seat, 90° Inside Curve ZOL3-MCID90D1	6403	6788	7172	7709	8321	8859	9473	10242	11009
	Double-Seat, 90° Inside Curve ZOL3-MCBID90D1	Plus 6634	7020	7401	7942	8553	9090	9706	10473	11240
	Double-Seat, 30° Outside Curv ZOL3-MCOD30D1	ve 3807	4019	4234	4531	4875	5174	5516	5941	6372
	Double-Seat, 30° Outside Curv ZOL3-MCBOD30D1	ve Plus 3965	4179	4394	4691	5034	5334	5675	6101	6532
	Double-Seat, 45° Outside Curv ZOL3-MCOD45D1	ve 4476	4751	5025	5409	5849	6234	6674	7225	7772
	Double-Seat, 45° Outside Curv ZOL3-MCBOD45D1	ve Plus 4664	4941	5214	5597	6038	6422	6862	7413	7961
	Double-Seat, 60° Outside Curv ZOL3-MCOD60D1	ve 5072	5347	5622	6006	6445	6831	7271	7819	8369
	Double-Seat, 60° Outside Curv ZOL3-MCBOD60D1	ve Plus 5274	5550	5825	6209	6649	7033	7474	8023	8572
	Double-Seat, 90° Outside Curv ZOL3-MCOD90D1	ve 5762	6109	6453	6937	7490	7973	8527	9220	9909
	Double-Seat, 90° Outside Curv ZOL3-MCBOD90D1	ve Plus 5993	6340	6684	7169	7723	8205	8759	9448	10139


ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


NODOOT GODE K	L-1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION

level® CERTIFICATION



AIR EMISSIONS All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.



The mark of responsible forestry

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature Floorsaver nylon glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Optional Floor-saver felt glides, Non-slip rubber glides or metal glides are optional at an upcharge. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

Tables are available in veneer, high pressure

laminate or Palette finishes - and an optional solid

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB A & C out-

lets for multiple devices can be located on the front face of Middle or End Tables (not available on



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



curvilinear models). PowerDoc's have a 10' cord. MODULAR ARM

Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & Coutlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 251 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$679 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS


Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model	Qty	Price (ea)
ZOP3-M1F1S	1	2482
ZOP3-MCIS90DF1C	2	6159
ZOP3-M2F1C	4	3741
ZOP3-M1F1S	1	2482


Total \$32,2462






Total	•	\$32,485
ZOL4-30D15	1	1460
ZOP3-MCID60DF0E	1	6205
ZOP3-MCID60DF0C	3	6205
ZOP3-MCID60DF0S	1	6205
Model	Qty	Price (ea)


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2724
ZOP3-MCIS90DM0C	2	4799
ZOP3-M2M0C	1	2724
ZOP3-M2M0E	1	2724
ZOL4-242415	1	1246


Total \$19,016






Model	Qtv	Price (\$)
ZOL4-LKE18	4	1152
ZOP3-MB1F1S	2	3009
ZOP3-MCID90DF1C	2	8266
ZOP3-MB1F1E	2	3009
ZOL4 E482915	1	2116

Total \$35,292





Total		\$14,428
ZOP4-E482915	1	2116
ZOP3-MPF0E	2	993
ZOP3-M3F0C	2	4170
ZOP3-MPF0S	2	993
Model	Qty	Price (\$)

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

I B. A	vic.	\sim	NS

DIMENSIONS		1A7 -111-						
	Overall	Width Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured Fu	ıll Height Bacl	•						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES	•							
COM TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	ıll Height Bacl	√Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Bacl	c/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAB	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	One-Seat Plus with Private ZOP3-PCB1MPF0	Modular S 4153	ide Panel 4481	and Full H 4812	eight Back 5388	5993	6570	7176	7836	8884	
	One-Seat Plus with Semi-F ZOP3-PCB1SMPF0	Private Mod 3390	dular Side 3627	Panel and 3867	Full Height 4261	Back 4684	5079	5503	5979	6664	
	One-Seat Plus with Private ZOP3-PCB1MPM0	Modular S 3663	ide Panel 3902	and Mid H 4140	leight Back 4555	4989	5399	5836	6314	7050	
	One-Seat Plus with Semi-F ZOP3-PCB1SMPM0	Private Mod 3132	dular Side 3324	Panel and 3521	Mid Heigh 3846	t Back 4193	4517	4865	5255	5815	

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTI	ON UPCHARGES	\$ List			\$ List
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Combination Upholstery - dual fabrics Combination Upholstery -Three fabrics		67 673 34 67	Floor-saver felt Non-slip rubber Metal glides	•	30 18 26
PRODUCT CODE KE	Υ				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		

Three-Seat

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRA	DES		LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Two-Seat with Privat ZOP3-PC2MPF0	e Modular 4799	Side Pan 5194	el and Ful 5593	l Height Ba 6268	ack 6985	7659	8375	9175	10372	
	Two-Seat Plus with F ZOP3-PCB2MPF0	Private Mo 4937	dular Side 5331	e Panel an 5728	d Full Heig 6403	ght Back 7122	7795	8512	9311	10508	
	Two-Seat with Semi-	Private M	odular Sic	le Panel a		0					
	ZOP3-PC2SMPF0	4035	4340	4647	5141	5677	6169	6705	7318	8152	
	Two-Seat Plus with S		ite Modula 4478	ar Side Pa 4784	nel and Fu 5278	ıll Height E 5813	Back 6307	6840	7456	8288	
	Two-Seat with Privat	e Modular	Side Pan	el and Mid	d Height B	ack					
	ZOP3-PC2MPM0	3969	4261	4553	5051	5572	6063	6589	7177	8033	
	Two-Seat Plus with F										
	ZOP3-PCB2MPM0	4104	4398	4690	5188	5708	6200	6726	7313	8169	
	Two-Seat with Semi-	Private M	odular Sic	le Panel a	nd Mid He	ight Back					
	ZOP3-PC2SMPM0	3434	3685	3933	4339	4775	5179	5616	6116	6797	
	Two-Seat Plus with S		ite Modula 3822	ar Side Pa 4070	nel and Mi 4477	id Height E 4912	Back 5317	5755	6253	6934	

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver felt glides	30
Seat Power (per power unit)	673	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	34	Metal glides	26
Combination Upholstery -Three fabrics	67		

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Three-Seat with Privat ZOP3-PC3MPF0	e Modular 5769	Side Pane 6237	el and Ful 6709	Height Ba 7487	ack 8319	9096	9929	10871	12213
	Three-Seat Plus with F ZOP3-PCB3MPF0	Private Mo 5975	dular Side 6442	Panel and 6914	d Full Heig 7693	ht Back 8524	9301	10134	11075	12419
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Full Hei	aht Back				
	ZOP3-PC3SMPF0	5006	5384	5762	6359	7011	7605	8257	9016	9993
	Three-Seat Plus with S ZOP3-PCB3SMPF0	Semi-Priva 5212	te Modula 5588	r Side Pai 5968	nel and Fu 6565	ll Height E 7215	3ack 7813	8461	9222	10198
	Three-Seat with Privat	e Modular	Side Pan	el and Mic	Height B	ack				
	ZOP3-PC3MPM0	5148	5506	5863	6455	7087	7674	8306	9024	10025
	Three-Seat Plus with F ZOP3-PCB3MPM0	Private Mo 5352	dular Side 5713	Panel and 6070	d Mid Heig 6661	ght Back 7292	7879	8512	9229	10231
	Three-Seat with Semi- ZOP3-PC3SMPM0	Private Mo 4615	odular Sid 4930	e Panel ar 5244	nd Mid He 5744	ight Back 6289	6789	7334	7965	8789
	Three-Seat Plus with S ZOP3-PCB3SMPM0	Semi-Priva 4820	te Modula 5135	r Side Pai 5450	nel and Mi 5949	d Height E 6494	Back 6995	7539	8170	8996

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver felt glides	30
Seat Power (per power unit)	673	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	34	Metal glides	26
Combination Upholstery -Three fabrics	67		

PRODUCT CODE KEY

ODOO! OODE KE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with F	ull Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with N	/lid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
	Offic	Offico	Offico	Office	Daok	Daono	Buono	Baono		Ocaio	Ocaio	
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	135	_
Plus Upgrade Three-Seat	195	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

Dimensions a	001111111	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.1	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	orod Arm.	w/8alid 8	rface Con									
	ered Arm \			20 2F	20	1 1	1 22	0.11	2.0	2.56	1 11	5
ZOP3-MASSCL ZOP3-MASSCR		3 3	14.5 14.5	20.25 20.25	28 28	1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5 5
		3		20.25	28 28	1.1			2.8			5 5
ZOP3-MASSCI*		3	14.5	20.25	20	1.1	1.33	2.11	2.8	3.56	4.44	5

DESCRIPTION/I	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR	ADES 6	7	LEATHE 8	R 9
	One-Seat, Full He ZOP3-M1F0F	ght Back	2020	2163	2304	2507	2740	2944	3176	3458	3760
	One-Seat, Full He	ght Back with Shelf Optio Beech/Laminate Maple/Palette	n 2482 2583	2625 2723	2767 2868	2970 3070	3204 3301	3406 3507	3636 3738	3922 4020	4223 4321
	42", 36" or 30". Fr	ES: When ordering units weestanding, Start and End 318 list upcharge per unit	units with	n the she	If option	require co	ounterba	lance we	eight add	ded to ea	ch sea
	One-Seat, Full Hei ZOP3-M1F2F	ght Back with Privacy Scr	reen Optio 2319	on 2459	2602	2804	3036	3241	3472	3756	4058
	ORDERING NOTI	ES: Units with Privacy Scre	en Optio	n are not	available	with Rem	novable E	Back Cov	ver optior	1.	
	One-Seat, Mid He ZOP3-M1M0F	ight Back	1901	2013	2127	2284	2465	2627	2806	3032	3264
	One-Seat, Mid He ZOP3-M1M1_	ight Back with Shelf Optic Beech/Laminate Maple/Palette	2364 2463	2474 2574	2587 2688	2745 2848	2928 3027	3089 3187	3269 3369	3493 3595	3724 3825
	42", 36" or 30". Fr	ES: When ordering units weestanding, Start and End 318 list upcharge per unit.	units with	n the she	If option	require co	ounterba	lance we	eight add	ded to ea	ch sea
	One-Seat, Mid He ZOP3-M1M2F	ight Back with Privacy Sci	reen Optio 2196	on 2307	2422	2583	2763	2922	3104	3327	3559
	ORDERING NOTE	ES: Units with Privacy Scre	en Optio	n are not	available	with Rem	novable E	Back Cov	ver optior	1.	
	ption Upcharges	\$ List							List		
Removable Sea	. ,) 67 49 71 630 673	Flo No	or-save	for Multip r felt glide Ibber glid es	es	onfigurat	ions)	84 30 18 26		
Line	Series	Chair Type	Se	at Count		Back	Туре		Leg	ј Туре	
ZOP Zola	3 Lounge	M Modular		1 ne Seat 2 vo Seat	F	Full Height	ht Back Back with	1	Freesta	Fnding Unit	
			Th	3 ree Seat		Shelf C F2 full Height rivacy Screen	Back with		Cent	cer Unit	
						Mid Heig	ht Back			d Unit	

M2
Mid Height Back with
Privacy Screen Option

Mid Height Back with Shelf Option

ESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHER 8	ç
	One-Seat Plus, Full Heigh	t Back			-		-			-	
	ZOP3-MB1F0F		2533	2676	2818	3022	3253	3456	3688	3974	
	One-Seat Plus, Full Heigh	t Back with Shel	f Option								
	ZOP3-MB1F1_ Beech/L Maple/P		3009 3111	3151 3251	3293 3396	3496 3599	3730 3829	3931 4035	4163 4266	4448 4550	
	ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$318 list	ing, Start and En	nd units wit	th the sh	elf optior	require o	counterba	lance w	eight ad	ded to eac	h s
	One-Seat Plus, Full Heigh	t Back with Priva	acy Screen	Option							
	ZOP3-MB1F2F		2908	3051	3192	3397	3628	3830	4063	4348	
	ORDERING NOTES: Unit	s with Privacy Sc	creen Optic	on are no	t availabl	e with Rer	movable	Back Co	ver optio	n.	
	One-Seat Plus, Mid Heigh	t Back									
	ZOP3-MB1M0F		2419	2531	2643	2803	2986	3143	3324	3551	
· 	One-Seat Plus, Mid Heigh		•		0110	2070	0.450		2004	4005	
	ZOP3-MB1M1_ Beech/L Maple/P		2894 2995	3006 3106	3118 3221	3278 3379	3458 3559	3620 3719	3801 3900	4025 4127	
	42", 36" or 30". Freestand unit, please add \$318 list										
_	One-Seat Plus, Mid Heigh	t Back with Priva	acy Screer	n Option							
	One-Seat Plus, Mid Heigh ZOP3-MB1M2F	t Back with Priva	acy Screer 2794	Option 2906	3020	3179	3360	3519	3699	3925	
	_		2794	2906	3020						
ola Privacy	ZOP3-MB1M2F		2794	2906	3020			Back Co			
loisture Barri	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard)	s with Privacy So \$ List 67	2794 creen Optio	2906 on are no	3020 It availabl	e with Ren	movable	Back Co	ver optio \$ List 84		
loisture Barri emovable Se emovable Ba	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges	s with Privacy Sc \$ List	2794 creen Optio	2906 on are no Oual Leg	3020 t availabl (for Mult er felt gli	e with Rentiple unit of des	movable	Back Co	s List 84 30		
loisture Barri emovable Se emovable Ba helf Power	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Plus	s with Privacy So \$ List 67 49	2794 creen Optio	2906 on are no Oual Leg	3020 It available (for Multer felt glirubber gli	e with Rentiple unit of des	movable	Back Co	ver optio \$ List 84		
oisture Barri emovable Se emovable Ba helf Power eat Power (p	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Plus eack Covers One-Seat Plus er power unit) DE KEY	\$ with Privacy So \$ List 67 49 71 630 673	2794 creen Optio	2906 on are no Dual Leg Floor-sav Jon-slip Metal glic	3020 It available (for Multer felt glirubber gles	e with Ren tiple unit o des lides	movable	Back Co	\$ List 84 30 18 26	n.	
oisture Barri emovable Se emovable Ba helf Power eat Power (p	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Plus ack Covers One-Seat Plus er power unit) DE KEY Series	\$ with Privacy So \$ List 67 49 71 630	2794 creen Optio	2906 on are no Oual Leg Floor-sav Jon-slip	3020 It available (for Multer felt glirubber gles	e with Ren tiple unit o des lides	movable	Back Co	\$ List 84 30 18 26		
oisture Barri emovable Se emovable Ba helf Power eat Power (p	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Plus eack Covers One-Seat Plus er power unit) DE KEY	\$ with Privacy So \$ List 67 49 71 630 673	2794 creen Optic	2906 on are no Dual Leg Floor-sav Jon-slip Metal glic	3020 It available (for Multer felt glirubber gles	e with Ren tiple unit of des lides	movable	Back Co	\$ List 84 30 18 26	n.	
loisture Barri emovable Se emovable Ba helf Power eat Power (p RODUCT COD Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB Modular	2794 creen Optic	2906 Dual Leg Floor-sav Ion-slip Metal glic eat Coun	3020 It available (for Multer felt glirubber gles	e with Ren	configura k Type Got light Back at Back with Back wit	Back Co	\$ List 84 30 18 26 Letter Freest	n. eg Type	
loisture Barri emovable Se emovable Ba helf Power eat Power (p RODUCT COD Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB	2794 creen Optic	2906 Dual Leg Dual Leg Cloor-sav Non-slip Metal glic eat Coun 1 One Seat	3020 It available (for Multer felt glirubber gles	e with Ren	configura k Type Go ight Back	Back Co	\$ List 84 30 18 26 Letter Freest	eg Type F anding Unit	
loisture Barri emovable Se emovable Ba helf Power eat Power (p RODUCT COD Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB Modular	2794 creen Optic	2906 Dual Leg Cloor-sav Jon-slip Metal glic eat Coun 1 One Seat 2 Two Seat	3020 It available (for Multer felt glirubber gles t	e with Ren	configura k Type ght Back with Option t Back with Option t Back with Option	Back Co	\$ List 84 30 18 26 Freest	eg Type F anding Unit S art Unit	
loisture Barri emovable Se emovable Ba helf Power eat Power (p RODUCT COD Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB Modular	2794 creen Optic	2906 Dual Leg Floor-sav Jon-slip Metal glic at Coun 1 One Seat 2 Two Seat	3020 It available (for Multer felt glirubber gles t	e with Rer tiple unit of des lides Bacl Full Heigh Shelf Full Heigh Privacy Sc	configura k Type ght Back with Option t Back with Option t Back with Option	Back Co	Freest Ce	eg Type F anding Unit S art Unit C	
oisture Barri emovable Se emovable Ba nelf Power eat Power (p RODUCT COD Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB Modular	2794 creen Optic	2906 Dual Leg Floor-sav Jon-slip Metal glic at Coun 1 One Seat 2 Two Seat	3020 It available (for Multer felt glirubber gles t	e with Ren tiple unit of des lides Bacl Full Heigh Shelf Full Heigh Privacy So Mid Hei	configura k Type To ight Back wir Option E at Back wir reen Option in Back wir reen Option	Back Constitutions)	Freest Ce	eg Type F anding Unit S art Unit C nter Unit	
oisture Barri emovable Se emovable Ba nelf Power eat Power (p coduct cod Line	ZOP3-MB1M2F ORDERING NOTES: Unit Option Upcharges ier & CAL 133(per yard) part Covers One-Seat Plus ack Covers One-Seat Plus per power unit) DE KEY Series 3	\$ List 67 49 71 630 673 Chair Type M Modular MB Modular	2794 creen Optic	2906 Dual Leg Floor-sav Jon-slip Metal glic at Coun 1 One Seat 2 Two Seat	3020 It available (for Multer felt glirubber gles t	e with Ren tiple unit of des lides Bacl Full Heigh Shelf Full Heigh Privacy Sc Mid Heigh Shelf	configura k Type To ight Back wir Option E at Back wir reen Option in Back wir reen Option	Back Constitutions)	Freest Ce	eg Type F anding Unit S art Unit C nter Unit	

M2 Mid Height Back with Privacy Screen Option

DESCRIPTION/	/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR. 5	ADES 6	7	LEATHER 8	9
	Two-Seat, Full Height ZOP3-M2F0F	Back	3180	3392	3601	3902	4246	4550	4890	5314	576
	_	Back Shelf Option ch/Laminate ble/Palette	3741 3846	3951 4057	4161 4267	4464 4569	4809 4912	5110 5215	5451 5556	5874 5977	632 642
	ORDERING NOTES: \\42", 36" or 30". Freest unit, please add \$318	anding, Start and End	units with	the she	elf option	require c	ounterba	alance we	eight ad	ded to eacl	n sea
	Two-Seat, Full Height ZOP3-M2F2F	Back with Privacy Scr	een Optio 3694	on 3903	4116	4417	4760	5063	5256	5826	627
	ORDERING NOTES:	Units with Privacy Scre	en Optio	n are not	available	with Ren	novable E	Back Cov	er option	n.	
	Two-Seat, Mid Height ZOP3-M2M0F	Back	2724	2891	3058	3298	3568	3809	4080	4415	476
	_	Back with Shelf Optio ch/Laminate ble/Palette	n 3288 3392	3454 3557	3621 3723	3861 3962	4130 4236	4370 4474	4642 4746	4974 5079	532 542
		Orange Contract Contr								ded to eacl	
	unit, please add \$318 Two-Seat, Mid Height ZOP3-M2M2F	Back with Privacy Sci	een Optio	n shelf o	ption are	not availa	uble with	Removak 4322	ole Back 4595	Cover option 4927	n.
	Two-Seat, Mid Height	Back with Privacy Scr	een Optio	n shelf o	ption are	not availa	uble with	Removak 4322	ole Back 4595	Cover option 4927	
	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: Uption Upcharges	Back with Privacy Sci	een Option 3241 een Option	h shelf o	3574 available	3814 with Ren	4085 novable E	Removak 4322 Back Cov	ole Back 4595	Cover option 4927	n.
loisture Barrie	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: Uption Upcharges er & CAL 133(per yard)	Back with Privacy Scre Jnits with Privacy Scre \$ List 67	Teen Option 3241 een Option	on 3407 on are not	3574 available	not availa	4085 novable E	Removak 4322 Back Cov	4595 ver option List 673	Cover option 4927	n.
loisture Barrie emovable Sea emovable Ba	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) eat Covers Two-Seat ck Covers Two-Seat	Back with Privacy Scre Jnits with Privacy Scre \$ List 67 71 101	reen Option 3241 een Option S	h shelf o	3574 available er (per po	3814 with Ren	4085 novable E	Removak 4322 Back Cov	4595 ver option	Cover option 4927	n.
loisture Barrie emovable Sea emovable Bao ual Leg (for M	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat fulltiple unit configuration	Back with Privacy Screen Substantial Experiments of the privacy Screen Street Screen	een Option sen Option S S F	on 3407 are not eat Powhelf Powable Powloor-save	3574 available er (per porer	3814 with Ren ower unit	4085 novable E	Removak 4322 Back Cov	4595 ver option List 673 630 679 30	Cover option 4927	n.
loisture Barrie emovable Sea emovable Bao ual Leg (for M lus Upgrade 1	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat fulltiple unit configuration Two-Seat (B)	Back with Privacy Scre Jnits with Privacy Scre \$ List 67 71 101	een Option sen Option S S F N	on 3407 are not eat Powhelf Powable Powloor-save	3574 available er (per porer er er felt glicubber gli	3814 with Ren ower unit	4085 novable E	Removak 4322 Back Cov	4595 ver option List 673 630 679	Cover option 4927	n.
oisture Barrie emovable Sea emovable Bac ual Leg (for M us Upgrade T	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat fulltiple unit configuration (Two-Seat (B)) DE KEY	Back with Privacy Screen Substantial Control of the Privacy Screen	een Option sen Option S S F N N	eat Powhelf Powable Pownor-save	3574 available er (per porer er er felt glic ubber gli	3814 e with Ren ower unit	4085 novable E	Removak 4322 Back Cov	4595 rer option 673 630 679 30 18 26	4927	n.
oisture Barrie emovable Sea emovable Bac ual Leg (for M us Upgrade 1 RODUCT COD	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: In the control of	Back with Privacy Screens Substantial Science	een Option sen Option S S F N N	eat Powhelf of the power of the	3574 available er (per porer er er felt glic ubber gli	3814 with Ren ower unit; des ides	4085 novable E	Removak 4322 Back Cov	4595 rer option 673 630 679 30 18 26	4927 n.	n.
oisture Barrie emovable Sea emovable Bac ual Leg (for M us Upgrade T	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screen Substantial Control of the Privacy Screen	een Option 3241 een Option S S F N N S	eat Powhelf Powable Pownor-save	3574 available er (per porer er er felt glic ubber gli	3814 with Ren ower unit; des ides	4085 novable E	Removat 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26	4927	n.
oisture Barrie emovable Sea emovable Ba ual Leg (for M us Upgrade 1 RODUCT COD Line	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: In the control of	Back with Privacy Screens Substract 67 71 101 84 135 Chair Type M Modular	een Option 3241 een Option S S F N N S	eat Powhelf of the power of the	3574 available er (per porer er er felt glic ubber gli	3814 e with Ren ower unity des ides Full Hei	4085 novable E	Removat 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26	4927 n. eg Type F tanding Unit	n.
loisture Barrie emovable Sea emovable Ba ual Leg (for M lus Upgrade 1 RODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens Stist 67 71 101 s) 84 135 Chair Type M Modular MB Modular	een Option SSS FI N N S	eat Powhelf of the power of the power of the pown of t	3574 available er (per porer er er felt glic ubber gli	3814 e with Ren ower unit) des ides Full Heigh	4085 novable E k Type gight Back at Back with	Removat 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26 Li Freesi	4927 n. eg Type	n.
loisture Barrie emovable Sea emovable Ba ual Leg (for M lus Upgrade 1 RODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens S List 67 71 101 84 135 Chair Type M Modular MB	een Option SSS FI N N S	eat Powhelf Powhelf Powhelf Powhoor-save on-slip reletal glideat Country on Seat	3574 available er (per porer er er felt glic ubber gli	3814 with Ren ower unit) des ides Full Heigr Shelf	4085 novable E k Type To light Back	Removat 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26 Li Freesi	4927 n. eg Type F tanding Unit S	n.
loisture Barrie emovable Sea emovable Ba ual Leg (for M lus Upgrade 1 PRODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens Stist 67 71 101 s) 84 135 Chair Type M Modular MB Modular	een Option 3241 een Option S S Ta F N N	eat Powhelf of a special point of the special point	3574 available er (per porer porer felt glicubber glites	3814 with Ren ower unit; des ides Full Heigh Shelf Full Heigh	4085 novable E k Type To ight Back with Option at Back with Back with Option at Back with Back with Option To int Back with Option	Removat 4322 Back Cov	4595 rer option List 673 630 679 30 18 26 L	eg Type F tanding Unit S tart Unit	n.
loisture Barrie emovable Sea emovable Ba ual Leg (for M lus Upgrade 1 PRODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens Stist 67 71 101 s) 84 135 Chair Type M Modular MB Modular	een Option 3241 een Option S S Ta F N N	eat Powhelf of a state of the s	3574 available er (per porer porer felt glicubber glites	3814 with Ren ower unit; des ides Full Heigh Shelf Full Heigh Privacy Sc	4085 novable E k Type To ight Back with Option at Back with Back with Option at Back with Back with Option To int Back with Option	Removat 4322 Back Cov	4595 rer option List 673 630 679 30 18 26 L	eg Type F tanding Unit S tart Unit	n.
Moisture Barrie lemovable Sea lemovable Bac lual Leg (for M lus Upgrade 1 PRODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens Stist 67 71 101 s) 84 135 Chair Type M Modular MB Modular	een Option 3241 een Option S S Ta F N N	eat Powhelf of a state of the s	3574 available er (per porer porer felt glicubber glites	3814 with Ren ower unit; des ides Full Heigr Shelf Full Heigh Privacy Sc	4085 novable E k Type ight Back wi Option t Back wi creen Opti	Removat 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26 Li Freesi	eg Type F tanding Unit S tart Unit C enter Unit	n.
Moisture Barrie lemovable Sea lemovable Bac lual Leg (for M lus Upgrade 1 PRODUCT COD Line ZOP	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) at Covers Two-Seat ck Covers Two-Seat lultiple unit configuration Two-Seat (B) DE KEY Series 3	Back with Privacy Screens Stist 67 71 101 s) 84 135 Chair Type M Modular MB Modular	een Option 3241 een Option S S Ta F N N	eat Powhelf of a state of the s	3574 available er (per porer porer felt glicubber glites	3814 with Ren ower unity des ides Full Heigh Shelf Full Heigh Privacy Sc Mid He	4085 novable E k Type To light Back with Option t Back with Option t Back with Option the Back with Optio	Removate 4322 Back Cov	4595 rer option 6 List 673 630 679 30 18 26 Li Freesi	eg Type F tanding Unit S tart Unit C enter Unit	n.

					_			•	.	000.	
	_		СОМ		COL		BRIC GR			LEATHE	
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Full Height I ZOP3-M3F0F	3ack	4182	4464	4750	5151	5612	6016	6474	7042	7634
	Three-Seat, Full Height I ZOP3-M3F1_ Beecl	Back Shelf Option -/Laminate	40.40	E400	E 400	E010	0000	0075	7100	7000	0001
	_	e/Palette	4840 4948	5122 5233	5406 5517	5810 5919	6269 6380	6675 6786	7132 7241	7698 7808	8293 8405
	ORDERING NOTES: WI - 42", 36" or 30". Freesta unit, please add \$318 lis	nding, Start and End	d units with	n the she	lf option r	require co	ounterba	lance we	ight adde	ed to eac	h sea
	Three-Seat, Full Height I	Back with Privacy So	creen Opt	ion							
	ZOP3-M3F2F	,	4917	5199	5481	5888	6347	6752	7210	7775	8370
	ORDERING NOTES: Ur	its with Privacy Scre	een Optior	n are not	available	with Rem	novable E	Back Cov	er option.		
	Three-Seat, Mid Height	Back									
	ZOP3-M3M0F		3935	4170	4401	4735	5113	5449	5829	6293	6789
~	Three-Seat, Mid Height										
	_	n/Laminate	4595	4828	5058	5394	5772	6105	6489	6952	744
	Maple	e/Palette	4705	4940	5169	5504	5884	6216	6598	7061	755
	- 42", 36" or 30". Freesta unit, please add \$318 lis	t upcharge per unit.	. Units wit	h shelf op							
	Three-Seat, Mid Height ZOP3-M3M2F	Back with Privacy 5	4671	4903	5135	5471	5850	6184	6564	7026	752
	ORDERING NOTES: Ur	its with Privacy Scre	een Optior	n are not	available	with Ren	novable E	Back Cov	er option.		
Zola Privacy O	ption Upcharges	\$ List						\$	List		
	& CAL 133(per yard)	67			er (per po	wer unit)			673		
	t Covers Three-Seat k Covers Three-Seat	89 127		nelf Powable Pow					630 679		
	ultiple unit configurations)	84			er felt glid	es			30		
lus Upgrade T		204			ubber glid	des			18		
PRODUCT CODE	KEY		M	letal glide	es				26		
Line	Series	Chair Type	Se	eat Count		Back	к Туре		Leg	Туре	
ZOP Zola	3 Lounge	M Modular		1 One Seat			ght Back			Fnding Unit	
Zola	Lounge										
		MB Modular Plus Upgrade	[7	wo Seat	ı	Full Heigh	t Back wi Option	th		S rt Unit	
		. iao opgiaao	[3		_	2		(С	
			TI	hree Seat		Full Heigh Privacy Sc			Cent	er Unit	
							10 ght Back			E d Unit	
						N			LIK		
					1	Mid Heigh Shelf	t Back wi Option	ith			
							40				

Mid Height Back with Privacy Screen Option

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	DES	7	_EATHEI	R 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	4260	4504	4748	5088	5479	5823	6212	6701	7190
	Modular Corner Seat, Full Height Back with SZOP3-MCF1LR Beech/Laminate Maple/Palette	5183 5284	5427 5527	5673 5771	6013 6114	6403 6505	6745 6847	7135 7237	7625 7725	8115 8213
	Modular Corner Seat, Full Height Back with a ZOP3-MCF1L Beech/Laminate Maple/Palette Modular Corner Seat, Full Height Back with a ZOP3-MCF1R Beech/Laminate Maple/Palette	4981 4986	5237 5241	5494 5497 5494 5497	5852 5857 5852 5857	6264 6268 6264 6268	6623 6627 6623 6627	7031 7038 7031 7038	7544 7549 7544 7549	7699 7703 7699 7703
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	Privacy So 4855	creens 5099	5343	5684	6076	6418	6808	7295	7786
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4801	5056	5314	5674 5674	6082	6442 6442	6850 6850	7365 7365	7519 7519

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	67
Combination Upholstery - dual fabrics	34
Shelf Power	630
Dual Leg (for Multiple unit configurations)	84
Plus Upgrade- Corner Seat	67
Floor-saver felt glides	30
Non-slip rubber glides	18
Metal glides	26

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option	R Right Side
			Full Height Back with Privacy Screen Option	LR

ZOLA PRIVACY | MODULAR

DESCRIPTION/	DESCRIPTION/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner S ZOP3-MCM0	Seat with Mid Height Back	3426	3627	3828	4111	4433	4715	5037	5442	5846
	Modular Corner S ZOP3-MCM1LR	Seat, Mid Height Back with Beech/Laminate Maple/Palette	Shelves 4348 4448	4551 4650	4753 4853	5034 5134	5358 5456	5638 5741	5962 6061	6364 6465	6769 6869
	Modular Corner S ZOP3-MCM1L	Seat, Mid Height Back with Beech/Laminate Maple/Palette	Single S 4104 4109	helf left 4317 4321	4528 4604	4824 4830	5164 5168	5461 5465	5800 5804	6221 6225	6354 6357
	Modular Corner S ZOP3-MCM1R	Seat, Mid Height Back with Beech/Laminate Maple/Palette	Single S 4104 4109	helf Righ 4317 4321	nt* 4528 4604	4824 4830	5164 5168	5461 5465	5800 5804	6221 6225	6354 6357
	Modular Corner S ZOP3-MCM2LR	Seat, Mid Height Back with	Privacy \$	Screens 4223	4424	4707	5029	5311	5634	6035	6441
	Modular Corner S ZOP3-MCM2L	Seat, Full Height Back with	Privacy \$	Screen L 4137	eft* 4348	4644	4983	5281	5618	6042	6174
	Modular Corner S ZOP3-MCM2R	Seat, Full Height Back with	Privacy § 3924	Screen F 4137	Right 4348	4644	4983	5281	5618	6042	6174
	otion Upcharges	\$ List									
Combination Up Shelf Power	glides	cs 34 630									

PRODUCT CODE KEY

Non-slip rubber glides

Metal glides

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

18

26

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	BRIC GR	ADES	LEATHER			
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	995	1087	1180	1369	1555	1743	1927	2116	2488	
	ZOP3-MPF0C	Center	1283	1375	1467	1656	1840	2028	2214	2400	2774	
	ZOP3-MPF0E	End	995	1087	1180	1369	1555	1743	1927	2116	2488	
	Side Panel, Single, Full Height with Screen											
م	ZOP3-MPF2S	Start	1305	1398	1491	1676	1864	2051	2238	2425	2798	
	ZOP3-MPF2C	Center	1590	1686	1777	1964	2153	2339	2526	2713	3084	
	ZOP3-MPF2E	End	1305	1398	1491	1676	1864	2051	2238	2425	2798	
	Side Panel, Singl	e. Mid Heiaht No	Screen									
	ZOP3-MPM0S	Start	805	870	932	1061	1187	1313	1440	1566	1818	
	ZOP3-MPM0C	Center	1104	1165	1228	1354	1482	1609	1735	1861	2116	
	ZOP3-MPM0E	End	805	870	932	1061	1187	1313	1440	1566	1818	
	Side Panel, Singl	e, Mid Height wi	th Screen									—
	ZOP3-MPM2S	Start	1116	1178	1242	1371	1496	1624	1750	1877	2130	
	ZOP3-MPM2C	Center	1413	1475	1538	1666	1791	1918	2044	2169	2425	
	ZOP3-MPM2E	End	1116	1178	1242	1371	1496	1624	1750	1877	2130	
		E. Cida Danalau										۔ ا ۔ا

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

I HODOOT CODE ILET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	612	659	707	803	898	996	1090	1188	1379	
	ZOP3-MSPF0C	Center	899	950	999	1093	1190	1285	1380	1477	1668	
	ZOP3-MSPF0E	End	612	659	707	803	898	996	1090	1188	1379	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	539	582	621	705	788	870	954	1036	1200	
	ZOP3-MSPM0C	Center	835	876	918	1002	1084	1166	1250	1332	1499	
	ZOP3-MSPM0E	End	539	582	621	705	788	870	954	1036	1200	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GF	ADES		LEATHE	:R	
DESCRIPTION	I/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	737 737 823	777 777 864	816 816 901	895 895 981	976 976 1062	1054 1054 1141	1135 1135 1221	1212 1212 1300	1372 1372 1459	
	Modular Upholstered Arm w/U ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	rethane Cap 882 882 951	921 921 989	959 959 1030	1039 1039 1110	1119 1119 1190	1198 1198 1267	1278 1278 1348	1356 1356 1425	1517 1517 1585	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С	
Solid Surface Arm Cap (per arm)	135	142	158	164	

Line	Series	Туре	Arm	Position	
ZOP	3	MA	UPH	L	
Zola	Lounge	Modular Arm	Upholstered	Left Hand Facing	
			URE	R	
			Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC		
				С	
			Upholstered Arm w/Solid Surface Cap	Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	271	
Plus Upgrade Twin Three-Seat	407	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

DIMENSIONS &	OOM IILQO		O									
		Overall	Overall	Overall	Shipping		COM	COM	COM	COM	COM	COM
		Width	Depth	Height	Weight	Cubes	1-unit	2-units	3-units	4-units	5-units	6-units
Side Panel, Single	e. Full Heiaht	t No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
201 3-1011 11 00	Certiei	2.13	31.3	40.0	00	U	4	5.5	3.04	12.00	14.72	10.7
Side Panel, Single	e, Full Height	t with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
2010 1111 1120	Conto	2.70	01.0	00.4	00	Ü	7	0.0	0.04	12.00	17.72	10.7
Side Panel, Single	e, Mid Heigh	t No Scree	en									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single												
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Total Count District	O'd. D. d	0:	0.11.2.1.1									
Twin Semi-Private				4.4	40	0.5	0.00	F 00	0.00	40.75	40.44	10.10
ZOP3-MSPTF0U		2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private	Side Panel	Single M	id Height									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C		2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97 7.97	9.97	11.96
20P3-WSP1W0C	Center	2.75	20.5	31.4	39	1.7	1.75	3.99	5.96	7.97	9.97	11.90
Twin Modular Uph	nolstered Arn	n										
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
-			0									
Twin Modular Uph	noistered Arn			00.05	4.0	4.0	0.44	0.50	_	0.5	7.0	0.00
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid ⁹	Surface Co	an								
ZOP3-MATSSCU	ioiotorou All	3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9 7.9	9.33
20F3-IVIAI 3300		3	14.5	20.25	10	1.0	∠.	3.30	S	0.5	1.9	J.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	EL	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHEF 8	9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2993	3166	3166	3343	3595	3875	4128	4413	4759
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 3290	Privacy S 3463	creen Opti 3463	on 3638	3892	4173	4424	4708	5056
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2848	2995	2995	3144	3360	3601	3816	4059	4356
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 3143	Privacy S 3292	Screen Opti 3292	ion 3441	3657	3897	4113	4354	4653
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat Plus, Full H ZOP3-MBT1F0F	eight Back 4006	4181	4181	4354	4608	4888	5141	5425	5772
	Twin One-Seat Plus, Full H ZOP3-MBT1F2F ORDERING NOTES: Units	4380	4555	4555	4730	4981	5262	5517 Back Cove	5800	6148
	Twin One-Seat Plus, Mid H ZOP3-MBT1M0F			3996	4146	4359	4600	4816	5057	5358
	Twin One-Seat Plus, Mid H ZOP3-MBT1M2F	eight Back 4222	with Priv	acy Screen 4370	Option 4521	4732	4974	5191	5432	5729
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
PRODUCT CODE KEY Line	Series C	hair Type		Seat Coun	t	Back Ty	pe		Leg Type	
ZOP Zola	3 [Lounge Mc	MT odular Twin MTB odular Twin us Upgrade page 207)		1 One Seat 2 Two Seat 3 Three Seat		F0 Full Height F2 Full Height Ba Privacy Screer M0 Mid Height	Back Control of the		F estanding Ur S Start Unit C C	nit
						Mid Height Ba Privacy Screen			End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOI	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	ADES 6	7	LEATHE 8	ER 9
	Twin Two-Seat, Full Heigh ZOP3-MT2F0F	nt Back 4446	4720	4993	5400	5856	6264	6718	7267	7891
	Twin Two-Seat, Full Heigh ZOP3-MT2F2F	nt Back Priva 4959	cy Screer 5235	Option 5507	5916	6372	6778	7233	7781	8408
	ORDERING NOTES: Units with Privacy Screen Option are not available with Removable Back Covered to the Covered Removable Back Covered Remo									
	Twin Two-Seat, Mid Heig ZOP3-MT2M0F	nt Back 4230	4468	4704	5049	5432	5777	6161	6633	7148
	Twin Two-Seat, Mid Heig ZOP3-MT2M2F	ht Back with 4746	Privacy S 4981	creen Opti 5218	on 5560	5947	6291	6676	7148	7662
	ORDERING NOTES: Uni	ts with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	r option.	
	Twin Three-Seat, Full He ZOP3-MT3F0F	eight Back 6109	6462	6813	7310	7879	8375	8941	9645	10371
	Twin Three-Seat, Full He ZOP3-MT3F2F	eight Back Pri 6843	ivacy Scre 7196	een Optior 7545	n 8043	8613	9111	9677	10379	11103
	ORDERING NOTES: Ur	nits with Priva	cy Screer	n Option ar	e not avai	ilable with R	emovable	Back Cov	er option.	
	Twin Three-Seat, Mid He ZOP3-MT3M0F	eight Back 5622	5931	6238	6681	7180	7623	8121	8740	9391
	Twin Three-Seat, Mid He ZOP3-MT3M2F	eight Back wi 6356	th Privacy	y Screen C	option 7417	7915	8359	8856	9474	10127
	ORDERING NOTES: Ur	nits with Priva	cy Screer	n Option ar	e not avai	ilable with R	emovable	Back Cov	er option.	
PRODUCT CODE KE	Υ									
Line	Series	Chair Type		Seat Cou	nt	Back T	ype		Leg Type	
ZOP Zola	3 Lounge	MT Modular Twin MTB Modular Twin Plus Upgrade		1 One Sea 2 Two Sea] at	Full Height F2 Full Height E Privacy Screen	at Back Back with	Fre	F eestanding S Start Unit	
		(page 207)		3		M0			С	

Center Unit

Е

End Unit

Mid Height Back

M2

Mid Height Back with Privacy Screen Option

Three Seat

ZOLA PRIVACY | TWIN - SIDE PANELS

		COM		COL	FAB	RIC GRAD	ES	1	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
Twin Side F ZOP3-MPT ZOP3-MPT		creen 1499 2245	1636 2385	1775 2525	2052 2801	2328 3078	2607 3352	2882 3629	3160 3906	3712 4460
Twin Side F	Panel,, Full Height with	Screen								
ZOP3-MPT ZOP3-MPT		2106 2853	2244 2993	2384 3133	2659 3408	2937 3685	3214 3960	3490 4238	3768 4511	4319 5069
	Panel, Med. Height No	Screen								
ZOP3-MPT		1246	1338	1431	1620	1806	1992	2180	2366	2740
ZOP3-MPT	M0C Center	1991	2087	2180	2366	2553	2740	2927	3113	3488
Twin Side F	Panel, Med. Height with	Screen								
ZOP3-MPT	,	1855	1947	2041	2228	2416	2602	2789	2974	3347
ZOP3-MPT	M2C Center	2601	2695	2789	2974	3161	3347	3535	3720	4097
ORDERING	i NOTE : Side Panels w	ill only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	een Optior	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 207 for dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private ZOP3-MSPTF0U ZOP3-MSPTF0C	Universal	gle, Full H 1062 1810	leight 1146 1894	1230 1979	1350 2098	1485 2235	1604 2352	1741 2488	1909 2658	2080 2828	
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	911	964	1021	1097	1187	1263	1352	1462	1571	
	ZOP3-MSPTM0C	Center	1660	1714	1770	1845	1934	2010	2101	2211	2321	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHER	3	
DESCRIPTION/M	IODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1176 1938	1256 2004	1325 2072	1416 2165	1523 2272	1615 2365	1723 2471	1856 2605	1988 2738	
	Twin Modular Upholstered Arm w/Urethane Cap ZOP3-MATUREU 1314 1395 1462 1555 1661 1753 1860 1993 2127										
	ZOP3-MATUREC	2077	2143	2211	2302	2409	2503	2609	2742	2875	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	289	302	333	344

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE	Center /Interim	

Upholstered Arm w/Urethane Cap

Center /Interim

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes
Curved Single-Sea	nt - Full He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	nt - Mid He	eight Bac	:k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Se	at - Full H	eight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Se	at - Mid H	leight Ba								
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
oo oatolao oal vo	04	67	31	43	37.5	50	18.5	20.25	99	25
45° Outside Curve	61	01	01							
	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28

Upcharge for Plus Upgrade Option:

Option	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	100	Plus Upgrade -Double-seat curve 30° seat	159
Plus Upgrade -Single-seat curve 45° seat	116	Plus Upgrade -Double-seat curve 45° seat	189
Plus Upgrade -Single-seat curve 60° seat	129	Plus Upgrade -Double-seat curve 60° seat	202
Plus Upgrade -Single-seat curve 90° seat	173	Plus Upgrade -Double-seat curve 90° seat	231

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	k									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	leight Bac	k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97	
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106	
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129	
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133	

DESCRIPTION	MAODEL (SDECIES		COM 1	0	COL 3	FABF	RIC GRAI 5	DES 6	7	LEATHEI	
	MODEL/SPECIES Single-Seat, 30° Inside ZOP3-MCIS30DF0F	Curve, Full Height		2 3798	3996	4271	4587	4865	5177	5573	<u>9</u> 5968
	Single-Seat, 30° Inside ZOP3-MCIS30DF1_ B M ORDERING NOTE: Wh - 42", 36" or 30" and ch balance weight added t	leech/Laminate laple/Palette en ordering a bac ose required leg ty	4249 4348 ck with S ype belo	4447 4544 Shelf optio ow. Freesta	anding, S	Start and End	d units wi				
	Single-Seat, 30° Inside ZOP3-MCIS30DF2F	Curve, Full Height	t Back w 4224	vith Privac 4422	y Screei 4617	n 4897	5210	5488	5803	6197	6590
	Single-Seat, 30° Inside ZOP3-MCIS30DM0F	Curve, Mid Heigh	t Back 3436	3608	3784	4025	4302	4544	4821	5168	5512
	Single-Seat, 30° Inside ZOP3-MCIS30DM1_ B N	eech/Laminate laple/Palette	4086 4183	4260 4356	4432 4530 n please	4676 4772	4950 5051	5193 5289	5471 5568 he requi	5815 5915 red Shelf	6161 6260 Height
	- 36" or 30" and chose ance weight added to e	required leg type l	below. F	reestandii	ng, Start	and End un					
	Single-Seat, 30° Inside ZOP3-MCIS30DM2F	Curve, Mid Heigh	t Back v 4060	vith Privac 4234	y Scree 4406	n Option 4648	4925	5168	5446	5791	6136
Zola Privacy O	ption Upcharges	\$ List							\$ List		
Floor-saver felt Non-slip rubber Metal glides	oholstery - dual fabrics glides glides	630 673 34 30 18 26	Dua Rer Not	al Leg (for movable S te: Remov	Multiple Seat Cov able bac	e-Seat, 30° (e unit configuers -Single-S ck covers are AL 133(per ya	irations) Seat, 30° e not ava		100 84 64 urved ba 67	acks	
Line	E KEY Series	Chair Type		urve Style		Seat Degree		Back Type		Leg Type	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	IS Curve -Sin ID Curve -Dou OS e Curve -Sii	gle ible	30D 45D 60D 90D	Full He SI Full He Privacy Mid Mid He SI	F0 Height Back v leight Back v	vith vith tion k	F eeestanding S Start Uni C Center Ur E End Uni] J Unit] it]] hit
								eight Back v Screen Opt			

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD 5	ES 6	7	LEATHEF 8	R 9
	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Heig	ht Back 4039	4259	4476	4793	5149	5469	5825	6262	6738
	Single-Seat, 45° Inside ZOP3-MCIS45DF1_		ht Back 4707 4804	with Shel 4924 5024	f 5142 5242	5461 5559	5815 5916	6133 6234	6493 6594	6928 7025	7403 7505
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	chose required	leg type	below. F	reestar	nding, Start a	nd End	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F	e Curve, Full Heig	ht Back 4669	with Priva 4887	acy Scre 5106	een 5425	5781	6099	6456	6893	7368
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Heiç	ght Back 3824	4001	4177	4425	4710	4958	5243	5595	5956
	Single-Seat, 45° Inside ZOP3-MCIS45DM1_ I		ght Back 4491 4589	with She 4666 4765	If 4844 4944	5090 5192	5377 5476	5628 5725	5912 6008	6263 6361	6622 6722
	ORDERING NOTE: W - 36" or 30" and ch- counterbalance weigh Single-Seat, 45° Inside	ose required leg t added to each s	type b seat unit	elow. Fre , please a	estandi dd \$31 8	ng, Start and Blist upcharg	d End u	nits with			
	ZOP3-MCIS45DM2F	,	4455	4631	4809	5056	5340	5589	5874	6227	6584
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides	67 673 630 30 18 26	Du Re No	ual Leg (fo emovable ote: Remo	or Multip Seat Co ovable b	lle-Seat, 45° (lle unit config overs -Single- ack covers ar stery - dual fa	urations) Seat, 45 e not av	° Curve	116 84 67 curved b 34	1 7 acks	
PRODUCT CODE	EKEY										
Line	Series	Chair Type	(Curve Style		Seat Degree		Back Type		Leg Typ	oe ¬
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus		IS e Curve -Si ID e Curve -Do		30D 45D	Full H	F0 I Height Ba F1 Ieight Back Shelf Option	with	reestandin S Start U	
				OS de Curve -S		90D	Full H Privac	F2 Height Back by Screen O	with ption	C Center L	
			Outsid	le Curve -D	ouble		Mid F	M1 Height Back Bhelf Option	with	End Ur	IIT
								M2 leight Back y Screen Op			

DESCRIPTION/M	MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHER 8	R 9
	Single-Seat, 60° Insid ZOP3-MCIS60DF0F	e Curve, Full Heig	ht Back 4589	4865	5135	5530	5980	6370	6816	7362	7945
	Single-Seat, 60° Insid ZOP3-MCIS60DF1_ ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette /hen ordering a ball chose required	5444 5545 ack with the	5716 5818 Shelf opti below. F	5990 6090 on pleas	ding, Start a	ind End	units with			
	Single-Seat, 60° Insid ZOP3-MCIS60DF2F	e Curve, Full Heig	ht Back 5222	with Priva 5497	acy Scre 5770	een 6163	6607	7003	7447	7995	8577
	Single-Seat, 60° Insid ZOP3-MCIS60DM0F	e Curve, Mid Heig	ht Back 4372	4567	4763	5041	5358	5632	5947	6340	6736
	Single-Seat, 60° Insid ZOP3-MCIS60DM1_ ORDERING NOTE: W - 36" or 30" and ch counterbalance weigh	Beech/Laminate Maple/Palette /hen ordering a baose required leg	5225 5325 ack with type be	5422 5521 Shelf opti	5618 5719 on pleas	ng, Start an	d End u	nits with			
	Single-Seat, 60° Insid ZOP3-MCIS60DM2F	e Curve, Mid Heig	ht Back 5005	with Priva 5200	acy Scre 5398	een Option 5676	5990	6266	6581	6974	7369
Zola Privacy Op Moisture Barrier of Seat Power (per l Shelf Power Floor-saver felt gl Non-slip rubber of Metal glides	& CAL 133 (per yard) power unit)	67 673 630 30 18 26	Dua Rer Not	al Leg (for novable S e: Remov	Multiple Seat Cov able ba	le-Seat, 60° e unit configuers -Single- ck covers aretery - dual fa	urations) Seat, 60° e not ava		\$ List 129 84 90 curved b 34) 1) acks	
PRODUCT CODE											
ZOP Zola	Series 3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sir ID Curve -Doi OS Curve -Si	uble	30D 45D 60D 90D	Full H S Full H Privac	F0 Height Back F1 eight Back helf Option F2 eight Back y Screen O M0 Height Back	with with ption	Leg Typ Freestanding S Start Un C Center U	g Unit iit nit

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	ES 6	ا 7	_EATHER 8	9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height		5526	5814	6216	6676	7079	7539	8114	8688
	Single-Seat, 90° Inside ZOP3-MCIS90DF1_ ORDERING NOTE: W	Beech/Laminate Maple/Palette	6159 6262	6445 6548	6732 6836	7134 7238	7595 7697	7996 8098	8457 8559	9028 9132	9604 9708
	42", 36" or 30" and counterbalance weight	chose required leg	g type b	elow. Fr	eestandii	ng, Start ai	nd End u				_
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 6240	th Privac 6526	y Screen 6816	7215	7676	8079	8537	9112	9686
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4799	5025	5250	5563	5923	6240	6600	7048	7501
	Single-Seat, 90° Inside ZOP3-MCIS90DM1_	Curve, Mid Height Beech/Laminate Maple/Palette	Back wi 5716 5821	th Shelf 5943 6045	6166 6269	6482 6583	6841 6942	7158 7259	7516 7620	7966 8068	8415 8520
4-1	ORDERING NOTE: W 36" or 30" and chose r weight added to each	equired leg type be	low. Free	standing	ı, Start ar	nd End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	e Curve, Mid Height	Back wir 5800	th Privac 6025	y Screen 6250	Option 6564	6924	7239	7598	8045	8497
Zola Privacy	Option Upcharges	\$ List							\$ List	t	
	ier & CAL 133 (per yard)					le-Seat, 90°			173		
Seat Power (p	per power unit)	673 630				le unit confi vers -Single			84 118		
Floor-saver fe	•	30				ack covers a					
Non-slip rubb Metal glides	er glides	18 26									
PRODUCT COL	DE KEY										
Line	Series	Chair Type	C	urve Style		Seat Degree	E	Back Type		Leg Type	9
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Si	ngle		Full	Height Bac	k Fre	eestanding	Unit
		MCB		ID		45D		F1		S	
		Modular Curve Plus	Inside	Curve -Do	ouble			eight Back v nelf Option	vitn	Start Uni	τ
			0.4-1-1	OS	N:! -	60D	F.JULI	F2	:41-	C	
			Outside	e Curve -S	single			eight Back v / Screen Op		Center Ur	IIL
			Outside	OD Curve -D	ouble	90D	Mid	M0 Height Bac	k	End Unit	t
							Mid He	M1 eight Back	with		
							SI	nelf Option M2			
								eight Back v Screen Op			

DESCRIPTION	N/MODEL/SDECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	ES 6	1 7	_EATHER 8	
DESCRIPTION	N/MODEL/SPECIES Single-Seat, 30° Outside ZOP3-MCOS30DF0F	Curve, Full Heigh		3602	3789	4051	4352	4614	4914	5287	9 566
	Single-Seat, 30° Outside ZOP3-MCOS30DF1_ B M ORDERING NOTE: Who 42", 36" or 30" and ch counterbalance weight a	eech/Laminate laple/Palette en ordering a back nose required leg	3731 3824 with She type bel	3918 4009 elf option low. Free	standing	g, Start and	d End un				
	Single-Seat, 30° Outside ZOP3-MCOS30DF2F	Curve, Full Heigh	nt Back wi 3787	th Privac 3975	y Screen 4161	4424	4725	4986	5285	5660	603
	Single-Seat, 30° Outside ZOP3-MCOS30DM0F	Curve, Mid Heigl	nt Back 3291	3454	3617	3847	4109	4337	4599	4924	525
	Single-Seat, 30° Outside ZOP3-MCOS30DM1_ B M ORDERING NOTE: Who 36" or 30" and chose red weight added to each se	eech/Laminate laple/Palette en ordering a back quired leg type bel	3604 3698 with She ow. Frees	3768 3862 elf option tanding, s	Start and	I End units v					
	Single-Seat, 30° Outside ZOP3-MCOS30DM2F	Curve, Mid Heigl	nt Back w 3663	ith Privac 3825	y Screer 3986	Option 4219	4480	4709	4971	5295	563
Moisture Barr	-	\$ List 67 673 630 30 18 26	Dua Rem	l Leg (for novable S	Multiple	e-Seat, 30° (unit configuers -Single-	urations) Seat, 30°		\$ List 100 84 64 urved ba	cks	
					able bac	k covers ar	e not avai	iable on c			
PRODUCT CO	DDE KEY Series	Chair Type	C	rve Style		k covers an		ack Type		Leg Type	

			COM		COL	FABRI	C GRAD	ES	L	EATHER	l
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Outsic ZOP3-MCOS450DF0F	le Curve, Full Heig	ht Back 3683	3869	4057	4318	4617	4880	5178	5552	5928
	Single-Seat, 45° Outsic ZOP3-MCOS45DF1_ E ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	Beech/Laminate Maple/Palette en ordering a bac use required leg ty	3993 4086 k with SI pe belov	4180 4271 helf option v. Freesta	4365 4459 n please nding, S	start and End	l units w				
	Single-Seat, 45° Outsic ZOP3-MCOS45DF2F						4989	5252	5550	5923	6298
	Single-Seat, 45° Outsic ZOP3-MCOS45DM0F	e Curve, Mid Heig	ght Back 3551	3712	3874	4104	4365	4596	4859	5183	5516
	Single-Seat, 45° Outsic ZOP3-MCOS45DM1_ I	_	ght Back 3861 3954	with She 4021 4116	f 4184 4277	4415 4506	4677 4769	4905 5000	5168 5260	5493 5586	5824 5917
	ORDERING NOTE: What 36" or 30" and chose reweight added to each some single-Seat, 45° Outsid ZOP3-MCOS45DM2F	quired leg type be seat unit, please ac	elow.Free dd \$318	standing, list upcha	Start an arge per	nd End units unit.					
											
	glides r glides	\$ List 67 673 630 30 18 26	Dua Rei No	al Leg (for movable s te: Remov	Multiple Seat Cov able ba	le-Seat, 45° e unit config vers -Single- ck covers ar tery - dual fa	urations) Seat, 45 e not av	o Curve	\$ List 116 84 67 curved b	S I 7 acks	
Line	Series	Chair Type	Cı	urve Style	:	Seat Degree		Back Type		Leg Typ	<u>е</u>
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Inside	IS Curve -Sin ID Curve -Dou OS e Curve -Sii OD Curve -Dou	gle ible ngle	30D 45D 60D	Full H S Full H Privac Mic Mid H S	F0 Il Height Back v F1 deight Back v Shelf Option F2 deight Back v Screen Op M0 d Height Back M1 deight Back v Shelf Option M2	with with otion k with	F eeestanding S Start Ur C Center U E End Un	g Unit juit nit
) 2 2000	SEATING &	Privacy	Height Back of Screen Op	tions	CANAL	1Λ 5 3

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHER 8	R 9
	Single-Seat, 60° Outsid ZOP3-MCOS60DF0F	e Curve, Full Hei	ght Back 3837	4022	4211	4474	4773	5034	5336	5708	6082
	_	Beech/Laminate Maple/Palette /hen ordering a banose required leg	4145 4237 ack with type bel	4331 4423 Shelf opti ow. Frees	4520 4612 on pleas standing	, Start and E	nd units				
	Single-Seat, 60° Outsid ZOP3-MCOS60DF2F	e Curve, Full Hei	ght Back 4187	with Priv 4376	acy Scr 4564	een 4824	5126	5387	5686	6057	6433
	Single-Seat, 60° Outsid ZOP3-MCOS60DM0F	e Curve, Mid Hei	ght Back 3711	3874	4038	4267	4528	4758	5020	5345	5677
	Single-Seat, 60° Outsid ZOP3-MCOS60DM1_			with She 4181 4273	elf 4344 4435	4571 4665	4834 4926	5063 5159	5324 5418	5653 5744	5980 6075
	ORDERING NOTE: What is a second of the secon	required leg type each seat unit, ple	below. F ease add	reestandi \$318 list	ng, Star upchar	t and End ur ge per unit.					
Moisture Barrier Seat Power (per Shelf Power Floor-saver felt of Non-slip rubber Metal glides	glides glides	\$ List 67 673 630 30 18 26	Dua Rer Not	al Leg (for movable s te: Remov	· Multiple Seat Cov able ba	le-Seat, 60° e unit configi vers -Single- ck covers ar tery - dual fa	urations) Seat, 60° e not ava		\$ Lis i 129 84 90 curved b) -) acks	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	Urve Style IS Curve -Sin ID Curve -Dou OS e Curve -Si OD Curve -Dou OS Curve -Si	uble	Seat Degree 30D 45D 60D 90D	Full He St Full He Privacy Mid Mid He St	F0 Height Back versions and selection of the selection of	with with tion k with	Leg Type Freestanding S Start Uni C Center Ur E End Uni	g Unit

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRADE 5	ES 6	7	LEATHER 8	9
	Single-Seat, 90° Outside (ZOP3-MCOS90DF0F	Curve, Full Heigh	t Back 4625	4815	5001	5261	5562	5824	6124	6497	6872
		ech/Laminate ple/Palette	4920 5011	5109 5199	5295 5387	5557 5650	5857 5947	6119 6209	6418 6508	6793 6883	7169 7258
₩.	ORDERING NOTE: When 42", 36" or 30" and chose balance weight added to a	required leg typ	e below	. Freestan	ding, Staı	rt and End	units with				_
	Single-Seat, 90° Outside (ZOP3-MCOS90DF2F	Curve, Full Heigh	t Back v 4973	with Privac 5163	cy Screen 5349	5611	5912	6171	6471	6846	7220
	Single-Seat, 90° Outside (ZOP3-MCOS90DM0F	Curve, Mid Heigh	nt Back 4146	4308	4470	4700	4961	5191	5451	5778	6112
	Single-Seat, 90° Outside (ZOP3-MCOS90DM1_ Ber Ma		nt Back 4440 4530	with Shelf 4601 4692	4763 4854	4994 5085	5257 5347	5484 5575	5746 5838	6073 6162	6407 6495
1-1.	ORDERING NOTE: When 36" or 30" and chose required weight added to each sea	ired leg type belo	w. Free	standing,	Start and	End units v					
	Single-Seat, 90° Outside (ZOP3-MCOS90DM2F	Curve, Mid Heigh	nt Back 4492	with Privac 4654	cy Screen 4817	Option 5050	5309	5538	5801	6125	6460
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Seat Power (p Shelf Power Floor-saver fel Non-slip rubbe Metal glides	it glides er glides	67 673 630 30 18 26	Du Re No	al Leg (for movable S te: Remov	Multiple (Seat Cove rable back	-Seat, 90° unit config rs -Single- k covers ar ry - dual fa	urations) Seat, 90° e not avai		173 84 118 curved b 34	4 8 packs	
PRODUCT COL	Series	Chair Type	C	Curve Style	S	eat Degree	В	ack Type		Leg Typ	e
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS e Curve -Sin ID c Curve -Dou	uble	30D 45D 60D	Full He Sh	F0 Height Back	with	Freestanding S Start Ur] nit
				le Curve -Si OD e Curve -Do		90D	Privacy	eight Back Screen Op M0 Height Bac	otion	Center U E End Un]
							Sh	M1 eight Back nelf Option M2			
					0006 05	EATING 8	Privacy	Screen Op	tions	LOANIAE)

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Heigh	t Back 5190	5507	5825	6271	6784	7228	7736	8371	9010
		Beech/Laminate Maple/Palette en ordering a back se required leg typ	6000 6101 with Shoe below	6317 6419 nelf option v. Freestar	nding, S	tart and End	d units wit				
	Double-Seat, 30° Inside ZOP3-MCID30DF2F	Curve, Full Heigh	t Back w 6182	vith Privac 6499	cy Scree 6818	n 7263	7773	8220	8727	9363	10001
	Double-Seat, 30° Inside ZOP3-MCID30DM0F	Curve, Mid Heigh	t Back 4911	5178	5450	5829	6262	6638	7070	7610	8150
	Double-Seat, 30° Inside ZOP3-MCID30DM1_ I ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette en ordering a back quired leg type bel	5720 5823 with Show. Free	5990 6092 nelf option estanding,	6262 6363 n please Start an	d End units					
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Heigh	t Back v 5901	vith Privac 6171	cy Scree 6443	en Option 6820	7254	7630	8064	8602	9141
	t glides er glides	\$ List 67 673 630 30 18 26	Dua Rei No	al Leg (for movable s te: Remov	· Multiple Seat Cov able ba	ole-Seat, 30 e unit config vers -Double ck covers a tery - dual f	urations) e-Seat, 30 re not ava		\$ List 159 84 97 curved b 34	acks	
ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside (IS Curve -Sin ID Curve -Dou OS Curve -Sin OD Curve -Dou	gle ible	Seat Degree 30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He Sh	F0 Height Back velf Option F2 eight Back velf Option M0 Height Back velf Option M1 eight Back velf Option M2 eight Back velf Option M2 eight Back velf Option M2 Sight Back velf Option	with with tion k with	Leg Type F eestanding S Start Un C Center Un E End Uni	g Unit it

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	IC GRAD 5	ES 6	ا 7	EATHEF 8	R 9
	Double-Seat, 45° Inside ZOP3-MCID45DF0F	Curve, Full Heigh	t Back 5628	5949	6273	6731	7254	7710	8230	8879	9540
	Double-Seat, 45° Inside ZOP3-MCID45DF1_ B N		6469 6573	with Shelf 6792 6896	7117 7220	7574 7679	8096 8199	8553 8659	9075 9178		10381 10487
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	se required leg ty	pe belov	w. Freesta	nding, St	art and End	d units wi				
	Double-Seat, 45° Inside ZOP3-MCID45DF2F	Curve, Full Heigh	nt Back v 6628	with Privac 6952	cy Screer 7277	า 7735	8256	8712	9231	9882	10543
	Double-Seat, 45° Inside ZOP3-MCID45DM0F	Curve, Mid Heigh	nt Back 5358	5635	5916	6314	6766	7163	7617	8176	8757
	Double-Seat, 45° Inside ZOP3-MCID45DM1_ B		ot Back 6199 6303	with Shelf 6478 6582	6759 6863	7157 7259	7610 7712	8006 8111	8458 8562	9019 9122	9600 9703
	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	quired leg type be	low. Fre	estanding,	Start an	d End units					
	Double-Seat, 45° Inside ZOP3-MCID45DM2F	Curve, Mid Heigh	nt Back 6357	with Priva 6638	cy Scree 6916	n Option 7316	7768	8166	8617	9178	9759
Zola Privacy (Option Upcharges	\$ List							\$ Lis	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubbe Metal glides PRODUCT CODI	glides r glides	67 673 630 30 18 26	Du Re No	ual Leg (for emovable s ote: Remov	r Multiple Seat Cov vable bac	le-Seat, 45 unit config ers -Double ck covers a ery - dual f	jurations) e-Seat, 4 re not ava	5° Curve	189 84 106 curved b 34	l S acks	
Line	Series	Chair Type	С	urve Style	8	Seat Degree	E	Back Type		Leg Typ	e
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD e Curve -Dou	ngle	30D 45D 60D 90D	Full Ho Si Full Ho Privacy Mid Mid Ho	F0 Height Back v helf Option F2 eight Back v y Screen Op M0 Height Back v helf Option	with with otion	F eestandin S Start Ur C Center U E End Un	nit
				2	2026 SI	EATING &	Privacy	eight Back v Screen Op	tions	CANAI	DA 57

			СОМ		COL	FAB	RIC GRAD	ES		LEATHE	R
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	de Curve, Full Heigh	t Back 6205	6576	6946	7483	8089	8625	9230	9973	10775
	Double-Seat, 60° Insid ZOP3-MCID60DF1_	de Curve, Full Heigh Beech/Laminate Maple/Palette	t Back v 7104 7210	vith Shelf 7478 7579	7849 7951	8385 8489	8991 9095	9527 9630	10134 10238		11677 11779
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	nose required leg typ	oe below	v. Freestan	ding, St	art and End	d units wit				_
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	de Curve, Full Heigh	t Back v 7212	vith Privac 7583	y Screer 7955	n 8492	9099	9632	10241	10983	11785
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	de Curve, Mid Heigh	t Back 5867	6178	6483	6924	7422	7861	8361	8975	9619
	Double-Seat, 60° Insid ZOP3-MCID60DM1_		ot Back v 6769 6872	with Shelf 7079 7182	7386 7488	7824 7927	8323 8427	8761 8867	9261 9363		10521 10626
	ORDERING NOTE: W 36" or 30" and chose i weight added to each Double-Seat, 60° Insid ZOP3-MCID60DM2F	required leg type bel seat unit, please ac	ow. Free ld \$318	estanding, list upcha	Start and	d End units unit.				counter	
Zola Privacy O	ption Upcharges	\$ List							\$ List		
	or & CAL 133 (per yard) or power unit) glides r glides	67 673 630 30 18 26	Dua Ren Not	al Leg (for I novable Se e: Remova	Multiple eat Cove able back	e-Seat, 60° unit configi ers -Double k covers ar ery - dual fa	urations) -Seat, 60° e not avai		192 84 129 curved ba 34	acks	
Line	Series	Chair Type	Cı	ırve Style	S	eat Degree	В	ack Type		Leg Type	e
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (IS Curve -Sing ID Curve -Doub OS Curve -Sin OD Curve -Doub	ple	30D 45D 60D 90D	Full He Sh Full He Privacy Mid I	F0 Height Back velf Option F2 ight Back velf Option M0 Height Back velf Option M1 ight Back velf Option	vith vith vition k	Feestanding S Start Un C Center Un E End Uni	it]] nit

MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	ES 6	7	LEATHEF 8	R 9
Double-Seat, 90° Insi ZOP3-MCID90DF0F	de Curve, Full Hei	ght Back 7283	7668	8056	8621	9253	9821	10456	11228	12087
ZOP3-MCID90DF1_ ORDERING NOTE: W - 42", 36" or 30" and	Beech/Laminate Maple/Palette When ordering a bachose required leg	8266 8371 ack with S g type bel	8650 8758 Shelf opti low. Free	9040 9144 ion pleasestanding	g, Start and	End units			12318 iired Shel	13176 f Heigh
Double-Seat, 90° Insi ZOP3-MCID90DF2F	de Curve, Full Hei	ght Back 8339	with Priv 8723	/acy Scr 9111	een 9677	10308	10875	11511	12283	13139
Double-Seat, 90° Insi ZOP3-MCID90DM0F	de Curve, Mid Hei	ight Back 6763	7071	7379	7818	8317	8757	9253	9873	10514
ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose	Beech/Laminate Maple/Palette When ordering a ba e required leg type	7747 7854 ack with Se below. F	8057 8161 Shelf opt	8364 8470 ion pleas ding, Sta	art and End	units with			10962 iired Shel	11603 f Heigl
Double-Seat, 90° Insi ZOP3-MCID90DM2F	de Curve, Mid Hei	ight Back 7818	with Priv 8127	vacy Sci 8434	reen Option 8872	9371	9809	10308	10928	11568
otion Upcharges	\$ List							\$ Lis	t	
& CAL 133 (per yard) power unit)	67	Plus	c I Ingrae							
lides glides KEY	673 630 30 18 26	Dua Ren Not	al Leg (fo novable te: Remo	r Multipl Seat Co vable ba	ble-Seat, 90 le unit confi vers - Doub ack covers a stery - dual	gurations) ble-Seat, 9 are not av	90° Curve	23 ⁻ 84 133 curved b 34	4 3 acks	
glides	630 30 18	Dua Ren Not Cor	al Leg (fo novable te: Remo	r Multipl Seat Co vable ba	le unit confi vers - Doub ack covers a	gurations) lle-Seat, 9 are not av fabrics	90° Curve	84 133 curved b	4 3 acks	oe
	Double-Seat, 90° Inside ZOP3-MCID90DF1_ ORDERING NOTE: Was - 42", 36" or 30" and terbalance weight added to the seat, 90° Inside ZOP3-MCID90DF2F Double-Seat, 90° Inside ZOP3-MCID90DM0F Double-Seat, 90° Inside ZOP3-MCID90DM1_ ORDERING NOTE: Was - 36" or 30" and chost ance weight added to the seat, 90° Inside ZOP3-MCID90DM2F Outlier-Seat, 90° Inside ZOP3-MCID90DM2F Ottom Upcharges & CAL 133 (per yard)	Double-Seat, 90° Inside Curve, Full HeigzOP3-MCID90DF0F Double-Seat, 90° Inside Curve, Full HeigzOP3-MCID90DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a ba-42", 36" or 30" and chose required legterbalance weight added to each seat understand the seat of the sea	Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF0F 7283 Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF1_ Beech/Laminate 8266 Maple/Palette 8371 ORDERING NOTE: When ordering a back with 5 - 42", 36" or 30" and chose required leg type be terbalance weight added to each seat unit, please Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF2F 8339 Double-Seat, 90° Inside Curve, Mid Height Back ZOP3-MCID90DM0F 6763 Double-Seat, 90° Inside Curve, Mid Height Back ZOP3-MCID90DM1_ Beech/Laminate 7747 Maple/Palette 7854 ORDERING NOTE: When ordering a back with 5 - 36" or 30" and chose required leg type below. Fance weight added to each seat unit, please add Double-Seat, 90° Inside Curve, Mid Height Back ZOP3-MCID90DM2F 7818	Double-Seat, 90° Inside Curve, Full Height Back zOP3-MCID90DF0F 7283 7668 Double-Seat, 90° Inside Curve, Full Height Back with She ZOP3-MCID90DF1_ Beech/Laminate 8266 8650 Maple/Palette 8371 8758 ORDERING NOTE: When ordering a back with Shelf opt - 42", 36" or 30" and chose required leg type below. Free terbalance weight added to each seat unit, please add \$20P3-MCID90DF2F 8339 8723 Double-Seat, 90° Inside Curve, Full Height Back with Priz ZOP3-MCID90DM0F 6763 7071 Double-Seat, 90° Inside Curve, Mid Height Back with Shelf OP3-MCID90DM1_ Beech/Laminate 7747 8057 Maple/Palette 7854 8161 ORDERING NOTE: When ordering a back with Shelf opt - 36" or 30" and chose required leg type below. Freestance ance weight added to each seat unit, please add \$318 list Double-Seat, 90° Inside Curve, Mid Height Back with Priz ZOP3-MCID90DM2F 7818 8127	Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF0F Double-Seat, 90° Inside Curve, Full Height Back with Shelf ZOP3-MCID90DF1_ Beech/Laminate 8266 8650 9040 Maple/Palette 8371 8758 9144 ORDERING NOTE: When ordering a back with Shelf option plear - 42", 36" or 30" and chose required leg type below. Freestandinterbalance weight added to each seat unit, please add \$318 list updates and company of the plear	Double-Seat, 90° Inside Curve, Full Height Back with Shelf ZOP3-MCID90DF1_ Beech/Laminate 8266 8650 9040 9604 Maple/Palette 8371 8758 9144 9711 ORDERING NOTE: When ordering a back with Shelf option please clearly sp. 42", 36" or 30" and chose required leg type below. Freestanding, Start and terbalance weight added to each seat unit, please add \$318 list upcharge pd. Double-Seat, 90° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID90DF2F 8339 8723 9111 9677 Double-Seat, 90° Inside Curve, Mid Height Back ZOP3-MCID90DM1_ Beech/Laminate 7747 8057 8364 8804 Maple/Palette 7854 8161 8470 8909 ORDERING NOTE: When ordering a back with Shelf option please clearly sp. 36" or 30" and chose required leg type below. Freestanding, Start and End ance weight added to each seat unit, please add \$318 list upcharge per unit Double-Seat, 90° Inside Curve, Mid Height Back with Shelf option please clearly sp. 36" or 30" and chose required leg type below. Freestanding, Start and End ance weight added to each seat unit, please add \$318 list upcharge per unit Double-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID90DM2F 7818 8127 8434 8872	Double-Seat, 90° Inside Curve, Full Height Back	Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF0F Robbit Robbi	Double-Seat, 90° Inside Curve, Full Height Back	MODEL/SPECIES 1 2 3 4 5 6 7 8

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHEI 8	R 9
	Double-Seat, 30° Outsic ZOP3-MCOD30DFOF	le Curve, Full Hei	ght Back 4822	5122	5424	5841	6321	6739	7216	7817	8415
	Double-Seat, 30° Outsic ZOP3-MCOD30DF1_ E N ORDERING NOTES: W - 42", 36" or 30" and che	Beech/Laminate Maple/Palette hen ordering a ba	5412 5510 ck with S	5713 5810 shelf optio	6012 6112 n please						
	balance weight added to							the shell	Орионт	equire cc	
	Double-Seat, 30° Outsic ZOP3-MCOD30DF2F	le Curve, Full Hei	ght Back 5451	with Priva 5751	acy Scre 6052	en 6471	6951	7368	7847	8446	9045
	Double-Seat, 30° Outsic ZOP3-MCOD30DMOF	le Curve, Mid Hei	ght Back 4617	4868	5116	5466	5865	6213	6610	7108	7607
	Double-Seat, 30° Outsic ZOP3-MCOD30DM1_ E		ght Back 5209 5306	with Shell 5458 5556	f 5707 5805	6055 6154	6454 6554	6804 6902	7201 7300	7699 7798	8198 8295
	ORDERING NOTES: W - 36" or 30" and chose re weight added to each so Double-Seat, 30° Outsid	equired leg type be eat unit, please ac	elow. Freedd \$318 I	estanding, ist upcha	Start ar	nd End units unit.					
	ZOP3-MCOD30DM2F		5247	5497	5745	6096	6494	6843	7240	7739	8236
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barri Seat Power (p Shelf Power Floor-saver felt Non-slip rubbe Metal glides	t glides	67 673 630 30 18 26	Dua Rer Not	al Leg (for novable S e: Remov	Multiple Seat Cov able bac	ole-Seat, 30° e unit configuers -Double ck covers and tery - dual fa	urations) -Seat, 30 e not ava		159 84 97 surved ba 34		
PRODUCT COD	Series	Chair Type	Cı	ırve Style		Seat Degree	F	Back Type		Leg Type	<u> </u>
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (Outside	IS Curve -Sing ID Curve -Dou OS Curve -Sirg Curve -Sirg Curve -Sirg OD Curve -Dou	ble	30D 45D 60D 90D	Full He St Full He Privacy Mid Mid He	F0 Height Back wheelf Option F2 eight Back who screen Op M0 Height Back who screen Op M1 Height Back who screen Option	vith vith tion k	F Seestanding S Start Uni C Center Ur E End Unit	it nit

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	7	LEATHER 8	9
	Double-Seat, 45° Outsi ZOP3-MCOD45DFOF	de Curve, Full Hei	ght Back 5037	5338	5636	6055	6536	6955	7434	8033	8632
	Double-Seat, 45° Outsi ZOP3-MCOD45DF1_ ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	Beech/Laminate Maple/Palette en ordering a bac se required leg ty	5630 5726 k with Sh	5928 6027 nelf option r. Freesta	6228 6325 n please nding, Si	tart and End	d units wi				
	Double-Seat, 45° Outsi ZOP3-MCOD45DF2F	de Curve, Full Hei	ght Back 5666	with Priv 5968	acy Scre 6267	een 6684	7164	7583	8064	8662	9261
	Double-Seat, 45° Outsi ZOP3-MCOD45DMOF	de Curve, Mid Hei	ight Back 4810	5057	5308	5657	6054	6403	6801	7301	7799
	Double-Seat, 45° Outsi ZOP3-MCOD45DM1_ ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette en ordering a bac quired leg type be	5399 5497 k with Sh	5650 5745 nelf option standing	5896 5997 n please , Start an	d End units					
	Double-Seat, 45° Outsi ZOP3-MCOD45DM2F	de Curve, Mid Hei	ight Back 5440	with Priv 5688	vacy Scre 5938	een Option 6285	6683	7031	7432	7929	8429
	glides r glides	\$ List 67 673 630 30 18 26	Dua Rer	al Leg (fo movable	r Multiple Seat Cov	ole-Seat, 45 e unit config vers - Doubl ck covers a	jurations) e-Seat, 4	5° Curve	10	39 34 06	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside (IS Curve -Sir ID Curve -Do OS Curve -S	ngle uble	Seat Degree 30D 45D 60D	Full H S	F0 Height Back F1 eight Back helf Option F2 eight Back	with	Leg Typ Freestanding S Start Un C Center U] g Unit] it

		COM		COL	FABF	RIC GRAD	ES		LEATHEF	ł
DESCRIPTION	I/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Outside Curve, Full I ZOP3-MCOD60DFOF	Height Back 5302	5602	5899	6319	6797	7216	7697	8295	8894
	Double-Seat, 60° Outside Curve, Full I ZOP3-MCOD60DF1_ Beech/Laminat Maple/Palette	•	with Shelf 6188 6285	f 6490 6583	6907 7003	7386 7481	7806 7900	8284 8381	8883 8979	9479 9576
N	ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg balance weight added to each seat un	type below	. Freestan	ding, Sta	art and End	units with				
	Double-Seat, 60° Outside Curve, Full I ZOP3-MCOD60DF2F	Height Back 5929	with Priva 6229	icy Scree 6528	en 6946	7425	7845	8324	8923	9520
	Double-Seat, 60° Outside Curve, Mid ZOP3-MCOD60DMOF	Height Back 5037	5286	5537	5887	6284	6632	7030	7531	8028
	Double-Seat, 60° Outside Curve, Mid ZOP3-MCOD60DM1_ Beech/Laminat Maple/Palette	U	with Shel 5874 5970	f 6124 6220	6472 6568	6870 6965	7218 7316	7619 7713	8117 8212	8615 8710
	ORDERING NOTE: When ordering a base of or 30" and chose required leg type weight added to each seat unit, please Double-Seat, 60° Outside Curve, Mid ZOP3-MCOD60DM2F	below. Free add \$318 l	standing, list upchar	Start and ge per u	l End units v					
Zola Privacy C	Option Upcharges \$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubbe Metal glides PRODUCT COD	630 glides 30 r glides 18 26	Dua Rer Not	al Leg (for novable S	Multiple eat Cove	e-Seat, 60° unit configu rs - Double c covers are	ırations) -Seat, 60		202 84 129 urved ba	cks	
Line	Series Chair Type	С	urve Style	S	Seat Degree	В	ack Type		Leg Type	
ZOP Zola	3 MC Lounge Modular Cur MCB Modular Cur Plus	ve Inside Outside	IS Curve -Sing ID Curve -Dou OS e Curve -Sir OD e Curve -Dou	ble	30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He Sh	F0 Height Back welf Option F2 ight Back welf Option F2 ight Back welf Option M0 Height Back M1 ight Back welf Option M2 ight Back welf Option M2 ight Back welf Option	vith vith k vith	eestanding S Start Uni C Center Un E End Unit	it

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD 5	ES 6	1 7	_EATHEF 8	R 9
	Double-Seat, 90° Outside O ZOP3-MCOD90DF0F	Curve, Full Hei	ight Bac 5941	k 6241	6540	6959	7438	7858	8337	8936	9534
	Double-Seat, 90° Outside OZOP3-MCOD90DF1_ Bee Map ORDERING NOTES: When - 42", 36" or 30" and chose balance weight added to ea	ch/Laminate le/Palette ordering a barequired leg t	6522 6619 ack with type belo	6821 6916 Shelf optow. Frees	7123 7216 tion pleastanding,	Start and En	nd units w			9614 ired She	
	Double-Seat, 90° Outside (ZOP3-MCOD90DF2F						8057	8476	8955	9553	10151
	Double-Seat, 90° Outside (ZOP3-MCOD90DM0F	Curve, Mid He	ight Bac 5782	6124	6466	6996	7576	8108	8689	9376	10223
	Double-Seat, 90° Outside OzOP3-MCOD90DM1_ Bee Map ORDERING NOTES: Wher - 36" or 30" and chose required weight added to each seat	ch/Laminate le/Palette ordering a baired leg type b	6363 6461 ack with elow. Fro	6706 6800 Shelf opt eestandin	7048 7145 ion pleas g, Start a	and End unit				10051 ired She	lf Height
	Double-Seat, 90° Outside C ZOP3-MCOD90DM2F						8197	8725	9308	9992	10844
Zola Privacy O	ption Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides PRODUCT CODE	glides glides	67 673 630 30 18 26	Du Re	al Leg (fo movable	r Multipl Seat Co	ble-Seat, 90 e unit confiç vers - Doub ack covers a	gurations) le-Seat, 9		231 84 133 curved b	ļ 3	
Line	Series	Chair Type	C	Curve Style		Seat Degree		Back Type		Leg Typ	ре
ZOP Zola	Ü	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS Curve -Si ID Curve -Do OS e Curve -S OD e Curve -D	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mic Mid H S	F0 I Height Back F1 I Height Back Chelf Option F2 I Height Back By Screen Op M0 I Height Back Chelf Option M1 I Height Back Chelf Option M2 I Height Back By Screen Op M2 I Height Back By Screen Op	with with ption ck with	Freestandin S Start Ui C Center U E End Ur	nit Juit

ZOLA PRIVACY | SIDE PANELS

		COM		COL	FAI	BRIC GRA	DES		LEATHE	R	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No Sc Start Center End	ereen 995 1283 995	1087 1375 1087	1180 1467 1180	1369 1656 1369	1555 1840 1555	1743 2028 1743	1927 2214 1927	2116 2400 2116	2488 2774 2488
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with S Start Center End	1305 1590 1305	1398 1686 1398	1491 1777 1491	1676 1964 1676	1864 2153 1864	2051 2339 2051	2238 2526 2238	2425 2713 2425	2798 3084 2798
	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No So Start Center End	805 1104 805	870 1165 870	932 1228 932	1061 1354 1061	1187 1482 1187	1313 1609 1313	1440 1735 1440	1566 1861 1566	1818 2116 1818
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with S Start Center End	Screen 1116 1413 1116	1178 1475 1178	1242 1538 1242	1371 1666 1371	1496 1791 1496	1624 1918 1624	1750 2044 1750	1877 2169 1877	2130 2425 2130

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 198 for Dimensions and COM.

Line	Series	Chair Type	Height	Position		
ZOP	3	MP	F0	S		
Zola	Lounge	Modular Side Panel	Full Height	Start		
			F2	С		
			Full Height with Privacy Screen Option	Center		
			MO	Е		
			Mid Height	End		
			M2			
			Mid Height with Privacy Screen Option			

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single, I	Full Height									
	ZOP3-MSPF0S	Start	612	659	707	803	898	996	1090	1188	1379	
	ZOP3-MSPF0C	Center	899	950	999	1093	1190	1285	1380	1477	1668	
	ZOP3-MSPF0E	End	612	659	707	803	898	996	1090	1188	1379	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S	Start	539	582	621	705	788	870	954	1036	1200	
	ZOP3-MSPM0C	Center	835	876	918	1002	1084	1166	1250	1332	1499	
	ZOP3-MSPM0E	End	539	582	621	705	788	870	954	1036	1200	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private	F0 Full Height	S Start	
2014	Louinge	Side Panel	MO	С	
			Mid Height	Center	
				E	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	737 737 823	777 777 864	816 816 901	895 895 981	976 976 1062	1054 1054 1141	1135 1135 1221	1212 1212 1300	1372 1372 1459	
	Modular Upholstered Arm w/Urd ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 882 882 951	921 921 989	959 959 1030	1039 1039 1110	1119 1119 1190	1198 1198 1267	1278 1278 1348	1356 1356 1425	1517 1517 1585	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	С	
Solid Surface Arm Cap (per arm)	135	142	158	164

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DII	ИE	NS	101	٧S
-----	----	----	-----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Ful	l Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mic	d Height Ba	ick						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Doul	ole-Seat - Fι	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Doul	ole-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

			СОМ		COL	FAB	RIC GRAD	DES	L	EATHER	
DESCRIPTION/MODE	ΞL		1	2	3	4	5	6	7	8	9
	Twin Single-Sea ZOP3-MCTS30	at, 30° Curve, Ful DF0F	l Height Ba 5464	ack 5792	6121	6581	7105	7568	8094	8751	9408
	Twin Single-Sea ZOP3-MCTS30	at, 30° Curve, Ful DF2F	Height Ba	ack with F	Privacy So 6743	creen Optic 7205	on 7730	8190	8717	9376	10032
	Twin Single-Sea ZOP3-MCTS30	at, 30° Curve, Mi DM0F	d Height B 5176	Back 5473	5768	6182	6652	7067	7539	8128	8720
	Twin Single-Sea	at, 30° Curve, Mi	d Heiaht F	Back with	Privacy S	Screen Opti	on				
	ZOP3-MCTS30		5801	6096	6389	6804	7277	7689	8161	8753	9340
	Twin Single-Sea ZOP3-MCTS45	at, 45° Curve, Fu DF0F	ll Height B 6160	ack 6500	6844	7325	7872	8350	8900	9586	10270
	Twin Single-Sea ZOP3-MCTS45	at, 45° Curve, Fu DF2F	ll Height B 6791	ack with 7132	Privacy S 7476	creen Opti 7955	on 8502	8982	9532	10216	10901
Zola Privacy Option	Upcharges	\$ List							\$ Lis	t	
Moisture Barrier & C/ Seat Power (per pow Shelf Power Dual Leg (for Multiple Floor-saver felt glides Non-slip rubber glides Metal glides PRODUCT CODE KEY	AL 133 (per yard) ver unit) e unit configuratio	67 673 630	Plu Re Re	us Upgrae movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ck covers a	it, 45° Cur Single-Sea Single-Sea	rve at, 30° Cur at, 45° Cur	301 362 rve 162 rve 174	1 2 2 4	
Line	Series	Chair Type	Cı	ırve Style	S	eat Degree	В	ack Type		Leg Type	9
ZOP Zola	3 Lounge	MCT Modular Curve Tw		S all Radius-		30D	Full	F0 Height Back	ς Fre	F	Unit
		MCTB Modular Curve Twin Plus		D all Radius- uble Width		45D		F2 ight Back w Screen Opt		Start Uni	t
						90D		M0 Height Back M2 eight Back w		C Center Ur E	
CO CANIADA CEA	TINIO 2 2222	NONA: T:=:=:	210055					Screen Opt		Ena Unii	L

DESCRIPTION/MODE	EL.		COM 1	2	COL 3	FAE 4	RIC GRA 5	ADES 6	7	EATHER 8	9
	Twin Single-Seat, ZOP3-MCTS45DN		Height Ba 5833	ack 6142	6449	6883	7378	7809	8304	8923	954
	Twin Single-Seat, ZOP3-MCTS45DN		Height Ba	ack with 6102	Privacy S 6397	creen Opti 6813	ion 7284	7697	8170	8759	935
	Twin Single-Seat, ZOP3-MCTS60DF		Height Ba	ack 7397	7801	8364	9009	9571	10215	11019	1182
	Twin Single-Seat, ZOP3-MCTS60DF		Height Ba 7629	ack with I 8031	Privacy So 8434	creen Opti 8997	on 9643	10204	10849	11652	1245
	Twin Single-Seat, ZOP3-MCTS60DM		Height Ba	ack 6976	7332	7833	8402	8900	9471	10181	1089
	Twin Single-Seat, ZOP3-MCTS60DN		Height Ba 7854	ack with 8308	Privacy S 8762	creen Opti 9402	ion 10132	10771	11500	12411	1332
Zola Privacy Option	Upcharges	\$ List							\$ List	t	
Moisture Barrier & CA Seat Power (per powe Shelf Power Dual Leg (for Multiple Floor-saver felt glides Non-slip rubber glides Metal glides	L 133 (per yard) er unit) unit configurations	67 673 630	Plu Rer Rer	s Upgrac movable movable	le - Twin S Seat Cove Seat Cove	ers -Twin S	it, 60° Cu Single-Se Single-Se		362 424 rve 174 rve 222	<u>.</u>	
PRODUCT CODE KEY Line	Series	Chair Type	C	urve Style		Seat Degree	<u> </u>	Back Type		Leg Typ	
ZOP Zola	3	MCT Modular Curve Twi	in Sm	S nall Radius ngle Width	-	30D 45D		F0 III Height Ba	ck Fr	F reestandin	
		Modular Curve Twin Plus		nall Radius uble Width		60D		Height Back cy Screen C		Start U	nit

90D

Mid Height Back

M2
Mid Height Back with
Privacy Screen Options

Center Unit

End Unit

		COM		COL	FA	BRIC GRA	ADES		LEATHE	:R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F	Height B 8727	ack 9137	9545	10126	10783	11358	12018	12836	13667
	Twin Single-Seat, 90° Curve, Full	Height R	ack with	Privacy S	creen Ont	ion				
	ZOP3-MCTS90DF2F	-	10136	10546	11123	11784	12357	13015	13833	14667
	Twin Single-Seat, 90° Curve, Mid	•								
	ZOP3-MCTS90DM0F	8204	8566	8931	9443	10027	10542	11123	11850	12590
	Twin Single-Seat, 90° Curve, Mid	Height E	ack with	Privacy S	Screen Op	tion				
	ZOP3-MCTS90DM2F	7819	8229	8641	9213	9867	10442	11098	11916	12736

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Single-Seat, 90° Curve 541
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations) 84
Shelf Power	630	Removable Seat Covers -Twin Single-Seat, 90° Curve 252
Floor-saver felt glides	30	Note: Removable back covers are not available on curved backs
Non-slip rubber glides	18	
Metal glides	26	

PRODUCT CODE RE						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DESCRIPTION/MOD	EL/SPECIES	COM 1	2	COL 3	FABI	RIC GRAD	ES 6	L 7	EATHEF	R 9
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF0F	Full Height I 7218	- Заск 7676	8130	8767	9498	10136	10865	-	12690
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF2F	Full Height I 8211	Back with 8668	Privacy §	Screen Op 9760	otion 10490	11127	11857	12771	13680
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM0F	fid Height E 6820	Back 7230	7642	8213	8869	9442	10099	10918	11737
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM2F	flid Height E 7813	Back with 8224	Privacy S 8633	Screen Op	tion 9862	10434	11092	11911	12728

Zola Privacy Option Upcharges	\$ List	\$ List	t
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 30° Curve 424	1
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations) 84	4
Shelf Power	630	Removable Seat Covers -Twin Double-Seat, 30° Curve 195	5
Floor-saver felt glides	30	Note: Removable back covers are not available on curved bac	acks
Non-slip rubber glides	18		
Metal glides	26		

PRODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		МСТВ	D	45D	F2	S
		Modular Curve Twin Plus	Small Radius- Double Width		Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	COL FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height B 8141	ack 8607	9077	9732	10482	11136	11886	12821	13760
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height B 9141	ack with 9613	Privacy S 10080	creen Opt 10733	ion 11483	12139	12887	13825	14760
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM0F	l Height B 7713	ack 8137	8559	9150	9825	10414	11092	11935	12779
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM2F	l Height B 8719	ack with 9138	Privacy S 9563	Screen Opt 10151	ion 10827	11418	12092	12936	13783

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List	•	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 45° Curve	480
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations)	84
Shelf Power	630	Removable Seat Covers - Twin Double-Seat, 45° Curve	214
Floor-saver felt glides	30	Note: Removable back covers are not available on curv	ed backs
Non-slip rubber glides	18		
Metal glides	26		

PRODUCT CODE RET						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN CURVED

		COM		COL	FAB	RIC GRAD	ES	L	EATHER	i
DESCRIPTION/MC	DDEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, ZOP3-MCTD60DF0F	Full Height Ba 8880	ck 9357	9831	10495	11257	11920	12682	13632	14581



Twin Double-Seat, 60° Curve, Full Height Back with Privacy Screen Option

ZOP3-MCTD60DF2F 9888 10366 10840 11505 12264 12930 13689 14641 15590



Twin Double-Seat, 60° Curve, Mid Height Back
ZOP3-MCTD60DM0F 8393 8824 9251 9852 10540 11139 11827 12687 13541



Twin Double-Seat, 60° Curve, Mid Height Back with Privacy Screen Option
ZOP3-MCTD60DM2F 9402 9831 10260 10861 11544 12146 12836 13694 14550

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 60° Curve 570
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations) 84
Shelf Power	630	Removable Seat Covers -Twin Double-Seat, 60° Curve 260
Floor-saver felt glides Non-slip rubber glides Metal glides	30 18 26	Note: Removable back covers are not available on curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

		COM		COL	FABR	IC GRADE	S	LE/	ATHER	
DEL		1	2	3	4	5	6	7	8	9
n Side Panel, F P3-MPTF0U P3-MPTF0C	ull Height No Screen Universal End Center	1499 2245	1636 2385	1775 2525	2052 2801	2328 3078	2607 3352	2882 3629	3160 3906	3712 4460
n Side Panel, F P3-MPTF2U P3-MPTF2C	ull Height with Screen Universal End Center	2106 2853	2244 2993	2384 3133	2659 3408	2937 3685	3214 3960	3490 4238	3768 4511	4319 5069
n Side Panel, N P3-MPTM0U P3-MPTM0C	led. Height No Screen - Universal End Center	1246 1991	1338 2087	1431 2180	1620 2366	1806 2553	1992 2740	2180 2927	2366 3113	2740 3488
P3-MPTM2U P3-MPTM2C DERING NOTI	Universal End Center E: Side Panels will only c			_		2416 3161 with Privac	2602 3347 cy Screen	2789 3535 Option a	2974 3720 re not ava	3347 4097 ailable
	a Side Panel, F P3-MPTF0U P3-MPTF0C a Side Panel, F P3-MPTF2U P3-MPTF2C a Side Panel, N P3-MPTM0U P3-MPTM0C a Side Panel, N P3-MPTM2U P3-MPTM2U P3-MPTM2U P3-MPTM2U	a Side Panel, Full Height No Screen 23-MPTF0U Universal End 23-MPTF0C Center a Side Panel, Full Height with Screen 23-MPTF2U Universal End 23-MPTF2C Center a Side Panel, Med. Height No Screen - 23-MPTM0U Universal End 23-MPTM0C Center a Side Panel, Med. Height with Screen 23-MPTM0C Center a Side Panel, Med. Height with Screen 23-MPTM2U Universal End 23-MPTM2C Center DERING NOTE: Side Panels will only contents DERING	A Side Panel, Full Height No Screen P3-MPTF0U Universal End 1499 P3-MPTF0C Center 2245 A Side Panel, Full Height with Screen P3-MPTF2U Universal End 2106 P3-MPTF2C Center 2853 A Side Panel, Med. Height No Screen - P3-MPTM0U Universal End 1246 P3-MPTM0C Center 1991 A Side Panel, Med. Height with Screen P3-MPTM0C Center 1855 P3-MPTM2U Universal End 1855 P3-MPTM2U Universal End 1855 P3-MPTM2C Center 2601 DERING NOTE: Side Panels will only connect to the part of the par	#EL 1 2 ### Side Panel, Full Height No Screen ### P3-MPTF0U Universal End 1499 1636 ### P3-MPTF0C Center 2245 2385 ### Side Panel, Full Height with Screen ### P3-MPTF2U Universal End 2106 2244 ### P3-MPTF2C Center 2853 2993 ### P3-MPTM0U Universal End 1246 1338 ### P3-MPTM0C Center 1991 2087 ### P3-MPTM0C Center 1991 2087 ### P3-MPTM2U Universal End 1855 1947 ### P3-MPTM2C Center 2601 2695 ### P3-MPTM2C Center 2601 2695 ### P3-MPTM2C Side Panels will only connect to Center	#EL 1 2 3 ## Side Panel, Full Height No Screen ## P3-MPTF0U Universal End 1499 1636 1775 ## P3-MPTF0C Center 2245 2385 2525 ## Side Panel, Full Height with Screen ## P3-MPTF2U Universal End 2106 2244 2384 ## P3-MPTF2C Center 2853 2993 3133 ## P3-MPTM0U Universal End 1246 1338 1431 ## P3-MPTM0C Center 1991 2087 2180 ## P3-MPTM0C Center 1991 2087 2180 ## P3-MPTM2U Universal End 1855 1947 2041 ## P3-MPTM2C Center 2601 2695 2789 ## P5-MPTM2C Center 2601 2695 2789 ## P5-MPTM3 NOTE: Side Panels will only connect to Center seating universal End 1855 1947 2041 ## P3-MPTM3 NOTE: Side Panels will only connect to Center seating universal End 2601 2695 2789 ## P5-MPTM3 NOTE: Side Panels will only connect to Center seating universal End 2601 2695 2789	#EL 1 2 3 4 ## Side Panel, Full Height No Screen ## P3-MPTF0U Universal End 1499 1636 1775 2052 ## P3-MPTF0C Center 2245 2385 2525 2801 ## Side Panel, Full Height with Screen ## P3-MPTF2U Universal End 2106 2244 2384 2659 ## P3-MPTF2C Center 2853 2993 3133 3408 ## P3-MPTM0U Universal End 1246 1338 1431 1620 ## P3-MPTM0U Universal End 1246 1338 1431 1620 ## P3-MPTM0U Universal End 1991 2087 2180 2366 ## P3-MPTM0C Center 1991 2087 2180 2366 ## P3-MPTM2U Universal End 1855 1947 2041 2228 ## P3-MPTM2C Center 2601 2695 2789 2974	Side Panel, Full Height No Screen 1499 1636 1775 2052 2328 233-MPTFOC Center 2245 2385 2525 2801 3078 23-MPTFOC Center 2245 2385 2525 2801 3078 23-MPTF2U Universal End 2106 2244 2384 2659 2937 23-MPTF2C Center 2853 2993 3133 3408 3685 23-MPTF2C Center 2853 2993 3133 3408 3685 23-MPTM0U Universal End 1246 1338 1431 1620 1806 23-MPTM0C Center 1991 2087 2180 2366 2553 23-MPTM0C Center 23-MPTM2U Universal End 1855 1947 2041 2228 2416 23-MPTM2U Universal End 1855 1947 2041 2228 2416 23-MPTM2C Center 2601 2695 2789 2974 3161 23-MPTM2C 23-MPTM2C 23-MPTM2C 24-MPTM2C 24-	Side Panel, Full Height No Screen	Side Panel, Full Height No Screen 1499 1636 1775 2052 2328 2607 2882 283-MPTF0C 2245 2385 2525 2801 3078 3352 3629 283-MPTF2U Universal End 2106 2244 2384 2659 2937 3214 3490 23-MPTF2C 2853 2993 3133 3408 3685 3960 4238 283-MPTF2C 2853 2993 3133 3408 3685 3960 4238 283-MPTM0U Universal End 1246 1338 1431 1620 1806 1992 2180 23-MPTM0C 283-MPTM0C 283-MPTM0C 283-MPTM0C 283-MPTM0C 283-MPTM0U Universal End 1855 1947 2041 2228 2416 2602 2789 283-MPTM2U Universal End 1855 1947 2041 2228 2416 2602 2789 283-MPTM2U Universal End 1855 1947 2041 2228 2416 2602 2789 283-MPTM2C 2601 2695 2789 2974 3161 3347 3535 200-MPTM2C 2601 2695 2789 2974 3161 3347 3535 200-MPTM2C 2601 2695 2789 2974 3161 3347 3535 200-MPTM3C 200-MPTM3C	Side Panel, Full Height No Screen

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		F	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
		F	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private S	Side Panel, Sin	gle, Full H	eight								
	ZOP3-MSPTF0U	Universal	1062	1146	1230	1350	1485	1604	1741	1909	2080	
	ZOP3-MSPTF0C	Center	1810	1894	1979	2098	2235	2352	2488	2658	2828	
	Twin Semi-Private S		gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	911	964	1021	1097	1187	1263	1352	1462	1571	
	ZOP3-MSPTM0C	Center	1660	1714	1770	1845	1934	2010	2101	2211	2321	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1176 1938	1256 2004	1325 2072	1416 2165	1523 2272	1615 2365	1723 2471	1856 2605	1988 2738	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1314	1395	1462	1555	1661	1753	1860	1993	2127	
	ZOP3-MATUREC	2077	2143	2211	2302	2409	2503	2609	2742	2875	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Col	С	
Solid Surface Arm Cap (per arm)	289	302	333	344

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	539 564	12	2
	Tablet with Palette Fin ZOL3-T2	ish n/a	431	12	2
	Clear Glass Tablet ZOL3-T3	n/a	822	13	2
	Laminate Tablet ZOL3-T4	n/a	558	12	2
			blet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3-T5AW	Grade A White n/a	673	14	2
	Solid Surface Tablet - ZOL3-T5AC	Grade A Color n/a	683	14	2
9	Solid Surface Tablet - ZOL3-T5B	Grade B n/a	720	14	2
	Solid Surface Tablet - ZOL3-T5C	Grade C n/a	778	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Total		\$13 56 5
ZOP3-RO48532416	1	1119
ZOP3-ICWF0R	1	1781
ZOP3-ICWF0L	1	1781
ZOP3-IWF048MP	1	2524
ZOP3-M2F0F	2	3180
Model	Qty	Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0L ZOP3-ICTWM0R	3 1 1	2724 1800 1800
Total		\$11,772

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1230	2084	1756	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1325	2275	1862	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1416	2367	1968	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1508	2460	2072	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1149	1767	1667	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1243	1956	1772	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1334	2050	1878	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1426	2142	1980	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1383	2237	1911	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1477	2428	2017	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1568	2521	2119	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1662	2612	2224	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	2" 1304	1918	1820	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	8" 1396	2110	1925	48	12	37	102	15.25
\	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	4" 1487	2200	2030	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	0" 1581	2295	2134	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full	Height 42"							
	ZOP3-IWF042P	2277	3131	2804	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2369	3321	2908	48	12	50	212	21.5
53	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2462	3413	3013	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2554	3507	3118	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2195	2811	2714	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2289	3003	2818	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2381	3095	2924	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2473	3187	3027	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2431	3283	2957	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	es, Full Height 48" 2524	3475	3062	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2615	3566	3165	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2709	3660	3271	60	12	50	147	26.5
	Inline Wall Media w/Power Doc ZOP3-IWM042MP	cs, Mid Height 42" 2349	2964	2866	42	12	37	92	13.5
	Inline Wall Media w/Power Dod ZOP3-IWM048MP	es, Mid Height 48" 2442	3157	2971	48	12	37	102	15.5
	Inline Wall Media w/Power Dod ZOP3-IWM054MP	es, Mid Height 54" 2533	3247	3075	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	es, Mid Height 60" 2628	3341	3181	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1781 1781	2507 2507	2147 2147	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1719 1719	2391 2391	2074 2074	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	448	468	583	695
ZOP3-IWF048N	501	525	653	782
ZOP3-IWF054N	556	582	727	870
ZOP3-IWF060N	582	637	799	958

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/Me		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	Γ CUBE
	Inline Table Wall, Full Height 23' ZOP3-ITWF023N	1036	1661	1568	23	25.7	50	100	21
	Inline Table Wall, Full Height 30' ZOP3-ITWF030N	1221	2043	1768	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23' ZOP3-ITWM023N	955	1342	1478	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30	,			20	25.1	37	30	
Sign 1	ZOP3-ITWM030N	1140	1725	1675	30	25.7	37	115	18.5
-	Inline Table Wall w/Power Docs								
	ZOP3-ITWF023P	2083	2707	2615	23	25.7	50	100	21
	Inline Table Wall w/Power Docs, ZOP3-ITWF030P	Full Height 30" 2268	3090	2814	30	25.7	50	125	26.5
1									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	Mid Height 23" 2001	2387	2525	23	25.7	37	90	15
56	Inline Table Wall w/Power Docs, ZOP3-ITWM030P	Mid Height 30" 2187	2770	2721	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	FO	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1864	2811	2286	28	28	50	140	31
	ZOP3-ICTWF0R	1864	2811	2286	28	28	50	140	31
	Inline Corner Table Wall, Mic	Height							
	ZOP3-ICTWM0L	1800	2694	2213	28	28	37	127	23
	ZOP3-ICTWM0R	1800	2694	2213	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE TAE	LA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES Grades								
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	507	533	663	793					
ZOP3-ITWF030N	635	666	835	1004	ORDERING	NOTE	S:		
ZOP3-ITWM023N	507	533	663	793	The Solid Su	ırface 1	top or	otion is pri	iced as
ZOP3-ITWM030N	635	666	835	1004	an upcharg	e to	existi	ng table	price.
ZOP3-ITWF023P	507	533	663	793	Please add a				
ZOP3-ITWF030P	635	666	835	1004	number and	the u	pchai	rge listed	below.
ZOP3-ITWM023P	507	533	663	793	Zola Solid S	Surfac	e tab	les have	a 1/2"
ZOP3-ITWM030P	635	666	835	1004	thickness of	n top	of the	e existing	table,
ZOP3-ICTWF0	637	668	841	1009	with a 1 mm				
ZOP3-ICTWM0	637	668	841	1009	cal edge). Pl options.	ease s	see pa	age 336 fo	or color
PRODUCT CODE K	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				MO		F	}		
				Mid Height		Riç	nht.		
				Mid Height		Πίζ	yıı.		
			HIGH	CHERRY					
DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	PRESSURE LAMINATE		W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa	II							
	ZOL4-RO48-302416	949	1342	1458	30	24	16	25	3.75
	ZOL4-RO48-372416	1001	1449	1527	37	24	16	30	4.5
	ZOL4-RO48-532416	1119	1695	1683	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1292	2050	1908	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa								
	ZOL4-RO54-303016	1004	1314	1531	30	30	16	35	4.25
	ZOL4-RO54-373016	1068	1447	1617	37	30	16	41	5.25
	ZOL4-RO54-533016	1221	1754	1814	53	30	16	54	6.75
U	ZOL4-RO54-763016	1438	2196	2094	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/MO	ODEL		PRICE	WEIGHT	CUBE
	Wood Tablet 8 ZOL3-RT1	Mounting Plate Only Beech Maple /Cherry	400 425	5 5	0.32 0.32
	Painted Tablet ZOL3-RT2	& Mounting Plate Only n/a	291	5	0.32
	Clear Glass Ta ZOL3-RT3	ablet & Mounting Plate Only n/a	683	6	0.32
	Laminate Table ZOL3-RT4	et & Mounting Plate Only n/a	416	5	0.32
	Solid Surface ZOL3-RT5	Tablet & Mounting Plate Only Grade - A-White Grade - A-Color Grade - B Grade - C	565 574 605 655		
	ORDERING N	IOTES: The Zola replaceme	ent tablets on this page include the top with mountin	g plate only.	
	Leg ZOL3-RLS		60	1	0.125
Ţ	Caster Leg ZOL3-RLC		40	0.4	0.125
	Dual leg ZOL3-RDL		105	1	0.125
	Leg Glide (4) ZOL3-RLG		25	0.2	0.01
000	Replacement ZOL3-RLKB2	Seat-to-Seat Bracket	99	1	0.125
		лоdular Seats are ordered, e	each seat is automatically supplied with two seat to se	at brackets	
	Replacement ZOL3-RLKB1	Table-to-Seat Bracket	119	3	0.125
	ZOL3-POWEF	RDOC1 - Undermount	601	3	0.375
Day Day			eats and Tables as a replacement part or installed on univer and USB A & C outlets. PowerDoc's have a 10' co		ously spec-
	ZOL3-POWEF	RDOC2	679	3	0.375
0 m 0 m ci			s or Square/Rectangular tables which were originally & C outlets. PowerDoc's have a 10' cord.	ordered with	this power
	Wire Manager ZOL3-WM10	Shroud	126	1	0.375
	ORDERING N	IOTES: Comes in a 10' lengt	th when ordered. Can be cut to size on site.		


ZOLA PRIVACY | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 70	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 60	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 77	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 177	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 196	4	0.32
	ZOP3-POWERDOC3 - Shelves only 640 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3-WM 196	1	0.375

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION







The mark of responsible forestry

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches
One-Seat	1.4	2.2	3.6	4.4
Two-seat	1.85	3.7	5.6	7.4
Three-seat	2.8	5.6	8.4	11.2
One-Seat (Plus)	1.85	3.7	5.6	7.4
Two-seat (Plus)	1.85	3.7	5.6	7.4
Three-seat (Plus)	2.8	5.6	8.4	11.2

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	80	One-Seat standard depth seat	49
Interim Arm	64	Two-seat standard depth seat	71
One-Seat back	71	Three-seat standard depth seat	89
Two-seat back	101	One-Seat plus standard depth seat	64
Three-seat back	127	One-Seat full depth seat	54
One-Seat plus back	81	Two-seat full depth seat	77
·		Three-seat full depth seat	89
		One-Seat plus full depth seat	70

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ı
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1S1	914	961	1011	1105	1195	1288	1379	1467	1611
	One-Seat Plus ZOL3-MSB1S1	1152	1203	1254	1353	1453	1554	1650	1751	1900
	ORDERING NOTES: On	e-Seat Plus B	ench is 30)" wide.						
	Two-Seat ZOL3-MS2S1	1278	1335	1396	1519	1644	1769	1893	2018	2223
	Two-Seat Plus ZOL3-MSB2S1	1361	1426	1493	1617	1745	1866	1991	2117	2324
	ORDERING NOTES: The	e Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppoi	t.		
	Three-Seat ZOL3-MS3S1	1635	1719	1800	1977	2150	2324	2500	2675	2885
	Three-Seat Plus ZOL3-MSB3S1	1944	2024	2110	2255	2408	2555	2707	2853	3093
	ORDERING NOTES: The	e Three-Seat I	Plus come	s standar	d with a fif	th leg for e	extra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

	•	COM		COL	FAE	BRIC GRA	DES		LEATHER	l
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1F1	1009	1061	1110	1177	1257	1326	1402	1502	1632
	One-Seat Plus ZOL3-MSB1F1	1215	1283	1348	1439	1540	1634	1739	1866	2000
	ORDERING NOTES: One	e-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3-MS2F1	1491	1556	1622	1713	1816	1907	2013	2142	2274
	Two-Seat Plus ZOL3-MSB2F1	1547	1612	1676	1769	1870	1963	2066	2349	2328
	ORDERING NOTES: The	Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppoi	t.		
	Three-Seat ZOL3-MS3F1 Three-Seat Plus ZOL3-MSB3F1	2017 2087	2116 2189	2213 2284	2347 2425	2507 2583	2648 2720	2804 2879	3001 3074	3199 3272
· •	ZOLO MODOI I	2001	2.00		2 720	2000	2.20	2370	337 4	0212

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

OPTIONS: Zola Benches are available with 4 casters, for an upcharge of **\$112** list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Benches are also available with 2 legs and 2 casters, for an upcharge of **\$80** list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

I HODGOT GODE KE	•				
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	Standard Depth	1 Standard Leg &
	Ŭ			•	Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	


COM YARDAGES

COM INDAGE	,				
	COM Yardage per Seat	COM Yardage 2 Seats	COM Yardage 3 Seats	COM Yardage 4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	


SINGLE SEAT








45° Curve




60° Curve




DOUBLE SEAT




30° Curve



45° Curve



60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	132

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat		•		·			
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Yardages

COW faruages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	

SINGLE SEAT




30° Curve



45° Curve




60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	132

		СОМ		COL	FAB	RIC GRAD	DES		LEATHER	}
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Stan ZOL3-MCS30DS1	idard Dept 1313	h 1429	1551	1715	1903	2068	2256	2496	2732
	Single-Seat, 45° Curve, Stan ZOL3-MCS45DS1	ndard Dept 1429	h 1604	1775	2018	2295	2535	2811	3158	3502
	Single-Seat, 60° Curve, Stan ZOL3-MCS60DS1	ndard Dept 1615	h 1790	1962	2205	2478	2720	2996	3343	3688
	Single-Seat, 90° Curve, Stan ZOL3-MCS90DS1	ndard Dept 1864	h 2053	2242	2509	2815	3080	3383	3766	4146
	Single-Seat, 30° Curve, Full ZOL3-MCS30DF1	Depth 1444	1573	1704	1886	2094	2276	2486	2743	3004
	Single-Seat, 45° Curve, Full ZOL3-MCS45DF1	Depth 1576	1764	1954	2218	2525	2789	3093	3472	3852
	Single-Seat, 60° Curve, Full ZOL3-MCS60DF1	Depth 1777	1968	2158	2423	2725	2993	3294	3676	4057
	Single-Seat, 90° Curve, Full ZOL3-MCS90DF1	Depth 2051	2256	2469	2762	3095	3390	3722	4143	4560

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

	- '					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL	3	MC	S	30D	S	1
Zola	Soft Seating	Modular	Single	30 Degree	Standard	Standard Leg + Glid
		MCB	D	45D	F	
		Modular Plus	Double	45 Degree	Full	
		Flus		60D		
				60 Degree		
				90D		
				90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	l
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	Standard De	pth							
	ZOL3-MCD30DS1	2299	2504	2713	3000	3331	3624	3954	4368	4782
	Double-Seat, 45° Curve, S	Standard De	nth							
	ZOL3-MCD45DS1	2504	2805	3106	3531	4011	4434	4918	5521	6125
	Double-Seat, 60° Curve, S ZOL3-MCD60DS1	Standard De 2828	pth 3132	3432	3854	4337	4759	5243	5847	6449
	Double-Seat, 90° Curve, 920L3-MCD90DS1	Standard De 3260	pth 3595	3927	4393	4925	5391	5922	6586	7254

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	97
Double-seat curve 45° seat	106
Double-seat curve 60° seat	129
Double-seat curve 90° seat	133

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

RODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

DESCRIPTION/MOD	FI	COM 1	2	COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
	Double-Seat, 30° Curve, Full ZOL3-MCD30DF1	Depth 2641	2879	3117	3451	3830	4164	4547	5023	5497
	Double-Seat, 45° Curve, Full ZOL3-MCD45DF1	Depth 2879	3226	3573	4059	4614	5101	5657	6350	7044
	Double-Seat, 60° Curve, Full ZOL3-MCD60DF1	Depth 3253	3600	3948	4432	4989	5474	6029	6725	7419
	Double-Seat, 90° Curve, Full ZOL3-MCD90DF1	Depth 3751	4131	4511	5052	5662	6199	6810	7575	8342

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	97
Double-seat curve 45° seat	106
Double-seat curve 60° seat	129
Double-seat curve 90° seat	133

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

OOT OODE KE	••					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHEI 8		COM YARDAGE	WEIGHT	CUBE
	Replacement Back Sir ZOL3-RMCBIS30D ZOL3-RMCBIS45D ZOL3-RMCBIS60D ZOL3-RMCBIS90D	ngle-sea 1226 1422 1729 1933	1309 1515 1860	1396 1609	1515 1741 2167 2385		1770 2020 2552 2784	1905 2169 2759 2996	2075 2356 3013 3264	2242 2544 3268 3531	1.9 2.6 2.6 2.8	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3-RMCBID30D ZOL3-RMCBID45D ZOL3-RMCBID60D ZOL3-RMCBID90D	2144 2487 3028 3381	2294 2650 3253	2440 2815	2650 3042 3790 4173	2884 3304 4151 4547	3094 3535 4464 4873	3330 3797 4824 5244	3628 4125 5273 5712	3925 4450 5720 6178	2.8 3 4.8 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir ZOL3-RMCBOS30D ZOL3-RMCBOS45D ZOL3-RMCBOS60D ZOL3-RMCBOS90D	-	1178 1362 1672	1256 1449	/e 1362 1566 1950 2147	1485 1701 2134 2339	1590 1818 2299 2505	1714 1954 2479 2697	1866 2121 2713 2937	2019 2291 2943 3179	1.7 1.7 1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3-RMCBOD30D ZOL3-RMCBOD45D ZOL3-RMCBOD60D ZOL3-RMCBOD90D	1930 2239 2725 3042	2063 2385 2928	2196 2532	ve 2384 2740 3411 3756	2596 2974 3736 4090	2784 3181 4018 4385	2999 3414 4339 4722	3266 3711 4746 5141	3534 4006 5148 5559	3.1 3.1 3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sin ZOL3-RMCSS30DS ZOL3-RMCSS45DS ZOL3-RMCSS60DS ZOL3-RMCSS90DS	1200 1320 1508	1320 1492 1677	1440 1515		1793 2184 2367	1959 2427 2611 2933	2148 2698 2884 3236	2385 3047 3230 3618	2620 3392 3578 3999	1.8 1.8 1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Do ZOL3-RMCSD30DS ZOL3-RMCSD45DS ZOL3-RMCSD60DS ZOL3-RMCSD90DS	uble-sea 2188 2394 2718 3114	2394 2695 3021		epth Cu 2888 3419 3743 4244	3222 3899 4228	3511 4323 4648 5243	3845 4807 5132 5777	4259 5885 5737 6442	4671 6013 6340 7105	3.4 3.4 3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sin ZOL3-RMCSS30DF ZOL3-RMCSS45DF ZOL3-RMCSS60DF ZOL3-RMCSS90DF	1333 1463 1668	1462 1651 1859	1593	1775 2110		2166 2679 2881 3244	2376 2980 3186 3575	2632 3362 3566 3994	2894 3741 3946 4415	1.94 1.94 1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Do ZOL3-RMCSD30DF ZOL3-RMCSD45DF ZOL3-RMCSD60DF ZOL3-RMCSD90DF	2530 2768 3141	2768 3116 3488	3006	3341 3949 4321	3720 4503 4877 5518	4991 5364	4434 5545 5917 6664	4911 6238 6611 7427	5387 6933 7308 8196	3.7 3.7 3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Co ZOL3-RMCBSCS30DS ZOL3-RMCBSCS45DS ZOL3-RMCBSCS60DS ZOL3-RMCBSCS90DS	S 234 S 240 S 278	le-seat 292 300 337 362	Standa 353 361 399 424	436 445 480 507	535 541 579 601	e 619 626 663 687	714 723 761 783	835 845 882 907	957 962 1002 1026		2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Co ZOL3-RMCBSCD30D: ZOL3-RMCBSCD45D: ZOL3-RMCBSCD60D: ZOL3-RMCBSCD90D:	S 407 S 413 S 468	518 532 583 599		794 803 855	976 985 1037 1058	1137 1144 1197	1319 1328 1379 1399	1547 1556 1609 1628	1775 1782 1835 1856	3.4 3.4 3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS


		COM		COL	FABF	RIC GRA	ADES	I	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3-RMCBSCS30DI	= 258	327	399	493	599	698	806	942	1081	1.94	2.9	1
	ZOL3-RMCBSCS45DI	= 268	336	405	501	611	705	816	951	1087	1.94	3.6	1
	ZOL3-RMCBSCS60DI	= 309	376	445	540	651	745	852	990	1126	1.94	4.3	1.5
	ZOL3-RMCBSCS90DI	= 328	399	466	562	672	766	876	1010	1148	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	at Full D	epth C	urve							
	ZOL3-RMCBSCD30D	F 454	584	714	895	1106	1289	1494	1755	2018	3.7	5.5	1.5
	ZOL3-RMCBSCD45D	F 463	593	723	908	1115	1297	1505	1767	2025	3.7	6.8	1.5
	ZOL3-RMCBSCD60D	F 517	649	780	960	1171	1353	1561	1821	2083	3.7	8.1	2.5
	ZOL3-RMCBSCD90D	F 556	686	816	999	1204	1386	1598	1859	2117	3.7	9.4	2.5

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 2.78%

POST-CONSUMER
RECYCLED CONTENT = 9.71%

Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Zola products are supplied with air-emissions certified. Contact customer service for information.



922

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows One Seat - 300lbs

Two Seat - 525 Three Seat - 750 One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150



LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.

ADDITIONAL FEATURES

- Lifetime warranty
- Certified to meet CAL 117 with most fabrics



SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.



ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.



SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.



RESTRICTED ACCESS UPHOLSTERY

This feature provides complete closure and elimination of the normal gap between upholstered seat, back and arm panels in the seat area of the product - hindering the use of these areas for hiding weapons and contraband. This option further reduces the ability to utilize the product for ligature.



ZOLA BEHAVIORAL HEALTH | OPTIONS



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

COM YARDAGES (Individual Components)

	COM	COM	COM	COM	COM	COM	COM
	Yardage Per Seat	Yardage Per 2 Seats	Yardage Per 3 Seats	Yardage Per 4 Seats	Yardage Per Back	Yardage Per 2 Backs	Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.75	2.4	3.3	4.2
Two-seat	8.5	1.75	2.4	3.3	4.2
Three-seat	12.5	1.75	2.4	3.3	4.2
One-Seat (Plus)	7	1.75	2.4	3.3	4.2

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	80	One-Seat seat	49
One-Seat back	71	Two-seat seat	71
Two-seat back	101	Three-seat seat	89
Three-seat back	127	One-Seat plus seat	64
One-Seat plus back	80		
		l l	

Zola Behavioral Health Option Upcharges	\$ List		
CAL 133 & Moisture Barrier (per yard)	67		
Floor Anchoring Hardware	98		
One-Seat Metal Bottom Shield (to min 80lbs)	120		
One-Seat Plus Metal Bottom Shield (to min 80lbs)	140		
Two-seat Metal Bottom Shield (to min 80lbs)	178		
Three-seat Metal Bottom Shield (to min 80lbs)	254		
Urethane Arm Caps (pair)	254		
Combination Upholstery - dual fabrics	34		
Combination Upholstery -Three fabrics	67		

ZOLA BEHAVIORAL HEALTH | LOUNGE

DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
	One-Seat ZOL3 BHF122	1 2794	2954	3115	3379	3651	3916	4190	4302	486
	Two-Seat ZOL3 BHF222	1 3992	4183	4368	4646	4937	5218	5508	5808	62
	Three-Seat ZOL3 BHF322	1 5301	5567	5833	6350	6868	7383	7903	8437	93
Upcharge for Removab Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back	\$ List 80 71 101	Option Upo One-Seat se Two-seat se Three-seat s	eat eat seat	\$	List 49 71 89 64					
Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back	\$ List 80 71 101 127 80 Option Upcharges	Option Upo One-Seat se Two-seat se Three-seat s One-Seat pl	eat eat seat	\$	49 71					
Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back	\$ List 80 71 101 127 80 Deption Upcharges rier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs)	Shallsh	eat eat seat	\$	49 71 89					
Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health (CAL 133 & Moisture Barn Floor Anchoring Hardwar One-Seat Metal Bottom One-Seat Metal Bottom Stree-seat Metal Bottom Urethane Arm Caps (pair Combination Upholstery)	\$ List 80 71 101 127 80 Deption Upcharges rier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs)	\$ List 67 98 80lbs) 140 918 9254 34	eat eat seat		49 71 89	<i>u</i> ne	Arm Tyj	ne	Leg Typ	٩

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	80	One-Seat seat	49
One-Seat back	71	Two-seat seat	71
Two-seat back	101	Three-seat seat	89
Three-seat back	127	One-Seat plus seat	64
One-Seat plus back	80		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	67
Floor Anchoring Hardware	98
One-Seat Metal Bottom Shield (to min 80lbs)	120
One-Seat Plus Metal Bottom Shield (to min 80lbs)	140
Two-seat Metal Bottom Shield (to min 80lbs)	178
Three-seat Metal Bottom Shield (to min 80lbs)	254
Urethane Arm Caps (pair)	254
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67

500. 00BE N						
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	2 Upholstered	2 Upholstered	1 3" Runner
				Back - no gap	Arms - no gap	
		FB	2			
		Freestanding Plus	Two Seat			
			3			
			Three Seat			


2

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus ZOL3 BHFB1221	3098	3255	3417	3683	3952	4221	4490	4778	5162



Two-Seat Plus ZOL3 BHFB2221 4080 4277 4458 4740 5029 5308 5598 5903 6337

ORDERING NOTE: The Two-Seat Plus comes standard with center support.



Three-Seat Plus
ZOL3 BHFB3221 5407 5676 5939 6458 6976 7489 8012 8547 9412

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	67
Floor Anchoring Hardware	98
One-Seat Metal Bottom Shield (to min 80lbs)	120
One-Seat Plus Metal Bottom Shield (to min 80lbs)	140
Two-seat Metal Bottom Shield (to min 80lbs)	178
Three-seat Metal Bottom Shield (to min 80lbs)	254
Urethane Arm Caps (pair)	254
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67

ZOLA BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	Price	1	Weight	Cub	oe_
	Replacement Arr ZOL3RBCS	n Panel Base 177		6		.5

Replacement Floor Mounting Bracket (set of 4)
ZOL3RFMB 118

PRODUCT CODE KEY	

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	Freestanding	1 One Seat	Upholstered	Upholstered	1 3" Runner
				Back - no gap	Arms - no gap	
		FB	2			
		Freestanding	Two Seat			
		Plus				
			3			
			Three Seat			

ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES

Description	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top w/ PVC edge Beech	Wood side Laminate top w/ Wood edge Maple	Wood side Laminate top w/ Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	1459 1867	1418 1843	1164 1473	1383 1756	1423 1814	1442 1830	1481 1884
	Rectangular Tables ZOL4-BH241818 ZOL4-BH482418	1684 2830	1651 2774	1316 2262	1587 2640	1635 2722	1647 2741	1698 2826
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	1258 1538 2979	1307 1598 2854	1339 1692 3145	1164 1445 2882	1289 1581 2840	1298 1530 2993	1422 1667 2948

\$ List
95
365
250
135
n/a
407
250
n/a
-

ORDERING NOTE: Additional weight levels are available, contact customer service for quotes.


TABLE DIMENSIONS

TABLE DIMENSIONS						Weight with	
Model		W	D	Н	Weight	Solid Surface top	Cube
Square Tables	ZOL4-BH181818	18	18	18	39	48	4.0
	ZOL4-BH242418	24	18	18	64	80	5.2
Rectangular Tables	ZOL4-BH241818	24	24	18	51	63	6.9
	ZOL4-BH482418	48	24	18	123	156	13.5
Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0
	ZOL4-BH24D18	24	-	18	49	62	6.9
	ZOL4-BH30D18	30	-	18	77	98	10.6

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





AIR EMISSIONS

level® CERTIFICATION

All Zola products are supplied air emissions-certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See page 251 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	P LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	ular Table								
	ZOL4-LKM12	1037	1087	1142	1197	12	16	_	22	2.8
	ZOL4-LKM18	1096	1152	1204	1269	18	16	_	24	4.5
	ZOL4-LKM24	1127	1212	1240	1333	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Tal	ble ships with 2 K	(B1 brackets.					
	Rectangular End Tab	ole Square Co	rner							
	ZOL4-LKE12	1105	1163	1215	1278	12	16	14.75	5 19	2.8
	ZOL4-LKE18	1152	1212	1269	1333	18	16	14.75	5 23	4.5
	ZOL4-LKE24	1203	1262	1326	1389	24	16	14.75	5 28	5.7
•	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
	ZOL4-ECLKH12	1258	1308	1293	1348	12	12	14.75	5 18	2.5
	ZOL4-ECLKH18	1359	1414	1409	1464	18	12	14.75	5 24	3
Ŭ a	ORDERING NOTE:	End Linking N	/lodular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4-LKC30	1069	1127	1178	1240	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4-LKC45	1152	1212	1269	1333	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4-LKH12, the "12" corresponds to the length of the table.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKM12	228	240	273	309
ZOL4-LKM18	282	300	348	402
ZOL4-LKM24	400	426	548	652
ZOL4-LKE12	228	240	273	309
ZOL4-LKE18	282	300	348	402
ZOL4-LKE24	400	426	548	652
ZOL4-ECLKH12	228	240	273	309
ZOL4-ECLKH18	282	300	348	402
ZOL4-LKC30	258	273	313	357
ZOL4-LKC45	323	344	403	468

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15§. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Tab ZOL4-LKC60	ole 1203	1269	1326	1398	16	17.5	-	20	3.7
G	Curvilinear 90° Tab ZOL4-LKC90	ole 1347	1421	1481	1561	16	19	-	24	5.4
	Curvilinear 90°x2 T ZOL4-LKC90X2	able 2675	2756	2942	3030	16	19	-	55	10
	Curvilinear Table ZOL4-LKH12	1171	1228	1289	1352	16	19	14.75	18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	397	422	496	586
ZOL4-LKC90	590	625	754	899
ZOL4-LKC90X2	938	979	1198	1446
ZOL4-LKH12	228	240	273	309

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



105 | CANADA | SEATING & OCCASIONAL TABLE \$920 26 EATING & OC-

ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	VEIGHT	Γ CUBE
	Square Tables ZOL4-181815 ZOL4-242415	1152 1246	1212 1313	1269 1370	1333 1442	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4-241815 ZOL4-482415	1195 1426	1263 1515	1315 1569	1393 1666	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4-18D15 ZOL4-24D15 ZOL4-30D15	1228 1313 1460	1306 1383 1547	1352 1442 1606	1435 1524 1699	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4-EC181815 ZOL4-EC241815 ZOL4-EC242415 ZOL4-EC482415	und Corners 1338 1505 1656 2377	1394 1566 1720 2471	1386 1567 1770 2528	1444 1632 1839 2629	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4-E241815 ZOL4-E322415 ZOL4-E482915	1393 1690 2116	1446 1756 2200	1573 1877 2366	1636 1950 2462	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

		Grades		
Zola Solid Surface Upcharges	A-White	A-Color	В	С
ZOL4-1818	301	316	369	429
ZOL4-2424	483	492	588	695
ZOL4-2418	360	382	454	535
ZOL4-4824	809	830	1018	1228
ZOL4-18D	287	304	355	415
ZOL4-24D	430	465	559	664
ZOL4-30D	690	751	989	1192
ZOL4-EC1818	301	316	369	429
ZOL4-EC2418	360	382	454	535
ZOL4-EC2424	483	492	588	695
ZOL4-EC4824	809	830	1018	1228
ZOL4-E2418	360	382	454	535
ZOL4-E3224	570	610	733	875
ZOL4-E4829	953	996	1222	1475

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15**S**. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH PALETTE	MAPLE	LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Η	WEIGHT	CUBE
	Triangular Tables -									
	ZOL4-CR45D1815	1251	1302	1267	1319	15.75	18	14.75	17	2.5
	ZOL4-CR45D2415	1421	1478	1474	1531	20.5	24	14.75	22	4.5
	ZOL4-CR45D2915	1720	1790	1820	1893	25	29	14.75	27	7
Ţ	ZOL4-CR90D1815	1538	1602	1605	1664	17.5	18	14.75	23	3
	ZOL4-CR90D2415		1891	1903	1979	36.25	24	14.75	29	7.5
	ZOL4-CR90D2915	1010	2255	2214	2303	44.5	29	14.75		11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-CR45D18	283	300	349	405
ZOL4-CR45D24	423	453	537	632
ZOL4-CR45D29	569	601	721	855
ZOL4-CR90D18	355	389	463	543
ZOL4-CR90D24	604	643	777	929
ZOL4-CR90D29	855	888	1084	1304

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$385 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.---

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and



documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition

of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



${\bf Krug\ Textiles\ -\ Stocked\ Fabric\ Program}$

Grade 1


ARLO



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











34 SLATE

84 TEAK

98 NICKLE

YATES















92 ZINC

91 SILVER

908 CHARCOAL

MCCOY











608 TUNDRA



32 ROBIN'S EGG





108 CORDOVAN

ORIS













908 DOMINO



64 PUTTY



KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













82 CLAY

304 CAPRI

LORENZO





9008 CHARCOAL











604 STUCCO

32 MIST

BISCOTTI









91 GRANITE







805 PECAN











Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$23 Grade 2 \$35 Grade 3 \$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut

Clear Beech Medium Anigre

Finishes on Cherry

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black

White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	John Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Nightfall	Pionite WX421	Earth	Tafisa T767CR
· ·		Charcoal	Tafisa T228CR


PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



GLIDE SELECTION CHART

	Floor Sav	ver .	Non-Slip		
Product	Nylon	Felt	Rubber	Metal	Plastic
Management & Task Seating					
Aqua Stool	n/a	n/a	n/a	n/a	standard
Guest Seating					
Addison	standard	n/a	n/a	optional	optional
Blake	standard	optional	n/a	optional	optional
Dorso	n/a	optional	optional	optional	standard
Bali	standard	optional	n/a	optional	n/a
Kita	standard	optional	n/a	optional	optional
Spence	standard	optional	n/a	optional	optional
Cadence	standard	optional	n/a	optional	optional
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Multi-Purpose Seating					
Libra	standard	n/a	n/a	n/a	n/a
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Corfu	standard	n/a	n/a	optional	n/a
Capri	n/a	n/a	n/a	n/a	standard
Bank of England	standard	optional	n/a	optional	optional
Barstools & Counter Height Seating					
Manolo	n/a	optional	n/a	n/a	standard
Karma	optional	optional	optional	optional	standard
Capri	n/a	n/a	n/a	n/a	standard
Corfu	standard	n/a	n/a	n/a	n/a
Lounge Seating					
Avatar	standard	n/a	n/a	n/a	n/a
Cressida	standard	n/a	n/a	n/a	n/a
Leyton	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Zola Privacy	standard	optional	optional	optional	n/a
Faeron Upholstered - Wood Leg	standard	n/a	n/a	optional	optional
Faeron Upholstered - Metal Leg	standard	optional	optional	optional	n/a
Sutton-wood base	optional	optional	optional	standard	optional
Sutton-metal base	standard	n/a	n/a	n/a	optional
Carlyle-wood base	standard	optional	n/a	optional	optional
Carlyle-metal base	n/a	n/a	n/a	n/a	standard
Brio	standard	optional	optional	optional	optional
Sloane	n/a	standard	n/a	n/a	n/a
Benches					
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Carlyle	n/a	n/a	n/a	n/a	standard
	1114		. 1/ 🗸	11/ α	otaridard

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR

** = Best Solution

★ = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.

BASE STYLES

Base Styles	Description									
Black Nylon	5 blade glass re	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.								
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)								
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.								
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.								
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.								
Jury Bases	1 ,	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning								
Jury Bases	height feature w	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.								
Pan Am	Bank of England	Dorso	Cadence	C5	Aqua					
Pan1-M11 <u>J</u>	177- <u>J</u>	D0S1-H2011 <u>J</u>	CAD1-HW12 <u>J</u>	C5E1MB41A <u>J</u>	AQU1M33 <u>J</u>					



krug







All products are air emissions certified and are available as FSC® certified