ZOLAPrice and Specification Guide
GSA
GS-03F-084DA



krug

Advancing Design Through Innovation

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125 Subcategory: Furniture

CONTRACT NUMBER: GS-03F-084DA

CONTRACT PERIOD: April 1, 2016 through March 31, 2026 CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, Canada Tel: 1-800-265-2796 Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

| 33721P | Packaged Office Furniture w Ancillary Installation Services |
|---------|---|
| 33721 | Office Furniture w Ancillary Installation Services |
| 339113H | Healthcare Furniture w Ancillary Installation Services |
| OLM | Order Level Materials |

| 2. SPECIAL ITEM | MAXIMUM |
|-----------------|-------------|
| NUMBER | ORDER |
| 33721P | \$5,000,000 |
| 33721 | \$250,000 |
| 339113H | \$500,000 |
| OLM | \$250,000 |
| | |

| 3. SPECIAL ITEM | MINIMUM | | |
|-----------------|----------|--|--|
| NUMBER | ORDER | | |
| 33721P | \$100.00 | | |
| 33721 | \$100.00 | | |
| 339113H | \$100.00 | | |
| OLM | NA | | |

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, CANADA

N2C 15L

6. Discount from List Prices

Patient Service Systems

Installation Ancillary to these products

| Package Office Furniture | Krug Product Discounts As Below |
|--------------------------|---|
| | GSA Teaming Partner Products at their |
| | Approved GSA Discount Terms. Krug |
| | Installation Charge 12.75% of Net Order |
| | (Max.). No Charge for Project Mgt Services. |
| | Package Office Furniture |

| | | · | |
|------------------------------------|-------------|-----------------------------------|-----------------------------------|
| | 33721 | Office Furniture | |
| | Executive | Office Furniture | 56.6% |
| Executive Conference Furniture | | Conference Furniture | 56.6% |
| | Tables an | d Accessories | 56.6% |
| Fully Upholstered Lounge Furniture | | olstered Lounge Furniture | 56.6% |
| Multiple Seating | | Seating | 56.6% |
| | Multi-Pur | pose Seating | 56.6% |
| | Stacking | Chairs | 56.6% |
| | Installatio | n Ancillary to these products | 12.75% Charge of Net Order (Max.) |
| | 339113H | Healthcare Furniture | |
| | | | 50.00/ |
| | Hospital I | Patient Room Furniture | 56.6% |
| | Hospital C | Seriatric Chairs & Lounge Seating | 56.6% |

12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

| Multiple Seating, Multipurpo Chairs | se Seating, Stacking |
|---|----------------------------------|
| 25,001 - 50,000 50,001 - 100,000 100,001 - 150,000 150,001 - 250,000 | 1% 2% 3% 4% |
| Lounge Seating, Tables & Ac | cessories |
| 25,000 - 50,000 50,001 - 75,000 75,001 - 100,000 100,001 - 180,000 180,001 - 200,000 200,001 - 250,000 | 1% 2% 3% 4% 5% 6% |

Hosp/Geriatric Chairs and Lounge, Patient Room Furniture, Patient Service Systems

| \$100,000 - \$200,000 | 1% |
|--------------------------|------|
| \$200,000.01 - \$300,000 | 1.5% |
| \$300,000.01 - \$400,000 | 2% |
| \$400.000.01 - \$500.000 | 2.5% |

Quantity Discounts for Executive Office and Executive Conference are no longer applicable based on the MAS Consolidation revisions to Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dve lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors - two (2) years b) Mechanical components such as crank drives, spindles - five (5) years c) Structural components such as J-channels, feet and top supports - ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

18. Term and Conditions of Installation N/A

19. Term and Conditions of Repair

20a. Term and Conditions for any other services $^{N/\Delta}$

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number 251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

ZOLA | TABLE OF CONTENTS

i GSA Terms & Conditions

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing

83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables


GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
|------------------|------------------------------------|--------------|
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, | |
| | Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat.



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 22 for locations and page 83 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located below seats and tables. See <u>page</u> 83 for pricing.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$62 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS


Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

| | Inside Curve | Outside Curve |
|--------|--------------|---------------|
| 30 Deg | 1 1/2" | 1" |
| 45 Deg | 2" | 1 1/2" |
| 60 Deg | 2 1/2" | 2" |
| 90 Deg | 3" | 2 1/2" |



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS






| Model | Qty | Price (\$) Beech |
|-------------|-----|------------------|
| ZOL3 M1201 | 5 | 1377 |
| ZOL3 MS1S1 | 1 | 871 |
| ZOL4 LKM12 | 1 | 988 |
| ZOL4 LKE18 | 1 | 1098 |
| ZOL4 LKC90 | 1 | 1283 |
| ZOL4 241815 | 1 | 1187 |
| | | |
| Total List | \$ | 12,312 |






| Model | Qty. | Price (\$) |
|--------------|------|------------|
| ZOL3 MS2F1 | 2 | 1420 |
| ZOL4 LKM18 | 2 | 1044 |
| ZOL3 M1101 | 2 | 1518 |
| ZOL3 MCIS90D | 2 | 3487 |
| ZOL3 M2101 | 2 | 2657 |
| ZOL4 LKC90X2 | 1 | 2548 |
| ZOL3 M2101 | _ | 2657 |

| Total List \$2 | 2, | 8 | 0 | C |) |
|----------------|----|---|---|---|---|
|----------------|----|---|---|---|---|





| Model | Qty. | Price (\$) | |
|------------|------|------------|--|
| ZOL3 MS1S1 | 2 | 871 | |
| ZOL3 MS21 | 2 | 1218 | |
| ZOL4 LKC90 | 2 | 1283 | |
| ZOL4 LKM18 | 2 | 1044 | |
| Total List | | \$8,832 | |

ZOLA | LOUNGE

DIMENSIONS

| | Overall Width | Overall Depth | Overall Height | Seat Height | Height of Arms From Floor | Width Between Arms | Seat Depth | Shipping Weight | Cubes |
|-----------------|------------------|------------------|-------------------|----------------|---------------------------------|--------------------------|---------------|--------------------|-------|
| One-Seat | 29.25 | 27 | 34 | 18.5 | 26.75 | 23 | 19.25 | 67 | 21.5 |
| Two-seat | 52.25 | 27 | 34 | 18.5 | 26.75 | 46 | 19.25 | 90 | 38 |
| Three-seat | 75.25 | 27 | 34 | 18.5 | 26.75 | 69 | 19.25 | 116 | 54.5 |
| One-Seat (Plus) | 36.25 | 27 | 34 | 18.5 | 26.75 | 30 | 19.25 | 72 | 22.6 |

COM YARDAGES (Lounge Product Only Available with Arms)

| | COM | COM | COM | COM |
|-----------------|--------|----------|----------|----------|
| | Entire | 2 Entire | 3 Entire | 4 Entire |
| | Unit | Units | Units | Units |
| One-Seat | 4 | 7.25 | 11.5 | 14.5 |
| Two-seat | 5.5 | 11 | 16 | 21.70 |
| Three-seat | 7.1 | 13.25 | 19 | 28 |
| One-Seat (Plus) | 4.5 | 9 | 13.5 | 18 |

COM YARDAGES (Individual Components)

| COM TANDAGES (Individual Components) | | | | | | | | | | |
|--------------------------------------|----------|-------------|-------------|-------------|----------|-------------|-------------|--|--|--|
| | COM | COM | COM | COM | COM | COM | COM | | | |
| | Yardage | Yardage Per | Yardage Per | Yardage Per | Yardage | Yardage Per | Yardage Per | | | |
| | Per Seat | 2 Seats | 3 Seats | 4 Seats | Per Back | 2 Backs | 3 Backs | | | |
| One-Seat | 1.25 | 2.1 | 3.35 | 4.2 | 1.75 | 2.75 | 3.5 | | | |
| Two-seat | 1.75 | 3.4 | 5.1 | 6.5 | 2.5 | 4.54 | 6.08 | | | |
| Three-seat | 2.5 | 4.6 | 7 | 9 | 3.5 | 6.25 | 9 | | | |
| One-Seat (Plus) | 1.25 | 2.5 | 3.75 | 5 | 1.75 | 3.5 | 5.25 | | | |

COM YARDAGES (Individual Components)

| | COM Yardage Per 4 Backs | COM Yardage Per Arm | COM Yardage Per 2 Arms | COM Yardage Per 3 Arms | COM Yardage Per 4 Arms |
|-----------------|-------------------------------|---------------------------|------------------------------|------------------------------|------------------------------|
| One-Seat | 5.25 | 1.5 | 1.90 | 2.61 | 3.3 |
| Two-seat | 8.5 | 1.5 | 1.90 | 2.61 | 3.3 |
| Three-seat | 12.5 | 1.5 | 1.90 | 2.61 | 3.3 |
| One-Seat (Plus) | 7 | 1.5 | 1.90 | 2.61 | 3.3 |

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for

3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see <u>page</u> 3.

ZOLA | LOUNGE

| DESCRIPTION/MODI | F1 | COM | 2 | COL 3 | | | | LEATHER 7 8 9 | | |
|------------------|---|---------|------------|---------------|------------|-------------|------|------------------|------|------|
| DESCRIPTION/MODI | <u> </u> | ı | | ა | 4 | 5 | 6 | | 0 | 9 |
| | One-Seat ZOL3 F1111 | 2182 | 2301 | 2419 | 2625 | 2830 | 3036 | 3242 | 3283 | 3745 |
| | One-Seat Plus ZOL3 FB1111 | 2419 | 2536 | 2657 | 2861 | 3068 | 3273 | 3479 | 3684 | 3983 |
| | NOTE: One-Seat Plus is 30" wide between arms. | | | | | | | | | |
| | | | | | | | | | | |
| | Two-seat ZOL3 F2111 | 3223 | 3376 | 3517 | 3739 | 3960 | 4182 | 4401 | 4623 | 4971 |
| | Two-seat Plus ZOL3 FB2111 | 3313 | 3462 | 3605 | 3825 | 4045 | 4268 | 4488 | 4710 | 5059 |
| | NOTE: The Two-Seat Plus | comes s | standard w | ith a fifth l | eg for ext | ra support. | | | | |
| | | | | | | | | | | |
| | Three-seat ZOL3 F3111 | 4379 | 4602 | 4821 | 5263 | 5708 | 6149 | 6594 | 7036 | 7793 |
| | Three-seat Plus ZOL3 FB3111 | 4483 | 4705 | 4924 | 5366 | 5810 | 6253 | 6692 | 7136 | 7896 |

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

| Zola Option Upcharges Option | List | Option | A-White | Grades A-Color | В | С |
|---|------------------|----------------------------------|---------|-------------------|-----|-----|
| 4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair) | 107 77 242 | Solid Surface Arm Cap (per pair) | 454 | 464 | 489 | 514 |

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 3 for more information on Zola options and features. Plus versions are not available with Caster options.

PRODUCT CODE KEY

| Line | Series | Chair Type | Seat Count | Back Type | Arm Type | Leg Type |
|-------------|-------------------|------------------------------|---------------|---------------------|--------------------------|--|
| ZOL Zola | 3 Soft Seating | F Freestanding | 1 One-Seat | 1 Fully Uph Back | 1 Uph Arm | 1 Standard Leg + Glide |
| | | FB | 2 | | 2 | 2 |
| | | Freestanding Plus Upgrade | Two-seat | | Urethane Arm Cap | Casters |
| | | | 3 | | 3 | 3 |
| | | | Three-seat | | Solid Surface Arm Cap | Combination 2 Front Standard Legs & 2 Rear Casters |

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

| | Overall Width | Overall Depth Uph. Back | Overall Depth Wood Back | Overall Height | Seat Height | Seat Depth | Shipping Weight | Cubes |
|-----------------|------------------|-------------------------------|-------------------------------|-------------------|----------------|---------------|--------------------|-------|
| One-Seat | 23 | 27 | 24 | 34 | 18.5 | 19.25 | 57 | 9.75 |
| Two-seat | 46 | 27 | 24 | 34 | 18.5 | 19.25 | 89 | 17.6 |
| Three-seat | 69 | 27 | 24 | 34 | 18.5 | 19.25 | 122 | 26.3 |
| One-Seat (Plus) | 30 | 27 | 24 | 34 | 18.5 | 19.25 | 62 | 11.5 |

DIMENSIONS - WITH ARMS

| | Overall Width | Overall Depth | Overall Height | Seat Height | Seat Depth | Shipping Weight | Cubes | |
|-----------------|------------------|------------------|-------------------|----------------|---------------|--------------------|-------|--|
| One-Seat | 29 | 27 | 34 | 18.5 | 19.25 | 88 | 9.75 | |
| Two-seat | 52 | 27 | 34 | 18.5 | 19.25 | 120 | 17.6 | |
| Three-seat | 75 | 27 | 34 | 18.5 | 19.25 | 154 | 26.3 | |
| One-Seat (Plus) | 36 | 27 | 34 | 18.5 | 19.25 | 96 | 11.5 | |

COM YARDAGES - ARMLESS UNITS

| | CC | M Yardage | COM Yardage | COM Yardage | COM Yardage |
|-------------|-------|-------------|----------------|----------------|----------------|
| | E | Intire Unit | 2 Entire Units | 3 Entire Units | 4 Entire Units |
| | \ | wo/ Arms | wo/ Arms | wo/ Arms | wo/ Arms |
| One-Seat | | 2.2 | 4.6 | 6.38 | 8.8 |
| Two-seat | | 3.8 | 7.9 | 10.75 | 14.5 |
| Three-seat | | 5.75 | 11 | 16 | 22 |
| One-Seat (F | Plus) | 3.0 | 6.3 | 9.5 | 13.86 |

COM YARDAGES - WITH ARMS

| | COM Yardage | COM Yardage | COM Yardage | COM Yardage |
|-----------------|-------------|----------------|----------------|----------------|
| | Entire Unit | 2 Entire Units | 3 Entire Units | 4 Entire Units |
| | w/ Arms | w/ Arms | w/ Arms | w/ Arms |
| One-Seat | 4 | 7.25 | 11.5 | 14.5 |
| Two-seat | 5.5 | 11 | 16 | 21.7 |
| Three-seat | 7.1 | 13.25 | 19 | 28 |
| One-Seat (Plus) | 4.5 | 9 | 13.5 | 18.3 |

COM YARDAGES - Individual Components

| | COM | COM | COM | COM | COM | COM | COM | COM | COM |
|-----------------|----------------|----------|-------------|-------------|-------------|----------|-------------|-------------|-------------|
| | Arms | Yardage | Yardage Per | Yardage Per | Yardage Per | Yardage | Yardage Per | Yardage Per | Yardage Per |
| | (Left & Right) | Per Back | 2 Backs | 3 Backs | 4 Backs | Per Seat | 2 Seats | 3 Seats | 4 Seats |
| One-Seat | 1.90 | 1.75 | 2.75 | 3.5 | 5.25 | 1.25 | 2.1 | 3.4 | 4.2 |
| Two-seat | 1.90 | 2.5 | 4.5 | 6.08 | 8.5 | 1.7 | 3.4 | 5.1 | 6.5 |
| Three-seat | 1.90 | 3.5 | 6.25 | 9 | 12.5 | 2.5 | 4.6 | 7 | 9 |
| One-Seat (Plus) | 1.90 | 1.8 | 3.5 | 5.25 | 7 | 1.25 | 2.6 | 3.75 | 5.5 |

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 1 unit 10 Units = Take the vardage for 4 units, multiply by 2, add vardage for
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

| \$ List | Option Upcharge | \$ List |
|---------|----------------------|--|
| 77 | One-Seat - seat | 47 |
| 61 | Two-seat - seat | 68 |
| 68 | Three-seat - seat | 85 |
| 97 | One-Seat Plus - seat | 61 |
| 121 | | |
| 77 | | |
| | 77 61 68 97 | 77 One-Seat - seat 61 Two-seat - seat 68 Three-seat - seat 97 One-Seat Plus - seat |

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 102, Zola Benches see page 85 and Zola Tablets see page 14.

ZOLA | MODULAR -WOOD BACK

| | | | CON | Л | С | OL | FABRIC | GRADES | | LEAT | HER | |
|------------------|----------------|-----------|---------|---------|------------|-----------|--------|--------|------|------|------|---|
| DESCRIPTION/MODI | EL/SPECIES | | 1 | | 2 | 3 | 4 | 5 6 | 3 7 | ' 8 | 3 | 9 |
| | One-Seat, Wood | or Palett | e Back, | Armless | 3 | | | | | | | |
| | ZOL3 MW1201 | Beech | 1377 | 1409 | 1440 | 1504 | 1566 | 1631 | 1692 | 1755 | 1852 | |
| | | Maple/ | 1416 | 1447 | 1480 | 1540 | 1606 | 1668 | 1732 | 1796 | 1890 | |
| | | Cherry | | | | | | | | | | |
| | | Palette | 1377 | 1409 | 1440 | 1504 | 1566 | 1631 | 1692 | 1755 | 1852 | |
| | | | | | | | | | | | | |
| _ | One-Seat, Wood | or Palett | e Back | w/ Upho | Istered Pa | d, Armles | S | | | | | |
| | ZOL3 MW1301 | Beech | 1597 | 1644 | 1676 | 1755 | 1818 | 1883 | 1946 | 2010 | 2135 | |
| | | Maple/ | 1638 | 1685 | 1715 | 1796 | 1858 | 1922 | 1985 | 2048 | 2173 | |
| | | Cherry | | | | | | | | | | |
| | | Palette | 1597 | 1644 | 1676 | 1755 | 1818 | 1883 | 1946 | 2010 | 2135 | |

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

| ZOLA OPTION UPCHARGES | \$ List | |
|---|---------|--|
| 4 Casters (#2 Leg Type below) | 107 | |
| 2 Casters/2 Legs (#3 L ₹ g Type below) | 74 | |

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

| DESCRIPTION/MODEL | | SPECIES | COM 1 | 2 | COL 3 | FA 4 | BRIC G | RAD 6 | DES 7 | LEATHER 8 | 9 | | OM DAGI | SHI E WE | | | UBES |
|-------------------|--------------|------------------|----------|-------|----------|---------|--------|----------|-------|--------------|---|-----|------------|-------------|----|-----|------|
| | One-Seat Woo | od/Palette E | Back w/ | UPH F | Pad | | | | | | | | | | | | |
| | ZOL3 MB13 | Beech | 619 | 633 | 3 | 648 | 68 | 0 | 714 | 744 | | 778 | 0.6 | 808 | 21 | 853 | 3.1 |
| | | Maple /Cherry | 665 | 680 |) | 696 | 72 | 9 | 760 | 791 | | 808 | 0.6 | 840 | 21 | 904 | 3.1 |
| | | Palette | 619 | 633 | 3 | 648 | 68 | 0 | 714 | 744 | | 778 | 0.6 | 808 | 25 | 853 | 3.1 |
| | One-Seat Woo | od/Palette E | Back | | | | | | | | | | | | | | |
|)/// *//) | ZOL3 MB12 | Beech | 428 | | | | | | | | | | - | | 19 | | 3.1 |
| | | Maple | 468 | | | | | | | | | | - | | 19 | | 3.1 |
| U.S. | | /Cherry | | | | | | | | | | | | | | | |
| | | Palette | 428 | | | | | | | | | | - | | 23 | | 3.1 |

| PRODUCT CODE K | EY | | | | | |
|----------------|-------------------|------------|---------------|---------------------|--------------|---------------------------|
| Line | Series | Chair Type | Seat Count | Back Type | Arm Type | Leg Type |
| ZOL Zola | 3 Soft Seating | MW Modular | 1 One-Seat | 2 Wood Back | 0 Armless | 1 Standard Leg + Glide |
| | | Wood Back | | 3 Wood Back with | | 2 Casters |
| | | | | Uph Pad | | |
| | | | | | | 3 |
| | | | | | | Combination |
| | | | | | | 2 Front Standard Legs |

& 2 Rear Casters

ZOLA | MODULAR

| DESCRIPTION/MOD | FI | COM 1 | 2 | COL 3 | FA 4 | BRIC GRA | ADES 6 | 7 | LEATHER 8 | ٦ 9 |
|-------------------|---|---------------------|---------------|-----------|-----------|----------|-----------|------|--------------|--------|
| DEGOTIII TION/WOD | | | | | | | | • | | |
| | One-Seat, Upholstered Bac ZOL3 M1101 n/a | ck Armless 1518 | 1597 | 1676 | 1818 | 1960 | 2105 | 2244 | 2387 | 2640 |
| | One-Seat Plus, Upholstered ZOL3 MB1101 n/a | d Back, Arr 1644 | nless 1692 | 1772 | 1914 | 2056 | 2197 | 2341 | 2483 | 2738 |
| • | ORDERING NOTES: One-S | Seat Plus s | eat is 30" | wide. | | | | | | |
| | One Cost Habeletowed Dec | ala a sitha Assas | _ | | | | | | | |
| | One-Seat, Upholstered Bac ZOL3 M1111 | 2324 | 2443 | 2554 | 2760 | 2964 | 3167 | 3376 | 3580 | 3890 |
| | One-Seat Plus, Upholstered | d Back with | n Arms | | | | | | | |
| | ZOL3 MB1111 | 2451 | 2568 | 2681 | 2884 | 3092 | 3294 | 3501 | 3708 | 4014 |
| | ORDERING NOTES: One- | Seat Plus is | 30" wide | e betweer | the arms. | | | | | |
| | Two-seat, Upholstered Bac | k Armless | | | | | | | | |
| | ZOL3 M2101 n/a | 2657 | 2806 | 2948 | 3167 | 3390 | 3610 | 3831 | 4057 | 4401 |
| | Two-seat Plus, Upholstered | d Back, Arm | nless | | | | | | | |
| | ZOL3 MB2101 n/a | 2743 | 2893 | 3036 | 3257 | 3477 | 3699 | 3920 | 4142 | 4488 |
| | Tue cost Unhelatored Dec | le veith. A ma | | | | | | | | |
| | Two-seat, Upholstered Bac ZOL3 M2111 | 3462 | 3610 | 3756 | 3977 | 4197 | 4420 | 4639 | 4861 | 5210 |
| | Two-seat Plus, Upholstered | Back with | Arms | | | | | | | |
| | ZOL3 MB2111 | 3547 | 3699 | 3843 | 4064 | 4286 | 4505 | 4728 | 4948 | 5296 |
| | Three-seat, Upholstered Ba | ack Armloss | | | | | | | | |
| | ZOL3 M3101 | 3812 | 4033 | 4252 | 4694 | 5139 | 5581 | 6023 | 6466 | 7225 |
| | Three-seat Plus Upholstere | d Back Arn | nless | | | | | | | |
| | ZOL3 MB3101 | 3914 | 4133 | 4355 | 4796 | 5241 | 5684 | 6124 | 6568 | 7327 |
| | | | | | | | | | | |
| | Three-seat, Upholstered Ba | ack with Arr | ms | | | | | | | |
| | ZOL3 M3111 n/a | 4615 | 4838 | 5059 | 5502 | 5943 | 6387 | 6829 | 7270 | 8031 |
| | Three-seat Plus Upholstere | | | | | | | | | |
| | ZOL3 MB3111 n/a | 4719 | 4941 | 5160 | 5604 | 6046 | 6491 | 6931 | 7373 | 8131 |

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

| | | | | | | Grades | | | | |
|---|-------------------|-----------------------------------|---|------------------|---------------------------------|-------------------|---|-------------------|--|--|
| Zola Option Upcha | rges | List (| Option | | A-White | A-Col | or B | С | | |
| 4 Casters (#2 Leg Ty 2 Casters/2 Legs (#3 Urethane Arm Caps | B Leg Type below) | 77 5 | Solid Surface Arm Cap (Solid Surface Arm Cap (Solid Surface Arm Cap - | per pair) | 227 454 185 | 231 464 186 | | 257 514 193 | | |
| PRODUCT CODE KEY | r | | | | | | | | | |
| Line | Series | Chair Type | Seat Count | Back Type | Arm Typ | ре | Leg Typ | oe . | | |
| ZOL | 3 Lounge | M Modular MB Modular Plus Upgrade | One-Seat 2 Two-seat | 1 Fully Uph Back | 0 Armles 1 Uph Ar | | Standard Leg 2 4 Caste | | | |
| | | rius Opgrade | Three-seat | | Urethane Ar 3 Solid Sur Arm Ca | face | Combina 2 Front Stand & 2 Rear Ca | ard Legs | | |

ZOLA | MODULAR BACKS & ARMS

| | | COM | | COL | FAE | BRIC (| GRADE | ES L | EATHE | R | COM | SHIPPING | I |
|----------------|--|-----------|---------|-----|-----|--------|-------|------|--------------|------|---------|----------|-------|
| DESCRIPTION/MC | DEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | YARDAGE | WEIGHT | CUBES |
| | Left, Right,or Interim Arr ZOL3 MAL ZOL3 MAR | n 491 | 532 | 569 | 651 | 729 | 808 | 886 | 963 | 1074 | 1.5 | 19 | 3.1 |
| | ZOL3 MAI | 348 | 365 | 381 | 411 | 444 | 477 | 509 | 538 | 586 | 0.33 | 13 | 1.8 |
| | Left, Right,or Interim Arr | n - Ureth | nane Ca | ар | | | | | | | | | |
| | ZOL3 MALU ZOL3 MARU | 619 | 658 | 696 | 778 | 853 | 934 | 1014 | 1092 | 1202 | 1.5 | 20.5 | 3 |
| | ZOL3 MAIU | 443 | 457 | 476 | 497 | 537 | 568 | 599 | 632 | 678 | 0.33 | 13 | 1.8 |

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

| | Grades | | | | | | | |
|---|---------|---------|-----|-----|--|--|--|--|
| Option | A-White | A-Color | В | С | | | | |
| Solid Surface Arm Cap (per arm) | 227 | 231 | 244 | 257 | | | | |
| Solid Surface Arm Cap (per pair) | 454 | 464 | 489 | 514 | | | | |
| Solid Surface Arm Cap - Interim (per arm) | 185 | 186 | 189 | 193 | | | | |

| DESCRIPTION/MODEL | SPECIES | COM 1 | 2 | COL 3 | FA 4 | ABRIC 5 | GRAD 6 | ES 7 | LEATHE 8 | :R 9 | COM YARDAGE | SHIPPING WEIGHT | - |
|--|---------|----------|----------------------------|----------------------------|--------------|------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------|----------------------|-------------------------|
| UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11 | | | 846 1116 1359 934 | 910 1202 1473 997 | 1377 1692 | | 1289 1724 2135 1377 | 1572 1897 2356 1504 | 1699 2072 2579 1631 | 1852 2278 2847 1796 | 1.75 2.5 3.5 2 | 23 39 54 28 | 5.2 9.4 14 6.1 |

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

| | | COM COL FABRIC GRADES | | | | LEATHE | R | COM | | | | | |
|-------------|--|-----------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|----------------|--------------------|
| DESCRIPTION | MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | YARDAGE | WEIGHT | CUBE |
| | Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D | 693 894 1124 | 716 943 1181 | 739 994 1240 | 771 1064 1318 | 809 1143 1412 | 843 1215 1492 | 879 1297 1583 | 928 1396 1695 | 974 1497 1810 | 1.5 | 18 26 38 | 5.2 8.5 10.5 |
| | Square Seatable ZOL5-1818 ZOL5-2424 | 759 905 | 805 956 | 848 1004 | 912 1074 | 984 1155 | 1048 1227 | 1120 1307 | 1210 1408 | 1303 1508 | 1.3 1.5 | 27 38 | 5.2 8.5 |
| | Rectangular Seatable ZOL5-2418 ZOL5-4824 | 832 1178 | 875 1240 | 921 1303 | 985 1389 | 1059 1487 | 1120 1572 | 1194 1672 | 1284 1798 | 1374 1922 | 1.3 2.4 | 31 62 | 6.6 12.6 |

ORDERING NOTES: Height from floor is 17.5".

ZOLA | MODULAR - REPLACEMENT COMPONENTS

| DESCRIPTION | J/MODEL | SPECIES | COM 1 | 2 | COI 3 | _ FA | ABRIC 5 | GRAD | ES 7 | LEATHI 8 | ER 9 | COM YARDAGE | SHIPPING WEIGHT | |
|-----------------------------------|------------------------------|---|----------------|---------------|------------|------------|------------|------------|------------|-------------|--------------|----------------|--------------------|------------|
| | Replacement ZOL3 RBM12 | Maple/Cherry | 365 405 | od Bac | k | | | | | | | - - | 19 19 | 3.1 3.1 |
| | | Palette | 365 | | | | | | | | | - | 23 | 3.1 |
| | | Modular One-Se | | | | | | | | | | 0.6 | 01 | 0.1 |
| | ZOL3 RBM13 | Maple/Cherry | 556 | 569 | 586 | 619 | | 680 | 714 | 744 | 791 | 0.6 0.6 | 21 21 | 3.1 3.1 |
| | | Palette | 601 556 | 619 569 | 633 586 | 665 619 | | 729 680 | 744 714 | 778 744 | 840 791 | 0.6 | 25 | 3.1 |
| | Replacement | Back Pad -only | 223 | 239 | 255 | 284 | | 348 | 381 | 411 | 458 | | | |
| | ZOL3 RP | , | 223 | 209 | 233 | 204 | 310 | 340 | 301 | 411 | 430 | 0.6 | 1.6 | 2 |
| | | Upholstered Ba | ck | | | | | | | | | 1 75 | 00 | |
|)) / | ZOL3 RBM11 ZOL3 RBM21 | | 721 | 783 | 846 | 974 | 1098 | 1227 | 1510 | 1638 | 1788 | 1.75 2.5 | 23 39 | 5.2 9.4 |
| | ZOL3 RBM31 | | 963 | 1053 | 1139 | | 1485 | | | 2010 | 2214 | 3.5 | 54 | 14 |
| | ZOL3 RBBM1 | | | 1297 | | | | | 2294 | | 2781 | 2 | 28 | 6.1 |
| | | NOTES: Modular | 808 | 871 | 934 | | | | 1440 | | 1732 | | | |
| | and Replacen | ackets on site ponent Seat/Bench of the replacemen | nes do i | not inc | lude le | gs and | joining | g bracl | kets. Th | ne hard | ware can | be transferre | ed from the | e original |
| | Right or Left F ZOL3 RAMR | Replacement Up | holster 435 | ed Arn 477 | า 514 | 595 | 672 | 752 | 832 | 910 | 1019 | 1.5 | 14 | 3 |
| | ZOL3 RAML | | 400 | 7// | 514 | 555 | 012 | 102 | 002 | 510 | 1015 | 1.5 | 14 | 3 |
| | ZOL3 RAMRU ZOL3 RAMLU | | 562 | 601 | 641 | 721 | 799 | 878 | 957 | 1036 | 1146 | 1.5 | 15.5 | 3 |
| | | a special - pleas Upholstered Se | | ici Ous | storrier | Jei vice | 5 101 a | SSISTAI | | | | | | |
| | ZOL3 RSM1* | · | 778 | 822 | 871 | 957 | 1044 | 1134 | 1218 | 1305 | 1482 | 1.33 | 25 | 5.2 |
| | ZOL3 RSM2 | | | 1178 | | | 1473 | | 1708 | 1827 | 2024 | 1.75 | 39 | 9.4 |
| | ZOL3 RSM3 | | | 1540 | | | 1954 | | | 2451 | 2657 | 2.5 | 50 | 14 |
| | ZOL3 RSMB1 | | | 1053 | | | 1289 | | | 1572 | 1715 | 1.75 | 26 | 6.1 |
| | ZOL3 RSMB2 | | | 1266 | | | 1566 | | 1803 | | 2118 | 1.75 2.5 | 39 50 | 9.4 |
| | ZOL3 RSMB3 |) | 1755 | 1835 | 1914 | 2056 | 2197 | 2341 | 2483 | 2625 | 2847 | 2.5 | 50 | 14 |
| | Back Cover | | 302 | 365 | 428 | 556 | ഒമ | 808 | 934 | 1061 | 1266 | • | 0.0 | 4 7 |
|)) / | ZOL3 RCB1* | | 411 | 509 | 601 | 791 | | 1170 | | 1551 | 1788 | 2 | 2.8 3.6 | 1.7 |
| | ZOL3 RCB2 ZOL3 RCB3 | | 509 | 633 | 760 | | 1266 | | 1772 | | 2341 | 3.75 | 4.3 | 1.7 1.7 |
| | ZOL3 RCBB1 | | 336 | 397 | 458 | 586 | | 840 | | 1092 | 1283 | 2 | 2.8 | 1.7 |
| | Arm Covers F | Right, Left or Inte | rim | | | | | | | | | | | |
| | ZOL3 RCAR ZOL3 RCAL | | 270 | 318 | 365 | 458 | 556 | 651 | 744 | 840 | 963 | 1.5 | 2.5 | 1.7 |
| | ZOL3 RCAL | | 176 | 190 | 207 | 239 | 270 | 302 | 334 | 365 | 405 | 0.33 | 1.5 | 1.7 |
| $\parallel \rightarrow \parallel$ | ZOL3 RCARL | J | 270 | 318 | 365 | 458 | | 651 | 744 | 840 | 963 | 1.5 | 2.5 | 1.7 |
| | ZOL3 RCALU | | | | | | | | | | | | | |
| | | NOTES: Replace | | | | | ght) ar | e spec | cified as | seated | d. ZOL3 I | RCARU & ZO | L3 RCALU | J are arm |
| | Seat Cover | | 070 | 046 | 005 | 450 | | 053 | | 0.46 | 600 | | _ | |
| | ZOL3 RCS1* | | 270 | 318 | 365 | 458 | | | 744 | 840 | 982 | 1.33 | 2.3 | 1.7 |
| | ZOL3 RCS2 | | 348 444 | 411 521 | 477 601 | 601 680 | 729 760 | | 982 | 1108 997 | 1314 1122 | 1.75 | 2.6 | 1.7 |
| | ZOL3 RCS3 ZOL3 RCSB1 | | 411 | 468 | 521 | 633 | | 853 | | 1074 | 1232 | 2.5 1.75 | 3.8 2.6 | 1.7 1.7 |
| | ZULU NUOD I | | 411 | +00 | JZ 1 | 000 | 744 | 000 | 303 | 1074 | 1232 | 1.75 | 2.0 | 1.7 |

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

| DESCRIPTIO | N/MODEL | PRICE | | | | | SHIPPING WEIGHT | |
|------------|---|---------------------------|----------------|-------------------|----------|----------------|------------------------------|------------|
| | Caster Without Brake ZOL3 RC1 | 58 | | | | | 0.4 | 0125 |
| | ORDERING NOTE: Casters ca | nnot be orde | ered as replac | ement items | for plus | s units. | | |
| ħ | Caster With Brake ZOL3 RC2 | 70 | | | | | 0.4 | 0.125 |
| | ORDERING NOTE: Casters ca | nnot be orde | ered as replac | ement items | for plus | s units. | | |
| | Urethane Arm Cap ZOL3 AUR ZOL3 AUL | 127 | | | | | 1.5 1.5 | 0.3 0.3 |
| | Urethane Arm Cap - Interim Ar ZOL3 AIU | m 94 | | | | | 1.0 | 0.3 |
| | | | A-White | Grade: A-Color | s B | С | | |
| | Solid Surface Arm Cap (per arr ZOL3 ASR | n) | 227 | 231 | 244 | 257 | 1.5 | 0.3 |
| | ZOL3 ASL Solid Surface Arm Cap - Interir ZOL3 ASI | m (per arm) | 185 | 186 | 189 | 193 | 1.0 | 0.3 |
| DESCRIPTIC | N MODEL | SPECIES | PRICE | | | | WEIGH ⁻ | Г CUBE |
| | Wood Tablet ZOL3 T1 | Beech Maple /Cherry | 514 538 | | | | 12 | 2 |
| | Tablet with Palette Fin ZOL3 T2 | ish n/a | 411 | | | | 12 | 2 |
| | Clear Glass Tablet ZOL3 T3 | n/a | 783 | | | | 13 | 2 |
| | Laminate Tablet ZOL3 T4 | n/a | 532 | | | | 12 | 2 |
| | ORDERING NOTES: handed and do not ne | | | | | mer edge. Plea | ase note Zola Tablets are ur | niversally |
| | Solid Surface Tablet - ZOL3 T5AW | Grade A Wh | iite 641 | | | | 14 | 2 |
| | Solid Surface Tablet - ZOL3 T5AC | Grade A Co n/a | lor 651 | | | | 14 | 2 |
| - | Solid Surface Tablet - ZOL3 T5B | Grade B n/a | 686 | | | | 14 | 2 |
| | Solid Surface Tablet - ZOL3 T5C | Grade C n/a | 741 | | | | 14 | 2 |


| DIMENSIONS IN | | | | | | | |
|----------------------|------------------|------------------|-------------------|----------------|---------------|--------------------|-------|
| | Overall Width | Overall Depth | Overall Height | Seat Height | Seat Depth | Shipping Weight | Cubes |
| Single seat | | | | | | | |
| 30° | 36 | 28.5 | 34 | 18.5 | 22.5 | 50 | 18 |
| 45° | 42 | 29 | 34 | 18.5 | 22.5 | 54 | 19 |
| 60° | 48 | 29 | 34 | 18.5 | 22.5 | 57 | 22 |
| 90° | 59 | 31 | 34 | 18.5 | 22.5 | 69 | 26 |
| Double seat | | | | | | | |
| 30° | 58 | 30 | 34 | 18.5 | 22.5 | 90 | 32 |
| 45° | 64 | 31 | 34 | 18.5 | 22.5 | 97.2 | 33 |
| 60° | 70 | 33 | 34 | 18.5 | 22.5 | 102.6 | 39 |
| 90° | 81 | 36 | 34 | 18.5 | 22.5 | 124.2 | 46 |
| | | | | | | | |

COM Yardages

| | COM Yardage Entire Unit | COM Yardage 2 Entire Units | COM Yardage 3 Entire Units | COM Yardage 4 Entire Units | |
|---|------------------------------|-------------------------------|-------------------------------|-------------------------------|--|
| Single seat 30° 45° 60° 90° | 3.70 4.40 4.40 4.61 | 7.4 8.8 8.8 9.2 | 11.1 13.2 13.2 13.83 | 14.8 17.6 17.6 18.44 | |
| Double seat 30° 45° 60° 90° | 6.3 6.4 8.2 8.2 | 12.6 12.8 16.4 16.4 | 18.9 19.2 24.6 24.6 | 25.2 25.6 32.8 32.8 | |

COM Yardages - Individual Components

| oom raraagoo | marriada oc | mpononto | | | | | | |
|--------------|----------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------------|-------------------------------|-------------------------------|-------------------------------|
| | COM Yardage Per Back | COM Yardage Per 2 Backs | COM Yardage Per 3 Backs | COM Yardage Per 4 Backs | COM Yardage Per Seat | COM Yardage Per 2 Seats | COM Yardage Per 3 Seats | COM Yardage Per 4 Seats |
| Single seat | | | | | | | | |
| 30° | 1.9 | 3.8 | 5.7 | 7.6 | 1.8 | 3.6 | 5.4 | 7.2 |
| 45° | 2.6 | 5.2 | 7.8 | 10.4 | 1.8 | 3.6 | 5.4 | 7.2 |
| 60° | 2.6 | 5.2 | 7.8 | 10.4 | 1.8 | 3.6 | 5.4 | 7.2 |
| 90° | 2.8 | 5.6 | 8.4 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| Double seat | | | | | | | | |
| 30° | 2.9 | 5.8 | 8.7 | 11.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° | 3 | 6.0 | 9.0 | 12.0 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° | 4.8 | 8.8 | 13.5 | 17.4 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° | 4.8 | 8.8 | 13.5 | 17.4 | 3.4 | 6.8 | 10.2 | 13.6 |




Single Seat, Uph 30° Inside




Single Seat, Uph 45° Inside




Single Seat, Uph 60° Inside




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside Curve



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

| Option | \$ List | Option | \$ List |
|----------------------------|---------|----------------------------|---------|
| Single-seat curve 30° seat | 61 | Double-seat curve 30° seat | 93 |
| Single-seat curve 45° seat | 64 | Double-seat curve 45° seat | 101 |
| Single-seat curve 60° seat | 86 | Double-seat curve 60° seat | 123 |
| Single-seat curve 90° seat | 113 | Double-seat curve 90° seat | 127 |

DIMENSIONS OUTSIDE CURVE


| | Overall Width | Overall Depth | Overall Height | Seat Height | Seat Depth | Shipping Weight | Cubes |
|---|-------------------------------|----------------------------------|----------------------|------------------------------|--------------------------------------|----------------------|----------------------|
| Single seat 30° 45° 60° 90° | 33.75 38.75 43.5 52 | 28.25 28.75 29.25 29.75 | 34 34 34 34 | 18.5 18.5 18.5 18.5 | 22.5 22.5 22.5 22.5 | 48 49 50 51 | 23 24 29 34 |
| Double seat 30° 45° 60° 90° | 55.75 60.75 65.75 74 | 29.75 31 32.25 34.5 | 34 34 34 34 | 18.5 18.5 18.5 18.5 | 22.5 22.5 22.5 22.5 22.5 | 83 84 86 96 | 36 40 45 56 |

COM Yardages

| _ | COM Yardage | COM Yardage | COM Yardage | COM Yardage | |
|---|--------------------------------------|------------------------------|------------------------------|---|--|
| | Entire Unit | 2 Entire Units | 3 Entire Units | 4 Entire Units | |
| Single seat 30° 45° 60° 90° | 3.32 3.32 3.32 3.32 3.32 | 6.14 6.14 6.14 6.14 | 9.46 9.46 9.46 9.46 | 12.28 12.28 12.28 12.28 12.28 | |
| Double seat 30° 45° 60° 90° | 6.50 6.50 6.50 6.50 | 13.0 13.0 13.0 13.0 | 19.5 19.5 19.5 19.5 | 26.0 26.0 26.0 26.0 | |

COM Yardages - Individual Components

| | | | | | 1 | | | |
|--|----------------------------------|----------------------------------|-------------------------------|-------------------------------|----------------------------|-------------------------------|-------------------------------|---------------------------------|
| | COM Yardage Per Back | COM Yardage Per 2 Backs | COM Yardage Per 3 Backs | COM Yardage Per 4 Backs | COM Yardage Per Seat | COM Yardage Per 2 Seats | COM Yardage Per 3 Seats | COM Yardage Per 4 Seats |
| Single seat 30° 45° 60° 90° | 1.7 1.7 1.7 1.7 | 2.95 2.95 2.95 2.95 | 4.65 4.65 4.65 4.65 | 5.9 5.9 5.9 5.9 | 1.8 1.8 1.8 1.8 | 3.6 3.6 3.6 3.6 | 5.4 5.4 5.4 5.4 | 7.2 7.2 7.2 7.2 7.2 |
| Double seat 30° 45° 60° 90° 6.8 | 3.1 3.1 3.1 3.1 10.2 | 6.2 6.2 6.2 6.2 13.6 | 9.3 9.3 9.3 9.3 | 12.4 12.4 12.4 12.4 | 3.4 3.4 3.4 3.4 | 6.8 6.8 6.8 | 10.2 10.2 10.2 | 13.6 13.6 13.6 |




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

| Option | \$ List | Option | \$ List |
|----------------------------|---------|----------------------------|---------|
| Single-seat curve 30° seat | 61 | Double-seat curve 30° seat | 93 |
| Single-seat curve 45° seat | 64 | Double-seat curve 45° seat | 101 |
| Single-seat curve 60° seat | 86 | Double-seat curve 60° seat | 123 |
| Single-seat curve 90° seat | 113 | Double-seat curve 90° seat | 127 |

| DESCRIPTION/MOD | EL | COM 1 | 2 | COL 3 | F <i>A</i> 4 | ABRIC GRA | ADES 6 | 7 | LEATHEF 8 | 9 |
|-----------------|--|----------------|------|----------|-----------------|-----------|-----------|------|--------------|------|
| | Single-Seat, 30° Inside Curve ZOL3 MCIS30D1 | 2302 | 2432 | 2559 | 2741 | 2947 | 3131 | 3336 | 3592 | 3851 |
| | Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1 | Plus 2399 | 2530 | 2657 | 2838 | 3045 | 3226 | 3432 | 3691 | 3949 |
| | Single-Seat, 45° Inside Curve ZOL3 MCIS45D1 | 2709 | 2873 | 3038 | 3271 | 3538 | 3770 | 4037 | 4369 | 4704 |
| | Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1 | Plus 2818 | 2984 | 3147 | 3383 | 3648 | 3880 | 4146 | 4480 | 4813 |
| | Single-Seat, 60° Inside Curve ZOL3 MCIS60D1 | 3069 | 3235 | 3399 | 3634 | 3899 | 4131 | 4397 | 4730 | 5063 |
| | Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1 | Plus 3193 | 3358 | 3523 | 3759 | 4024 | 4257 | 4522 | 4855 | 5188 |
| | Single-Seat, 90° Inside Curve ZOL3 MCIS90D1 | 3487 | 3696 | 3904 | 4196 | 4530 | 4821 | 5155 | 5574 | 5993 |
| | Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1 | Plus 3652 | 3862 | 4068 | 4362 | 4694 | 4987 | 5320 | 5740 | 6159 |
| | Single-Seat, 30° Outside Curve ZOL3 MCOS30D1 | e 2072 | 2190 | 2304 | 2465 | 2654 | 2817 | 3001 | 3235 | 3465 |
| | Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1 | e Plus 2169 | 2286 | 2403 | 2564 | 2748 | 2913 | 3097 | 3331 | 3562 |
| | Single-Seat, 45° Outside Curve ZOL3 MCOS45D1 | e 2436 | 2586 | 2738 | 2946 | 3185 | 3395 | 3634 | 3934 | 4233 |
| | Single-Seat, 45° Outside Curve ZOL3 MCBOS45D1 | e Plus 2546 | 2696 | 2847 | 3056 | 3294 | 3505 | 3743 | 4044 | 4341 |
| | Single-Seat, 60° Outside Curve ZOL3 MCOS60D1 | e 2763 | 2911 | 3061 | 3270 | 3510 | 3718 | 3958 | 4258 | 4557 |
| | Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1 | e Plus 2888 | 3036 | 3187 | 3396 | 3635 | 3844 | 4083 | 4381 | 4681 |
| | Single-Seat, 90° Outside Curv ZOL3 MCOS90D1 | e 3137 | 3323 | 3513 | 3774 | 4077 | 4340 | 4641 | 5017 | 5393 |
| | Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1 | e Plus 3303 | 3489 | 3679 | 3940 | 4242 | 4506 | 4809 | 5183 | 5559 |

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

| HODGO GODE I | | | | | | |
|--------------|--------------|-------------------------|---------------|------------|------------------|----------------------|
| Line | Series | Chair Type | Curve Style | Seat Count | Seat Degree | Leg Type |
| ZOL | 3 | MC | I | S | 30D | 1 |
| Zola | Soft Seating | Modular MCB | Inside Curve | Single | 30 Degree 45D | Standard Leg + Glide |
| | | Modular Plus Upgrade | Outside Curve | Double | 45 Degree 60D | |
| | | | | | 60 Degree | |

90 Degree

| | | COM | | COL | FA | BRIC GRA | DES | | LEATHE | R |
|------------------|---|-----------------|------|------|------|----------|------|------|--------|-------|
| DESCRIPTION/MODE | L | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 30° Inside Curve ZOL3 MCID30D1 | 4028 | 4252 | 4481 | 4795 | 5157 | 5473 | 5836 | 6289 | 6739 |
| | Double-Seat, 30° Inside Curve ZOL3 MCBID30D1 | Plus 4182 | 4405 | 4633 | 4947 | 5309 | 5628 | 5989 | 6441 | 6893 |
| | Double-Seat, 45° Inside Curve ZOL3 MCID45D1 | 4736 | 5028 | 5318 | 5722 | 6188 | 6598 | 7064 | 7644 | 8225 |
| | Double-Seat, 45° Inside Curve ZOL3 MCBID45D1 | Plus 4917 | 5209 | 5497 | 5903 | 6369 | 6778 | 7242 | 7822 | 8406 |
| | Double-Seat, 60° Inside Curve ZOL3 MCID60D1 | 5367 | 5659 | 5948 | 6357 | 6821 | 7229 | 7696 | 8276 | 8858 |
| | Double-Seat, 60° Inside Curve ZOL3 MCBID60D1 | Plus 5560 | 5852 | 6141 | 6549 | 7016 | 7421 | 7888 | 8469 | 9051 |
| | Double-Seat, 90° Inside Curve ZOL3 MCID90D1 | 6099 | 6465 | 6831 | 7342 | 7925 | 8438 | 9022 | 9755 | 10485 |
| | Double-Seat, 90° Inside Curve ZOL3 MCBID90D1 | Plus 6319 | 6686 | 7049 | 7564 | 8146 | 8658 | 9244 | 9975 | 10705 |
| | Double-Seat, 30° Outside Curv ZOL3 MCOD30D1 | ve 3626 | 3828 | 4033 | 4316 | 4643 | 4928 | 5254 | 5659 | 6069 |
| | Double-Seat, 30° Outside Curv ZOL3 MCBOD30D1 | ve Plus 3777 | 3980 | 4185 | 4468 | 4795 | 5080 | 5405 | 5811 | 6221 |
| | Double-Seat, 45° Outside Curv ZOL3 MCOD45D1 | ve 4263 | 4525 | 4786 | 5152 | 5571 | 5938 | 6357 | 6881 | 7402 |
| | Double-Seat, 45° Outside Curv ZOL3 MCBOD45D1 | ve Plus 4442 | 4706 | 4966 | 5331 | 5751 | 6117 | 6536 | 7060 | 7582 |
| | Double-Seat, 60° Outside Curv ZOL3 MCOD60D1 | ve 4831 | 5093 | 5355 | 5720 | 6139 | 6506 | 6925 | 7447 | 7971 |
| | Double-Seat, 60° Outside Curv ZOL3 MCBOD60D1 | ve Plus 5023 | 5286 | 5548 | 5914 | 6333 | 6699 | 7119 | 7641 | 8164 |
| | Double-Seat, 90° Outside Curv ZOL3 MCOD90D1 | ve 5488 | 5819 | 6146 | 6607 | 7134 | 7594 | 8121 | 8781 | 9438 |
| | Double-Seat, 90° Outside Curv ZOL3 MCBOD90D1 | ve Plus 5708 | 6039 | 6366 | 6828 | 7356 | 7815 | 8342 | 8999 | 9657 |

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


| Line | Series | Chair Type | Curve Style | Seat Count | Seat Degree | Leg Type |
|-------------|-------------------|--------------------------------|-------------------|------------|--------------------------------------|---------------------------|
| ZOL Zola | 3 Soft Seating | MC Modular | I Inside Curve | S Single | 30D 30 Degree | 1 Standard Leg + Glide |
| | | MCB Modular Plus Upgrade | O Outside Curve | D Double | 45D 45 Degree 60D 60 Degree | |
| | | | | | 90D 90 Degree | |

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

| | 00 | |
|------------------|------------------------------------|--------------|
| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, | |
| | Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start. Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABLET

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB A & C outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10" cord.

Modular arms can attach to the left or right ends

of seating units as well as interim locations

between units. They are fully upholstered and

can optionally be trimmed with urethane or solid



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

MODULAR ARM

surface arm caps.

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.



SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



SEAT POWER


The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









| | Model ZOP3-M1F1S ZOP3-MCIS90DF1C | Qty 1 2 | Price (ea) 2364 5866 |
|-------------------|--|---------------|----------------------------|
| ZOP3-M1F1S 1 2364 | ZOP3-MCIS90DF1C ZOP3-M2F1C | 4 | 3563 |
| | ZOP3-M1F1S | 1 | 2364 |


Total \$30,712






| Model | Qtv | Price (ea) |
|-----------------|-----|------------|
| ZOP3-MCID60DF0S | 1 | 591Ó |
| ZOP3-MCID60DF0C | 3 | 5910 |
| ZOP3-MCID60DF0E | 1 | 5910 |
| ZOL4-30D15 | 1 | 1391 |
| | | |
| Total | | \$30,941 |


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






| Model | Qty | Price (\$) |
|-----------------|-----|------------|
| ZOP3-M2M0S | 1 | 2595 |
| ZOP3-MCIS90DM0C | 2 | 4571 |
| ZOP3-M2M0C | 1 | 2595 |
| ZOP3-M2M0E | 1 | 2595 |
| ZOL4-242415 | 1 | 1187 |
| | | |


Total \$18,114






| Model | Qty | Price (\$) |
|-----------------|-----|------------|
| ZOL4-LKE18 | 4 | 1098 |
| ZOP3-MB1F1S | 2 | 2866 |
| ZOP3-MCID90DF1C | 2 | 7873 |
| ZOP3-MB1F1E | 2 | 2866 |
| ZOL4 E482915 | 1 | 2016 |

Total \$33,618





\$13,744

Total

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

| DIMENSIONS | | | | | | | | |
|------------------|-----------------|-----------------|----------|----------|--------|-------|----------|-------|
| | | Width | | | | | | |
| | Overall | Between | Overall | Overall | Seat | Seat | Shipping | |
| | Width | Panels | Depth | Height | Height | Depth | Weight | Cubes |
| Preconfigured Fu | ull Height Back | k | | | | | | |
| One-Seat Plus | 36 | 30 | 27 | 50 | 18.5 | 19.25 | 134 | 28.3 |
| Two-seat | 52 | 46 | 27 | 50 | 18.5 | 19.25 | 161 | 40.4 |
| Three-seat | 75 | 69 | 27 | 50 | 18.5 | 19.25 | 194 | 57.5 |
| Preconfigured M | lid Height Back | k | | | | | | |
| One-Seat Plus | 36 | 30 | 27 | 37.5 | 18.5 | 19.25 | 114 | 20.4 |
| | | | | | | | | |
| Two-seat | 52 75 | 46 69 | 27 27 | 37.5 | 18.5 | 19.25 | 141 | 29.1 |
| Three-seat | 75 | 69 | 21 | 37.5 | 18.5 | 19.25 | 174 | 41.3 |
| COM YARDAGES | 3 | | | | | | | |
| | Yardage | Yardage | Yardage | Yardage | | | | |
| | Entire | 2 Entire | 3 Entire | 4 Entire | | | | |
| | Unit | Units | Units | Units | | | | |
| Preconfigured Fu | ull Height Back | k/Privacy Panel | | | | | | |
| One-Seat Plus | 9.59 | 13.78 | 17.97 | 22.16 | | | | |
| Two-seat | 11.48 | 16.13 | 20.83 | 26.56 | | | | |
| Three-seat | 13.56 | 21.32 | 29.38 | 37.04 | | | | |
| Preconfigured M | id Height Bacl | k/Privacy Pane | 1 | | | | | |
| One-Seat Plus | 7.31 | 10.96 | 14.61 | 18.26 | | | | |
| Two-seat | 8.49 | 12.22 | 16.72 | 21.20 | | | | |
| Three-seat | 10.60 | 18.36 | 26.42 | 34.08 | | | | |
| Preconfigured Fu | ull Height Back | k/Semi-Private | Panel | | | | | |
| One-Seat Plus | 6.63 | 10.82 | 15.01 | 19.20 | | | | |
| Two-seat | 8.52 | 13.17 | 17.87 | 23.60 | | | | |
| Three-seat | 10.60 | 18.36 | 25.42 | 34.08 | | | | |
| Preconfigured M | id Height Bac | k/Semi-Private | Panel | | | | | |
| One-Seat Plus | 5.41 | 9.06 | 12.71 | 16.36 | | | | |
| Two-seat | 6.59 | 10.32 | 14.82 | 19.30 | | | | |
| Three-seat | 8.48 | 14.80 | 21.42 | 27.20 | | | | |
| mee-seat | 0.40 | 14.00 | 21.42 | 21.20 | | | | |

ZOLA PRIVACY | PRECONFIGURED

| | | COM | | COL | FAB | FABRIC GRADES | | | LEATHER | | | |
|-----------------|---|---------------------|----------------------|--------------------|--------------------|----------------|------|------|---------|------|--|--|
| DESCRIPTION/MOD | EL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| | åOne-Seat Plus with Privat ZOP3-PCB1MPF0 | e Modular 3956 | Side Pane 4268 | l and Full 4583 | Height Bac 5132 | k 5708 | 6258 | 6835 | 7463 | 8461 | | |
| | One-Seat Plus with Semi-F ZOP3-PCB1SMPF0 | Private Mod 3229 | dular Side I 3455 | Panel and 3683 | Full Heigh 4059 | t Back 4461 | 4838 | 5241 | 5695 | 6347 | | |
| - | One-Seat Plus with Private | Modular S | Side Panel | and Mid H | leight Back | ζ | | | | | | |
| | ZOP3-PCB1MPM0 | 3489 | 3717 | 3943 | 4339 | 4752 | 5142 | 5559 | 6014 | 6715 | | |
| | One-Seat Plus with Semi-F ZOP3-PCB1SMPM0 | Private Mod 2983 | dular Side I 3166 | Panel and 3354 | Mid Heigh 3663 | t Back 3994 | 4302 | 4634 | 5005 | 5539 | | |

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

| ZOLA PRIVACY OPTION UPCHARGES | \$ List |
|---------------------------------------|----------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Seat Power (per power unit) | 641 |
| Plus Upgrade option | included |
| Combination Upholstery - dual fabrics | 33 |
| Combination Upholstery -Three fabrics | 64 |

PRODUCT CODE KEY

| ODUCT CODE RE | | | | | |
|---------------|--------|---------------------|----------------|------------------------------------|-------------|
| Line | Series | Туре | Seat | Side Panel | Height |
| ZOP | 3 | PCB | 1 | MP | F0 |
| Zola Privacy | Lounge | Pre-Configured Plus | One-Seat (30") | Private Modular Side Panel | Full Height |
| | | | 2 | SMP | M0 |
| | | | Two-Seat | Semi-Private Modular Side Panel | Mid Height |
| | | | 3 | | |
| | | | Three-Seat | | |

ZOLA PRIVACY | PRECONFIGURED

| | | COM | | COL | FAI | BRIC GRA | DES | | LEATHER | 3 | |
|-------------------|---|--------------------|--------------------|-----------------------|--------------------|-------------|------|------|---------|--------|--|
| DESCRIPTION/MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Two-Seat with Privat | e Modula | r Side Par | nel and Ful | l Height B | ack | | | | | |
| | ZOP3-PC2MPF0 | 4571 | 4947 | 5327 | 5970 | 6653 | 7295 | 7977 | 8739 | 9879 | |
| \ \ \ | Two-Seat Plus with F | Private Mo | odular Sid | e Panel an | d Full Heid | ht Back | | | | | |
| | ZOP3-PCB2MPF0 | 4702 | 5078 | 5456 | 6099 | 6783 | 7424 | 8107 | 8868 | 10008 | |
| | Two-Seat with Semi- | Private M | lodular Sid | de Panel a | nd Full He | ight Back | | | | | |
| | ZOP3-PC2SMPF0 | 3843 | 4134 | 4426 | 4897 | 5407 | 5876 | 6386 | 6970 | 7764 | |
| | Two-Seat Plus with Semi-Private Modular Side Panel and Full Height Back | | | | | | | | | | |
| | ZOP3-PCB2SMPF0 | 3972 | 4265 | 4557 | 5027 | 5537 | 6007 | 6515 | 7101 | 7894 | |
| | To Continith Direct | a Maalula | . Cida Dar | al and Mi | d I I a i a la t D | | | | | | |
| | Two-Seat with Privat ZOP3-PC2MPM0 | e iviodula 3780 | r Side Par 4059 | 1ei and iviid 4337 | a Height B 4811 | аск 5307 | 5775 | 6276 | 6836 | 7651 | |
| | 201 3-1 021011 1010 | 3700 | 4039 | 4337 | 4011 | 5507 | 3773 | 0270 | 0030 | 7001 | |
| | Two-Seat Plus with Private Modular Side Panel and Mid Height Back | | | | | | | | | | |
| | ZOP3-PCB2MPM0 | 3909 | 4189 | 4467 | 4941 | 5437 | 5905 | 6406 | 6965 | 7780 | |
| | | | | | | | | | | | |
| | Two-Seat with Semi- | | | | | 0 | | == | | - ·- · | |
| | ZOP3-PC2SMPM0 | 3271 | 3510 | 3746 | 4133 | 4548 | 4933 | 5349 | 5825 | 6474 | |
| | Two-Seat Plus with S | | | | | J | | | | | |
| | ZOP3-PCB2SMPM0 | 3403 | 3640 | 3877 | 4264 | 4679 | 5064 | 5481 | 5956 | 6604 | |

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

| ZOLA PRIVACY OPTION UPCHARGES | \$ List |
|---------------------------------------|---------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Seat Power (per power unit) | 641 |
| Combination Upholstery - dual fabrics | 33 |
| Combination Upholstery -Three fabrics | 64 |

PRODUCT CODE KEY

| Line | Series | Туре | Seat | Side Panel | Height |
|--------------|--------|--------------------------------|----------------|------------------------------------|-------------|
| ZOP | 3 | PC | 1 | MP | F0 |
| Zola Privacy | Lounge | Pre-Configured | One-Seat (30") | Private Modular Side Panel | Full Height |
| | | PCB | 2 | SMP | M0 |
| | | Pre-Configured Plus Upgrade | Two-Seat | Semi-Private Modular Side Panel | Mid Height |
| | | | 3 | | |
| | | | Th 0 t | | |

Three-Seat

ZOLA PRIVACY | PRECONFIGURED

| | | COM | | COL | FAE | BRIC GRA | DES | | LEATHER | | | |
|-------------------|---|-----------------------|--------------------|--------------------|----------------------|-------------------|-------|-------|---------|-------|--|--|
| DESCRIPTION/MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| | Three-Seat with Privat | e Modular | Side Pan | el and Ful | l Height Ba | ack | | | | | | |
| | ZOP3-PC3MPF0 | 5495 | 5940 | 6390 | 7131 | 7923 | 8663 | 9457 | 10354 | 11632 | | |
| | | | | | | | | | | | | |
| | Three-Seat Plus with F | | | | | • | 0050 | 0050 | 40540 | 44000 | | |
| | ZOP3-PCB3MPF0 | 5691 | 6136 | 6585 | 7327 | 8119 | 8859 | 9652 | 10548 | 11828 | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | The control like Openia | Del colo Ma | | . D | | ala Danie | | | | | | |
| | Three-Seat with Semi- ZOP3-PC3SMPF0 | -Private ivid 4768 | odular Sid 5128 | e Panei ai 5488 | na Full Hel 6057 | 6678 | 7243 | 7864 | 8587 | 9518 | | |
| | 20P3-PC35WIPFU | 4700 | 3126 | 3400 | 6057 | 0076 | 7243 | 7004 | 0007 | 9516 | | |
| | Three-Seat Plus with Semi-Private Modular Side Panel and Full Height Back | | | | | | | | | | | |
| | ZOP3-PCB3SMPF0 | 4964 | 5322 | 5684 | 6253 | 6872 | 7441 | 8059 | 8783 | 9713 | | |
| | | | | | | | | | | | | |
| " | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| ~ | Three-Seat with Privat | e Modular | Side Pan | el and Mid | d Height B | ack | | | | | | |
| | ZOP3-PC3MPM0 | 4903 | 5244 | 5584 | 6148 | 6750 | 7309 | 7911 | 8595 | 9548 | | |
| | Three Coet Dive with [| Drivete Me | dular Cida | Donalon | ط ۱۸: ط ۱ ام: د | wht Dools | | | | | | |
| | Three-Seat Plus with F ZOP3-PCB3MPM0 | 5098 | 5441 | 5781 | a iviia neiç 6344 | 6945 | 7504 | 8107 | 8790 | 9744 | | |
| | ZOI O I OBOWII WO | 3030 | 3441 | 3701 | 0044 | 0343 | 7 304 | 0107 | 0130 | 3144 | | |
| | | | | | | | | | | | | |
| | T. 0 0 . | D: | | | | | | | | | | |
| | Three-Seat with Semi- ZOP3-PC3SMPM0 | Private Mo 4396 | odular Sid 4696 | e Panel ai 4995 | nd Mid He 5471 | ight Back 5990 | 6466 | 6985 | 7586 | 8371 | | |
| | 20F3-F033WFW0 | 4390 | 4090 | 4990 | 3471 | 3990 | 0400 | 0900 | 7500 | 03/1 | | |
| | Three-Seat Plus with S | Semi-Priva | te Modula | r Side Pa | nel and Mi | id Height E | Back | | | | | |
| | ZOP3-PCB3SMPM0 | 4591 | 4891 | 5191 | 5666 | 6185 | 6662 | 7180 | 7781 | 8568 | | |
| | | | | | | | | | | | | |
| | 201 0 1 02001111 1110 | 1001 | 1001 | 0101 | 0000 | 0.00 | 0002 | 7 100 | 7701 | 0000 | | |

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

| ZOLA PRIVACY OPTION UPCHARGES | \$ List |
|---------------------------------------|---------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Seat Power (per power unit) | 641 |
| Combination Upholstery - dual fabrics | 33 |
| Combination Upholstery -Three fabrics | 64 |

PRODUCT CODE KEY

| Line | Series | Туре | Seat | Side Panel | Height |
|--------------|--------|--------------------------------|----------------|------------------------------------|-------------|
| ZOP | 3 | PC | 1 | MP | F0 |
| Zola Privacy | Lounge | Pre-Configured | One-Seat (30") | Private Modular Side Panel | Full Height |
| | | PCB | 2 | SMP | M0 |
| | | Pre-Configured Plus Upgrade | Two-Seat | Semi-Private Modular Side Panel | Mid Height |
| | | | 3 | | |
| | | | Three-Seat | | |

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

| | | | | | | Overall | | | |
|-----------------------|------------------|---------|----------|---------|----------|---------|-------|----------|-------|
| | Overall | Overall | Depth | Overall | Height | Seat | Seat | Shipping | |
| | Width | Depth | w/ Shelf | Height | w/Screen | Height | Depth | Weight | Cubes |
| Full Height Back | | | | | | | | | |
| One-Seat | 23 | 27 | 39 | 50 | 62.5 | 18.5 | 20.25 | 69 | 10.6 |
| Two-seat | 46 | 27 | 39 | 50 | 62.5 | 18.5 | 20.25 | 114 | 20.8 |
| Three-seat | 69 | 27 | 39 | 50 | 62.5 | 18.5 | 20.25 | 165 | 31.0 |
| One-Seat (Plus) | 30 | 27 | 39 | 50 | 62.5 | 18.5 | 20.25 | 81 | 13.8 |
| Mid Height Back | | | | | | | | | |
| One-Seat | 23 | 27 | 39 | 37.5 | 50 | 18.5 | 20.25 | 65 | 9.8 |
| Two-seat | 46 | 27 | 39 | 37.5 | 50 | 18.5 | 20.25 | 107 | 19.1 |
| Three-seat | 69 | 27 | 39 | 37.5 | 50 | 18.5 | 20.25 | 154 | 28.5 |
| One-Seat (Plus) | 30 | 27 | 39 | 37.5 | 50 | 18.5 | 20.25 | 76 | 12.6 |
| Modular Corner Seat w | vith Full Height | Back | | | | | | | |
| One-Seat | 27 | 27 | 40 | 50 | 62.5 | 18.5 | 20.25 | 104 | 26 |
| One-Seat (Plus) | 27 | 27 | 40 | 50 | 62.5 | 18.5 | 20.25 | 104 | 26 |
| Modular Corner Seat w | vith Mid Height | Back | | | | | | | |
| One-Seat | 27 | 27 | 40 | 37.5 | 50 | 18.5 | 20.25 | 93 | 26 |
| One-Seat (Plus) | 27 | 27 | 40 | 37.5 | 50 | 18.5 | 20.25 | 93 | 26 |
| • | | | | | | | | | |

COM YARDAGES

| | Yardage Entire Unit | Yardage 2 Entire Units | Yardage 3 Entire Units | Yardage 4 Entire Units | Yardage per Back | Yardage per 2 Backs | Yardage per 3 Backs | Yardage per 4 Backs | Yardage per Seat | Yardage per 2 Seats | Yardage per 3 Seats | Yardage per 4 Seats |
|-------------------|---------------------------|------------------------------|------------------------------|------------------------------|------------------------|---------------------------|---------------------------|---------------------------|------------------------|---------------------------|---------------------------|---------------------------|
| Full Height Back | | | | | | | | | | | | |
| One-Seat | 4.1 | 6.45 | 10.55 | 12.9 | 2.85 | 4.35 | 7.2 | 8.7 | 1.25 | 2.1 | 3.35 | 4.2 |
| Two-seat | 6.08 | 10.73 | 16.76 | 21.16 | 4.33 | 7.33 | 11.66 | 14.66 | 1.75 | 3.4 | 5.1 | 6.5 |
| Three-seat | 8.16 | 15.92 | 23.98 | 31.64 | 5.66 | 11.32 | 16.98 | 22.64 | 2.5 | 4.6 | 7 | 9 |
| One-Seat (Plus) | 4.19 | 8.38 | 12.57 | 16.76 | 2.94 | 5.88 | 8.82 | 11.76 | 1.25 | 2.5 | 3.75 | 5 |
| Mid Height Back | | | | | | | | | | | | |
| One-Seat | 3.25 | 5.2 | 8.45 | 10.4 | 2 | 3.1 | 4.2 | 6.2 | 1.25 | 2.1 | 3.35 | 4.2 |
| Two-seat | 4.83 | 8.56 | 13.34 | 16.82 | 3.08 | 5.16 | 8.24 | 10.32 | 1.75 | 3.4 | 5.1 | 6.5 |
| Three-seat | 6.72 | 13.04 | 19.66 | 25.88 | 4.22 | 8.44 | 12.66 | 16.88 | 2.5 | 4.6 | 7 | 9 |
| One-Seat (Plus) | 3.65 | 7.3 | 10.95 | 14.6 | 2.4 | 4.8 | 7.2 | 9.6 | 1.25 | 2.5 | 3.75 | 5 |
| Modular Corner So | eat with Fu | ull Height | Back | | | | | | | | | |
| One-Seat | 7.79 | 12 | 18 | 24 | 5.70 | 11.4 | 16.9 | 22.4 | 2.00 | 4 | 6 | 8 |
| One-Seat (Plus) | 7.79 | 12 | 18 | 24 | 5.70 | 11.4 | 16.9 | 22.4 | 2.00 | 4 | 6 | 8 |
| Modular Corner So | eat with M | lid Height | Back | | | | | | | | | |
| One-Seat | 6.40 | 12 | 18 | 24 | 4.00 | 8 | 12 | 18 | 2.00 | 4 | 6 | 8 |
| One-Seat (Plus) | 6.40 | 12 | 18 | 24 | 4.00 | 8 | 12 | 18 | 2.00 | 4 | 6 | 8 |

ZOLA PRIVACY PLUS OPTION UPCHARGES

| | \$ List | |
|-------------------------|---------|--|
| Plus Upgrade Two-Seat | 129 | |
| Plus Upgrade Three-Seat | 195 | |

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

| | | Overall Width | Overall Depth | Overall Height | Shipping Weight | Cubes | COM 1-unit | COM 2-units | COM 3-units | COM 4-units | COM 5-units | COM 6-units |
|-------------------|-------------|------------------|------------------|-------------------|--------------------|-------|---------------|----------------|----------------|----------------|----------------|----------------|
| Side Panel, Singl | e, Full Hei | ight No Sci | reen | | | | | | | | | |
| ZOP3-MPF0S | Start | 2.75 | 27 | 43.90 | 38 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| ZOP3-MPF0C | Center | 2.75 | 27 | 43.90 | 38 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| ZOP3-MPF0E | End | 2.75 | 27 | 43.90 | 38 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| Side Panel, Singl | e, Full Hei | ight with S | creen | | | | | | | | | |
| ZOP3-MPF2S | Start | 2.75 | 27 | 56.5 | 40 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| ZOP3-MPF2C | Center | 2.75 | 27 | 56.5 | 40 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| ZOP3-MPF2E | End | 2.75 | 27 | 56.5 | 40 | 3 | 2.7 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 |
| Side Panel, Singl | e, Mid He | ight No Sc | reen | | | | | | | | | |
| ZOP3-MPM0S | Start | 2.75 | 27 | 31.38 | 26 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| ZOP3-MPM0C | Center | 2.75 | 27 | 31.38 | 26 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| ZOP3-MPM0E | End | 2.75 | 27 | 31.38 | 26 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| Side Panel, Singl | e, Mid He | ight with S | creen | | | | | | | | | |
| ZOP3-MPM2S | Start | 2.75 | 27 | 43.88 | 28 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| ZOP3-MPM2C | Center | 2.75 | 27 | 43.88 | 28 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| ZOP3-MPM2E | End | 2.75 | 27 | 43.88 | 28 | 2 | 1.99 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 |
| Semi-Private Sid | e Panel, S | Single, Full | Height | | | | | | | | | |
| ZOP3-MSPF0S | Start | 2.75 | 14.25 | 44 | 26 | 1.5 | 1.27 | 2.55 | 3.83 | 5.11 | 6.39 | 7.67 |
| ZOP3-MSPF0C | Center | 2.75 | 14.25 | 44 | 26 | 1.5 | 1.27 | 2.55 | 3.83 | 5.11 | 6.39 | 7.67 |
| ZOP3-MSPF0E | End | 2.75 | 14.25 | 44 | 21 | 1.5 | 1.27 | 2.55 | 3.83 | 5.11 | 6.39 | 7.67 |
| Semi-Private Sid | e Panel, S | Single, Mid | Height | | | | | | | | | |
| ZOP3-MSPM0S | Start | 2.75 | 14.25 | 31.4 | 19 | 1 | .88 | 1.99 | 2.92 | 3.72 | 4.65 | 5.56 |
| ZOP3-MSPM0C | Center | 2.75 | 14.25 | 31.4 | 23 | 1 | .88 | 1.99 | 2.92 | 3.72 | 4.65 | 5.56 |
| ZOP3-MSPM0E | End | 2.75 | 14.25 | 31.4 | 19 | 1 | .88 | 1.99 | 2.92 | 3.72 | 4.65 | 5.56 |
| | | | | | | | | | | | | |
| Modular Upholst | ered Arm | | | | | | | | | | | |
| ZOP3-MAUPHL* | | 3 | 14.5 | 19.75 | 25 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MAUPHR | | 3 | 14.5 | 19.75 | 25 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MAUPHC | | 3 | 14.5 | 19.75 | 25 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| Modular Upholst | ered Arm | w/Urethan | e Cap | | | | | | | | | |
| ZOP3-MAUREL | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MAURER* | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MAUREC | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| Modular Upholst | ered Arm | w/Solid Su | rface Cap | | | | | | | | | |
| ZOP3-MASSCL | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MASSCR | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| ZOP3-MASSCI* | | 3 | 14.5 | 20.25 | 28 | 1.1 | 1.33 | 2.11 | 2.8 | 3.56 | 4.44 | 5 |
| | | | | | | | | | | | | |

ZOLA PRIVACY | MODULAR

| DESCRIPTION/N | MODEL/SPECIES | COM 1 | 2 | COL 3 | FAB 4 | RIC GR/ | ADES 6 | 7 | LEATHE 8 | R 9 |
|----------------------------------|--|-----------------------|---------------------|--------------|--------------|--------------|--------------|-------------------------|--------------|--------------|
| | One-Seat, Full Height Back ZOP3-M1F0F | 1924 | 2060 | 2195 | 2388 | 2610 | 2804 | 3025 | 3294 | 3581 |
| | One-Seat, Full Height Back with Shelf Op ZOP3-M1F1_ Beech/Laminate Maple/Palette | 2364 2460 | 2500 2594 | 2636 2732 | 2829 2924 | 3052 3144 | 3244 3340 | 3463 3560 | 3736 3829 | 4022 4116 |
| | ORDERING NOTES: When ordering unit: 42", 36" or 30". Freestanding, Start and E unit, please add 303 list upcharge per un | nd units with | the she | elf option i | require co | ounterba | lance we | eight add | ed to ea | ch seat |
| | One-Seat, Full Height Back with Privacy 2 ZOP3-M1F2F | Screen Option 2209 | on 2342 | 2479 | 2671 | 2892 | 3087 | 3307 | 3578 | 3865 |
| | ORDERING NOTES: Units with Privacy S | Screen Optio | n are not | available | with Ren | novable E | Back Cov | er option | | |
| | One-Seat, Mid Height Back ZOP3-M1M0F | 1811 | 1918 | 2026 | 2176 | 2348 | 2502 | 2673 | 2888 | 3109 |
| | One-Seat, Mid Height Back with Shelf Op ZOP3-M1M1_ Beech/Laminate Maple/Palette | otion 2252 2346 | 2357 2452 | 2464 2560 | 2615 2713 | 2789 2883 | 2942 3036 | 3114 3209 | 3327 3424 | 3547 3643 |
| 4 | ORDERING NOTES: When ordering units 42", 36" or 30". Freestanding, Start and Eunit, please add 303 list upcharge per un | nd units with | the she | elf option i | require co | ounterba | lance we | eight add | ed to ea | ch seat |
| | One-Seat, Mid Height Back with Privacy ZOP3-M1M2F | Screen Option 2092 | on 2198 | 2307 | 2460 | 2632 | 2783 | 2957 | 3169 | 3390 |
| | ORDERING NOTES: Units with Privacy S | Screen Option | n are not | available | with Rem | novable E | Back Cov | er option | | |
| Zola Privacy Op | otion Upcharges \$ List | | | | | | \$ | List | | |
| Removable Seat Removable Back | & CAL 133(per yard) 64 t Covers One-Seat 47 k Covers One-Seat 68 ultiple unit configurations) 80 | Sh Ta | nelf Pow ble Pow | | , | ual fabric | es | 641 600 647 33 | | |

| Zola Privacy Option | n Upcharges | \$ List | | | \$ List |
|-----------------------|-------------------------|------------|----------------|--|-------------------|
| Moisture Barrier & C | CAL 133(per yard) | 64 | Seat Power (pe | er power unit) | 641 |
| Removable Seat Co | vers One-Seat | 47 | Shelf Power | . , | 600 |
| Removable Back Co | overs One-Seat | 68 | Table Power | | 647 |
| Dual Leg (for Multipl | le unit configurations) | 80 | Combination U | Jpholstery - dual fabrics | 33 |
| PRODUCT CODE KE | ΞΥ | | | | |
| Line | Series | Chair Type | Seat Count | Back Type | Leg Type |
| ZOP | 3 | M | 1 | F0 | F |
| Zola | Lounge | Modular | One Seat | Full Height Back | Freestanding Unit |
| | | | 2 | F1 | S |
| | | | Two Seat | Full Height Back with Shelf Option | Start Unit |
| | | | 3 | F2 | С |
| | | | Three Seat | Full Height Back with Privacy Screen Option | Center Unit |
| | | | | MO | Е |
| | | | | Mid Height Back | End Unit |
| | | | | M1 | |
| | | | | Mid Height Back with | |
| | | | | Shelf Option | |
| | | | | M2 | |
| | | | | Mid Height Back with | |
| | | | | Privacy Screen Option | |

ZOLA PRIVACY | MODULAR

| DECORPTION // | DESCRIPTION/MODEL/SPECIES | | | COL | | FABRIC GRADES | | | LEATHE | |
|----------------------------------|---|---------------------------|-------------------|--------------|-------------------------|------------------------------|--------------|-------------------|-----------------------------------|--------------|
| DESCRIPTION/I | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | One-Seat Plus, Full Height Back ZOP3-MB1F0F | 2413 | 2549 | 2684 | 2879 | 3099 | 3292 | 3513 | 3785 | 4070 |
| | One-Seat Plus, Full Height Back with Shel ZOP3-MB1F1_ Beech/Laminate Maple/Palette | f Option 2866 2963 | 3001 3097 | 3137 3235 | 3330 3428 | 3553 3647 | 3744 3843 | 3965 4063 | 4237 4334 | 4525 4618 |
| | ORDERING NOTES: When ordering units 42", 36" or 30". Freestanding, Start and Er unit, please add 303 list upcharge per unit | nd units wit | h the sh | elf option | require c | ounterba | alance w | eight ad | ded to ea | ch seat |
| | One-Seat Plus, Full Height Back with Priva ZOP3-MB1F2F | acy Screen 2770 | Option 2906 | 3040 | 3236 | 3456 | 3648 | 3870 | 4141 | 4427 |
| | ORDERING NOTES: Units with Privacy So | creen Optic | on are no | ot available | e with Rer | novable | Back Co | ver optio | n. | |
| | One-Seat Plus, Mid Height Back ZOP3-MB1M0F | 2304 | 2411 | 2518 | 2670 | 2844 | 2994 | 3166 | 3382 | 3603 |
| | One-Seat Plus, Mid Height Back with She ZOP3-MB1M1_ Beech/Laminate Maple/Palette | If Option 2757 2853 | 2863 2959 | 2970 3068 | 3122 3219 | 3294 3390 | 3448 3542 | 3620 3715 | 3834 3931 | 4057 4152 |
| | ORDERING NOTES: When ordering units 42", 36" or 30". Freestanding, Start and Er unit, please add 303 list upcharge per unit | nd units wit | th the sh | elf option | require c | ounterba | alance w | eight ad | ded to ea | ch seat |
| | One-Seat Plus, Mid Height Back with Privators ZOP3-MB1M2F | acy Screer 2661 | Option 2768 | 2877 | 3028 | 3200 | 3352 | 3523 | 3739 | 3959 |
| | ORDERING NOTES: Units with Privacy So | creen Optic | on are no | ot availabl | e with Rer | movable | Back Co | ver optio | n. | |
| Zola Privacy Op | otion Upcharges \$ List | | | | | | ; | \$ List | | |
| Removable Seat Removable Back | & CAL 133(per yard) 64 : Covers One-Seat Plus 47 < Covers One-Seat Plus 68 Iltiple unit configurations) 80 | S | Shelf Povable Pov | ver ver | ower unit ludes Plu | | de | 641 600 647 | | |
| PRODUCT CODE | KEY | | | | | | | | | |
| Line | Series Chair Type | 5 | Seat Cour | nt | Bac | k Type | | L | eg Type | |
| ZOP Zola | 3 M Modular MB Modular Modular Plus Upgrade | | One Seat | | Full Heigl | ight Back F1 nt Back w | | | F tanding Un S tart Unit | t |
| | | 7 | 3 Three Sea | at | Full Heigl Privacy S | F2 Int Back worreen Opt | | Ce | C enter Unit | |
| | | | | | Mid He | ight Back | | E | End Unit | |
| | | | | | Shelf | nt Back w Option M2 | ith | | | |
| | | | | | Mid Heig Privacy S | nt Back w | ith ion | | | |

ZOLA PRIVACY | MODULAR

| | | | COM | | COL | FAE | FABRIC GRADES | | | LEATHER | | |
|--|--|---|------------------------------|------------------------------------|-------------------|---|------------------------------|------------------|--------------------------|--------------------------------------|--------------|--|
| DESCRIPTION/I | MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Two-Seat, Full Height BazOP3-M2F0F | ack | 3029 | 3231 | 3430 | 3717 | 4044 | 4334 | 4658 | 5061 | 5490 | |
| | _ | ack Shelf Option h/Laminate e/Palette | 3563 3663 | 3763 3864 | 3963 4064 | 4252 4352 | 4580 4679 | 4867 4967 | 5192 5292 | 5595 5693 | 6023 6122 | |
| | ORDERING NOTES: When ordering units with shelf option please clearly specify on your order the required shelf height -42", 36" or 30". Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Units with shelf option are not available with Removable Back Cover option. | | | | | | | | | | | |
| | Two-Seat, Full Height BazOP3-M2F2F | ack with Privacy Sc | reen Optio 3519 | on 3718 | 3920 | 4207 | 4534 | 4822 | 5006 | 5549 | 5978 | |
| | ORDERING NOTES: Ur | nits with Privacy Scr | een Optio | n are not | available | with Ren | novable E | Back Cov | er option | | | |
| | Two-Seat, Mid Height B ZOP3-M2M0F | ack | 2595 | 2754 | 2913 | 3141 | 3399 | 3628 | 3886 | 4205 | 4537 | |
| | Maple ORDERING NOTES: W | h/Laminate e/Palette hen ordering units v | 3132 3231 with shelf o | | | | | | | | | |
| | 42", 36" or 30". Freestar unit, please add 303 list Two-Seat, Mid Height B | upcharge per unit. | Units with | shelf op | | | | | | | | |
| | ZOP3-M2M2F ORDERING NOTES: Ur | nits with Privacy Scr | 3087 een Optio | 3245 n are not | 3404 available | 3633 with Rem | 3891 novable E | 4117 Back Cov | 4377 ver option | 4693 | 5030 | |
| Zola Privacy Option Upcharges \$ List | | | | | | | \$ | S List | | | | |
| Removable Seat Removable Back Dual Leg (for Mu Combination Up | & CAL 133(per yard) t Covers Two-Seat k Covers Two-Seat ultiple unit configurations) sholstery - dual fabrics | 64 68 97 80 33 | S Ta | helf Pow able Pow | er" | ower unit) -Seat (B) | | | 641 600 647 129 | | | |
| PRODUCT CODE | | Chair Tra | | Sant Cause | | Dool | , Tuna | | | - Tuna | | |
| ZOP Zola | Series 3 Lounge | Chair Type M Modular MB Modular Plus Upgrade | | 1 One Seat 2 Two Seat 3 Three Seat | | Full Heigh | Option 2 | | Freesta | F anding Unit S art Unit C nter Unit | ì | |
| | | | · | 20 304 | | Privacy Sc Mid Height Mid Height Shelf | reen Opti 10 ight Back | on | | E nd Unit | | |

M2 Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | MODULAR

| DESCRIPTION/N | MODEL/SPECIES | | COM 1 | 2 | COL 3 | FAE 4 | BRIC GR 5 | ADES 6 | 7 | LEATHE | R 9 |
|--|--|---|----------------------------------|------------------------------------|-------------|--|--|------------------|--------------------------|---|--------|
| | Three-Seat, Full H ZOP3-M3F0F | eight Back | 3983 | 4252 | 4524 | 4906 | 5345 | 5730 | 6166 | 6707 | 7271 |
| | ZOP3-M3F1_ ORDERING NOT - 42", 36" or 30". F | eight Back Shelf Option Beech/Laminate Maple/Palette ES: When ordering units vereestanding, Start and Encomments of the contraction of the contrac | d units with | i the she | lf option i | require co | ounterba | lance we | ight add | ed to eac | h seat |
| | ZOP3-M3F2F | eight Back with Privacy S | 4683 | 4952 | 5220 | 5608 | 6045 | 6431 | 6867 | 7405 | 797 |
| | Three-Seat, Mid F | ES: Units with Privacy Scr | | | | | | | | | |
| | | | 3748 | 3972 | 4192 | 4510 | 4870 | 5190 | 5552 | 5994 | 6466 |
| | ZOP3-M3M1_ ORDERING NOT | leight Back Shelf Option Beech/Laminate Maple/Palette ES: When ordering units vertices tanding, Start and En- | | | | | | | | | |
| | unit, please add 3 Three-Seat, Mid F ZOP3-M3M2F | 03 list upcharge per unit. leight Back with Privacy S ES: Units with Privacy Scr | Units with Screen Opt 4449 | shelf opt ion 4670 | 4891 | ot availab | le with R | emovable 5890 | 6252 | over option | |
| Zola Privacy Op | otion Upcharges | \$ List | | | | | | \$ | List | | |
| Moisture Barrier Removable Seat Removable Bacl Dual Leg (for Mu | & CAL 133(per yard Covers Three-Sea Covers Three-Sea Ultiple unit configura holstery - dual fabr | d) 64 : 85 t 121 tions) 80 | Sh Ta | nelf Powe ble Pow | | ŕ | | · · · · · | 641 600 647 195 | | |
| PRODUCT CODE | KEY Series | Chair Type | Se | eat Count | | Back | к Туре | | Lec | g Type | |
| ZOP Zola | 3 Lounge | M Modular MB Modular Plus Upgrade |] T] | 1 One Seat 2 Iwo Seat 3 Inree Seat | F | Full Heigh Shelf Full Heigh Privacy Sc Mid Heigh Mid Heigh Shelf | ght Back wi Option 2 t Back wi reen Opti 10 ght Back | th on | Freesta Sta Cen | F Inding Unit S Inding Unit Unit C Iter Unit E Indid Unit | t |
| | | | | | F | Mid Heigh Privacy Sc | t Back wi reen Opti | | AL TABI | _ES US | SA 3 |

ZOLA PRIVACY | MODULAR

| DESCRIPTION/ | DESCRIPTION/MODEL/SPECIES | | 2 | COL 3 | FABI 4 | RIC GRA 5 | DES | LEATHER 7 8 9 | | R 9 |
|--------------|--|-------------------------|----------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| | Modular Corner Seat with Full Height Back ZOP3-MCF0 | 1 4058 | 4290 | 4522 | 4846 | 5219 | 5546 | 5917 | 6382 | 6848 |
| | Modular Corner Seat, Full Height Back with ZOP3-MCF1LR Beech/Laminate Maple/Palette | Shelves 4937 5033 | 5169 5264 | 5403 5497 | 5727 5823 | 6099 6196 | 6424 6521 | 6796 6893 | 7262 7358 | 7729 7822 |
| | Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette | 4744 4749 | 4988 4992 | 5233 5236 5233 5236 | 5574 5579 5574 5579 | 5966 5970 5966 5970 | 6308 6312 6308 6312 | 6697 6703 6697 6703 | 7185 7190 7185 7190 | 7333 7337 7333 7337 |
| | Modular Corner Seat, Full Height Back with ZOP3-MCF2LR | Privacy So 4624 | creens 4857 | 5089 | 5414 | 5787 | 6113 | 6484 | 6948 | 7416 |
| | Modular Corner Seat, Full Height Back with ZOP3-MCF2L Modular Corner Seat, Full Height Back with ZOP3-MCF2R | 4573 | 4816 | 5061 | 5404 5404 | 5793 5793 | 6136 6136 | 6524 6524 | 7015 7015 | 7161 |

| Zola Privacy Option Upcharges | \$ List |
|---|---------|
| Moisture Barrier & CAL 133 (per yard) | 64 |
| Shelf Power | 600 |
| Dual Leg (for Multiple unit configurations) | 80 |
| Plus Upgrade- Corner Seat | 64 |
| Combination Upholstery - dual fabrics | 33 |

| PRODUCT CODE RET | | | | |
|------------------|-------------|------------------------------|--|-----------------|
| Line | Series | Chair Type | Back Type | Shelf/Screen |
| ZOP Zola | 3 Lounge | MC Modular Corner Seat | F0 Full Height Back | L Left Side |
| | | MCB Modular Corner Seat Plus | F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option | R Right Side |

ZOLA PRIVACY | MODULAR

| DESCRIPTION/N | MODEL/SPECIES | COM 1 | 2 | COL 3 | FAE 4 | BRIC GR 5 | ADES 6 | 7 | LEATHE 8 | ER 9 |
|---------------|---|------------------------------|----------------------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | Modular Corner Seat with Mid Height Bac ZOP3-MCM0 | ck 3263 | 3455 | 3646 | 3916 | 4222 | 4491 | 4798 | 5183 | 5568 |
| | Modular Corner Seat, Mid Height Back w ZOP3-MCM1LR Beech/Laminate Maple/Palette | ith Shelves 4141 4237 | 4335 4429 | 4527 4622 | 4795 4890 | 5103 5197 | 5370 5468 | 5679 5773 | 6061 6158 | 6447 6542 |
| | Modular Corner Seat, Mid Height Back w ZOP3-MCM1L Beech/Laminate Maple/Palette | ith Single S 3909 3914 | helf left* 4112 4116 | 4313 4385 | 4595 4600 | 4919 4922 | 5201 5205 | 5524 5528 | 5925 5929 | 6052 6055 |
| | Modular Corner Seat, Mid Height Back w ZOP3-MCM1R Beech/Laminate Maple/Palette | ith Single S 3909 3914 | helf Righ 4112 4116 | 4313 4385 | 4595 4600 | 4919 4922 | 5201 5205 | 5524 5528 | 5925 5929 | 6052 6055 |
| | Modular Corner Seat, Mid Height Back w ZOP3-MCM2LR | ith Privacy 9 3829 | Screens 4022 | 4214 | 4483 | 4790 | 5059 | 5366 | 5748 | 6135 |
| | Modular Corner Seat, Full Height Back wi ZOP3-MCM2L | th Privacy \$ | Screen L 3940 | eft* 4141 | 4423 | 4746 | 5030 | 5351 | 5755 | 5880 |
| | Modular Corner Seat, Full Height Back wi ZOP3-MCM2R | th Privacy 9 3738 | Screen R 3940 | Right 4141 | 4423 | 4746 | 5030 | 5351 | 5755 | 5880 |

| Zola Privacy Option Upcharges | \$ List |
|---|---------|
| Moisture Barrier & CAL 133 (per yard) | 64 |
| Shelf Power | 600 |
| Dual Leg (for Multiple unit configurations) | 80 |
| Plus Upgrade- Corner Seat | 64 |
| Combination Upholstery - dual fabrics | 33 |

| Line | Series | Chair Type | Back Type | Shelf/Screen |
|------|--------|-----------------------------|-----------------------------------|--------------|
| ZOP | 3 | MC | MO | L |
| Zola | Lounge | Modular Corner Seat | Mid Height Back | Left Side |
| | | MCB | M1 | R |
| | | Modular Corner Seat Plus | Mid Height Back with Shelf Option | Right Side |
| | | | M2 | LR |
| | | | | |

ZOLA PRIVACY | SIDE PANELS

| | | | COM | | COL | FAE | BRIC GR | ADES | LEATHER | | | |
|---------------|---|------------------|-----------|------|------|------|---------|------------|---------|------|--------------------------|--|
| DESCRIPTION/N | MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Side Panel, Single | | Screen | | | | | | | | | |
| | ZOP3-MPF0S | Start | 948 | 1036 | 1124 | 1304 | 1481 | 1660 | 1836 | 2016 | 2370 | |
| | ZOP3-MPF0C | Center | 1222 | 1310 | 1398 | 1578 | 1753 | 1932 | 2109 | 2286 | 2642 | |
| | ZOP3-MPF0E | End | 948 | 1036 | 1124 | 1304 | 1481 | 1660 | 1836 | 2016 | 2370 | |
| | | | | | | | | | | | | |
| | Side Panel, Single, Full Height with Screen | | | | | | | | | | | |
| | ZOP3-MPF2S | Start | 1243 | 1332 | 1420 | 1597 | 1776 | 1954 | 2132 | 2310 | 2665 | |
| | ZOP3-MPF2C | Center | 1515 | 1606 | 1693 | 1871 | 2051 | 2228 | 2406 | 2584 | 2938 | |
| | ZOP3-MPF2E | End | 1243 | 1332 | 1420 | 1597 | 1776 | 1954 | 2132 | 2310 | 2665 | |
| | | | | | | | | | | | | |
| | Side Panel, Single | e, Mid Height No | Screen | | | | | | | | | |
| | ZOP3-MPM0S | Start | 767 | 829 | 888 | 1011 | 1131 | 1251 | 1372 | 1492 | 1732 | |
| | ZOP3-MPM0C | Center | 1052 | 1110 | 1170 | 1290 | 1412 | 1533 | 1653 | 1773 | 2016 | |
| | ZOP3-MPM0E | End | 767 | 829 | 888 | 1011 | 1131 | 1251 | 1372 | 1492 | 1732 | |
| | Side Panel, Single | e. Mid Heiaht wi | th Screen | | | | | | | | | |
| | ZOP3-MPM2S | Start | 1063 | 1122 | 1183 | 1306 | 1425 | 1547 | 1667 | 1788 | 2029 | |
| | ZOP3-MPM2C | Center | 1346 | 1405 | 1465 | 1587 | 1706 | 1827 | 1947 | 2066 | 2310 | |
| | ZOP3-MPM2E | End | 1063 | 1122 | 1183 | 1306 | 1425 | 1547 | 1667 | 1788 | 2029 | |
| | ODDEDING NOT | E. Cida Danala | 20 1 | | O | | | iale Duis. | | 0.1 | and the second selection | |

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

| CODOCT CODE IXET | | | | | |
|------------------|--------|--------------------|---|----------|--|
| Line | Series | Chair Type | Height | Position | |
| ZOP | 3 | MP | F0 | S | |
| Zola | Lounge | Modular Side Panel | Full Height | Start | |
| | | | F2 | С | |
| | | | Full Height with Privacy Screen Option | Center | |
| | | | MO | E | |
| | | | Mid Height | End | |
| | | | M2 | | |
| | | | Mid Height with Privacy Screen Option | | |

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

| | | | COM | | COL | FAE | BRIC GR | ADES | | LEATHE | 3 |
|--------------|-------------------|----------------|-------------|-----|-----|------|---------|------|------|--------|------|
| DESCRIPTION/ | MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Semi-Private Side | Panel, Single, | Full Height | | | | | | | | |
| | ZOP3-MSPF0S | Start | 583 | 628 | 674 | 765 | 856 | 949 | 1039 | 1132 | 1314 |
| | ZOP3-MSPF0C | Center | 857 | 905 | 952 | 1041 | 1134 | 1224 | 1315 | 1407 | 1589 |
| | ZOP3-MSPF0E | End | 583 | 628 | 674 | 765 | 856 | 949 | 1039 | 1132 | 1314 |
| | | | | | | | | | | | |
| | Semi-Private Side | Panel, Single, | Mid Height | | | | | | | | |
| | ZOP3-MSPM0S | Start | 514 | 555 | 592 | 672 | 751 | 829 | 909 | 987 | 1143 |
| | ZOP3-MSPM0C | Center | 796 | 835 | 875 | 955 | 1033 | 1111 | 1191 | 1269 | 1428 |
| | ZOP3-MSPM0E | End | 514 | 555 | 592 | 672 | 751 | 829 | 909 | 987 | 1143 |

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

| Line | Series | Chair Type | Height | Position | | |
|------|-------------|---|------------------------------|----------------|--|--|
| ZOP | 3 Lounge | MSP Modular Semi-Private Side Panel | F0 Full Height M0 Mid Height | Start C Center | | |
| | | | | E | | |

ZOLA PRIVACY | MODULAR ARMS

| | | COM | | COL | FA | BRIC GR | ADES | | LEATHE | :R | |
|-------------------|---|---------------------------------|-------------------|-------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--|
| DESCRIPTION/MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC | 702 702 784 | 740 740 823 | 778 778 859 | 853 853 935 | 930 930 1012 | 1004 1004 1087 | 1081 1081 1163 | 1155 1155 1239 | 1307 1307 1390 | |
| | Modular Upholstered Arm w/Urd ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC | ethane Cap 840 840 906 | 878 878 942 | 914 914 981 | 990 990 1058 | 1066 1066 1134 | 1141 1141 1207 | 1218 1218 1284 | 1292 1292 1358 | 1445 1445 1510 | |

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

| Zola Option Upcharges | A-White | A-Cole | _ | С |
|---------------------------------|---------|--------|-----|-----|
| Solid Surface Arm Cap (per arm) | 129 | 136 | 151 | 157 |

| FRODUCT CODE RET | | | | | |
|------------------|-------------|-------------------|-------------------------------------|---------------------|--|
| Line | Series | Type | Arm | Position | |
| ZOP | 3 Lounge | MA Modular Arm | UPH Upholstered | L Left Hand Facing | |
| | C | | URE | R | |
| | | | Upholstered Arm w/Urethane Cap | Right Hand facing | |
| | | | SSC | С | |
| | | | Upholstered Arm w/Solid Surface Cap | Center | |

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

| | Width | | | | Overall | | | | |
|---------|--|---|---|---|---|---|---|---|--|
| Overall | with | Overall | Depth | Overall | Height | Seat | Seat | Shipping | |
| Width | Arms | Depth | w/ Shelf | Height | w/Screen | Height | Depth | Weight | Cubes |
| | | | | | | | | | |
| 23 | 29 | 52 | n/a | 50 | 62.5 | 18.5 | 20.25 | 102 | 21.0 |
| 46 | 52 | 52 | n/a | 50 | 62.5 | 18.5 | 20.25 | 171 | 41.2 |
| 69 | 75 | 52 | n/a | 50 | 62.5 | 18.5 | 20.25 | 241 | 61.3 |
| 30 | 36 | 52 | n/a | 50 | 62.5 | 18.5 | 20.25 | 128 | 27.1 |
| | | | | | | | | | |
| 23 | 29 | 52 | n/a | 37.5 | 50 | 18.5 | 20.25 | 99 | 15.1 |
| 46 | 52 | 52 | n/a | 37.5 | 50 | 18.5 | 20.25 | 166 | 29.6 |
| 69 | 75 | 52 | n/a | 37.5 | 50 | 18.5 | 20.25 | 234 | 44.1 |
| 30 | 36 | 52 | n/a | 37.5 | 50 | 18.5 | 20.25 | 124 | 19.5 |
| | 23 46 69 30 23 46 69 | Overall With Arms 23 29 46 52 69 75 30 36 23 29 46 52 69 75 | Overall Width with Arms Overall Depth 23 29 52 46 52 52 69 75 52 30 36 52 23 29 52 46 52 52 46 52 52 69 75 52 | Overall Width with Arms Overall Depth V/Shelf 23 29 52 n/a 46 52 52 n/a 69 75 52 n/a 30 36 52 n/a 23 29 52 n/a 46 52 52 n/a 69 75 52 n/a 69 75 52 n/a | Overall Width with Arms Overall Depth V/ Shelf Overall Height 23 29 52 n/a 50 46 52 52 n/a 50 69 75 52 n/a 50 30 36 52 n/a 50 23 29 52 n/a 37.5 46 52 52 n/a 37.5 69 75 52 n/a 37.5 69 75 52 n/a 37.5 | Overall Width with Arms Overall Depth W/ Shelf Overall Height W/Screen Height W/Screen 23 29 52 n/a 50 62.5 46 52 52 n/a 50 62.5 69 75 52 n/a 50 62.5 30 36 52 n/a 50 62.5 23 29 52 n/a 37.5 50 46 52 52 n/a 37.5 50 69 75 52 n/a 37.5 50 | Overall Width with Arms Overall Depth Depth Depth W/ Shelf Overall Height Height W/Screen Seat Height 23 29 52 n/a 50 62.5 18.5 46 52 52 n/a 50 62.5 18.5 69 75 52 n/a 50 62.5 18.5 30 36 52 n/a 50 62.5 18.5 23 29 52 n/a 37.5 50 18.5 46 52 52 n/a 37.5 50 18.5 69 75 52 n/a 37.5 50 18.5 | Overall Width with Arms Overall Depth Depth Overall Height W/Screen Height Height Height Seat Depth Depth 23 29 52 n/a 50 62.5 18.5 20.25 46 52 52 n/a 50 62.5 18.5 20.25 69 75 52 n/a 50 62.5 18.5 20.25 30 36 52 n/a 50 62.5 18.5 20.25 23 29 52 n/a 37.5 50 18.5 20.25 46 52 52 n/a 37.5 50 18.5 20.25 69 75 52 n/a 37.5 50 18.5 20.25 | Overall Width with Arms Overall Depth Depth Overall Height W/Screen Height Height Height Seat Height Seat Shipping Weight 23 29 52 n/a 50 62.5 18.5 20.25 102 46 52 52 n/a 50 62.5 18.5 20.25 171 69 75 52 n/a 50 62.5 18.5 20.25 241 30 36 52 n/a 50 62.5 18.5 20.25 128 23 29 52 n/a 37.5 50 18.5 20.25 99 46 52 52 n/a 37.5 50 18.5 20.25 166 69 75 52 n/a 37.5 50 18.5 20.25 234 |

COM YARDAGES

| | Yardage Entire Unit | Yardage 2 Entire Units | Yardage 3 Entire Units | Yardage 4 Entire Units | Yardage per Back | Yardage per 2 Backs | Yardage per 3 Backs | Yardage per 4 Backs | Yardage per Seat | Yardage per 2 Seats | Yardage per 3 Seats | Yardage per 4 Seats |
|--------------------|---------------------------|------------------------------|------------------------------|------------------------------|------------------------|---------------------------|---------------------------|---------------------------|------------------------|---------------------------|---------------------------|---------------------------|
| Twin Full Height B | Back | | | | | | | | | | | |
| One-Seat | 5.03 | 8.73 | 13.76 | 17.46 | 2.93 | 4.53 | 7.46 | 9.06 | 2.1 | 4.2 | 6.3 | 8.4 |
| Two-seat | 7.93 | 14.23 | 22.16 | 28.46 | 4.53 | 7.73 | 12.26 | 15.46 | 3.4 | 6.5 | 9.9 | 13 |
| Three-seat | 10.48 | 20.76 | 31.24 | 41.52 | 5.88 | 11.76 | 17.64 | 23.52 | 4.6 | 9 | 13.6 | 18 |
| One-Seat (Plus) | 5.6 | 11.2 | 16.8 | 22.4 | 3.1 | 6.2 | 9.3 | 12.4 | 2.5 | 5 | 7.5 | 10 |
| Twin Mid Height I | Back | | | | | | | | | | | |
| One-Seat | 4.3 | 7.52 | 11.82 | 15.04 | 2.2 | 3.32 | 5.52 | 6.64 | 2.1 | 4.2 | 6.3 | 8.4 |
| Two-seat | 6.84 | 12.38 | 19.22 | 24.76 | 3.44 | 5.88 | 9.32 | 11.76 | 3.4 | 6.5 | 9.9 | 13 |
| Three-seat | 8.9 | 17.6 | 26.5 | 35.2 | 4.3 | 8.6 | 12.9 | 17.2 | 4.6 | 9 | 13.6 | 18 |
| One-Seat (Plus) | 5 | 10 | 15 | 20 | 2.5 | 5 | 7.5 | 10 | 2.5 | 5 | 7.5 | 10 |

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

| | \$ List | |
|------------------------------|---------|--|
| Plus Upgrade Twin Two-Seat | 259 | |
| Plus Upgrade Twin Three-Seat | 388 | |

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

| DINIENSIONS & | COIVI REQUI | INCIVICIA I | 3 | | | | | | | | | | |
|---|--|-------------|-----------|---------|----------|-------|--------|---------|---------|---------|---------|---------|--|
| | | Overall | Overall | Overall | Shipping | | COM | COM | COM | COM | COM | COM | |
| | | Width | Depth | Height | Weight | Cubes | 1-unit | 2-units | 3-units | 4-units | 5-units | 6-units | |
| Side Panel, Single | e, Full Height | No Scree | n | | | | | | | | | | |
| ZOP3-MPTF0U | Universal | 2.75 | 51.5 | 43.9 | 66 | 6 | 4 | 5.5 | 9.34 | 12.03 | 14.72 | 18.7 | |
| ZOP3-MPTF0C | Center | 2.75 | 51.5 | 43.9 | 66 | 6 | 4 | 5.5 | 9.34 | 12.03 | 14.72 | 18.7 | |
| Side Panel, Single, Full Height with Screen | | | | | | | | | | | | | |
| ZOP3-MPTF2U | Universal | 2.75 | 51.5 | 56.4 | 68 | 6 | 4 | 5.5 | 9.34 | 12.03 | 14.72 | 18.7 | |
| ZOP3-MPTF2C | Center | 2.75 | 51.5 | 56.4 | 68 | 6 | 4 | 5.5 | 9.34 | 12.03 | 14.72 | 18.7 | |
| Side Panel, Single | e, Mid Height | No Scree | n | | | | | | | | | | |
| ZOP3-MPTM0U | Universal | 2.75 | 51.5 | 31.38 | 46 | 4 | 2.92 | 4.92 | 6.91 | 8.90 | 10.9 | 13.82 | |
| ZOP3-MPTM0C | Center | 2.75 | 51.5 | 31.38 | 46 | 4 | 2.92 | 4.92 | 6.91 | 8.90 | 10.9 | 13.82 | |
| Side Panel, Single | e, Mid Height | with Scre | en | | | | | | | | | | |
| ZOP3-MPTM2U | Universal | 2.75 | 51.5 | 43.88 | 48 | 4 | 2.92 | 4.92 | 6.91 | 8.90 | 10.9 | 13.82 | |
| ZOP3-MPTM2C | Center | 2.75 | 51.5 | 43.88 | 48 | 4 | 2.92 | 4.92 | 6.91 | 8.90 | 10.9 | 13.82 | |
| Twin Semi-Private Side Panel, Single, Full Height | | | | | | | | | | | | | |
| ZOP3-MSPTF0U | Universal | 2.75 | 26.5 | 44 | 43 | 2.5 | 2.69 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 | |
| ZOP3-MSPTF0C | Center | 2.75 | 26.5 | 44 | 52 | 2.5 | 2.69 | 5.38 | 8.06 | 10.75 | 13.44 | 16.13 | |
| Twin Semi-Private | Side Panel, | Single, Mi | id Height | | | | | | | | | | |
| ZOP3-MSPTM0U | Universal | 2.75 | 26.5 | 31.4 | 32 | 1.7 | 1.75 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 | |
| ZOP3-MSPTM0C | Center | 2.75 | 26.5 | 31.4 | 39 | 1.7 | 1.75 | 3.99 | 5.98 | 7.97 | 9.97 | 11.96 | |
| | | | | | | | | | | | | | |
| Twin Modular Uph | olstered Arm | | | | | | | | | | | | |
| ZOP3-MATUPHU | | 3 | 14.5 | 19.75 | 22 | 2.5 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |
| ZOP3-MATUPHC | | 3 | 14.5 | 19.75 | 22 | 2.5 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |
| Twin Modular Uph | nolstered Arm | | | | | | | | | | | | |
| ZOP3-MATUREU | | 3 | 14.5 | 20.25 | 16 | 1.8 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |
| ZOP3-MATUREC | | 3 | 14.5 | 20.25 | 16 | 1.8 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |
| | Twin Modular Upholstered Arm w/Solid Surface Cap | | | | | | | | | | | | |
| ZOP3-MATSSCU | | 3 | 14.5 | 20.25 | 16 | 1.8 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |
| ZOP3-MATSSCC | | 3 | 14.5 | 20.25 | 16 | 1.8 | 2.11 | 3.56 | 5 | 6.5 | 7.9 | 9.33 | |

ZOLA PRIVACY | TWIN SEATS

| DESCRIPTION/MOD | EL | COM 1 | 2 | COL 3 | F 4 | FABRIC GRA 5 | DES 6 | 7 | LEATHEI 8 | R 9 |
|-----------------------|---|----------------------------------|-------------------|---------------------|----------------|-------------------|-------------------|-------------------|--------------------|--------|
| | Twin One-Seat, Full Heigh ZOP3-MT1F0F | nt Back 2851 | 3016 | 3184 | 3424 | 3691 | 3932 | 4203 | 4533 | 4888 |
| | Twin One-Seat, Full Heigh ZOP3-MT1F2F | nt Back with F 3134 | Privacy S 3299 | creen Opti 3465 | on 3707 | 3975 | 4214 | 4484 | 4816 | 5170 |
| | ORDERING NOTES: Unit | ts with Privacy | y Screen | Option are | not ava | ilable with Re | movable I | Back Cove | er option. | |
| | Twin One-Seat, Mid Height ZOP3-MT1M0F | ht Back 2713 | 2853 | 2995 | 3200 | 3430 | 3635 | 3866 | 4149 | 4454 |
| | Twin One-Seat, Mid Heigl ZOP3-MT1M2F | ht Back with l 2994 | Privacy S 3136 | Screen Opti 3278 | ion 3483 | 3712 | 3918 | 4147 | 4432 | 4735 |
| | ORDERING NOTES: Unit | ts with Privacy | y Screen | Option are | not ava | ilable with Re | movable I | Back Cove | er option. | |
| | Twin One-Seat Plus, Full ZOP3-MBT1F0F | Height Back 3816 | 3982 | 4147 | 4389 | 4656 | 4897 | 5167 | 5498 | 5853 |
| | Twin One-Seat Plus, Full ZOP3-MBT1F2F ORDERING NOTES: Unit | 4172 | 4339 | 4505 | 4744 | 5012 | 5255 movable l | 5524 Back Cove | 5856 er option. | 6210 |
| | Twin One-Seat Plus, Mid ZOP3-MBT1M0F | Height Back 3664 | 3806 | 3949 | 4152 | 4381 | 4587 | 4817 | 5103 | 5404 |
| | Twin One-Seat Plus, Mid ZOP3-MBT1M2F | Height Back | with Priv | acy Screen 4306 | Option 4507 | 4738 | 4944 | 5174 | 5457 | 5761 |
| | ORDERING NOTES: Unit | ts with Privacy | y Screen | Option are | not ava | ilable with Re | movable I | Back Cove | er option. | |
| PRODUCT CODE KEY Line | Series | Chair Type | | Seat Coun | + | Back Ty | ne | | Leg Type | |
| ZOP | 3 | MT | | 1 | | F0 | 7 | | F F | |
| Zola | | Modular Twin | | One Seat | | Full Height | 」 Back | Free | estanding U | nit |
| | N | MTB Modular Twin | | 2 Two Seat | | F2 Full Height Ba | | | Start Unit | |
| | P | lus Upgrade (page 39) | | 3 | | Privacy Screet M0 | n Option | | С | |
| | | | | Three Seat | t | Mid Height | Back | (| Center Unit | |
| | | | | | | Mid Height Ba | | | End Unit | |
| | | | | | | Privacy Screen | n Option | | | |

ZOLA PRIVACY | TWIN SEATS

| | | COM | | COL | F | ABRIC GRA | ADES | | LEATHE | :R |
|-----------------|---|--|--------------------|--------------------|----------------|-------------------------------|---------------------|------------|--------------|-------|
| DESCRIPTION/MC | DEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Twin Two-Seat, Full Heig ZOP3-MT2F0F | ht Back 4235 | 4496 | 4756 | 5143 | 5578 | 5966 | 6399 | 6921 | 7516 |
| | Twin Two-Seat, Full Heig ZOP3-MT2F2F | ht Back Priva 4723 | ıcy Screei 4986 | Option 5245 | 5635 | 6069 | 6456 | 6889 | 7411 | 8008 |
| | ORDERING NOTES: Un | its with Privac | y Screen | Option are | not avail | able with Re | emovable E | Back Cove | option. | |
| | Twin Two-Seat, Mid Heig ZOP3-MT2M0F | ht Back 4029 | 4256 | 4480 | 4809 | 5174 | 5502 | 5868 | 6318 | 6808 |
| | Twin Two-Seat, Mid Heig ZOP3-MT2M2F | ht Back with 4520 | Privacy S 4744 | creen Opti 4970 | ion 5296 | 5664 | 5992 | 6359 | 6808 | 7298 |
| | ORDERING NOTES: Un | its with Privac | y Screen | Option are | not avail | able with Re | emovable E | Back Cover | r option. | |
| | Twin Three-Seat, Full H | eight Back 5819 | 6155 | 6489 | 6962 | 7504 | 7977 | 8516 | 9186 | 9878 |
| | Twin Three-Seat, Full H-ZOP3-MT3F2F | eight Back Pr 6518 | ivacy Scr 6854 | een Optior 7186 | 7660 | 8203 | 8678 | 9217 | 9885 | 10575 |
| ,47 | ORDERING NOTES: U | nits with Priva | ıcy Screer | n Option ar | e not ava | ilable with R | Removable | Back Cove | er option. | |
| | Twin Three-Seat, Mid H ZOP3-MT3M0F | eight Back 5355 | 5649 | 5941 | 6363 | 6839 | 7260 | 7735 | 8324 | 8944 |
| | Twin Three-Seat, Mid H ZOP3-MT3M2F | eight Back w 6054 | ith Privac | y Screen C 6641 | option 7064 | 7539 | 7961 | 8435 | 9023 | 9645 |
| | ORDERING NOTES: U | nits with Priva | ıcy Screei | n Option ar | e not ava | ailable with R | Removable | Back Cove | er option. | |
| PRODUCT CODE KI | | | | | | | | | | |
| Line | Series | Chair Type | | Seat Cou | ınt | Back T | уре | | Leg Type | |
| ZOP Zola | 3 Lounge | MT Modular Twin | | 1 One Sea | at | F0 Full Heigh | | Fre | Festanding | Unit |
| | | MTB Modular Twin Plus Upgrade (page 39) | | 2 Two Sea |] | F2 Full Height E Privacy Scre | Back with en Option | | S Start Unit | |
| | | | | Three Se | at | Mid Heigh | | | Center Uni | t |
| | | | | | | M2 | 2 | | E | |

End Unit

Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | TWIN - SIDE PANELS

| Twin Side Panel, Full Height No Screen | | COM | | COL | DL FABRIC GRADES | | ES | LEATHER | | | |
|---|--------------------------------------|--------|------|------|------------------|------|------|---------|------|------|--|
| ZOP3-MPTF0U Universal End 1428 1559 1691 1955 2218 2483 2745 3010 3536 2077 2254 2610 2708-MPTF0C Center 2139 2272 2405 2668 2932 3193 3457 3720 4248 Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | DESCRIPTION/MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Twin Side Panel, Full Height with Screen ZOP3-MPTF2C Center 2139 2272 2405 2668 2932 3193 3457 3720 4248 Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTMOU Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTMOC Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| Twin Side Panel,, Full Height with Screen ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| Twin Side Panel,, Full Height with Screen ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | ZOF3-IVIFTFOC Center | 2139 | 2272 | 2405 | 2668 | 2932 | 3193 | 3457 | 3720 | 4248 | |
| Twin Side Panel,, Full Height with Screen ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | - | | | | | | | | | | |
| ZOP3-MPTF2U Universal End 2006 2138 2271 2533 2798 3061 3324 3589 4114 ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| ZOP3-MPTF2C Center 2718 2851 2984 3246 3510 3772 4037 4297 4828 Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | Twin Side Panel,, Full Height with S | Screen | | | | | | | | | |
| Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | ZOP3-MPTF2C Center | 2718 | 2851 | 2984 | 3246 | 3510 | 3772 | 4037 | 4297 | 4828 | |
| Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| ZOP3-MPTM0U Universal End 1187 1275 1363 1543 1720 1898 2077 2254 2610 ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| ZOP3-MPTM0C Center 1897 1988 2077 2254 2432 2610 2788 2965 3322 | | | | | | | | | | | |
| 1007 1000 2017 2201 2102 2000 0022 | | | | | | | | | | | |
| | | 1897 | 1988 | 2077 | 2254 | 2432 | 2610 | 2788 | 2965 | 3322 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Twin Side Panel, Med. Height with Screen | Twin Side Panel, Med. Height with | Screen | | | | | | | | | |
| ZOP3-MPTM2U Universal End 1767 1855 1944 2122 2301 2479 2657 2833 3188 | | 1767 | 1855 | 1944 | 2122 | 2301 | 2479 | 2657 | 2833 | 3188 | |
| ZOP3-MPTM2C Center 2478 2567 2657 2833 3011 3188 3367 3543 3902 | ZOP3-MPTM2C Center | 2478 | 2567 | 2657 | 2833 | 3011 | 3188 | 3367 | 3543 | 3902 | |
| | | | | | | | | | | | |

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 40 for dimensions and COM.

| I HODGOT GODE IVET | | | | | |
|--------------------|--------|----------------------------|---|--------------------|--|
| Line | Series | Chair Type | Height | Position | |
| ZOP | 3 | MPT | F0 | U | |
| Zola | Lounge | Modular Side Panel Twin | Full Height | Universal (S or E) | |
| | | | F2 | С | |
| | | 1 | Full Height with Privacy Screen Option | Center /Interim | |
| | | | MO | | |
| | | | Mid Height | | |
| | | | M2 | | |
| | | | Mid Height with | | |
| | | | Privacy Screen Option | | |

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

| | | | COM | COM COL FABRIC GRADES | | ADES | LEATHER | | 3 | | |
|---------------|--|-----------------|-------------|-----------------------|------|------|---------|------|------|------|------|
| DESCRIPTION/I | MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Twin Semi-Private | Side Panel, Sin | gle, Full H | eight | | | | | | | |
| | ZOP3-MSPTF0U | Universal | 1012 | 1092 | 1172 | 1286 | 1415 | 1528 | 1659 | 1819 | 1981 |
| | ZOP3-MSPTF0C | Center | 1724 | 1804 | 1885 | 1999 | 2129 | 2240 | 2370 | 2532 | 2694 |
| | | | | | | | | | | | |
| | Twin Semi-Private Side Panel, Single, Mid Height | | | | | | | | | | |
| | ZOP3-MSPTM0U | Universal | 868 | 919 | 973 | 1045 | 1131 | 1203 | 1288 | 1393 | 1497 |
| h | ZOP3-MSPTM0C | Center | 1581 | 1633 | 1686 | 1758 | 1842 | 1915 | 2001 | 2106 | 2211 |
| | | | | | | | | | | | |

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See <u>page</u> 40 for dimensions and COM.

PRODUCT CODE KEY

| Line | Series | Type | Height | Position | |
|------|--------|------------------|------------|--------------------|--|
| ZOP | 3 | MSPT | F0 | U | |
| Zola | Lounge | Modular Arm Twin | Full Heigh | Universal (S or E) | |
| | | | MO | С | |
| | | | Mid Height | Center /Interim | |

ZOLA PRIVACY | TWIN MODULAR ARMS

| | | COM | | COL | FABRIC GRADES | | | LEATHER | | | |
|----------------|--|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|--|
| DESCRIPTION/MC | DDEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC | 1120 1846 | 1197 1909 | 1262 1974 | 1349 2062 | 1451 2164 | 1539 2253 | 1641 2354 | 1768 2481 | 1894 2608 | |
| | Twin Modular Upholstered Arm v ZOP3-MATUREU | 1252 | 1329 | 1393 | 1481 | 1582 | 1670 | 1772 | 1899 | 2026 | |
| | ZOP3-MATUREC | 1979 | 2041 | 2106 | 2193 | 2295 | 2384 | 2485 | 2612 | 2739 | |

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

| Zola Option Upcharges | A-White | Grade A-Cole | С | |
|---------------------------------|---------|-----------------|-----|-----|
| Solid Surface Arm Cap (per arm) | 276 | 288 | 318 | 328 |

PRODUCT CODE KEY

| Line | Series | Type | Arm | Position | |
|-------------|-------------|----------------------|------------------------------------|-------------------------|--|
| ZOP Zola | 3 Lounge | MAT Modular Arm Twin | UPH Upholstered | U Universal (S or E) | |
| | | | URE Upholstered Arm w/Urethane Cap | Center /Interim | |

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

| | | Width | | | | Overall | | | | |
|-------------------|-------------|-----------|---------|----------|--------------|----------|--------|-------|----------|-------|
| | Overall | with | Overall | Depth | Overall | Height | Seat | Seat | Shipping | |
| | Width | Arms | Depth | w/ Shelf | Height | w/Screen | Height | Depth | Weight | Cubes |
| Curved Single-Sea | t - Full He | eight Bac | | | | | | | | |
| 30° Inside Curve | 36 | 42 | 28.5 | 40.5 | 50 | 62.5 | 18.5 | 20.25 | 73 | 15 |
| 45° Inside Curve | 42.5 | 48.5 | 29 | 41 | 50 | 62.5 | 18.5 | 20.25 | 81 | 19 |
| 60° Inside Curve | 48.5 | 54.5 | 30 | 42 | 50 | 62.5 | 18.5 | 20.25 | 89 | 24 |
| 90° Inside Curve | 59 | 65 | 31.5 | 43.5 | 50 | 62.5 | 18.5 | 20.25 | 111 | 36 |
| 30° Outside Curve | 33.5 | 39.5 | 28.5 | 40.5 | 50 | 62.5 | 18.5 | 20.25 | 65 | 12 |
| 45° Outside Curve | 39 | 45 | 29 | 41 | 50 | 62.5 | 18.5 | 20.25 | 67 | 13 |
| 60° Outside Curve | 43.5 | 49.5 | 29 | 41 | 50 | 62.5 | 18.5 | 20.25 | 70 | 15 |
| 90° Outside Curve | 52 | 58 | 30 | 42 | 50 | 62.5 | 18.5 | 20.25 | 75 | 16 |
| Curved Single-Sea | t - Mid He | eight Bac | k | | | | | | | |
| 30° Inside Curve | 36 | 42 | 28.5 | 40.5 | 37.5 | 50 | 18.5 | 20.25 | 68 | 13 |
| 45° Inside Curve | 42.5 | 48.5 | 29 | 41 | 37.5 | 50 | 18.5 | 20.25 | 76 | 16 |
| 60° Inside Curve | 48.5 | 54.5 | 30 | 42 | 37.5 | 50 | 18.5 | 20.25 | 83 | 20 |
| 90° Inside Curve | 59 | 65 | 31.5 | 43.5 | 37.5 | 50 | 18.5 | 20.25 | 103 | 28 |
| 30° Outside Curve | 33.5 | 39.5 | 28.5 | 40.5 | 37.5 | 50 | 18.5 | 20.25 | 62 | 10 |
| 45° Outside Curve | 39 | 45 | 29 | 41 | 37.5 | 50 | 18.5 | 20.25 | 64 | 12 |
| 60° Outside Curve | 43.5 | 49.5 | 29 | 42 | 37.5 | 50 | 18.5 | 20.25 | 67 | 13 |
| 90° Outside Curve | 52 | 58 | 30 | 43.5 | 37.5 | 50 | 18.5 | 20.25 | 73 | 14 |
| Curved Double-Se | at - Full H | leight Ba | ck | | | | | | | |
| 30° Inside Curve | 58 | 64 | 30 | 42 | 50 | 62.5 | 18.5 | 20.25 | 117 | 28 |
| 45° Inside Curve | 64.5 | 70.5 | 31.5 | 43.5 | 50 | 62.5 | 18.5 | 20.25 | 124 | 37 |
| 60° Inside Curve | 70.5 | 76.5 | 33 | 45 | 50 | 62.5 | 18.5 | 20.25 | 132 | 46 |
| 90° Inside Curve | 81 | 87 | 36 | 48 | 50 | 62.5 | 18.5 | 20.25 | 151 | 65 |
| 30° Outside Curve | 55.5 | 61.5 | 29.5 | 41.5 | 50 | 62.5 | 18.5 | 20.25 | 101 | 24 |
| 45° Outside Curve | 61 | 67 | 31 | 43 | 50 | 62.5 | 18.5 | 20.25 | 104 | 28 |
| 60° Outside Curve | 65.5 | 71.5 | 32 | 44 | 50 | 62.5 | 18.5 | 20.25 | 110 | 32 |
| 90° Outside Curve | 74.5 | 80.5 | 34.5 | 46.5 | 50 | 62.5 | 18.5 | 20.25 | 121 | 37 |
| Curved Double-Se | ot - Mid ⊔ | leight Da | ck | | | | | | | |
| 30° Inside Curve | 58 | 64 | 30 | 42 | 37.5 | 50 | 18.5 | 20.25 | 110 | 24 |
| 45° Inside Curve | 64.5 | 70.5 | 31.5 | 43.5 | 37.5 37.5 | 50 | 18.5 | 20.25 | 116 | 31 |
| 60° Inside Curve | 70.5 | 76.5 | 33 | 45.5 | 37.5 | 50 | 18.5 | 20.25 | 123 | 38 |
| 90° Inside Curve | 81 | 87 | 36 | 48 | 37.5 | 50 | 18.5 | 20.25 | 141 | 52 |
| 30° Outside Curve | 55.5 | 61.5 | 29.5 | 41.5 | 37.5 | 50 | 18.5 | 20.25 | 96 | 21 |
| 45° Outside Curve | 61 | 67 | 31 | 43 | 37.5 | 50 | 18.5 | 20.25 | 99 | 25 |
| 60° Outside Curve | 65.5 | 71.5 | 32 | 44 | 37.5 | 50 | 18.5 | 20.25 | 105 | 28 |
| 90° Outside Curve | 74.5 | 80.5 | 34.5 | 46.5 | 37.5 | 50 | 18.5 | 20.25 | 115 | 32 |
| JU GUISIGE GUIVE | 14.5 | 00.5 | 54.5 | 40.0 | 57.5 | 30 | 10.5 | 20.23 | 113 | 02 |

Upcharge for Plus Upgrade Option:

| Option | \$ List | Option | \$ List |
|--|---------|--|---------|
| Plus Upgrade -Single-seat curve 30° se | at 96 | Plus Upgrade -Double-seat curve 30° seat | 152 |
| Plus Upgrade -Single-seat curve 45° se | at 111 | Plus Upgrade -Double-seat curve 45° seat | 180 |
| Plus Upgrade -Single-seat curve 60° se | at 123 | Plus Upgrade -Double-seat curve 60° seat | 193 |
| Plus Upgrade -Single-seat curve 90° se | at 165 | Plus Upgrade -Double-seat curve 90° seat | 220 |

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

| | | Yardage 2 Entire Units | Yardage 3 Entire Units | Yardage 4 Entire Units | Yardage per Back | Yardage per 2 Backs | Yardage per 3 Backs | Yardage per 4 Backs | Yardage per Seat | Yardage per 2 Seats | Yardage per 3 Seats | Yardage per 4 Seats |
|-------------------|-------------|------------------------------|------------------------------|------------------------------|------------------------|---------------------------|---------------------------|---------------------------|------------------------|---------------------------|---------------------------|---------------------------|
| Curved Single-Sea | | • | | | | | | | | | | |
| 30° Inside Curve | 5.2 | 10.4 | 15.6 | 20.8 | 3.4 | 6.8 | 10.2 | 13.6 | 1.8 | 3.6 | 5.4 | 7.2 |
| 45° Inside Curve | 6.3 | 11.1 | 15.9 | 22.2 | 4.5 | 7.5 | 10.5 | 15 | 1.8 | 3.6 | 5.4 | 7.2 |
| 60° Inside Curve | 6.7 | 12.2 | 17.67 | 24.37 | 4.9 | 8.6 | 12.27 | 17.17 | 1.8 | 3.6 | 5.4 | 7.2 |
| 90° Inside Curve | 8.3 | 16.6 | 24.9 | 33.2 | 6.5 | 13 | 19.5 | 26 | 1.8 | 3.6 | 5.4 | 7.2 |
| 30° Outside Curve | 5.3 | 9.2 | 13.1 | 18.4 | 3.5 | 5.6 | 7.7 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| 45° Outside Curve | 5.3 | 9.2 | 13.1 | 18.4 | 3.5 | 5.6 | 7.7 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| 60° Outside Curve | 5.3 | 9.2 | 13.1 | 18.4 | 3.5 | 5.6 | 7.7 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| 90° Outside Curve | 5.3 | 9.2 | 13.1 | 18.4 | 3.5 | 5.6 | 7.7 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| Curved Single-Sea | at - Mid H | eight Bac | k | | | | | | | | | |
| 30° Inside Curve | 4.6 | 9.2 | 13.8 | 18.4 | 2.8 | 5.6 | 8.4 | 11.2 | 1.8 | 3.6 | 5.4 | 7.2 |
| 45° Inside Curve | 5.1 | 9.1 | 13.15 | 18.7 | 3.3 | 5.5 | 7.75 | 11.5 | 1.8 | 3.6 | 5.4 | 7.2 |
| 60° Inside Curve | 5.68 | 10.5 | 15.2 | 20.91 | 3.88 | 6.9 | 9.8 | 13.71 | 1.8 | 3.6 | 5.4 | 7.2 |
| 90° Inside Curve | 6.5 | 13 | 19.5 | 26 | 4.7 | 9.4 | 14.1 | 18.8 | 1.8 | 3.6 | 5.4 | 7.2 |
| 30° Outside Curve | 4.7 | 8.5 | 12.3 | 17 | 2.9 | 4.9 | 6.9 | 9.8 | 1.8 | 3.6 | 5.4 | 7.2 |
| 45° Outside Curve | 4.7 | 8.5 | 12.3 | 17 | 2.9 | 4.9 | 6.9 | 9.8 | 1.8 | 3.6 | 5.4 | 7.2 |
| 60° Outside Curve | 4.7 | 8.5 | 12.3 | 17 | 2.9 | 4.9 | 6.9 | 9.8 | 1.8 | 3.6 | 5.4 | 7.2 |
| 90° Outside Curve | 4.7 | 8.5 | 12.3 | 17 | 2.9 | 4.9 | 6.9 | 9.8 | 1.8 | 3.6 | 5.4 | 7.2 |
| Curved Double-Se | at - Full H | Height Bad | ck | | | | | | | | | |
| 30° Inside Curve | 8.67 | 17.34 | 26.01 | 34.68 | 5.27 | 10.54 | 15.81 | 21.08 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Inside Curve | 9.37 | 18.74 | 28.11 | 37.48 | 5.97 | 11.94 | 17.91 | 23.88 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Inside Curve | 10.73 | 20.13 | 29.53 | 40.26 | 7.33 | 13.33 | 19.33 | 26.66 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Inside Curve | 11.15 | 20.93 | 30.73 | 41.88 | 7.75 | 14.13 | 20.53 | 28.28 | 3.4 | 6.8 | 10.2 | 13.6 |
| 30° Outside Curve | 8.15 | 14.88 | 21.61 | 29.76 | 4.75 | 8.08 | 11.41 | 16.16 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Outside Curve | 8.15 | 14.88 | 21.61 | 29.76 | 4.75 | 8.08 | 11.41 | 16.16 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Outside Curve | 8.15 | 14.88 | 21.45 | 29.6 | 4.75 | 8.08 | 11.25 | 16 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Outside Curve | 8.15 | 14.88 | 21.61 | 29.76 | 4.75 | 8.08 | 11.41 | 16.16 | 3.4 | 6.8 | 10.2 | 13.6 |
| Curved Double-Se | | | | | | | | | | | | |
| 30° Inside Curve | 7.8 | 15.6 | 23.4 | 31.2 | 4.4 | 8.8 | 13.2 | 17.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Inside Curve | 8.09 | 16.18 | 24.27 | 32.36 | 4.69 | 9.38 | 14.07 | 18.76 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Inside Curve | 8.9 | 16.8 | 24.7 | 33.6 | 5.5 | 10 | 14.5 | 20 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Inside Curve | 8.9 | 16.8 | 24.7 | 33.6 | 5.5 | 10 | 14.5 | 20 | 3.4 | 6.8 | 10.2 | 13.6 |
| 30° Outside Curve | 7.15 | 13.25 | 19.7 | 26.5 | 3.75 | 6.45 | 9.5 | 12.9 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Outside Curve | 7.15 | 13.25 | 19.7 | 26.5 | 3.75 | 6.45 | 9.5 | 12.9 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Outside Curve | 6.8 | 12.6 | 18.4 | 25.2 | 3.4 | 5.8 | 8.2 | 11.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Outside Curve | 7.15 | 13.25 | 19.7 | 26.5 | 3.75 | 6.45 | 9.5 | 12.9 | 3.4 | 6.8 | 10.2 | 13.6 |

Upcharge for Removable Upholstery Covers:

| Option | \$ List | Option | \$ List | |
|----------------------------|---------|----------------------------|---------|--|
| Single-seat curve 30° seat | 61 | Double-seat curve 30° seat | 93 | |
| Single-seat curve 45° seat | 64 | Double-seat curve 45° seat | 101 | |
| Single-seat curve 60° seat | 86 | Double-seat curve 60° seat | 123 | |
| Single-seat curve 90° seat | 113 | Double-seat curve 90° seat | 127 | |

| DESCRIPTION | DESCRIPTION/MODEL/SPECIES | | | 2 | COL 3 | FAB 4 | RIC GRA 5 | DES 6 | LEATHER 7 8 9 | | |
|--|--|--|---------------------------|---|-----------------------------------|--|--|--|---------------------------------|------------------------------------|--------------|
| | Single-Seat, 30° Inside ZOP3-MCIS30DF0F | Curve, Full Heigh | t Back 3430 | 3618 | 3806 | 4068 | 4369 | 4634 | 4931 | 5308 | 5684 |
| | Single-Seat, 30° Inside ZOP3-MCIS30DF1_ ORDERING NOTE: W - 42", 36" or 30" and c balance weight added | Beech/Laminate Maple/Palette hen ordering a bachose required leg t | 4047 4141 ck with S | 4236 4328 Shelf options. Freest | anding, | Start and En | d units w | | | | |
| | Single-Seat, 30° Inside ZOP3-MCIS30DF2F | Curve, Full Heigh | t Back v 4023 | with Privac 4212 | cy Scree 4398 | n 4664 | 4962 | 5227 | 5527 | 5902 | 6277 |
| | Single-Seat, 30° Inside ZOP3-MCIS30DM0F | Curve, Mid Heigh | at Back 3273 | 3437 | 3604 | 3834 | 4098 | 4328 | 4592 | 4922 | 5250 |
| | Single-Seat, 30° Inside ZOP3-MCIS30DM1_ | | 3892 3984 | with Shelf 4058 4149 | 4221 4315 | 4454 4545 | 4715 4811 | 4946 5038 | 5211 5303 | 5539 5634 | 5868 5962 |
| | ORDERING NOTE: W - 36" or 30" and chose ance weight added to Single-Seat, 30° Inside | required leg type each seat unit, ple | below. Fase add | reestand | ing, Star upcharge cy Scree | t and End ur e per unit. en Option | nits with | the shelf o | ption red | quire cour | nterbal- |
| | ZOP3-MCIS30DM2F | | 3867 | 4033 | 4197 | 4427 | 4691 | 4922 | 5187 | 5516 | 5844 |
| Moisture Barrie Seat Power (pe Shelf Power Table Power Combination U | pholstery - dual fabrics | \$ List 64 641 600 647 33 | Du Re | al Leg (fo movable | r Multipl Seat Co | le-Seat, 30° e unit config vers -Single- ack covers a | urations) -Seat, 30 | ° Curve | \$ Lis 90 80 60 curved b | 6 0 1 | |
| Line | E KEY Series | Chair Type | С | Surve Style | | Seat Degree | | Back Type | | Leg Typ | oe |
| ZOP | 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Outsid | IS e Curve -Sir ID Curve -Do OS e Curve -Si OD e Curve -Do | uble | 30D 45D 60D 90D | Full H S Full H Privac Mic | F0 I Height Back inelf Option F2 eight Back y Screen Op M0 I Height Back M1 eight Back | with with ption | Freestanding S Start Ur C Center U | nit Juit |

| DESCRIPTION/MODEL/SPECIES | | | COM 1 | 2 | COL 3 | FABRI 4 | BRIC GRADES 5 6 7 | | | LEATHER | |
|--|---|--|--------------------------------------|---|---------------------------------------|--|-------------------------------------|---|---|--|-----------------------|
| | Single-Seat, 45° Inside ZOP3-MCIS450DF0F | Curve, Full Heig | ht Back 3847 | 4057 | 4263 | 4565 | 4904 | 5209 | 5548 | 5964 | 6418 |
| | Single-Seat, 45° Inside ZOP3-MCIS45DF1_ E ORDERING NOTE: W - 42", 36" or 30" and counterbalance weight | Beech/Laminate Maple/Palette hen ordering a bachose required | 4483 4576 ack with leg type | 4690 4785 Shelf opt | 4898 4993 tion plea Freestar | nding, Start a | and End | units with | | | |
| | Single-Seat, 45° Inside ZOP3-MCIS45DF2F | | | • | | | 5506 | 5809 | 6149 | 6565 | 7018 |
| | Single-Seat, 45° Inside ZOP3-MCIS45DM0F | Curve, Mid Heig | ht Back 3642 | 3811 | 3979 | 4215 | 4486 | 4722 | 4994 | 5329 | 5673 |
| | Single-Seat, 45° Inside ZOP3-MCIS45DM1_ E ORDERING NOTE: W - 36" or 30" and che counterbalance weight | Beech/Laminate Maple/Palette hen ordering a bacse required leg | 4278 4371 ack with type b | 4444 4539 Shelf optelow. Free | 4614 4709 tion plea eestandi | ng, Start an | d End i | inits with | | | |
| | Single-Seat, 45° Inside ZOP3-MCIS45DM2F | Curve, Mid Heig | ht Back 4243 | with Priv 4411 | acy Scre 4580 | een Option 4816 | 5086 | 5323 | 5595 | 5931 | 6271 |
| Moisture Barrier Seat Power (pe Shelf Power Table Power | ption Upcharges r & CAL 133(per yard) r power unit) pholstery - dual fabrics | \$ List 64 641 600 647 33 | Du Re | al Leg (fo movable | or Multip Seat Co | le-Seat, 45° (le unit config overs -Single- ack covers a | urations) Seat, 45 | ° Curve | \$ Lis 11 8 6 curved I | 1 0 4 | |
| PRODUCT CODI | | | | | | | | | | | |
| ZOP Zola | Series 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Inside Outsid | IS a Curve -S a Curve -D a Curve -D a Curve -D a Curve -C a Curve -C a Curve -C | ingle ouble Single | 30D 45D 60D 90D | Full H Full H Privad Mid H | F0 II Height Back Shelf Option F2 Height Back cy Screen C M0 d Height Back Shelf Option M1 Height Back Shelf Option M2 Height Back y Screen O | ack F with continue with continue with continue with continue with | Leg Tyl F- Freestandir S Start U C Center U E End Ur | g Unit nit Juit |

| | | | COM | | COL | FAB | BRIC GRADES | | | LEATHER | | |
|---|--|---|--------------------------------------|--|--|---|---------------------------------|---|------------------------------------|-----------------------------------|--------|--|
| DESCRIPTION/M | IODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Single-Seat, 60° Inside (ZOP3-MCIS60DF0F | Curve, Full Heiç | ght Back 4371 | 4634 | 4891 | 5267 | 5696 | 6067 | 6492 | 7012 | 7567 | |
| | Single-Seat, 60° Inside 2OP3-MCIS60DF1_ Be M ORDERING NOTE: Who 42", 36" or 30" and counterbalance weight a | eech/Laminate aple/Palette en ordering a ba chose required | 5185 5281 ack with leg type | 5444 5541 Shelf opt | 5705 5800 tion pleas Freestan | ding, Start | and End | units with | | | | |
| | Single-Seat, 60° Inside of ZOP3-MCIS60DF2F | Curve, Full Heiç | ght Back 4974 | with Priv 5236 | racy Scre 5496 | een 5870 | 6293 | 6670 | 7093 | 7615 | 8169 | |
| | Single-Seat, 60° Inside of ZOP3-MCIS60DM0F | Curve, Mid Hei | ght Back 4164 | 4350 | 4537 | 4801 | 5103 | 5364 | 5664 | 6039 | 6416 | |
| | Single-Seat, 60° Inside of ZOP3-MCIS60DM1_ Be M ORDERING NOTE: Who are 36" or 30" and chose counterbalance weight a second seco | eech/Laminate aple/Palette en ordering a base required leg | 4977 5072 ack with | 5164 5259 Shelf optelow. Free | 5351 5447 tion pleaseestandir | ng, Start ar | nd End u | inits with | | | | |
| | Single-Seat, 60° Inside of ZOP3-MCIS60DM2F | Curve, Mid Hei | ght Back 4767 | with Priv 4953 | vacy Scre 5141 | een Option 5406 | 5705 | 5968 | 6268 | 6642 | 7019 | |
| Seat Power (per Shelf Power Table Power | & CAL 133 (per yard) power unit) | \$ List 64 641 600 647 | Du Re | al Leg (fo movable | or Multiple Seat Co | le-Seat, 60° e unit config vers -Single ack Cover al | urations) -Seat, 60 | ° Curve | \$ List 123 80 86 curved ba |)) | | |
| · | nolstery - dual fabrics | 33 | | | | | | | | | | |
| Line | KEY Series | Chair Type | | Curve Style | | Seat Degree | | Back Type | | Leg Typ | ne . | |
| ZOP Zola | 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Inside Outsid | IS OCURVE -S ID OS OS OCURVE -D OS OCURVE -S OCURVE -S OCURVE -S OCURVE -S OCURVE -S | ingle ouble Single | 30D 45D 60D 90D | Full H S Full H Privac | F0 II Height Ba F1 Height Back Shelf Option F2 Height Back by Screen O M0 Height Ba | with with option | Freestandin S Start Ur C Center U | g Unit | |
| | | | | | | | | M1 Height Back Shelf Option | | | | |

M2
Mid Height Back with
Privacy Screen Options

| DESCRIPTIO | ESCRIPTION/MODEL/SPECIES | | COM COI | | COL 3 | FABR 4 | IC GRAD 5 | C GRADES 5 6 7 | | LEATHEF 8 | R 9 |
|---|---|---|--|-------------------------------|------------------------------------|---|------------------------|---------------------------------|-------------------------------|--------------|--------------|
| | Single-Seat, 90° Inside (ZOP3-MCIS90DF0F | Curve, Full Height | Back 4992 | 5263 | 5538 | 5920 | 6359 | 6742 | 7180 | 7728 | 8275 |
| | _ | Curve, Full Height Beech/Laminate Maple/Palette | Back wit 5866 5964 | th Shelf 6139 6237 | 6412 6511 | 6795 6894 | 7234 7331 | 7616 7713 | 8055 8152 | 8599 8698 | 9147 9246 |
| | ORDERING NOTE: Whe 42", 36" or 30" and cl counterbalance weight a | hose required leg | type b | elow. Fre | eestandi | ng, Start an | d End u | | | | |
| | Single-Seat, 90° Inside (ZOP3-MCIS90DF2F | Curve, Full Height | Back wit 5943 | th Privacy 6216 | y Screen 6492 | 6872 | 7311 | 7695 | 8131 | 8679 | 9225 |
| | Single-Seat, 90° Inside (ZOP3-MCIS90DM0F | Curve, Mid Height | Back 4571 | 4786 | 5000 | 5299 | 5641 | 5943 | 6286 | 6713 | 7144 |
| | _ | Curve, Mid Height Beech/Laminate Maple/Palette | Back wi 5444 5544 | th Shelf 5660 5758 | 5873 5971 | 6174 6270 | 6516 6612 | 6818 6914 | 7159 7258 | 7587 7684 | 8015 8115 |
| | ORDERING NOTE: Who 36" or 30" and chose red weight added to each se Single-Seat, 90° Inside 0 ZOP3-MCIS90DM2F | quired leg type bel eat unit, please ad | low. Free d 303 lis Back wi | estanding st upchar th Privac | , Start ar ge per u y Screen | nd End units nit. Option | with the s | shelf optio | n require | counter | balance |
| | 20F3-INICI390DINI2F | | 5524 | 5739 | 5953 | 6252 | 6595 | 6895 | 7237 | 7662 | 8093 |
| Zola Privacy | Option Upcharges | \$ List | | | | | | | \$ Lis | t | |
| Seat Power (p Shelf Power Table Power | ier & CAL 133 (per yard) per power unit) Upholstery - dual fabrics | 64 641 600 647 33 | Du Re | ial Leg (fo movable | or Multip Seat Co | le-Seat, 90° le unit config vers -Single- ack Cover ar | urations) Seat, 90° | ° Curve | 165 80 113 curved ba |) | |
| PRODUCT COL | Series | Chair Type | | urve Style | | Seat Degree | | Back Type | | Leg Typ | |
| | | MC MC | | IS IS | | | | | | F | 1 |
| ZOP Zola | 3 Lounge | Modular Curve | Inside | Curve -Si | ngle | 30D | Full | F0 Height Bac | k Fr | eestanding | J g Unit |
| | | MCB | | ID | | 45D | | F1 | | S |] |
| | | Modular Curve Plus | Inside | Curve -Do | ouble | | | eight Back v | with | Start Un | it |
| | | | 0.4-14 | OS | NI - | 60D | F.JULI | F2 | | C |] |
| | | | Outside | e Curve -S | single | | | eight Back v / Screen Op | | Center U | nit |
| | | | Outside | OD Curve -De | ouble | 90D | Mid | M0 Height Bac | k | End Uni |] it |
| | | | | | | | NAi-d III- | M1 | with | | |
| | | | | | | | | eight Back v | vv (U I | | |
| | | | | | | | | M2 eight Back v Screen Op | | | |
| | | | | | | | | | | | |

| | | | СОМ | _ | COL | | RIC GRAI | | | LEATHEF | |
|-------------------------------------|---|--|----------------------|---------------------------|-----------------------|-------------------------------|-----------------------|-----------------------------|----------------|--------------|--------------|
| DESCRIPTION | N/MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Single-Seat, 30° Outsid ZOP3-MCOS30DF0F | e Curve, Full Height | Back 3252 | 3431 | 3609 | 3859 | 4145 | 4395 | 4680 | 5036 | 5392 |
| | Single-Seat, 30° Outsid | e Curve, Full Height | Back w | ith Shelf | | | | | | | |
| | ZOP3-MCOS30DF1_ E | Beech/Laminate Maple/Palette | 3554 3642 | 3732 3819 | 3910 3999 | 4160 4248 | 4444 4533 | 4693 4784 | 4979 5068 | 5337 5425 | 5692 5782 |
| | ORDERING NOTE: Wh 42", 36" or 30" and c counterbalance weight | en ordering a back hose required leg | with She | elf option low. Free | please o standin | clearly speci g, Start and | fy on you d End ui | ır order the | require | d Shelf H | eight - |
| | Single-Seat, 30° Outsid ZOP3-MCOS30DF2F | e Curve, Full Height | Back w 3607 | ith Privacy 3786 | y Screei 3963 | n 4214 | 4500 | 4749 | 5034 | 5391 | 5746 |
| | Single-Seat, 30° Outsid ZOP3-MCOS30DM0F | e Curve, Mid Height | Back 3135 | 3290 | 3445 | 3664 | 3914 | 4131 | 4380 | 4690 | 5007 |
| — | Single-Seat, 30° Outsid | e Curve, Mid Height | Back w | rith Shelf | | | | | | | |
| | ZOP3-MCOS30DM1_ E | Beech/Laminate Maple/Palette | 3433 3522 | 3589 3679 | 3743 3831 | 3962 4053 | 4213 4299 | 4429 4520 | 4680 4769 | 4990 5079 | 5307 5394 |
| | ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s Single-Seat, 30° Outsid | quired leg type belo eat unit, please add | w. Frees 303 list | tanding, S upcharge | Start and e per un | d End units vit. | | | | | |
| | ZOP3-MCOS30DM2F | e Gurve, ivila Height | 3489 | 3643 | 3797 | 4019 | 4267 | 4485 | 4735 | 5043 | 5362 |
| Zola Privacy | Option Upcharges | \$ List | | | | | | | \$ List | | |
| Seat Power (p | ier & CAL 133 (per yard) per power unit) | 64 641 | Dua | l Leg (for | Multiple | e-Seat, 30° (unit configu | urations) | | 96 80 | | |
| Shelf Power Table Power Combination | Upholstery - dual fabrics | 600 647 33 | | | | ers -Single- ck covers ar | | | 61 urved ba | acks | |
| PRODUCT CO | | 00 | | | | | | | | | |
| Line | Series | Chair Type | Cı | ırve Style | | Seat Degree | | Back Type | | Leg Type | |
| ZOP | 3 | MC | ſ | IS | | 30D | | F0 | | F | |
| Zola | Lounge | Modular Curve | Inside | Curve -Sing | gle | | Full | Height Back | c Fre | eestanding | Unit |
| | | MCB | [| ID | | 45D | _ | F1 | | S | |
| | | Modular Curve Plus | Inside (| Curve -Dou | ble | | | eight Back w helf Option | vith | Start Uni | t |
| | | | [| OS | | 60D | | F2 | | С | |
| | | | Outside | Curve -Sin | ngle | | Full H | eight Back w | vith | Center Ur | nit |

OD

Outside Curve -Double

M2 Mid Height Back with Privacy Screen Options

Privacy Screen Option

M0

Mid Height Back

M1
Mid Height Back with
Shelf Option

90D

Е

End Unit

| | | | СОМ | | COL | FABRI | C GRAD | DES | 1 | LEATHER | ? |
|---|--|---|---------------------------------------|--|--|--|--|---|-----------------------|-----------------------------------|--------------|
| DESCRIPTION/ | MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Single-Seat, 45° Outs ZOP3-MCOS450DF0 | | ght Back 3508 | 3685 | 3864 | 4113 | 4398 | 4648 | 4932 | 5288 | 5646 |
| | Single-Seat, 45° Outs ZOP3-MCOS45DF1_ ORDERING NOTE: W 42", 36" or 30" and ch | Beech/Laminate Maple/Palette /hen ordering a bacouse required leg ty | 3803 3892 ck with S pe belov | 3981 4068 helf optic w. Freest | 4158 4247 on please anding, S | Start and End | d units w | | | | |
| | Single-Seat, 45° Outs ZOP3-MCOS45DF2F | | | | - | | 4752 | 5002 | 5286 | 5641 | 5999 |
| | Single-Seat, 45° Outs ZOP3-MCOS45DM0F | | ght Back 3382 | 3536 | 3690 | 3909 | 4158 | 4378 | 4628 | 4937 | 5254 |
| | Single-Seat, 45° Outs ZOP3-MCOS45DM1_ ORDERING NOTE: W | Beech/Laminate Maple/Palette | 3678 3766 | 3830 3920 | 3985 4074 | 4205 4292 | 4455 4542 | 4672 4762 | 4922 5010 | 5232 5320 | 5547 5636 |
| | weight added to each Single-Seat, 45° Outs ZOP3-MCOS45DM2F | ide Curve, Mid Hei | | | | | 4510 | 4730 | 4979 | 5288 | 5605 |
| Zola Privacy C | option Upcharges | \$ List | | | | | | | \$ Lis | + | |
| Moisture Barrie Seat Power (pe Shelf Power Table Power | er & CAL 133 (per yard) er power unit) pholstery - dual fabrics | 64 641 600 647 | Du Re | al Leg (fo movable | or Multipl Seat Co | lle-Seat, 45° le unit config vers -Single- ack covers a | urations Seat, 45 | 5° Curve | 11 80 64 | 1 O 4 | |
| Line | Series | Chair Type | С | urve Style | ! | Seat Degree | | Back Type | | Leg Typ | oe . |
| ZOP | 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Outside | Curve -Si D Curve -Do Curve -Do OS e Curve -S OD e Curve -D | ouble Single | 30D 45D 60D 90D | Full H Full H Privac Mid Mid H | F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen Op M0 d Height Back M1 Height Back Shelf Option M2 | with with otion | Freestandin S Start Un C Center U | nit Juit |
| | | | | | 00 | DE I SEATIN | Privac | Height Back y Screen Op | otions | . 50 | 04 50 |

| | | COM | | COL | | BRIC GRA | | | LEATHE | |
|--------------|---|--------------------|--------------------|-------------------|-------------------|--------------|--------------|--------------|--------------|--------------|
| DESCRIPTION/ | MODEL/SPECIES | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF0F | eight Back 3655 | 3831 | 4011 | 4261 | 4546 | 4795 | 5082 | 5437 | 5793 |
| | Single-Seat, 60° Outside Curve, Full He | eight Back | with Sh | elf | | | | | | |
| | ZOP3-MCOS60DF1_ Beech/Laminate Maple/Palette | • | 4125 4213 | 4305 4393 | 4553 4641 | 4838 4927 | 5086 5176 | 5370 5463 | 5727 5815 | 6083 6174 |
| | ORDERING NOTES: When ordering a late 42", 36" or 30" and chose required leterbalance weight added to each seat of the seat of | g type be | low. Free | standing, | Start and | End units | | | | _ |
| | Single-Seat, 60° Outside Curve, Full He | eight Back | with Pri | vacy Scre | en | | | | | |
| | ZOP3-MCOS60DF2F | 3988 | 4168 | 4347 | 4595 | 4882 | 5131 | 5416 | 5769 | 6127 |
| | Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM0F | eight Bacl 3535 | k 3690 | 3846 | 4064 | 4313 | 4532 | 4781 | 5091 | 5407 |
| | Single Cost 600 Outside Curve Mid III | siaht Daal | c with Ch | alf | | | | | | |
| | Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM1_ Beech/Laminate Maple/Palette | • | 3982 4070 | 4138 4224 | 4354 4443 | 4604 4692 | 4822 4914 | 5071 5160 | 5384 5471 | 5696 5786 |
| • | ORDERING NOTE: When ordering a b - 36" or 30" and chose required leg typ ance weight added to each seat unit, p | e below. F | reestand | ding, Start | and End | , , | | | | _ |
| | Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM2F | eight Bacl 3869 | k with Pri 4024 | vacy Scre 4180 | en Option 4397 | 4646 | 4866 | 5113 | 5425 | 5741 |

| Zola Privacy Option | on Upcharges | \$ List | | | \$ | List |
|---------------------|-----------------------|-----------------------|-----------------------|------------------|--|-------------------|
| Moisture Barrier & | CAL 133 (per yard) | 64 | Plus Upgrade - Sir | ngle-Seat, 60° C | Curve | 123 |
| Seat Power (per po | ower unit) | 641 | Dual Leg (for Multi | ple unit configu | rations) | 80 |
| Shelf Power | | 600 | Removable Seat C | Covers -Single-S | Seat, 60° Curve | 86 |
| Table Power | | 647 | Note: Removable | back covers are | e not available on curve | ed backs |
| Combination Upho | Istery - dual fabrics | 33 | | | | |
| PRODUCT CODE KE | Υ | | | | | |
| Line | Series | Chair Type | Curve Style | Seat Degree | Back Type | Leg Type |
| ZOP | 3 | MC | IS | 30D | F0 | F |
| Zola | Lounge | Modular Curve | Inside Curve -Single | | Full Height Back | Freestanding Unit |
| | | MCB | ID | 45D | F1 | S |
| | | Modular Curve Plus | Inside Curve -Double | | Full Height Back with Shelf Option | Start Unit |
| | | | OS | 60D | F2 | С |
| | | | Outside Curve -Single | | Full Height Back with Privacy Screen Option | Center Unit |
| | | | OD | 90D | MO | E |
| | | | Outside Curve -Double | | Mid Height Back | End Unit |
| | | | | | M1 | |
| | | | | | Mid Height Back with | |
| | | | | | Shelf Option | |
| | | | | | M2 | |
| | | | | | Mid Height Back with | |

Privacy Screen Options

| DESCRIPTION | I/MODEL/SPECIES | | COM 1 | 2 | COL 3 | FABR | IC GRAD | ES 6 | 7 | LEATHEI 8 | ₹ 9 |
|--|--|--|---------------------------------|--|--|---|--|---|------------------------|---|------------------------|
| | Single-Seat, 90° Outside ZOP3-MCOS90DF0F | Curve, Full Heigh | nt Back 4405 | 4586 | 4763 | 5011 | 5298 | 5547 | 5833 | 6188 | 6545 |
| | Single-Seat, 90° Outside ZOP3-MCOS90DF1_ Be M ORDERING NOTE: When 42", 36" or 30" and chos balance weight added to | eech/Laminate aple/Palette n ordering a back e required leg typ | 4686 4773 with Shoe below | 4866 4952 nelf option v. Freesta | 5043 5131 n please nding, S | tart and End | | | | | |
| | Single-Seat, 90° Outside ZOP3-MCOS90DF2F | Curve, Full Heigh | nt Back 4737 | with Priva 4918 | acy Scre 5095 | en 5344 | 5631 | 5878 | 6163 | 6520 | 6877 |
| | Single-Seat, 90° Outside ZOP3-MCOS90DM0F | Curve, Mid Heigl | nt Back 3949 | 4103 | 4258 | 4477 | 4725 | 4944 | 5192 | 5503 | 5821 |
| | Single-Seat, 90° Outside ZOP3-MCOS90DM1_ Be M: ORDERING NOTE: When 36" or 30" and chose requirements added to each search searc | eech/Laminate aple/Palette n ordering a back uired leg type bek | 4229 4315 with Show. Free | 4382 4469 nelf option estanding | 4537 4623 n please , Start ar | nd End units | | | | | |
| | Single-Seat, 90° Outside ZOP3-MCOS90DM2F | Curve, Mid Heigl | nt Back 4279 | with Priva 4433 | acy Scre 4588 | en Option 4810 | 5057 | 5275 | 5525 | 5834 | 6153 |
| Moisture Barrie Seat Power (po Shelf Power Table Power Combination L | Jpholstery - dual fabrics | \$ List 64 641 600 647 33 | Du Re | al Leg (fo movable | r Multip Seat Co | gle-Seat, 90° le unit config overs -Single- ack covers a | urations) -Seat, 90 | ° Curve | 11 | 35 30 3 | |
| PRODUCT COE | Series | Chair Trea | | Curve Style | | Seat Degree | | Back Type | | Les Tu | |
| ZOP | 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Inside | IS IS Curve -S ID Curve -D Curve -D OS Ide Curve -S OD OCURVE -D OCURVE -S | ingle ouble Single | 30D 45D 60D 90D | Full H S Full H Privac Mid H | F0 If Height Back Shelf Option F2 Height Back by Screen C M0 Height Back by Screen C M1 Height Back Shelf Option M2 Height Back Shelf Option | with a with option ack | Leg Ty F Freestandir S Start U C Center U E End U | ng Unit nit Juit |

| DESCRIPTION | I/MODEL/SPECIES | | COM 1 | 2 | COL 3 | FAB 4 | RIC GRA | DES 6 | 7 | LEATHE 8 | R 9 |
|---|---|--|--|--|--------------------------------------|--|--|--|---------------------------------------|--|---------------------|
| | Double-Seat, 30° Inside ZOP3-MCID30DF0F | Curve, Full Heigh | | 5245 | 5548 | 5973 | 6461 | 6884 | 7368 | 7973 | 8581 |
| | _ | eech/Laminate aple/Palette n ordering a bac e required leg ty | 5715 5811 k with S pe below | 6017 6114 helf optior v. Freesta | nding, St | tart and End | d units wi | | | | |
| | Double-Seat, 30° Inside ZOP3-MCID30DF2F | Curve, Full Heigh | nt Back v 5888 | with Privac 6190 | cy Scree 6494 | n 6918 | 7403 | 7829 | 8312 | 8918 | 9525 |
| | Double-Seat, 30° Inside ZOP3-MCID30DM0F | Curve, Mid Heigh | nt Back 4678 | 4932 | 5191 | 5552 | 5964 | 6322 | 6734 | 7248 | 7762 |
| | Double-Seat, 30° Inside ZOP3-MCID30DM1_ B M ORDERING NOTE: Whe 36" or 30" and chose requeight added to each se | eech/Laminate aple/Palette n ordering a bac uired leg type be | 5448 5546 k with Sl low. Free | 5705 5802 helf optior estanding, | 5964 6060 n please Start an | d End units | | | | | |
| | Double-Seat, 30° Inside ZOP3-MCID30DM2F | Curve, Mid Heigh | nt Back v 5620 | with Priva | cy Scree 6137 | n Option 6496 | 6909 | 7267 | 7680 | 8193 | 8706 |
| Moisture Barri Seat Power (p Shelf Power Table Power | Jpholstery - dual fabrics | \$ List 64 641 600 647 33 | Du Re | al Leg (for movable s | Multiple Seat Cov | ole-Seat, 30 e unit config rers -Double ck covers a | urations) e-Seat, 30 | 0° Curve | \$ Lis 152 80 93 curved b | 2) | |
| Line ZOP Zola | Series 3 Lounge | Chair Type MC Modular Curve MCB Modular Curve Plus | Inside Inside Outside | IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD e Curve -Do | gle ible | 30D 45D 60D 90D | Full He Sil Full He Privacy Mid Mid He Sil | F0 Height Back vhelf Option F2 eight Back vy Screen Op M0 Height Back vi Screen Option M1 eight Back vi Height Back vi Screen Op | with with tion k with with | Leg Typ F eestanding S Start Un C Center U | g Unit it nit |

| DESCRIPTION | /MODEL/SPECIES | COM 1 | 2 | COL 3 | FABR | IC GRAD 5 | ES 6 | 7 | LEATHEF 8 | R 9 |
|--|---|-------------------------|---|------------------------|--|----------------------------|--|-----------------------------|------------------------------------|--------------------------|
| DESCRIPTION. | Double-Seat, 45° Inside Curve, Full Heig ZOP3-MCID45DF0F | | 5666 | 5975 | 6411 | 6909 | 7343 | 7839 | 8457 | 9086 |
| | Double-Seat, 45° Inside Curve, Full Heig ZOP3-MCID45DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back | 6161 6260 | 6469 6568 | 6779 6877 | 7214 7314 clearly spec | 7711 7809 cify on yo | 8146 8247 ur order th | 8643 8741 ne require | 9261 9359 ed Shelf | 9887 9988 Height - |
| . т. | 42", 36" or 30" and chose required leg to balance weight added to each seat unit, | ype belo | w. Freesta | nding, St | art and End | d units wi | | | | |
| | Double-Seat, 45° Inside Curve, Full Heig ZOP3-MCID45DF2F | ht Back 6313 | with Priva 6621 | cy Screer 6931 | า 7367 | 7863 | 8298 | 8792 | 9412 | 10041 |
| | Double-Seat, 45° Inside Curve, Mid Heig ZOP3-MCID45DM0F | ht Back 5103 | 5367 | 5635 | 6014 | 6444 | 6822 | 7255 | 7787 | 8340 |
| | Double-Seat, 45° Inside Curve, Mid Heig ZOP3-MCID45DM1_ Beech/Laminate Maple/Palette | ht Back 5904 6003 | with Shelf 6170 6269 | 6438 6537 | 6817 6914 | 7248 7345 | 7625 7725 | 8056 8155 | 8590 8688 | 9143 9241 |
| 1 7 1 | ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please a | elow. Fre | estanding | , Start an | d End units | | | | | |
| | Double-Seat, 45° Inside Curve, Mid Heig ZOP3-MCID45DM2F | ht Back 6055 | with Priva 6322 | cy Screen 6587 | n Option 6968 | 7399 | 7778 | 8207 | 8741 | 9295 |
| Zola Privacy (| Option Upcharges \$ List | | | | | | | \$ Lis | t | |
| Seat Power (pe Shelf Power Table Power | 600 647 Jpholstery - dual fabrics 33 | Di Re | ual Leg (fo emovable | r Multiple Seat Cov | le-Seat, 45 unit config ers -Double ck covers a | jurations) e-Seat, 4 | 5° Curve | 180 80 10 curved b |) 1 | |
| Line | Series Chair Type | C | Curve Style | 5 | Seat Degree | E | Back Type | | Leg Typ | oe |
| ZOP | 3 MC Lounge Modular Curve MCB Modular Curve Plus | Inside | IS E Curve -Sin D Curve -Dou OS le Curve -Si | uble | 30D 45D 60D | Full He Si Full He | F0 Height Back vielf Option F2 eight Back vy Screen Op | with | F reestandin S Start Ur C Center L | g Unit |
| | | Outside | OD e Curve -Do | ouble | 90D | Mid Mid H | M0 Height Bac | :k | E End Un | it |
| | | | | 202 | 5 SEATIN | Mid H Privacy | helf Option M2 eight Back Screen Op | tions | I FQ I II | SA 56 |

| | | | СОМ | | COL | | RIC GRAI | | _ | LEATHE | |
|--|--|---|--------------------------|----------------------------|----------------------|---|--|--|----------------------|----------------------------|----------------|
| DESCRIPTION | /MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 60° Inside (ZOP3-MCID60DF0F | Curve, Full Height | t Back 5910 | 6263 | 6616 | 7127 | 7704 | 8215 | 8791 | 9499 | 10262 |
| | _ | Curve, Full Height eech/Laminate aple/Palette | t Back v 6766 6867 | with Shelf 7122 7219 | 7476 7573 | 7986 8085 | 8563 8662 | 9074 9172 | 9652 9751 | 10358 10458 | |
| | ORDERING NOTE: When 42", 36" or 30" and chose balance weight added to | e required leg typ | e belov | v. Freestar | nding, S | tart and End | | | | | |
| | Double-Seat, 60° Inside (ZOP3-MCID60DF2F | Curve, Full Height | t Back v 6869 | with Privac 7222 | y Scree 7577 | n 8088 | 8666 | 9174 | 9754 | 10460 | 11224 |
| | Double-Seat, 60° Inside (ZOP3-MCID60DM0F | Curve, Mid Heigh | t Back 5588 | 5884 | 6175 | 6595 | 7069 | 7487 | 7963 | 8548 | 9161 |
| | Double-Seat, 60° Inside (ZOP3-MCID60DM1_ Be | | t Back v 6447 6545 | with Shelf 6742 6840 | 7035 7132 | 7452 7550 | 7927 8026 | 8344 8445 | 8820 8918 | | 10020 |
| | ORDERING NOTE: When 36" or 30" and chose requiveight added to each sea Double-Seat, 60° Inside Of ZOP3-MCID60DM2F | uired leg type beloat unit, please ad | ow. Freed d 303 li | estanding, ist upchare | Start an ge per u | d End units nit. | | | | counter | |
| Zola Privacy C | ption Upcharges | \$ List | | | | | | | \$ List | | |
| Moisture Barrie Seat Power (pe Shelf Power Table Power Combination U | r & CAL 133 (per yard) or power unit) pholstery - dual fabrics | 64 641 600 647 33 | Dua Rei | al Leg (for movable S | Multiple eat Cov | le-Seat, 60° unit configuers -Double | urations) -Seat, 60 | | 183 80 123 | | |
| Line | Series | Chair Type | Cı | urve Style | | Seat Degree | E | Back Type | | Leg Typ | e |
| ZOP | Lounge | MC Modular Curve MCB Modular Curve Plus | Inside of Outside | OS OD OCURVE -DOLL | ole | 30D 45D 60D 90D | Full He St Full He Privacy Mid Mid He | F0 Height Back welf Option F2 Sight Back welf Option F2 Sight Back welf Option M0 Height Back M1 | vith vith tion | Start Un Center U E End Un | it] nit |
| | ATING & OCCASIONAL | | | | | | Mid He | M2 eight Back w Screen Opt | | | |

| DECODIDEION/A | AODEL (ODEOLEO | | COM | 0 | COL | | IC GRAD | | 7 | LEATHE | |
|---|--|---|---------------------------------------|---|--|---|--|---|---------------------|---|-------------|
| DESCRIPTION | MODEL/SPECIES Double-Seat, 90° Insident of the seat o | e Curve, Full Hei | ght Back 6937 | 7303 | 7673 | 8211 | 5 8813 | 9354 | 9959 | 10694 | 9 11512 |
| | | Beech/Laminate Maple/Palette nen ordering a ba hose required leg | 7873 7973 ack with g type be | 8239 8341 Shelf op elow. Fre | 8610 8709 tion pleas estanding | g, Start and | End unit | | | 11732 Juired She | elf Height |
| | Double-Seat, 90° Insid ZOP3-MCID90DF2F | e Curve, Full Hei | ght Back 7942 | with Pr 8308 | ivacy Scre 8678 | een 9217 | 9818 | 10358 | 10963 | 11699 | 12514 |
| | Double-Seat, 90° Insid ZOP3-MCID90DM0F | e Curve, Mid Hei | ight Bacl 6441 | k 6735 | 7028 | 7446 | 7921 | 8340 | 8813 | 9403 | 10014 |
| | Double-Seat, 90° Inside ZOP3-MCID90DM1_ ORDERING NOTE: What is a second of the second | Beech/Laminate Maple/Palette nen ordering a ba required leg type | 7379 7480 ack with | 7674 7773 Shelf op Freestar | 7966 8067 tion pleas iding, Sta | rt and End u | | | | 10440 Juired She | elf Height |
| | Double-Seat, 90° Inside ZOP3-MCID90DM2F | e Curve, Mid Hei | ight Bacl 7446 | k with Pr 7740 | ivacy Scr 8033 | een Option 8450 | 8925 | 9342 | 9818 | 10408 | 11018 |
| Zola Privacy Or | otion Upcharges | \$ List | | | | | | | \$ Li | st | |
| Moisture Barrier Seat Power (per Shelf Power Table Power | & CAL 133 (per yard) power unit) holstery - dual fabrics | 64 641 600 647 33 | Du Re | al Leg (formovable | or Multiple Seat Cov | ole-Seat, 90 e unit config vers - Doubl ack covers a | urations e-Seat, 9 | 90° Curve | 22 | 20 80 27 | |
| Line | Series | Chair Type | С | urve Style |) | Seat Degree | | Back Type | | Leg Ty | pe |
| ZOP Zola | Lounge | MC Modular Curve MCB Modular Curve Plus | Inside Outside | IS Curve -S ID Curve -D OS e Curve -S OD e Curve -E | ouble Single | 30D 45D 60D 90D | Full F Full F Privac Mid Mid F | F0 II Height Back Shelf Option F2 Height Back by Screen C M0 d Height Ba M1 Height Back Shelf Option | with on with option | Freestandir S Start U C Center U E End Ur | nit Juit |

| DESCRIPTION | N/MODEL/SPECIES | | COM 1 | 2 | COL 3 | FABI 4 | RIC GRA 5 | DES 6 | 7 | LEATHER 8 | R 9 |
|---|--|--|--|--|---------------------------------------|--|---|---|-----------------------|--|----------------------------|
| | Double-Seat, 30° Outsi ZOP3-MCOD30DFOF | de Curve, Full Hei | ght Back 4593 | 4879 | 5166 | 5563 | 6020 | 6419 | 6873 | 7445 | 8015 |
| | Double-Seat, 30° Outsi ZOP3-MCOD30DF1_ ORDERING NOTES: V - 42", 36" or 30" and ch balance weight added | Beech/Laminate Maple/Palette /hen ordering a ba nose required leg ty | 5155 5248 ck with S /pe belov | 5441 5534 Shelf optic v. Freesta | 5726 5821 on pleasinding, S | Start and End | | | | | |
| | Double-Seat, 30° Outsi ZOP3-MCOD30DF2F | de Curve, Full Hei | ght Back 5192 | with Priva 5478 | acy Scre 5764 | een 6163 | 6620 | 7018 | 7474 | 8044 | 8615 |
| | Double-Seat, 30° Outsi ZOP3-MCOD30DMOF | de Curve, Mid Hei | ght Back 4398 | 4637 | 4873 | 5206 | 5586 | 5918 | 6296 | 6770 | 7245 |
| | Double-Seat, 30° Outsi ZOP3-MCOD30DM1_ ORDERING NOTES: V - 36" or 30" and chose weight added to each s | Beech/Laminate Maple/Palette /hen ordering a ba equired leg type be | 4961 5054 ck with S | 5199 5292 Shelf opticestanding | 5436 5529 on pleas , Start a | nd End units | | | | | |
| | Double-Seat, 30° Outsi ZOP3-MCOD30DM2F | de Curve, Mid Hei | ght Back 4998 | with Priv 5236 | acy Scro 5472 | een Option 5806 | 6185 | 6518 | 6896 | 7371 | 7844 |
| Zola Privacy | Option Upcharges | \$ List | | | | | | | \$ List | t | |
| Moisture Barri Seat Power (p Shelf Power Table Power | er & CAL 133 (per yard) er power unit) Jpholstery - dual fabrics | 64 641 600 647 33 | Dua Rer | al Leg (for novable S | Multiple Seat Cov | ole-Seat, 30° e unit config vers -Double ack covers a | urations) -Seat, 30 | | 152 80 93 | 2 | |
| Line | Series | Chair Type | Cı | urve Style | | Seat Degree | | Back Type | | Leg Type | e |
| ZOP | Lounge | MC Modular Curve MCB Modular Curve Plus | Inside (| IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD Curve -Dou | uble | 30D 45D 60D | Full H S Full H Privac Mid Mid H | F0 Height Back v helf Option F2 eight Back v y Screen Op M0 Height Back M1 eight Back v helf Option | with with otion | Freestanding S Start Uni C Center Ur E End Uni | it |

| | | | СОМ | | COL | | RIC GRAD | | | LEATHER | |
|---|--|---|---------------------------------|--|---|---|---|---|--|----------|-----------|
| DESCRIPTION | I/MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DFOF | ve, Full Heig | 9nt Back 4798 | 5084 | 5368 | 5767 | 6225 | 6624 | 7080 | 7651 | 8221 |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DF1_ Beech/ Maple/ ORDERING NOTE: When ord 42", 36" or 30" and chose req balance weight added to each | Laminate Palette ering a back uired leg typ | 5362 5454 with Sloe below | 5646 5740 helf optic v. Freest | 5932 6024 on please anding, S | Start and En | d units w | | | | |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DF2F | ve, Full Heig | ght Back 5397 | with Pri | ivacy Scr 5969 | reen 6366 | 6823 | 7222 | 7680 | 8250 | 8820 |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DMOF | ve, Mid Heiç | ght Bacl 4581 | k 4817 | 5056 | 5388 | 5766 | 6099 | 6478 | 6954 | 7428 |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DM1_ Beech/ Maple/ ORDERING NOTE: When ord 36" or 30" and chose required weight added to each seat un | Laminate Palette ering a back | 5142 5236 with Slow. Free | 5381 5472 helf opticestanding | 5616 5712 on please g, Start a | nd End units | | | | | |
| | Double-Seat, 45° Outside Cur ZOP3-MCOD45DM2F | ve, Mid Hei | ght Bacl 5181 | k with Pr 5418 | ivacy Sc 5656 | reen Option 5986 | 6365 | 6697 | 7079 | 7552 | 8028 |
| Zola Privacy | Option Upcharges | \$ List | | | | | | | \$ Lis | t | |
| Seat Power (p Shelf Power Table Power | Jpholstery - dual fabrics | 64 641 600 647 33 | Du Re | ial Leg (f | or Multip Seat Co | ible-Seat, 4 le unit confi overs - Douk ack covers | gurations ble-Seat, | 45° Curve | 180 80 10 ⁻ curved b |) 1 | |
| Line | Series C | hair Type | С | urve Style |) | Seat Degree | | Back Type | | Leg Typ | ре |
| ZOP | [| MC dular Curve MCB dular Curve Plus | Inside | IS Curve -S ID Curve -D Curve -D OS e Curve -S OD c Curve -S | ouble Single | 30D 45D 60D 90D | Full H Full H Privac Mid H S Mid H | F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen O M0 Height Back Shelf Option M1 Height Back Shelf Option M2 Height Back y Screen Option M2 Height Back y Screen Option | with with ption ck with with | E End Ur | nit Junit |

| | | | COM | | COL | FABF | RIC GRAD | | | LEATHER | |
|--|--|---|-------------------------------|---|-----------------------|--|--|---|-------------------------------|--|----------------------------|
| DESCRIPTION | I/MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 60° Outsic ZOP3-MCOD60DFOF | de Curve, Full Hei | ght Back 5050 | 5336 | 5619 | 6019 | 6474 | 6873 | 7331 | 7900 | 8471 |
| | Double-Seat, 60° Outsic ZOP3-MCOD60DF1_ E | | ght Back 5609 5702 | with Shelf 5894 5986 | 6181 6270 | 6579 6670 | 7035 7125 | 7435 7524 | 7890 7982 | 8460 8552 | 9028 9120 |
| N-I | ORDERING NOTE: Wh. 42", 36" or 30" and cho balance weight added to | se required leg typ | oe below | . Freestan | ding, St | art and End | | | | | |
| | Double-Seat, 60° Outsid ZOP3-MCOD60DF2F | de Curve, Full Heiç | ght Back 5647 | with Priva 5933 | cy Scre 6218 | en 6616 | 7072 | 7472 | 7928 | 8499 | 9067 |
| | Double-Seat, 60° Outsid ZOP3-MCOD60DMOF | de Curve, Mid Hei | ght Back 4798 | 5035 | 5274 | 5607 | 5985 | 6317 | 6696 | 7173 | 7646 |
| | Double-Seat, 60° Outsic ZOP3-MCOD60DM1_ E | | ght Back 5360 5450 | with Shelt 5595 5686 | 5833 5924 | 6164 6256 | 6543 6634 | 6875 6968 | 7257 7346 | 7731 7821 | 8205 8296 |
| | ORDERING NOTE: Who 36" or 30" and chose recovering the weight added to each subsequently added to each | quired leg type bel eat unit, please ac | ow. Free ld 303 lis | standing, S st upcharg | Start and e per ur | d End units init. | | | | | |
| Zola Privacy C | Option Upcharges | \$ List | | | | | | | \$ List | | |
| Seat Power (pe Shelf Power Table Power | lpholstery - dual fabrics | 64 641 600 647 33 | Dua Ren | l Leg (for I | Multiple eat Cove | le-Seat, 60° unit configu ers - Double ck covers ar | urations) -Seat, 60 | | 193 80 123 curved ba | | |
| Line | Series | Chair Type | Cı | urve Style | ; | Seat Degree | E | Back Type | | Leg Type | |
| ZOP | 3 Lounge | MC Modular Curve MCB Modular Curve Plus | Inside (| IS Curve -Sing ID Curve -Doul OS Curve -Sing OD Curve -Dou | ole gle | 30D 45D 60D 90D | Full He St Full He Privacy Mid Mid He | F0 Height Back value of Option F2 eight Back value of Option M0 Height Back value of Option M1 eight Back value of Option M1 M2 | with with otion k | F eestanding S Start Uni C Center Ur E End Uni | it |

| DECODIDATION | /MODEL /ODEOJEO | COM | 0 | COL | | IC GRAD | | | EATHER | |
|---|---|---|--|--------------------------|---|-------------------------------------|--|------------------------------|---|----------------|
| DESCRIPTION | /MODEL/SPECIES Double-Seat, 90° Outside Curve. | Full Height Ra | 2 ck | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | ZOP3-MCOD90DF0F | 5659 | 5944 | 6229 | 6628 | 7084 | 7484 | 7940 | 8511 | 9080 |
| | Double-Seat, 90° Outside Curve, ZOP3-MCOD90DF1_ Beech/La Maple/Pa | minate 6212 | ck with S 6497 6587 | 6784 6873 | 7182 7271 | 7638 7730 | 8038 8129 | 8493 8584 | 9064 9157 | 9632 9725 |
| <u>I</u> | • 42", 36" or 30" and chose requibalance weight added to each se | ired leg type be | low. Free | standing, | Start and En | ıd units v | | | | |
| | Double-Seat, 90° Outside Curve, ZOP3-MCOD90DF2F | , Full Height Ba 6247 | | Privacy Sc 6819 | reen 7216 | 7674 | 8073 | 8529 | 9099 | 9668 |
| | Double-Seat, 90° Outside Curve, ZOP3-MCOD90DM0F | , Mid Height Ba 5507 | | 6159 | 6663 | 7216 | 7722 | 8276 | 8930 | 9737 |
| | Double-Seat, 90° Outside Curve, ZOP3-MCOD90DM1_ Beech/La Maple/Pa | minate 6060 | 6387 6477 | Shelf 6713 6805 | 7216 7310 | 7770 7863 | 8276 8367 | 8830 8919 | | 10291 10382 |
| | ORDERING NOTES: When orde - 36" or 30" and chose required le weight added to each seat unit, Double-Seat, 90° Outside Curve, ZOP3-MCOD90DM2F | eg type below. F please add 303 | reestandi list upch ack with F | ing, Start narge per | and End units unit. | | | | e counte | |
| Zola Privacy C | Option Upcharges | \$ List | | | | | | \$ List | t | |
| Seat Power (pe Shelf Power Table Power Combination U | pholstery - dual fabrics | 641 D 600 R | ual Leg (f emovable | for Multipl e Seat Co | ble-Seat, 90° le unit config vers - Doubl ack covers a | urations) e-Seat, 9 | 00° Curve | 220 80 127 curved b |) | |
| PRODUCT COD Line | | r Туре | Curve Styl | le | Seat Degree | | Back Type | | Leg Ty | pe |
| ZOP Zola | MC Modula | ar Curve Insid | IS ID ID ID OS OD de Curve - OD de Curve - | Double -Single | 30D 45D 60D 90D | Full F Full F Privac Mid F | F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen O M0 Height Ba M1 Height Back Shelf Option | with with ption ck with | Freestandin S Start U C Center U E End Ui | nit Jnit |
| | | | | | | | M2 Height Back y Screen Op | | | |

ZOLA PRIVACY | SIDE PANELS

| | | | COM | | COL FABRIC GRADES | | | LEATHER | | | |
|---------------|--|---|----------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| DESCRIPTION/I | MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E | e, Full Height No Scr Start Center End | reen 948 1222 948 | 1036 1310 1036 | 1124 1398 1124 | 1304 1578 1304 | 1481 1753 1481 | 1660 1932 1660 | 1836 2109 1836 | 2016 2286 2016 | 2370 2642 2370 |
| | Sida Panal Singl | e, Full Height with So | reen | | | | | | | | |
| | ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E | Start Center End | 1243 1515 1243 | 1332 1606 1332 | 1420 1693 1420 | 1597 1871 1597 | 1776 2051 1776 | 1954 2228 1954 | 2132 2406 2132 | 2310 2584 2310 | 2665 2938 2665 |
| | Side Panel, Singl ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E | e, Mid Height No Sci Start Center End | reen 767 1052 767 | 829 1110 829 | 888 1170 888 | 1011 1290 1011 | 1131 1412 1131 | 1251 1533 1251 | 1372 1653 1372 | 1492 1773 1492 | 1732 2016 1732 |
| | Side Panel, Singl ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E | e, Mid Height with S Start Center End | 1063 1346 1063 | 1122 1405 1122 | 1183 1465 1183 | 1306 1587 1306 | 1425 1706 1425 | 1547 1827 1547 | 1667 1947 1667 | 1788 2066 1788 | 2029 2310 2029 |

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 30 for Dimensions and COM.

| Line | Series | Chair Type | Height | Position | | |
|------|-------------|------------------------|---|----------|--|--|
| ZOP | 3 Lounge | MP Modular Side Panel | F0 Full Height | S Start | | |
| | | | F2 | С | | |
| | | | Full Height with Privacy Screen Option | Center | | |
| | | | M0 Mid Height | End | | |
| | | | M2 | LIIG | | |
| | | | Mid Height with Privacy Screen Option | | | |

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

| | | | COM | | COL | FABRIC GRADES | | | LEATHER | | | |
|--------------|-------------------|----------------|-------------|-----|-----|---------------|------|------|---------|------|------|--|
| DESCRIPTION/ | MODEL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Semi-Private Side | Panel, Single, | Full Height | | | | | | | | | |
| | ZOP3-MSPF0S | Start | 583 | 628 | 674 | 765 | 856 | 949 | 1039 | 1132 | 1314 | |
| | ZOP3-MSPF0C | Center | 857 | 905 | 952 | 1041 | 1134 | 1224 | 1315 | 1407 | 1589 | |
| | ZOP3-MSPF0E | End | 583 | 628 | 674 | 765 | 856 | 949 | 1039 | 1132 | 1314 | |
| | Semi-Private Side | Panel, Single, | Mid Height | | | | | | | | | |
| | ZOP3-MSPM0S | Start | 514 | 555 | 592 | 672 | 751 | 829 | 909 | 987 | 1143 | |
| | ZOP3-MSPM0C | Center | 796 | 835 | 875 | 955 | 1033 | 1111 | 1191 | 1269 | 1428 | |
| | ZOP3-MSPM0E | End | 514 | 555 | 592 | 672 | 751 | 829 | 909 | 987 | 1143 | |

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

| Line | Series | Chair Type | Height | Position | |
|------|-------------|---|------------------------------|----------------|--|
| ZOP | 3 Lounge | MSP Modular Semi-Private Side Panel | F0 Full Height M0 Mid Height | Start C Center | |
| | | | | E End | |

ZOLA PRIVACY | MODULAR ARMS

| | | COM | | COL | FAI | FABRIC GRADES | | | LEATHER | | |
|-------------|---|---------------------------------|-------------------|-------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--|
| DESCRIPTION | /MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC | 702 702 784 | 740 740 823 | 778 778 859 | 853 853 935 | 930 930 1012 | 1004 1004 1087 | 1081 1081 1163 | 1155 1155 1239 | 1307 1307 1390 | |
| | Modular Upholstered Arm w/Ure ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC | ethane Cap 840 840 906 | 878 878 942 | 914 914 981 | 990 990 1058 | 1066 1066 1134 | 1141 1141 1207 | 1218 1218 1284 | 1292 1292 1358 | 1445 1445 1510 | |

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

| Zola Option Upcharges | A-White | Grade A-Cole | - | С |
|---------------------------------|---------|-----------------|-----|-----|
| Solid Surface Arm Cap (per arm) | 129 | 136 | 151 | 157 |

| Line | Series | Type | Arm | Position | |
|-------------|-------------|-------------------|---|-------------------|--|
| ZOP Zola | 3 Lounge | MA Modular Arm | UPH Upholstered | Left Hand Facing | |
| | | | URE Upholstered Arm w/Urethane Cap | Right Hand facing | |
| | | | SSC Upholstered Arm w/Solid Surface Cap | C Center | |

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

| | | Width | | | | | | | |
|------------------|----------------|--------------|---------|---------|----------|--------|-------|----------|-------|
| | Overall | with | Overall | Overall | Height | Seat | Seat | Shipping | |
| | Width | Arms | Depth | Height | w/Screen | Height | Depth | Weight | Cubes |
| Twin Curved Sing | gle-Seat - Fu | ll Height Ba | ck | | | | | | |
| 30° Curve | 49 | 55 | 53.5 | 50 | 62.5 | 18.5 | 20.25 | 127 | 31 |
| 45° Curve | 61.5 | 67.5 | 54 | 50 | 62.5 | 18.5 | 20.25 | 146 | 42 |
| 60° Curve | 73.5 | 79.5 | 55 | 50 | 62.5 | 18.5 | 20.25 | 164 | 55 |
| 90° Curve | 94.5 | 100.5 | 56.5 | 50 | 62.5 | 18.5 | 20.25 | 207 | 79 |
| Twin Curved Sing | gle-Seat - Mi | d Height Ba | ck | | | | | | |
| 30° Curve | 49 | 55 | 53.5 | 37.5 | 50 | 18.5 | 20.25 | 122 | 27 |
| 45° Curve | 61.5 | 67.5 | 54 | 37.5 | 50 | 18.5 | 20.25 | 140 | 37 |
| 60° Curve | 73.5 | 79.5 | 55 | 37.5 | 50 | 18.5 | 20.25 | 158 | 48 |
| 90° Curve | 94.5 | 100.5 | 56.5 | 37.5 | 50 | 18.5 | 20.25 | 200 | 68 |
| Twin Curved Dou | ıble-Seat - Fı | ull Height B | ack | | | | | | |
| 30° Curve | 71 | 77 | 55 | 50 | 62.5 | 18.5 | 20.25 | 199 | 55 |
| 45° Curve | 83.5 | 89.5 | 56 | 50 | 62.5 | 18.5 | 20.25 | 215 | 73 |
| 60° Curve | 95.5 | 101.5 | 58 | 50 | 62.5 | 18.5 | 20.25 | 237 | 92 |
| Twin Curved Dou | ıble-Seat - M | id Height B | ack | | | | | | |
| 30° Curve | 71 | 77 | 55 | 37.5 | 50 | 18.5 | 20.25 | 199 | 48 |
| 45° Curve | 83.5 | 89.5 | 56 | 37.5 | 50 | 18.5 | 20.25 | 215 | 64 |
| 60° Curve | 95.5 | 101.5 | 58 | 37.5 | 50 | 18.5 | 20.25 | 237 | 81 |

COM YARDAGES

| | Yardage Entire Unit | Yardage 2 Entire Units | Yardage 3 Entire Units | Yardage 4 Entire Units | Yardage per Back | Yardage per 2 Backs | Yardage per 3 Backs | Yardage per 4 Backs |
|-------------|---------------------------|------------------------------|------------------------------|------------------------------|------------------------|---------------------------|---------------------------|---------------------------|
| Curved Sing | le-Seat - Full H | leight Back | | | | | | |
| 30° Curve | 8.6 | 15.6 | 24.2 | 31.2 | 4.8 | 8 | 12.8 | 16 |
| 45° Curve | 9.6 | 17.6 | 27.2 | 35.2 | 4.8 | 8 | 12.8 | 16 |
| 60° Curve | 11.53 | 20.8 | 31.2 | 41.6 | 6.33 | 10.4 | 15.6 | 20.8 |
| 90° Curve | 11.83 | 24.50 | 36.75 | 48.70 | 6.33 | 13.5 | 20.25 | 27 |
| Curved Sing | le-Seat - Mid I | leight Back | | | | | | |
| 30° Curve | 7.63 | 13.85 | 21.48 | 27.7 | 3.83 | 6.25 | 10.08 | 12.5 |
| 45° Curve | 8.63 | 15.85 | 24.48 | 31.7 | 3.83 | 6.25 | 10.08 | 12.5 |
| 60° Curve | 10.2 | 18.4 | 27.6 | 36.8 | 5 | 8 | 12 | 16 |
| 90° Curve | 10.5 | 21 | 31.5 | 41.7 | 5 | 10 | 15 | 20 |
| Curved Dou | ble-Seat - Full | Height Back | | | | | | |
| 30° Curve | 12.96 | 27.1 | 40.65 | 54.2 | 6.16 | 13.5 | 20.25 | 27 |
| 45° Curve | 13.13 | 27.1 | 40.65 | 54.2 | 6.33 | 13.5 | 20.25 | 27 |
| 60° Curve | 13.23 | 27.3 | 40.95 | 54.6 | 6.33 | 13.5 | 20.25 | 27 |
| 90° Curve | | | | | | | | |
| Curved Dou | ble-Seat - Mid | Height Back | | | | | | |
| 30° Curve | 11.63 | 23.60 | 35.4 | 47.2 | 4.83 | 10 | 15 | 20 |
| 45° Curve | 11.8 | 23.6 | 35.4 | 47.2 | 5 | 10 | 15 | 20 |
| 60° Curve | 11.9 | 23.8 | 35.7 | 47.6 | 5 | 10 | 15 | 20 |

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

| | Yardage 1 Seat-Small Seat | Yardage 2 Seat-Small Seats | Yardage 3 Seat-Small Seats | Yardage 4 Seat-Small Seats | Yardage 1 Seat-Large Seat | Yardage 2 Seat-Large Seats | Yardage 3 Seat-Large Seats | Yardage 4 Seat-Large Seats |
|------------|---------------------------------|----------------------------------|----------------------------------|----------------------------------|---------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Curved Sin | gle-Seat - Full H | leight Back | | | | | | |
| 30° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 2 | 4 | 6 | 8 |
| 45° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3 | 6 | 9 | 12 |
| 60° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3.7 | 7.4 | 11.10 | 14.5 |
| Curved Sin | gle-Seat - Mid I | Height Back | | | | | | |
| 30° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 2 | 4 | 6 | 8 |
| 45° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3 | 6 | 9 | 12 |
| 60° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3.4 | 6.8 | 10.2 | 13.6 |
| 90° Curve | 1.8 | 3.6 | 5.4 | 7.2 | 3.7 | 7.4 | 11.1 | 14.5 |
| Curved Do | uble-Seat - Full | Height Back | | | | | | |
| 30° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.5 | 7 | 10.5 | 14 |
| Curved Do | uble-Seat - Mid | Height Back | | | | | | |
| 30° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 45° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.4 | 6.8 | 10.2 | 13.6 |
| 60° Curve | 3.4 | 6.8 | 10.2 | 13.6 | 3.4 | 7 | 10.5 | 14 |

ZOLA PRIVACY | TWIN CURVED

| DESCRIPTION/MODEL | | | COM 1 | 2 | COL 3 | FABF 4 | RIC GRAD | DES 6 | 7 L | EATHER 8 | 9 |
|--|-----------------------------------|-------------------------------|-------------------|---------------------------------|---------------------------------------|---|-------------------------------------|----------------------------------|--------------------------------|-------------|-------------|
| | Twin Single-Seat, ZOP3-MCTS30D | | Height Ba 5204 | ack 5517 | 5830 | 6268 | 6767 | 7208 | 7709 | 8335 | 8960 |
| | Twin Single-Seat, ZOP3-MCTS30D | | Height Ba | ack with F 6111 | Privacy Sc 6422 | creen Optio 6862 | n 7362 | 7800 | 8302 | 8930 | 9555 |
| | Twin Single-Seat, ZOP3-MCTS30D | | Height B 4930 | ack 5213 | 5494 | 5888 | 6336 | 6731 | 7180 | 7741 | 8305 |
| | Twin Single-Seat, ZOP3-MCTS30D | | Height B 5525 | ack with 5806 | Privacy S 6085 | Gereen Optio 6480 | on 6931 | 7323 | 7773 | 8337 | 8896 |
| | Twin Single-Seat, ZOP3-MCTS45D | | Height B 5867 | ack 6191 | 6519 | 6977 | 7498 | 7953 | 8477 | 9130 | 9781 |
| | Twin Single-Seat, ZOP3-MCTS45D | | Height B 6468 | ack with 6793 | Privacy S 7120 | creen Optio 7577 | on 8098 | 8555 | 9079 | 9730 | 10382 |
| Zola Privacy Option | Upcharges | \$ List | | | | | | | \$ Lis | t | |
| Moisture Barrier & CAI Seat Power (per powe Shelf Power Table Power Dual Leg (for Multiple | L 133 (per yard) er unit) | 64 641 600 647 | Plu Re Re | is Upgrad movable movable | le - Twin S Seat Cove Seat Cove | Single-Seat Single-Seat ers -Twin S ers -Twin S ck covers a | , 45° Cur ingle-Sea ingle-Sea | ve t, 30° Curv t, 45° Curv | 287 345 /e 155 /e 166 | 5 | |
| Line | Series | Chair Type | Cı | ırve Style | S | eat Degree | В | ack Type | | Leg Type | |
| ZOP Zola | 3 | MCT Modular Curve Twi | in Sma | S all Radius- gle Width | | 30D | [| F0 Height Back | : Fre | F | |
| | | MCTB Modular Curve Twin Plus | | D all Radius- uble Width | | 45D | | F2 ight Back w Screen Opt | | Start Uni | t |
| | | | | | | 90D | Mid I | M0 Height Back | (| C Center Ur | nit |
| | | | | | | | | ight Back w Screen Opti | | End Uni | t |

ZOLA PRIVACY | TWIN CURVED

| | | | COM | | COL | _ FABI | RIC GRA | ADES | ı | _EATHER | 2 |
|---|--|-------------------------------|------------------|----------------------------------|---------------------------------|--|----------------------------------|--|------------------------------|------------------|-------|
| DESCRIPTION/MOD | EL | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Twin Single-Seat ZOP3-MCTS45D | , 45° Curve, Mid MOF | Height B 5556 | ack 5850 | 6142 | 6556 | 7027 | 7438 | 7909 | 8499 | 9087 |
| | Twin Single-Seat ZOP3-MCTS45D | , 45° Curve, Mid M2F | Height B 5531 | ack with 5812 | Privacy 9 6093 | Screen Optio | on 6938 | 7331 | 7781 | 8342 | 8905 |
| | Twin Single-Seat ZOP3-MCTS60D | , 60° Curve, Full FOF | Height Ba | ack 7045 | 7430 | 7966 | 8580 | 9116 | 9729 | 10495 | 11261 |
| | Twin Single-Seat ZOP3-MCTS60D | , 60° Curve, Full F2F | Height Ba | ack with 7649 | Privacy \$ 8033 | Screen Optio 8569 | on 9184 | 9719 | 10333 | 11098 | 11866 |
| | Twin Single-Seat ZOP3-MCTS60D | , 60° Curve, Mid MOF | Height B 6304 | ack 6644 | 6983 | 7460 | 8002 | 8477 | 9020 | 9697 | 10379 |
| | Twin Single-Seat ZOP3-MCTS60D | , 60° Curve, Mid M2F | Height B 7480 | ack with 7913 | Privacy \$ | Screen Optio 8955 | on 9650 | 10259 | 10953 | 11820 | 12688 |
| Zola Privacy Option | n Upcharges | \$ List | | | | | | | \$ Lis | st | |
| Moisture Barrier & C Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple | AL 133 (per yard) ver unit) e unit configuration | 64 641 600 647 | Plu Re Re | us Upgra emovable emovable | de - Twir Seat Co Seat Co | n Single-Sea n Single-Sea overs -Twin S overs -Twin S ack covers a | t, 60° C Single-S Single-S | urve eat, 45° Cu eat, 60° Cu | 34 40 rve 16 rve 21 | 5 4 6 2 | |
| Line | Series | Chair Type | C | Curve Style | | Seat Degree | | Back Type | | Leg Ty | |
| ZOP | 3 Lounge | MCT Modular Curve Tw | vin Sn | S nall Radius | S- | 30D | F | F0 ull Height Ba | ck F | F | |
| | | MCTB Modular Curve Twin Plus | | D nall Radius puble Widt | | 45D 60D | | F2 Height Back acy Screen O | | S Start U | nit |
| | | | | | | 90D | Mid | lid Height Ba M2 Height Back cy Screen O | with | Center l E | |
| | | | | | | | | | | | |

ZOLA PRIVACY | TWIN CURVED

| | | COM | | COL | FA | BRIC GRA | ADES | | LEATH | ĒR |
|--|---|------------------|--------------|-------------|-----------|----------|-------|-------|-------|-------|
| DESCRIPTION/MODEL/SPECIES | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F | Height B 8312 | 8ack 8702 | 9091 | 9644 | 10270 | 10818 | 11446 | 12225 | 13017 |
| | | | | | | | | | | |
| Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option | | | | | | | | | | |
| | ZOP3-MCTS90DF2F | 9265 | 9654 | 10044 | 10594 | 11223 | 11769 | 12396 | 13175 | 13969 |
| | | | | | | | | | | |
| | Twin Single-Seat, 90° Curve, Mid Height Back | | | | | | | | | |
| | ZOP3-MCTS90DM0F | 7814 | 8159 | 8506 | 8994 | 9550 | 10040 | 10594 | 11286 | 11991 |
| | Twin Single-Seat, 90° Curve, Mid | I Height E | Back with | n Privacy : | Screen Op | otion | | | | |
| | ZOP3-MCTS90DM2F | 7447 | 7838 | 8230 | 8775 | 9398 | 9945 | 10570 | 11349 | 12130 |

| Zola Privacy Option Upcharges | \$ List | \$ List |
|---------------------------------------|---------|---|
| Moisture Barrier & CAL 133 (per yard) | 64 | Plus Upgrade - Twin Single-Seat, 90° Curve 516 |
| Seat Power (per power unit) | 641 | Dual Leg (for Multiple unit configurations) 80 |
| Shelf Power | 600 | Removable Seat Covers -Twin Single-Seat, 90° Curve 240 |
| Table Power | 647 | Note: Removable back covers are not available on curved backs |

| PRODUCT CODE KE | T | | | | | |
|-----------------|-------------|------------------------------------|------------------------------------|-------------|--|---------------------|
| Line | Series | Chair Type | Curve Style | Seat Degree | Back Type | Leg Type |
| ZOP Zola | 3 Lounge | MCT Modular Curve Twin | S Small Radius- Single Width | 30D | F0 Full Height Back | F Freestanding Unit |
| | | MCTB Modular Curve Twin Plus | D Small Radius- Double Width | 45D | F2 Full Height Back with Privacy Screen Option | Start Unit |
| | | | | 60D | M0 Mid Height Back | C Center Unit |
| | | | | 90D | M2 | E E |
| | | | | | Mid Height Back with Privacy Screen Options | End Unit |

ZOLA PRIVACY | TWIN CURVED

| | | COM | | | FABI | FABRIC GRADES | | LEATHER | | 3 |
|-----------------|--------------------------------|--------------|-----------|-------------|-----------|---------------|-------|---------|-------|-------|
| DESCRIPTION/MOD | EL/SPECIES | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Twin Double-Seat, 30° Curve, | Ü | | | | | | | | |
| | ZOP3-MCTD30DF0F | 6875 | 7311 | 7743 | 8350 | 9046 | 9654 | 10348 | 11216 | 12086 |
| | | | | | | | | | | |
| | Twin Double-Seat, 30° Curve, | • | | , | | | 10500 | 11000 | 10100 | 10000 |
| | ZOP3-MCTD30DF2F | 7820 | 8256 | 8688 | 9296 | 9991 | 10598 | 11293 | 12163 | 13029 |
| | Twin Double-Seat, 30° Curve, N | Mid Heiaht E | Back | | | | | | | |
| | ZOP3-MCTD30DM0F | 6496 | 6886 | 7279 | 7822 | 8447 | 8993 | 9619 | 10399 | 11179 |
| | Twin Double-Seat, 30° Curve, N | Mid Height I | Back with | n Privacy S | Screen Op | ition | | | | |
| | ZOP3-MCTD30DM2F | 7441 | 7833 | 8222 | 8768 | 9393 | 9938 | 10564 | 11344 | 12122 |

| Zola Privacy Option Upcharges | \$ List | | \$ List |
|---------------------------------------|---------|--|--------------|
| Moisture Barrier & CAL 133 (per yard) | 64 | Plus Upgrade - Twin Double-Seat, 30° Curve | 404 |
| Seat Power (per power unit) | 641 | Dual Leg (for Multiple unit configurations) | 80 |
| Shelf Power | 600 | Removable Seat Covers -Twin Double-Seat, 30° Cu | rve 186 |
| Table Power | 647 | Note: Removable back covers are not available on | curved backs |

| | - | | | | | |
|------|--------|----------------------------|-------------------------------|-------------|--|-------------------|
| Line | Series | Chair Type | Curve Style | Seat Degree | Back Type | Leg Type |
| ZOP | 3 | MCT | S | 30D | F0 | F |
| Zola | Lounge | Modular Curve Twin | Small Radius- Single Width | | Full Height Back | Freestanding Unit |
| | | MCTB | D | 45D | F2 | S |
| | | Modular Curve Twin Plus | Small Radius- Double Width | | Full Height Back with Privacy Screen Option | Start Unit |
| | | | | 60D | MO | С |
| | | | | | Mid Height Back | Center Unit |
| | | | | 90D | M2 | E |
| | | | | | Mid Height Back with Privacy Screen Options | End Unit |
| | | | | | | |

ZOLA PRIVACY | TWIN CURVED

| | | COM | | COL FABRIC GRADES | | | DES | LEATHER | | | |
|-----------------|--|------------------|-------------------|-------------------|---------------------|---------------|-------|---------|-------|-------|--|
| DESCRIPTION/MOD | EL/SPECIES | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F | Height B 7754 | ack 8198 | 8645 | 9269 | 9983 | 10606 | 11320 | 12211 | 13105 | |
| | Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F | Height B 8706 | ack with 9156 | Privacy S 9600 | Screen Opt 10222 | tion 10937 | 11561 | 12274 | 13167 | 14058 | |
| | Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F | Height B 7346 | 3ack 7750 | 8152 | 8715 | 9358 | 9919 | 10564 | 11367 | 12171 | |
| | Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F | Height B 8304 | Back with 8703 | Privacy § 9108 | Screen Op 9668 | tion 10312 | 10875 | 11517 | 12320 | 13127 | |

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

| Zola Privacy Option Upcharges | \$ List | | \$ List |
|---------------------------------------|---------|--|--------------|
| Moisture Barrier & CAL 133 (per yard) | 64 | Plus Upgrade - Twin Double-Seat, 45° Curve | 458 |
| Seat Power (per power unit) | 641 | Dual Leg (for Multiple unit configurations) | 80 |
| Shelf Power | 600 | Removable Seat Covers - Twin Double-Seat, 45° C | urve 204 |
| Table Power | 647 | Note: Removable back covers are not available on | curved backs |

| Line | Series | Chair Type | Curve Style | Seat Degree | Back Type | Leg Type |
|-------------|-------------|-------------------------------|-------------------------------|-------------|--|------------------------|
| ZOP Zola | 3 Lounge | MCT Modular Curve Twin | Small Radius- Single Width | 30D | F0 Full Height Back | F Freestanding Unit |
| | | MCTB Modular Curve Twin Plus | D Small Radius-Double Width | 45D | F2 Full Height Back with Privacy Screen Option | Start Unit |
| | | | | 60D | M0 Mid Height Back | C Center Unit |
| | | | | 90D | M2 | Е |
| | | | | | Mid Height Back with Privacy Screen Options | End Unit |

ZOLA PRIVACY | TWIN CURVED

| | | COM | | COL | FABRIC GRAD | | ES | LEATHER | | 3 | |
|-----------------|--|--------------------|------------------|--------------------|--------------------|--------------|-------|---------|-------|-------|--|
| DESCRIPTION/MOD | DEL/SPECIES | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F | Height Ba 8458 | ack 8912 | 9363 | 9996 | 10721 | 11353 | 12079 | 12983 | 13887 | |
| | Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF2F | l Height B | ack with 9873 | Privacy S 10324 | creen Opt 10958 | ion 11680 | 12315 | 13038 | 13944 | 14848 | |
| | Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM0F | d Height B 7994 | ack 8404 | 8811 | 9383 | 10039 | 10609 | 11264 | 12083 | 12897 | |
| | Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM2F | Height Ba | ack with 9363 | Privacy So 9772 | creen Opt 10344 | ion 10995 | 11568 | 12225 | 13042 | 13858 | |

| Zola Privacy Option Upcharges | \$ List | | \$ List |
|---------------------------------------|---------|---|------------|
| Moisture Barrier & CAL 133 (per yard) | 64 | Plus Upgrade - Twin Double-Seat, 60° Curve | 543 |
| Seat Power (per power unit) | 641 | Dual Leg (for Multiple unit configurations) | 80 |
| Shelf Power | 600 | Removable Seat Covers -Twin Double-Seat, 60° Curv | e 248 |
| Table Power | 647 | Note: Removable back covers are not available on cu | rved backs |

| Series | Chair Type | Curve Style | Seat Degree | Back Type | Leg Type |
|-------------|-------------------------------|--|-------------|--|------------------------|
| 3 Lounge | MCT Modular Curve Twin | S Small Radius- Single Width | 30D | F0 Full Height Back | F Freestanding Unit |
| | MCTB Modular Curve Twin Plus | D Small Radius- Double Width | 45D | F2 Full Height Back with Privacy Screen Option | Start Unit |
| | | | 60D | M0 Mid Height Back | C Center Unit |
| | | | 90D | M2 Mid Height Back with | End Unit |
| | 3 | 3 MCT Lounge Modular Curve Twin MCTB Modular Curve | 3 | 3 | 3 |

ZOLA PRIVACY | TWIN SIDE PANELS

| | COM | | COL FABRIC GRADES | | | ES | LEATHER | | |
|--|---------------------------------------|--------------|-------------------|--------------|------------------------------|----------------------------|----------------------------|----------------------------|-------------------------|
| DESCRIPTION/MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Twin Side Panel, Full Height No ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center | | 1559 2272 | 1691 2405 | 1955 2668 | 2218 2932 | 2483 3193 | 2745 3457 | 3010 3720 | 3536 4248 |
| Twin Side Panel, Full Height with ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center | | 2138 2851 | 2271 2984 | 2533 3246 | 2798 3510 | 3061 3772 | 3324 4037 | 3589 4297 | 4114 4828 |
| Twin Side Panel, Med. Height No ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center | | 1275 1988 | 1363 2077 | 1543 2254 | 1720 2432 | 1898 2610 | 2077 2788 | 2254 2965 | 2610 3322 |
| Twin Side Panel, Med. Height win ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center ORDERING NOTE: Side Panels with Removable Back Cover option | d 1767 2478 will only connect t | | | | 2301 3011 s with Priva | 2479 3188 acy Screer | 2657 3367 n Option a | 2833 3543 are not av | 3188 3902 ailable |

| Line | Series | Chair Type | Height | Position | |
|------|--------|----------------------------|---|--------------------|--|
| ZOP | 3 | MPT | F0 | U | |
| Zola | Lounge | Modular Side Panel Twin | Full Height | Universal (S or E) | |
| | | | F2 | С | |
| | | | Full Height with Privacy Screen Option | Center /Interim | |
| | | | MO | | |
| | | | Mid Height | | |
| | | | M2 | | |
| | | | Mid Height with Privacy Screen Option | | |

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

| | | COM | | COL | COL FABRIC GRADES | | ADES | LEATHER | | | |
|---------------|--------------------------|-----------------------|--------|------|-------------------|------|------|---------|------|------|--|
| DESCRIPTION/I | MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Twin Semi-Private Side F | Panel, Single, Full H | leight | | | | | | | | |
| | ZOP3-MSPTF0U Unive | ersal 1012 | 1092 | 1172 | 1286 | 1415 | 1528 | 1659 | 1819 | 1981 | |
| | ZOP3-MSPTF0C Cente | er 1724 | 1804 | 1885 | 1999 | 2129 | 2240 | 2370 | 2532 | 2694 | |
| | | | | | | | | | | | |
| | Twin Semi-Private Side F | Panel, Single, Mid I | Height | | | | | | | | |
| | ZOP3-MSPTM0U Unive | ersal 868 | 919 | 973 | 1045 | 1131 | 1203 | 1288 | 1393 | 1497 | |
| | ZOP3-MSPTM0C Cente | er 1581 | 1633 | 1686 | 1758 | 1842 | 1915 | 2001 | 2106 | 2211 | |

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

| Line | Series | Type | Height | Position | |
|------|--------|------------------|------------|--------------------|--|
| ZOP | 3 | MSPT | F0 | U | |
| Zola | Lounge | Modular Arm Twin | Full Heigh | Universal (S or E) | |
| | | | MO | С | |
| | | | Mid Height | Center /Interim | |

ZOLA PRIVACY | TWIN MODULAR ARMS

| | | COM | | COL | FAE | FABRIC GRADES | | | LEATHER | | |
|---------------|--|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--|
| DESCRIPTION/N | MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC | 1120 1846 | 1197 1909 | 1262 1974 | 1349 2062 | 1451 2164 | 1539 2253 | 1641 2354 | 1768 2481 | 1894 2608 | |
| | Twin Modular Upholstered Arm v | v/Urethane | Cap | | | | | | | | |
| | ZOP3-MATUREU | 1252 | 1329 | 1393 | 1481 | 1582 | 1670 | 1772 | 1899 | 2026 | |
| | ZOP3-MATUREC | 1979 | 2041 | 2106 | 2193 | 2295 | 2384 | 2485 | 2612 | 2739 | |

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Grades

| Zola Option Upcharges | A-White | A-Color B | | С | |
|---------------------------------|---------|-----------|-----|-----|--|
| Solid Surface Arm Cap (per arm) | 276 | 288 | 318 | 328 | |

PRODUCT CODE KEY

| Line | Series | Туре | Arm | Position | |
|------|-------------|----------------------|------------------------------------|--------------------|--|
| ZOP | 3 Lounge | MAT Modular Arm Twin | UPH Upholstered | Universal (S or E) | |
| | | | URE Upholstered Arm w/Urethane Cap | C Center /Interim | |

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

| DESCRIPTION | MODEL | SPECIES | PRICE | WEIGHT | CUBE |
|-------------|--------------------------------------|------------------------------------|---|---------------|----------|
| | Wood Tablet ZOL3 T1 | Beech Maple /Cherry | 514 538 | 12 | 2 |
| | Tablet with Palette Fin ZOL3 T2 | ish n/a | 411 | 12 | 2 |
| | Clear Glass Tablet ZOL3 T3 | n/a | 783 | 13 | 2 |
| | Laminate Tablet ZOL3 T4 | n/a | 532 | 12 | 2 |
| | ORDERING NOTES: handed and do not ne | The laminate ta eed to be speci | blet comes standard with a polymer edge. Please note Zola Tab ified right or left when ordering. | lets are univ | versally |
| | Solid Surface Tablet - ZOL3 T5AW | Grade A White n/a | e 641 | 14 | 2 |
| | Solid Surface Tablet - ZOL3 T5AC | Grade A Color n/a | 651 | 14 | 2 |
| | Solid Surface Tablet - ZOL3 T5B | Grade B n/a | 686 | 14 | 2 |
| | Solid Surface Tablet - ZOL3 T5C | Grade C n/a | 741 | 14 | 2 |

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



| Model | Qty | Price (\$) |
|-----------------|-----|------------|
| ZOP3-M2F0F | 2 | 3029 |
| ZOP3-IWF048MP | 1 | 2404 |
| ZOP3-ICWF0L | 1 | 1697 |
| ZOP3-ICWF0R | 1 | 1697 |
| ZOP3-RO48532416 | 1 | 1066 |
| Total | | \$12 922 |



| Total | | \$11,215 |
|--------------|-----|------------|
| ZOP3-ICTWM0R | 1 | 1715 |
| ZOP3-ICTWM0L | 1 | 1715 |
| ZOP3-M2M0F | 3 | 2595 |
| Model | Qty | Price (\$) |

ZOLA PRIVACY | INLINE WALLS

| DESCRIPTION/M | ODEL | THERMOFUSED LAMINATE | HIGH PRESSURE LAMINATE | CHERRY MAPLE BEECH | W | D | Н | WEIGH ⁻ | Γ CUBE |
|---------------|--|----------------------|------------------------------|--------------------------|----|----|----|--------------------|--------|
| | Inline Wall, Full Height 42" | | | | | | | | |
| | ZOP3-IWF042N | 1172 | 1985 | 1673 | 42 | 12 | 50 | 107 | 19 |
| | Inline Wall, Full Height 48" ZOP3-IWF048N | 1262 | 2167 | 1774 | 48 | 12 | 50 | 121 | 21.5 |
| | Inline Wall, Full Height 54" ZOP3-IWF054N | 1349 | 2255 | 1875 | 54 | 12 | 50 | 135 | 24 |
| | Inline Wall, Full Height 60" ZOP3-IWF060N | 1437 | 2343 | 1974 | 60 | 12 | 50 | 147 | 26.5 |
| | Inline Wall, Mid Height 42" ZOP3-IWM042N | 1095 | 1683 | 1588 | 42 | 12 | 37 | 92 | 13.5 |
| | Inline Wall, Mid Height 48" ZOP3-IWM048N | 1184 | 1863 | 1688 | 48 | 12 | 37 | 102 | 15.25 |
| | Inline Wall, Mid Height 54" ZOP3-IWM054N | 1271 | 1953 | 1789 | 54 | 12 | 37 | 116 | 17 |
| | Inline Wall, Mid Height 60" ZOP3-IWM060N | 1359 | 2040 | 1886 | 60 | 12 | 37 | 126 | 18.75 |
| | Inline Wall Media, Full Height 4 ZOP3-IWF042M | 12" 1318 | 2131 | 1820 | 42 | 12 | 50 | 107 | 19 |
| | Inline Wall Media, Full Height 4 ZOP3-IWF048M | 1407 | 2313 | 1921 | 48 | 12 | 50 | 121 | 21.5 |
| | Inline Wall Media, Full Height 5 ZOP3-IWF054M | 54" 1494 | 2401 | 2019 | 54 | 12 | 50 | 135 | 24 |
| | Inline Wall Media, Full Height 6 ZOP3-IWF060M | 60" 1583 | 2488 | 2119 | 60 | 12 | 50 | 147 | 26.5 |
| | Inline Wall Media, Mid Height 4 ZOP3-IWM042M | 12" 1242 | 1827 | 1734 | 42 | 12 | 37 | 92 | 13.5 |
| | Inline Wall Media, Mid Height 4 ZOP3-IWM048M | 1330 | 2010 | 1834 | 48 | 12 | 37 | 102 | 15.25 |
| \ | Inline Wall Media, Mid Height & ZOP3-IWM054M | 54" 1417 | 2096 | 1934 | 54 | 12 | 37 | 116 | 17 |
| | Inline Wall Media, Mid Height 6 ZOP3-IWM060M | 60" 1506 | 2186 | 2033 | 60 | 12 | 37 | 126 | 18.75 |

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

| JOO! GODE IVE! | | | | | |
|----------------|--------|-------------|-------------|------|----------------|
| Line | Series | Chair Type | Height | Size | Power/Media |
| ZOP | 3 | IW | F0 | 42 | N |
| Zola | Lounge | Inline Wall | Full Height | 42" | None |
| | | | MO | 48 | Р |
| | | | Mid Height | 48" | PowerDoc |
| | | | | 54 | M |
| | | | | 54" | Media |
| | | | | 60 | MP |
| | | | | 60" | PowerDoc & Med |

ZOLA PRIVACY | INLINE WALLS WITH POWER

| DESCRIPTION/M | ODEL | THERMOFUSED LAMINATE | HIGH PRESSURE LAMINATE | CHERRY MAPLE BEECH | W | D | Н | WEIGHT | CUBE |
|---------------|--|-------------------------|------------------------------|--------------------------|-----|----|----|--------|-------|
| | Inline Wall w/Power Docs, Ful | II Height 42" | | | | | | | |
| | ZOP3-IWF042P | 2169 | 2982 | 2671 | 42 | 12 | 50 | 150 | 19 |
| | Inline Wall w/Power Docs, Ful | ll Height 48" | | | | | | | |
| | ZOP3-IWF048P | 2257 | 3163 | 2770 | 48 | 12 | 50 | 212 | 21.5 |
| | Inline Wall w/Power Docs, Ful | Il Height 54" | | | | | | | |
| | ZOP3-IWF054P | 2345 | 3251 | 2870 | 54 | 12 | 50 | 135 | 24 |
| | Inline Wall w/Power Docs, Ful | II Height 60" | | | | | | | |
| | ZOP3-IWF060P | 2433 | 3340 | 2970 | 60 | 12 | 50 | 147 | 26.5 |
| | Inline Wall w/Power Docs, Mid | d Height 42" | | | | | | | |
| | ZOP3-IWM042P | 2091 | 2678 | 2585 | 42 | 12 | 37 | 92 | 13.5 |
| | Latina Marilla /Dansa Dansa Mar | -1.11140" | | | | | ٠. | 02 | |
| | Inline Wall w/Power Docs, Mic ZOP3-IWM048P | d Height 48" 2180 | 2860 | 2684 | 48 | 12 | 37 | 102 | 15.5 |
| | | | | | 40 | 12 | 31 | 102 | 10.5 |
| | Inline Wall w/Power Docs, Mic | - | | | | | | | |
| | ZOP3-IWM054P | 2268 | 2948 | 2785 | 54 | 12 | 37 | 116 | 17 |
| | Inline Wall w/Power Docs, Mic | d Height 60" | | | | | | | |
| | ZOP3-IWM060P | 2356 | 3036 | 2883 | 60 | 12 | 37 | 126 | 18.75 |
| | Inline Wall Media w/Power Do | oc Full Hoight 42" | | | | | | | |
| _ | ZOP3-IWF042MP | 2316 | 3127 | 2817 | 42 | 12 | 50 | 150 | 19 |
| | | | | | | | | | |
| m l | Inline Wall Media w/Power Do | | | | 48 | 12 | 50 | 212 | 21.5 |
| | ZOP3-IWF048MP | 2404 | 3310 | 2917 | 40 | 12 | 30 | 212 | 21.5 |
| | Inline Wall Media w/Power Do | ocs, Full Height 54" | | | | | | | |
| | ZOP3-IWF054MP | 2491 | 3397 | 3015 | 54 | 12 | 50 | 135 | 24 |
| | Inline Wall Media w/Power Do | oc Full Hoight 60" | | | | | | | |
| | ZOP3-IWF060MP | 2580 | 3486 | 3116 | 60 | 12 | 50 | 147 | 26.5 |
| | | | | | | | | | |
| | Inline Wall Media w/Power Do | os Mid Hoight 40" | | | | | | | |
| _ | ZOP3-IWM042MP | 2238 | 2823 | 2730 | 42 | 12 | 37 | 92 | 13.5 |
| | | | | | | | | | |
| | Inline Wall Media w/Power Do | | | | 48 | 12 | 37 | 102 | 15.5 |
| | ZOP3-IWM048MP | 2326 | 3007 | 2830 | | | | | |
| | Inline Wall Media w/Power Do | ocs, Mid Height 54" | | | 54 | 12 | 37 | 116 | 17 |
| | ZOP3-IWM054MP | 2413 | 3093 | 2929 | * * | _ | | | - |
| | Inline Well Medie w/Dewer De | oo Mid Hoight 60" | | | 60 | 10 | 27 | 106 | 18.75 |
| | Inline Wall Media w/Power Do ZOP3-IWM060MP | 2503 | 3182 | 3030 | 60 | 12 | 37 | 126 | 10./5 |
| | | | 0.02 | | | | | | |

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

| DOOT CODE KET | | | | | |
|---------------|--------|-------------|-------------|------|---------------|
| Line | Series | Chair Type | Height | Size | Power/Media |
| ZOP | 3 | IW | F0 | 42 | N |
| Zola | Lounge | Inline Wall | Full Height | 42" | None |
| | | | MO | 48 | Р |
| | | | Mid Height | 48" | PowerDoc |
| | | | | 54 | M |
| | | | | 54" | Media |
| | | | | 60 | MP |
| | | | | co" | DawarDaa 9 Ma |

ZOLA PRIVACY | INLINE CORNER WALLS

| DESCRIPTION/N | 10DEL | THERMOFUSED LAMINATE | HIGH PRESSURE LAMINATE | CHERRY MAPLE BEECH | W | D | Н | WEIGH | T CUBE |
|---------------|---|----------------------|------------------------------|--------------------------|--------------|----------|----------|----------|----------------|
| | Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R | 1697 1697 | 2388 2388 | 2045 2045 | 26.5 26.5 | 12 12 | 50 50 | 85 85 | 14.75 14.75 |
| | Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R | 1638 1638 | 2278 2278 | 1976 1976 | 26.5 26.5 | 12 12 | 37 37 | 70 70 | 11 11 |

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

| | | Gra | ides | |
|--------------|---------|---------|------|-----|
| Option | A-White | A-Color | В | С |
| ZOP3-IWF042N | 427 | 446 | 556 | 662 |
| ZOP3-IWF048N | 478 | 500 | 622 | 745 |
| ZOP3-IWF054N | 530 | 555 | 693 | 829 |
| ZOP3-IWF060N | 555 | 607 | 761 | 913 |

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 116 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

| I HODOOT GODE KET | | | | | |
|-------------------|--------|--------------------|-------------|----------|--|
| Line | Series | Chair Type | Height | Position | |
| ZOP | 3 | ICW | F0 | L | |
| Zola | Lounge | Inline Corner Wall | Full Height | Left | |
| | | | MO | R | |
| | | | Mid Height | Right | |

ZOLA PRIVACY | INLINE TABLE WALLS

| DESCRIPTION/MO | ODEL | THERMOFUSED LAMINATE | HIGH PRESSURE LAMINATE | CHERRY MAPLE BEECH | W | D | Н | WEIGH ⁻ | Γ CUBE |
|----------------|--|---------------------------|------------------------------|--------------------------|----|------|----|--------------------|--------|
| | Inline Table Wall, Full Height 23 ZOP3-ITWF023N | 987 | 1582 | 1494 | 23 | 25.7 | 50 | 100 | 21 |
| | Inline Table Wall, Full Height 30 ZOP3-ITWF030N | 1163 | 1946 | 1684 | 30 | 25.7 | 50 | 125 | 26.5 |
| | | | | | | | | | |
| | Inline Table Wall, Mid Height 23 ZOP3-ITWM023N | 910 | 1279 | 1408 | 23 | 25.7 | 37 | 90 | 15 |
| | Inline Table Wall, Mid Height 30 ZOP3-ITWM030N | 1086 | 1643 | 1596 | 30 | 25.7 | 37 | 115 | 18.5 |
| | | | | | | | | | |
| | Inline Table Wall w/Power Docs ZOP3-ITWF023P | , Full Height 23" 1984 | 2579 | 2491 | 23 | 25.7 | 50 | 100 | 21 |
| | Inline Table Wall w/Power Docs ZOP3-ITWF030P | , Full Height 30" 2160 | 2943 | 2680 | 30 | 25.7 | 50 | 125 | 26.5 |
| | | | | | | | | | |
| | Inline Table Wall w/Power Docs ZOP3-ITWM023P | , Mid Height 23" 1906 | 2274 | 2405 | 23 | 25.7 | 37 | 90 | 15 |
| | Inline Table Wall w/Power Docs ZOP3-ITWM030P | , Mid Height 30" 2083 | 2639 | 2592 | 30 | 25.7 | 37 | 115 | 18.5 |

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

| Line | Series | Chair Type | Height | Size | Power/Media |
|------|--------|-------------------|-------------|------|-------------|
| ZOP | 3 | ITW | F0 | 23 | N |
| Zola | Lounge | Inline Table Wall | Full Height | 23" | None |
| | | | MO | 30 | Р |
| | | | Mid Height | 30" | Power |

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

| DESCRIPTION/MO | DEL | THERMOFUSED LAMINATE | HIGH PRESSURE LAMINATE | CHERRY MAPLE BEECH | W | D | ΗV | VEIGHT (| CUBE |
|----------------|--------------------------------|-------------------------|------------------------------|--------------------------|----|----|----|----------|------|
| | Inline Corner Table Wall, Full | • | | | | | | | |
| | ZOP3-ICTWF0L | 1776 | 2678 | 2178 | 28 | 28 | 50 | 140 | 31 |
| | ZOP3-ICTWF0R | 1776 | 2678 | 2178 | 28 | 28 | 50 | 140 | 31 |
| | | | | | | | | | |
| | Inline Corner Table Wall, Mid | Height | | | | | | | |
| | ZOP3-ICTWM0L | 1715 | 2566 | 2108 | 28 | 28 | 37 | 127 | 23 |
| | ZOP3-ICTWM0R | 1715 | 2566 | 2108 | 28 | 28 | 37 | 127 | 23 |
| | | | | | | | | | |

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

| ZOLA INLINE TAI | BLE WALLS SOLID SURFAC | E OVERLAY UPCHA Grade | | | | | | | |
|-----------------|------------------------------|--------------------------|----------|---------------|---------------------------|--------|---------------|-------------------|----------|
| Option | A-White | A-Color | В | С | | | | | |
| ZOP3-ITWF023N | 483 | 508 | 632 | 756 | | | | | |
| ZOP3-ITWF030N | 605 | 635 | 796 | 957 | ORDERING | NOTE | S: | | |
| ZOP3-ITWM023N | 483 | 508 | 632 | 756 | The Solid Su | | | otion is pr | iced as |
| ZOP3-ITWM030N | 605 | 635 | 796 | 957 | an upcharg | | | | |
| ZOP3-ITWF023P | 483 | 508 | 632 | 756 | Please add a | | | | |
| ZOP3-ITWF030P | 605 | 635 | 796 | 957 | number and | | | | |
| ZOP3-ITWM023P | | 508 | 632 | 756 | Zola Solid S | | • | • | |
| ZOP3-ITWM030P | 605 | 635 | 796 | 957 | thickness or | n top | of the | e existing | table, |
| ZOP3-ICTWF0 | 607 | 637 | 801 | 961 | with a 1 mm | | | | |
| ZOP3-ICTWM0 | 607 | 637 | 801 | 961 | cal edge). Pl options. | ease s | see <u>pa</u> | 1ge 116 fo | or color |
| PRODUCT CODE K | EY | | | | | | | | |
| Line | Series | Chair Type | | Height | | Pos | ition | | |
| ZOP | 3 | ICTW | | F0 | | L | - | | |
| Zola | Lounge | Inline Corner Table | Wall | Full Height | | Le | eft | | |
| | | | | M0 | | F | 3 | | |
| | | | | Mid Height | | Di/ | ght | | |
| | | | | wiid rioigiit | | | J. 1. | | |
| | | | HIGH | CHERRY | | | | | |
| | | THERMOFUSED | PRESSURE | MAPLE | | | | | |
| DESCRIPTION/M | ODEL | LAMINATE | LAMINATE | | W | D | Н | WEIGHT | CUBE |
| | Run-off Table for 48" Inline | Wall | | | | | | | |
| | ZOL4-RO48-302416 | 904 | 1279 | 1389 | 30 | 24 | 16 | 25 | 3.75 |
| | ZOL4-RO48-372416 | 954 | 1380 | 1455 | 37 | 24 | 16 | 30 | 4.5 |
| | ZOL4-RO48-532416 | 1066 | 1615 | 1603 | 53 | 24 | 16 | 40.5 | 5.75 |
| U | ZOL4-RO48-762416 | 1231 | 1953 | 1818 | 76 | 24 | 16 | 56 | 7.5 |
| | | | | | | | | | |
| | Run-off Table for 54" Inline | Wall | | | | | | | |
| | ZOL4-RO54-303016 | 957 | 1252 | 1459 | 30 | 30 | 16 | 35 | 4.25 |
| | ZOL4-RO54-373016 | 1018 | 1379 | 1540 | 37 | 30 | 16 | 41 | 5.25 |
| | ZOL4-RO54-533016 | 1163 | 1671 | 1728 | 53 | 30 | 16 | 54 | 6.75 |
| U | ZOL4-RO54-763016 | 1370 | 2092 | 1995 | 76 | 30 | 16 | 74 | 8.75 |
| | | | | | | | | | |

ZOLA | COLLECTION COMPONENTS

| DESCRIPTION/M | ODEL | | PRICE | WEIGHT | CUBE |
|----------------------------------|----------------------------|---|--|---|--------------|
| | Wood Tablet 8 ZOL3 RT1 | & Mounting Plate Only Beech Maple /Cherry | 381 405 | 5 5 | 0.32 0.32 |
| | Painted Table ZOL3 RT2 | t & Mounting Plate Only n/a | 278 | 5 | 0.32 |
| | Clear Glass Ta ZOL3 RT3 | ablet & Mounting Plate O n/a | nly 651 | 6 | 0.32 |
| | Laminate Tabl ZOL3 RT4 | let & Mounting Plate Only n/a | 397 | 5 | 0.32 |
| | ZOL3 RT5 | Tablet & Mounting Plate Grade - A-White Grade - A-Color Grade - B Grade - C | 539 547 577 624 | clude the top with mounting plate only. | |
| | Leg | | | | |
| | ZOL3 RLS | | 58 | 1 | 0.125 |
| | Caster Leg ZOL3 RLC | | 39 | 0.4 | 0.125 |
| | Dual leg ZOL3 RDL | | 100 | 1 | 0.125 |
| | Leg Glide (4) ZOL3 RLG | | 24 | 0.2 | 0.01 |
| 0000 | Replacement ZOL3 RLKB2 | Seat-to-Seat Bracket | 95 | 1 | 0.125 |
| • | NOTE: Zola N | Modular Seats are ordere | d, each seat is automatically | supplied with two seat to seat brackets | |
| | Replacement ZOL3 RLKB1 | Table-to-Seat Bracket | 114 | 3 | 0.125 |
| | ZOL3-POWER | RDOC1 - Undermount | 573 | 3 | 0.375 |
| D _m D _m GG | | | of Seats and Tables as a replac | cement part or installed on units not previous. PowerDoc's have a 10' cord. | ously spec- |
| | ZOL3-POWER | RDOC2 | 647 | 3 | 0.375 |
| D= D= B | | | ches or Square/Rectangular to B A & C outlets. PowerDoc's | ables which were originally ordered with have a 10' cord. | this power |
| | Wire Manager ZOL3 WM10 | Shroud | 120 | 1 | 0.375 |
| | ORDERING N | NOTES: Comes in a 10' I | ength when ordered. Can be o | cut to size on site. | |


ZOLA PRIVACY | COMPONENTS

| DESCRIPTION/M | ODEL PRICE | WEIGHT | CUBE |
|---------------|---|--------|-------|
| | Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67 | 2 | 0.32 |
| (I) | Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58 | 2 | 0.32 |
| | Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74 | 2 | 0.32 |
| | Back-to-Seat Linking hardware ZOP3-RLKS 169 | 3 | 0.32 |
| | Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187 | 4 | 0.32 |
| 0.00.8 | ZOP3-POWERDOC3 - Shelves only 610 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets. | 3 | 0.375 |
| | Wire Manager for Inline Media Wall ZOL3 WM 187 | 1 | 0.375 |

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
|------------------|------------------------------------|--------------|
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, | |
| | Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EINISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

| | Overall Width | Overall Depth | Overall (Seat) Height | Shipping Weight | Cubes |
|-------------------|------------------|------------------|-----------------------------|--------------------|-------|
| One-Seat | 23 | 22.25 | 18.5 | 28 | 5.2 |
| Two-seat | 46 | 22.25 | 18.5 | 48 | 9.4 |
| Three-seat | 69 | 22.25 | 18.5 | 64 | 14 |
| One-Seat (Plus) | 30 | 22.25 | 18.5 | 31 | 6.1 |
| Two-seat (Plus) | 46 | 22.25 | 18.5 | 48 | 9.4 |
| Three-seat (Plus) | 69 | 22.25 | 18.5 | 64 | 14 |

COM YARDAGES

| | COM Yardage Bench | COM Yardage 2 Benches | COM Yardage 3 Benches | COM Yardage 4 Benches | |
|-----------------|----------------------|--------------------------|--------------------------|--------------------------|--|
| One-Seat | 1.25 | 2 | 2.75 | 4 | |
| Two-seat | 1.70 | 3.5 | 4.91 | 6.6 | |
| Three-seat | 2.5 | 4.5 | 7 | 8.9 | |
| One-Seat (Plus) | 1.25 | 2.6 | 3.98 | 5.3 | |

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

| DIVIENCIONO | Overall Width | Overall Depth | Seat Height | Shipping Weight | Cubes |
|-------------------|------------------|------------------|----------------|--------------------|-------|
| One-Seat | 23 | 27 | 18.5 | 33 | 11.5 |
| Two-seat | 46 | 27 | 18.5 | 55 | 21 |
| Three-seat | 69 | 27 | 18.5 | 72 | 32 |
| One-Seat (Plus) | 30 | 27 | 18.5 | 45 | 16 |
| Two-seat (Plus) | 46 | 27 | 18.5 | 57 | 21 |
| Three-seat (Plus) | 69 | 27 | 18.5 | 75 | 32 |

COM YARDAGES

| | COM Yardage Bench | COM Yardage 2 Benches | COM Yardage 3 Benches | COM Yardage 4 Benches |
|-------------------|----------------------|--------------------------|--------------------------|--------------------------|
| One-Seat | 1.4 | 2.2 | 3.6 | 4.4 |
| Two-seat | 1.85 | 3.7 | 5.6 | 7.4 |
| Three-seat | 2.8 | 5.6 | 8.4 | 11.2 |
| One-Seat (Plus) | 1.85 | 3.7 | 5.6 | 7.4 |
| Two-seat (Plus) | 1.85 | 3.7 | 5.6 | 7.4 |
| Three-seat (Plus) | 2.8 | 5.6 | 8.4 | 11.2 |

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

| Option | \$ List | Option | \$ List |
|----------------------|---------|-----------------------------------|---------|
| Arms (Right or Left) | 77 | One-Seat standard depth seat | 47 |
| Interim Arm | 61 | Two-seat standard depth seat | 68 |
| One-Seat back | 68 | Three-seat standard depth seat | 85 |
| Two-seat back | 97 | One-Seat plus standard depth seat | 61 |
| Three-seat back | 121 | One-Seat full depth seat | 52 |
| One-Seat plus back | 78 | Two-seat full depth seat | 74 |
| · | | Three-seat full depth seat | 85 |
| | | One-Seat plus full depth seat | 67 |

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

| | | COM | | COL | FAE | BRIC GRA | DES | | LEATHER | |
|-----------------|--------------------------------|-------------|-------------|-------------|---------------|--------------|------------|------|---------|------|
| DESCRIPTION/MOD | EL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | One-Seat ZOL3 MS1S1 | 871 | 916 | 963 | 1053 | 1139 | 1227 | 1314 | 1398 | 1535 |
| | One-Seat Plus ZOL3 MSB1S1 | 1098 | 1146 | 1195 | 1289 | 1384 | 1480 | 1572 | 1668 | 1810 |
| | ORDERING NOTES: One- | Seat Plus B | Bench is 30 | O" wide. | | | | | | |
| | Two-Seat ZOL3 MS2S1 | 1218 | 1272 | 1330 | 1447 | 1566 | 1685 | 1803 | 1922 | 2118 |
| * | Two-Seat Plus ZOL3 MSB2S1 | 1297 | 1359 | 1422 | 1540 | 1662 | 1778 | 1897 | 2017 | 2214 |
| | ORDERING NOTES: The T | wo-Seat Pl | us comes | standard | with a fifth | leg for ex | tra suppor | t. | | |
| | Three-Seat ZOL3 MS3S1 | 1558 | 1638 | 1715 | 1883 | 2048 | 2214 | 2381 | 2548 | 2748 |
| | Three-Seat Plus ZOL3 MSB3S1 | 1852 | 1928 | 2010 | 2148 | 2294 | 2434 | 2579 | 2718 | 2946 |
| | ORDERING NOTES: The T | hree-Seat | Plus come | es standard | d with a fift | th leg for e | xtra supp | ort. | | |

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

| | | COM | | COL | FAE | BRIC GRA | DES | | LEATHER | ł |
|-----------------|---|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------|
| DESCRIPTION/MOD | DEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | One-Seat ZOL3 MS1F1 | 961 | 1011 | 1058 | 1121 | 1198 | 1263 | 1336 | 1431 | 1555 |
| | One-Seat Plus ZOL3 MSB1F1 | 1158 | 1222 | 1284 | 1371 | 1467 | 1557 | 1657 | 1778 | 1905 |
| | ORDERING NOTES: One | e-Seat Plus E | Bench is 30 | O" wide. | | | | | | |
| | Two-Seat ZOL3 MS2F1 | 1420 | 1482 | 1545 | 1632 | 1730 | 1817 | 1918 | 2040 | 2166 |
| | Two-Seat Plus ZOL3 MSB2F1 | 1474 | 1536 | 1597 | 1685 | 1781 | 1870 | 1968 | 2238 | 2218 |
| | ORDERING NOTES: The | Two-Seat Pl | us comes | standard | with a fifth | leg for ex | tra suppor | t. | | |
| | Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1 | 1921 1988 | 2016 2085 | 2108 2176 | 2236 2310 | 2388 2460 | 2522 2591 | 2671 2742 | 2859 2928 | 3047 |
| Ų | 2020 1110201 1 | | | | | | | | | |

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$107 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$77 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

| Line | Series | Chair Type | Seat Count | Seat Depth | Leg Type |
|------|--------------|--------------|------------|----------------|----------------|
| ZOL | 3 | MS | 1 | S | 1 |
| Zola | Soft Seating | Modular | One Seat | Standard Depth | Standard Leg & |
| | | | | | Glide |
| | | MSB | 2 | F | 2 |
| | | Modular Plus | Two Seat | Full Depth | Casters |
| | | | | | |
| | | | 3 | | 3 |
| | | | Three Seat | | 2 Legs & |
| | | | | | 2 Casters |

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

| | Overall | Overall | Seat | Seat | Shipping | | |
|-------------|---------|---------|--------|-------|----------|-------|--|
| | Width | Depth | Height | Depth | Weight | Cubes | |
| Single seat | | | | | | | |
| 30° | 34 | 24 | 18.5 | 22.5 | 48 | 18 | |
| 45° | 39 | 24.5 | 18.5 | 22.5 | 49 | 19 | |
| 60° | 43.5 | 25 | 18.5 | 22.5 | 50 | 22 | |
| 90° | 52 | 26.5 | 18.5 | 22.5 | 51 | 26 | |
| Double seat | | | | | | | |
| 30° | 55.5 | 25 | 18.5 | 22.5 | 83 | 32 | |
| 45° | 61 | 26.5 | 18.5 | 22.5 | 84 | 33 | |
| 60° | 66.5 | 28 | 18.5 | 22.5 | 86 | 39 | |
| 90° | 74 | 31 | 18.5 | 22.5 | 96 | 46 | |

COM YARDAGES

| COM Yardage | COM Yardage | COM Yardage | COM Yardage | |
|-------------|---|--|--|--|
| per Seat | 2 Seats | 3 Seats | 4 Seats | |
| | | | | |
| 1.8 | 3.6 | 5.4 | 7.2 | |
| 1.8 | 3.6 | 5.4 | 7.2 | |
| 1.8 | 3.6 | 5.4 | 7.2 | |
| 1.8 | 3.6 | 5.4 | 7.2 | |
| | | | | |
| 3.4 | 6.8 | 10.2 | 13.6 | |
| 3.4 | 6.8 | 10.2 | 13.6 | |
| 3.4 | 6.8 | 10.2 | 13.6 | |
| 3.4 | 6.8 | 10.2 | 13.6 | |
| | 1.8 1.8 1.8 1.8 3.4 3.4 3.4 | per Seat 2 Seats 1.8 3.6 1.8 3.6 1.8 3.6 1.8 3.6 3.4 6.8 3.4 6.8 3.4 6.8 3.4 6.8 3.4 6.8 | per Seat 2 Seats 3 Seats 1.8 3.6 5.4 1.8 3.6 5.4 1.8 3.6 5.4 1.8 3.6 5.4 3.4 6.8 10.2 3.4 6.8 10.2 3.4 6.8 10.2 3.4 6.8 10.2 | per Seat 2 Seats 3 Seats 4 Seats 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6 |


SINGLE SEAT




30° Curve



45° Curve




60° Curve





90° Curve


DOUBLE SEAT



30° Curve







UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

| Option | \$ List | Option | \$ List |
|----------------------------|---------|----------------------------|---------|
| Single-seat curve 30° seat | 61 | Double-seat curve 30° seat | 93 |
| Single-seat curve 45° seat | 64 | Double-seat curve 45° seat | 101 |
| Single-seat curve 60° seat | 86 | Double-seat curve 60° seat | 123 |
| Single-seat curve 90° seat | 113 | Double-seat curve 90° seat | 126 |

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

| | Overall | Overall | Seat | Seat | Shipping | | |
|-------------|---------|---------|--------|-------|----------|-------|--|
| | Width | Depth | Height | Depth | Weight | Cubes | |
| Single seat | | | | | | | |
| 30° | 36 | 28.5 | 18.5 | 27 | 50 | 23 | |
| 45° | 42 | 28.5 | 18.5 | 27 | 54 | 24 | |
| 60° | 48 | 29 | 18.5 | 27 | 57 | 29 | |
| 90° | 59 | 31 | 18.5 | 27 | 69 | 34 | |
| Double seat | | | | | | | |
| 30° | 58 | 30 | 18.5 | 27 | 90 | 36 | |
| 45° | 64 | 31 | 18.5 | 27 | 97.2 | 40 | |
| 60° | 70 | 33 | 18.5 | 27 | 102.6 | 45 | |
| 90° | 81 | 36 | 18.5 | 27 | 124.2 | 56 | |

COM Yardages

| COM Yardage COM Yardage 2 Entire Units 3 Entire Units Single seat 30° 1.94 3.88 5.82 | |
|--|---------------------|
| Single seat | nits 4 Entire Units |
| | |
| 30° 1 94 3 88 5 82 | |
| 0.00 0.02 | 7.76 |
| 45° 1.94 3.88 5.82 | 7.76 |
| 60° 1.94 3.88 5.82 | 7.76 |
| 90° 1.94 3.88 5.82 | 7.76 |
| Double seat | |
| 30° 3.7 7.4 11.1 | 14.8 |
| 45° 3.7 7.4 11.1 | 14.8 |
| 60° 3.7 7.4 11.1 | 14.8 |
| 90° 3.7 7.4 11.1 | 14.8 |

SINGLE SEAT




30° Curve




45° Curve



60° Curve




DOUBLE SEAT








45° Curve



60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

| Option | \$ List | Option | \$ List |
|----------------------------|---------|----------------------------|---------|
| Single-seat curve 30° seat | 61 | Double-seat curve 30° seat | 93 |
| Single-seat curve 45° seat | 64 | Double-seat curve 45° seat | 101 |
| Single-seat curve 60° seat | 86 | Double-seat curve 60° seat | 123 |
| Single-seat curve 90° seat | 113 | Double-seat curve 90° seat | 126 |

| | | COM | | COL | FAI | BRIC GRA | DES | | LEATHE | R |
|-----------------|--|--------------------|-------------|------|------|----------|------|------|--------|------|
| DESCRIPTION/MOD | EL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Single-Seat, 30° Curve, Sta ZOL3 MCS30DS1 | andard Dep 1251 | oth 1361 | 1478 | 1634 | 1813 | 1970 | 2149 | 2378 | 2602 |
| | Single-Seat, 45° Curve, Sta ZOL3 MCS45DS1 | andard Dep 1361 | oth 1528 | 1691 | 1922 | 2186 | 2415 | 2678 | 3008 | 3336 |
| | Single-Seat, 60° Curve, Sta ZOL3 MCS60DS1 | andard Dep 1539 | oth 1705 | 1869 | 2100 | 2360 | 2591 | 2854 | 3184 | 3513 |
| | Single-Seat, 90° Curve, Sta ZOL3 MCS90DS1 | andard Dep 1776 | oth 1956 | 2136 | 2390 | 2681 | 2934 | 3222 | 3587 | 3949 |
| | Single-Seat, 30° Curve, Ful ZOL3 MCS30DF1 | II Depth 1376 | 1499 | 1623 | 1797 | 1995 | 2168 | 2368 | 2613 | 2861 |
| | Single-Seat, 45° Curve, Ful ZOL3 MCS45DF1 | ll Depth 1501 | 1680 | 1861 | 2113 | 2405 | 2657 | 2946 | 3307 | 3669 |
| | Single-Seat, 60° Curve, Ful ZOL3 MCS60DF1 | ll Depth 1693 | 1875 | 2056 | 2308 | 2596 | 2851 | 3138 | 3501 | 3864 |
| | Single-Seat, 90° Curve, Ful ZOL3 MCS90DF1 | Il Depth 1954 | 2149 | 2352 | 2631 | 2948 | 3229 | 3545 | 3946 | 4343 |

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

| HODOCI CODE K | | OL : T | 0 10 1 | 0 10 | 0 1 5 11 | |
|---------------|-------------------|------------------------|------------|-----------------------------|---------------|---------------------------|
| Line | Series | Chair Type | Seat Count | Seat Degree | Seat Depth | Leg Type |
| ZOL Zola | 3 Soft Seating | MC Modular | S Single | 30D 30 Degree | S Standard | 1 Standard Leg + Glide |
| | | MCB Modular Plus | D Double | 45D 45 Degree 60D 60 Degree | F Full | |
| | | | | 90D 90 Degree | | |

| | | COM | | COL | FAE | BRIC GRAI | DES | | LEATHER | |
|-----------------|---|---------------------|-------------|------|------|-----------|------|------|---------|------|
| DESCRIPTION/MOD | EL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 30° Curve, St | tandard Der | oth | | | | | | | |
| | ZOL3 MCD30DS1 | 2190 | 2385 | 2584 | 2858 | 3173 | 3452 | 3766 | 4160 | 4555 |
| | Double-Seat, 45° Curve, Si | tandard Dar | ath. | | | | | | | |
| | ZOL3 MCD45DS1 | 2385 | 2672 | 2959 | 3363 | 3820 | 4223 | 4684 | 5259 | 5834 |
| | Double-Seat, 60° Curve, Si ZOL3 MCD60DS1 | tandard Der 2694 | oth 2983 | 3269 | 3671 | 4131 | 4533 | 4994 | 5569 | 6142 |
| | | | | | | | | | | |
| | Double-Seat, 90° Curve, St ZOL3 MCD90DS1 | tandard Dep 3105 | oth 3424 | 3740 | 4184 | 4691 | 5135 | 5640 | 6273 | 6909 |

Upcharge for Removable Upholstery Covers:

| Option | \$ List |
|----------------------------|---------|
| Double-seat curve 30° seat | 93 |
| Double-seat curve 45° seat | 101 |
| Double-seat curve 60° seat | 123 |
| Double-seat curve 90° seat | 127 |

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

| PRODUCT CODE K | - 1 | | | | | |
|----------------|-------------------|------------------------|------------|--------------------------------------|---------------|---------------------------|
| Line | Series | Chair Type | Seat Count | Seat Degree | Seat Depth | Leg Type |
| ZOL Zola | 3 Soft Seating | MC Modular | S Single | 30D 30 Degree | S Standard | 1 Standard Leg + Glide |
| | | MCB Modular Plus | D Double | 45D 45 Degree 60D 60 Degree | F Full | |
| | | | | 90D 90 Degree | | |

| | | COM | | COL | FAI | BRIC GRA | DES | | LEATHER | ₹ |
|-----------------|---|------------------|------|------|------|----------|------|------|---------|------|
| DESCRIPTION/MOD | EL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | Double-Seat, 30° Curve, Fu ZOL3 MCD30DF1 | II Depth 2516 | 2742 | 2969 | 3287 | 3648 | 3966 | 4331 | 4784 | 5236 |
| | Double-Seat, 45° Curve, Fu ZOL3 MCD45DF1 | Il Depth 2742 | 3073 | 3403 | 3866 | 4395 | 4859 | 5388 | 6048 | 6709 |
| | Double-Seat, 60° Curve, Fu ZOL3 MCD60DF1 | II Depth 3099 | 3429 | 3760 | 4221 | 4752 | 5214 | 5742 | 6405 | 7066 |
| | Double-Seat, 90° Curve, Fu ZOL3 MCD90DF1 | Il Depth 3573 | 3935 | 4297 | 4812 | 5393 | 5904 | 6486 | 7215 | 7945 |

Upcharge for Removable Upholstery Covers:

| Option | \$ List |
|----------------------------|---------|
| Double-seat curve 30° seat | 93 |
| Double-seat curve 45° seat | 101 |
| Double-seat curve 60° seat | 123 |
| Double-seat curve 90° seat | 127 |

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

| Line | Series | Chair Type | Seat Count | Seat Degree | Seat Depth | Leg Type |
|-------------|-------------------|------------------------|------------|--------------------------------------|---------------|---------------------------|
| ZOL Zola | 3 Soft Seating | MC Modular | S Single | 30D 30 Degree | S Standard | 1 Standard Leg + Glide |
| | | MCB Modular Plus | D Double | 45D 45 Degree 60D 60 Degree | F Full | |
| | | | | 90D 90 Degree | | |

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

| DESCRIPTION | MODEL | COM 1 | 2 | COL 3 | FAE 4 | BRIC GF 5 | RADES 6 | 1 7 | LEATHE 8 | | COM YARDAGE | WEIGHT | CUBE |
|-------------|---|--|--------------------------------------|---|---|--------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------|-----------------------------|
| | Replacement Back Sin ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D | ngle-sea 1168 1355 1647 1841 | 1247 1443 | 1330 1533 1893 | 1443 1659 2064 2272 | 1569 1801 2257 2476 | 1686 1924 2431 2652 | 1815 2066 2628 2854 | 1977 2244 2870 3109 | 2136 2423 3113 3363 | 1.9 2.6 2.6 2.8 | 20 22 23 28 | 8 8 10 11 |
| | Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D | 2042 2369 2884 3220 | 2185 | 2324 2681 3313 | 2524 2898 3610 3975 | 2747 3147 3954 4331 | 2947 3367 4252 4641 | 3172 3617 4595 4995 | 3456 3929 5022 5440 | 3739 4239 5448 5884 | 2.8 3 4.8 4.8 | 38 42 43 52.5 | 13 13.5 16 18 |
| | Replacement Back Sir ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D | - | 1122 1298 1593 | | /e 1298 1492 1858 2045 | 1415 1620 2033 2228 | 1515 1732 2190 2386 | 1633 1861 2361 2569 | 1778 2020 2584 2798 | 1923 2182 2803 3028 | 1.7 1.7 1.7 1.7 | 15 17 20 25 | 5.0 7.0 9.0 9.0 |
| | Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D | 1839 2133 2596 2898 | 1965 2272 2789 | 2092 2412 | 2271 2610 3249 3578 | 2473 2833 3559 3896 | 2652 3030 3827 4177 | 2857 3252 4133 4498 | 3111 3535 4520 4897 | 3366 3816 4903 5295 | 3.1 3.1 3.1 3.1 | 30 34 35 40 | 9.0 11.0 14.0 14.0 |
| | Replacement Seat Sir ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS | | 1258 1421 | 1372 1443 1765 | 1529 1816 1993 | | 1866 2312 2487 2794 | 2046 2570 2747 3082 | 2272 2902 3077 3446 | 2496 3231 3408 3809 | 1.8 1.8 1.8 1.8 | 30 32 34 41 | 11 12 13 16 |
| | Replacement Seat Do ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS | uble-sea 2084 2280 2589 2966 | 2280 2567 2878 | dard De 2478 2854 3163 3602 | epth Cu 2751 3257 3565 4042 | 3069 | 3344 4118 4427 4994 | 3662 4579 4888 5502 | 4057 5605 5464 6136 | 4449 5727 6039 6767 | 3.4 3.4 3.4 3.4 | 52.2 56 60 72 | 19.5 21 23 28 |
| | Replacement Seat Sir ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF | 1270 1394 1589 | | 1518 1755 1951 | 1691 2010 | 1890 2298 2492 2807 | 2063 2552 2744 3090 | 2263 2839 3035 3405 | 2507 3202 3397 3804 | 2757 3563 3759 4205 | 1.94 1.94 1.94 1.94 | 36 39 41 49 | 13.5 14.5 15.5 19 |
| | Replacement Seat Do ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF | 2410 2637 2992 | 2637 2968 3322 | Depth C 2863 3297 3654 4160 | 3182 3761 4116 | | 4754 5109 | 4223 5281 5636 6347 | 4678 5941 6297 7074 | 5131 6603 6960 7806 | 3.7 3.7 3.7 3.7 | 63 69 72 86 | 24 25.5 27 33.5 |
| | Replacement Seat Co ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS | S 223 S 229 S 265 | le-seat 279 286 321 345 | Standa 337 344 380 404 | 416 424 458 483 | th Curv 510 516 552 573 | 590 597 632 655 | 680 689 725 746 | 796 805 840 864 | 912 917 955 978 | 1.8 1.8 1.8 1.8 | 2.5 3.1 3.7 4.3 | 1 1 1.5 1.5 |
| | Replacement Seat Co ZOL3 RMCBSCD30D3 ZOL3 RMCBSCD45D3 ZOL3 RMCBSCD60D3 ZOL3 RMCBSCD90D3 | 388 394 446 | 501e-sea 494 507 556 571 | 603 614 664 679 | 757 765 815 | pth Cur 930 939 988 1008 | 1083 1090 1140 | 1257 1265 1314 1333 | 1474 1482 1533 1551 | 1691 1698 1748 1768 | 3.4 3.4 3.4 3.4 | 4.8 5.9 7.0 8.2 | 1.5 1.5 2.5 2.5 |

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS


| | | COM | | COL | FABF | RIC GRA | ADES | L | _EATHE | R | COM | | |
|-------------|--|---------|-------------------|-------------------|-------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|-------------------|-------------------|
| DESCRIPTION | MODEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | YARDAGE | WEIGHT | CUBE |
| | Replacement Seat Co | er Sing | le-seat | Full De | pth Cu | ırve | | | | | | | |
| | ZOL3 RMCBSCS30DF | 246 | 312 | 380 | 470 | 571 | 665 | 768 | 898 | 1030 | 1.94 | 2.9 | 1 |
| | ZOL3 RMCBSCS45DF | 256 | 320 | 386 | 478 | 582 | 672 | 778 | 906 | 1036 | 1.94 | 3.6 | 1 |
| | ZOL3 RMCBSCS60DF | 295 | 359 | 424 | 515 | 620 | 710 | 812 | 943 | 1073 | 1.94 | 4.3 | 1.5 |
| | ZOL3 RMCBSCS90DF | 313 | 380 | 444 | 536 | 640 | 730 | 835 | 962 | 1094 | 1.94 | 4.9 | 1.5 |
| | Replacement Seat Co ZOL3 RMCBSCD30DF | 433 | 557 | 680 | 853 | 1054 | 1228 | 1423 | | 1922 | 3.7 | 5.5 | 1.5 |
| | ZOL3 RMCBSCD45DF ZOL3 RMCBSCD60DF ZOL3 RMCBSCD90DF | 493 | 565 619 654 | 689 743 778 | 865 915 952 | 1062 1116 1147 | 1236 1289 1320 | 1434 1487 1522 | 1683 1735 1771 | 1929 1984 2017 | 3.7 3.7 3.7 | 6.8 8.1 9.4 | 1.5 2.5 2.5 |

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 2.78%

POST-CONSUMER RECYCLED CONTENT = 9.71%

Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.

CONTRIBUTES TO

| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
|------------------|------------------------------------|--------------|
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, | |
| | Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-FMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.



INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows One Seat - 300lbs Two Seat - 525 Three Seat - 750

One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150



LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.


ADDITIONAL FEATURES

- Lifetime warranty
- Certified to meet CAL 117 with most fabrics



SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.




ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.

SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.




RESTRICTED ACCESS

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery. This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and restricted access to the interior of the chair



ZOLA BEHAVIORAL HEALTH | OPTIONS



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



TABLES

A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

| | | | | | Height of | Width | | | |
|-----------------|---------|---------|---------|--------|-----------|---------|-------|----------|-------|
| | Overall | Overall | Overall | Seat | Arms From | Between | Seat | Shipping | |
| | Width | Depth | Height | Height | Floor | Arms | Depth | Weight | Cubes |
| One-Seat | 29.25 | 27 | 34 | 18.5 | 26.75 | 23 | 19.25 | 67 | 21.5 |
| Two-seat | 52.25 | 27 | 34 | 18.5 | 26.75 | 46 | 19.25 | 90 | 38 |
| Three-seat | 75.25 | 27 | 34 | 18.5 | 26.75 | 69 | 19.25 | 116 | 54.5 |
| One-Seat (Plus) | 36.25 | 27 | 34 | 18.5 | 26.75 | 30 | 19.25 | 72 | 22.6 |

COM YARDAGES (Lounge Product Only Available with Arms)

| | COM Entire Unit | COM 2 Entire Units | COM 3 Entire Units | COM 4 Entire Units |
|-----------------|-----------------------|--------------------------|--------------------------|--------------------------|
| One-Seat | 4.5 | 8.25 | 13 | 16.5 |
| Two-seat | 6 | 12 | 17.5 | 23.7 |
| Three-seat | 7.6 | 14.25 | 20.5 | 30 |
| One-Seat (Plus) | 5 | 10 | 15 | 20 |

COM YARDAGES (Individual Components)

| | COM Yardage Per Seat | COM Yardage Per 2 Seats | COM Yardage Per 3 Seats | COM Yardage Per 4 Seats | COM Yardage Per Back | COM Yardage Per 2 Backs | COM Yardage Per 3 Backs |
|-----------------|----------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------------|-------------------------------|-------------------------------|
| One-Seat | 1.25 | 2.1 | 3.35 | 4.2 | 1.75 | 2.75 | 3.5 |
| Two-seat | 1.75 | 3.4 | 5.1 | 6.5 | 2.5 | 4.54 | 6.08 |
| Three-seat | 2.5 | 4.6 | 7 | 9 | 3.5 | 6.25 | 9 |
| One-Seat (Plus) | 1.25 | 2.5 | 3.75 | 5 | 1.75 | 3.5 | 5.25 |

COM YARDAGES (Individual Components cont'd)

| | COM Yardage Per 4 Backs | COM Yardage Per Arm | COM Yardage Per 2 Arms | COM Yardage Per 3 Arms | COM Yardage Per 4 Arms |
|-----------------|-------------------------------|---------------------------|------------------------------|------------------------------|------------------------------|
| One-Seat | 5.25 | 1.75 | 2.4 | 3.3 | 4.2 |
| Two-seat | 8.5 | 1.75 | 2.4 | 3.3 | 4.2 |
| Three-seat | 12.5 | 1.75 | 2.4 | 3.3 | 4.2 |
| One-Seat (Plus) | 7 | 1.75 | 2.4 | 3.3 | 4.2 |

Upcharge for Removable Upholstery Covers:

| Option Upcharge | \$ List | Option Upcharge | \$ List |
|----------------------|---------|--------------------|---------|
| Arms (Right or Left) | 77 | One-Seat seat | 47 |
| One-Seat back | 68 | Two-seat seat | 68 |
| Two-seat back | 97 | Three-seat seat | 85 |
| Three-seat back | 121 | One-Seat plus seat | 61 |
| One-Seat plus back | 77 | · | |
| | | | |

| Zola Behavioral Health Option Upcharges | \$ List |
|--|---------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Floor Anchoring Hardware | 94 |
| One-Seat Metal Bottom Shield (to min 80lbs) | 115 |
| One-Seat Plus Metal Bottom Shield (to min 80lbs) | 134 |
| Two-seat Metal Bottom Shield (to min 80lbs) | 170 |
| Three-seat Metal Bottom Shield (to min 80lbs) | 242 |
| Urethane Arm Caps (pair) | 242 |

ZOLA BEHAVIORAL HEALTH | LOUNGE

| DESCRIPTION | MODEL | COM 1 | 2 | COL 3 | FAE 4 | BRIC GRAI 5 | DES 6 | 7 | LEATHER 8 | 9 |
|---|--|---|--------------------------------|----------|----------------------|----------------|----------|------|--------------|----|
| | One-Seat ZOL3 BHF1221 | 2661 | 2814 | 2967 | 3219 | 3478 | 3730 | 3991 | 4098 | 46 |
| | Two-Seat ZOL3 BHF2221 | 3802 | 3984 | 4160 | 4425 | 4702 | 4970 | 5246 | 5532 | 59 |
| | Three-Seat ZOL3 BHF3221 | 5049 | 5302 | 5556 | 6048 | 6541 | 7032 | 7527 | 8036 | 88 |
| | | | | | | | | | | |
| Upcharge for Removab | | | charge | \$ | List | | | | | |
| Option Upcharge | ole Upholstery Cover \$ List 77 | rs: Option Upo | | \$ | 6 List 47 | | | | | |
| | \$ List | Option Upo | eat | \$ | | | | | | |
| Option Upcharge Arms (Right or Left) | \$ List 77 | Option Upo | eat eat | \$ | 47 | | | | | |
| Option Upcharge Arms (Right or Left) One-Seat back | \$ List 77 68 | Option Upo One-Seat se Two-seat se | eat eat seat | \$ | 47 68 | | | | | |
| Option Upcharge Arms (Right or Left) One-Seat back Two-seat back | \$ List 77 68 97 121 77 | Option Upo One-Seat se Two-seat se Three-seat s | eat eat seat | \$ | 47 68 85 | | | | | |
| Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back | \$ List 77 68 97 121 77 Option Upcharges ier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) - dual fabrics | Option Upo One-Seat se Two-seat se Three-seat s One-Seat pl \$ List 64 94 115 0lbs) 134 170 | eat eat seat | \$ | 47 68 85 | | | | | |
| Option Upcharge Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health C CAL 133 & Moisture Barr Floor Anchoring Hardwar One-Seat Metal Bottom S One-Seat Plus Metal Bottom Two-seat Metal Bottom Urethane Arm Caps (pair) Combination Upholstery | \$ List 77 68 97 121 77 Option Upcharges ier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) - dual fabrics | Option Upo One-Seat se Two-seat se Three-seat s One-Seat pl \$ List 64 94 115 0lbs) 134 170 242 242 33 | eat eat seat | \$ | 47 68 85 | | | | | |
| Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health C CAL 133 & Moisture Barr Floor Anchoring Hardwar One-Seat Metal Bottom S One-Seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair) Combination Upholstery Combination Upholstery | \$ List 77 68 97 121 77 Option Upcharges ier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) - dual fabrics -Three fabrics | Option Upo One-Seat se Two-seat se Three-seat s One-Seat pl \$ List 64 94 115 0lbs) 134 170 242 242 33 | eat eat seat | | 47 68 85 | ype | Arm Ty | ре | Leg Typ | е |
| Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back Zola Behavioral Health C CAL 133 & Moisture Barr Floor Anchoring Hardwar One-Seat Metal Bottom S One-Seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair) Combination Upholstery Combination Upholstery | \$ List 77 68 97 121 77 Option Upcharges ier (per yard) re Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs) - dual fabrics -Three fabrics | Option Upo One-Seat se Two-seat se Three-seat s One-Seat pl \$ List 64 94 115 0lbs) 134 170 242 242 33 64 | eat eat seat lus seat | | 47 68 85 61 | · iype | Arm Tyl | pe | Leg Typ | e |

| Option Upcharge | \$ List | Option Upcharge | \$ List |
|----------------------|---------|--------------------|---------|
| Arms (Right or Left) | 77 | One-Seat seat | 47 |
| One-Seat back | 68 | Two-seat seat | 68 |
| Two-seat back | 97 | Three-seat seat | 85 |
| Three-seat back | 121 | One-Seat plus seat | 61 |
| One-Seat plus back | 77 | | |


| Zola Behavioral Health Option Upcharges | \$ List |
|--|---------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Floor Anchoring Hardware | 94 |
| One-Seat Metal Bottom Shield (to min 80lbs) | 115 |
| One-Seat Plus Metal Bottom Shield (to min 80lbs) | 134 |
| Two-seat Metal Bottom Shield (to min 80lbs) | 170 |
| Three-seat Metal Bottom Shield (to min 80lbs) | 242 |
| Urethane Arm Caps (pair) | 242 |
| Combination Upholstery - dual fabrics | 33 |
| Combination Upholstery -Three fabrics | 64 |

| Line | Series | Chair Type | Seat Count | Back Type | Arm Type | Leg Type |
|-------------|----------------------|----------------------|-----------------|-----------------------------------|-----------------------------------|----------------|
| ZOL Zola | 3-BH Soft Seating | Freestanding | 1 One Seat | 2 Upholstered Back - no gap | 2 Upholstered Arms - no gap | 1 3" Runner |
| | | FB Freestanding Plus | 2 Two Seat | васк - по дар | Amis - no gap | |
| | | | 3 Three Seat | | | |

2


ZOLA BEHAVIORAL HEALTH | PLUS LOUNGE

| DESCRIPTION | MODEL | COM 1 | 2 | COL 3 | FAE | BRIC GRAI 5 | DES 6 | 7 | LEATHER 8 | R 9 |
|-------------|--------------------------------|----------|------|----------|------|----------------|----------|------|--------------|--------|
| | One-Seat Plus ZOL3 BHFB1221 | 2951 | 3100 | 3255 | 3508 | 3764 | 4020 | 4277 | 4551 | 4917 |
| | Two-Seat Plus ZOL3 BHFB2221 | 3886 | 4074 | 4246 | 4515 | 4790 | 5056 | 5332 | 5622 | 6036 |



ORDERING NOTE: The Two-Seat Plus comes standard with center support.

Three-Seat Plus ZOL3 BHFB3221 5150 5406 5657 6151 6644 7133 7631 8140 896



| Zola Behavioral Health Option Upcharges | \$ List |
|--|---------|
| CAL 133 & Moisture Barrier (per yard) | 64 |
| Floor Anchoring Hardware | 94 |
| One-Seat Metal Bottom Shield (to min 80lbs) | 115 |
| One-Seat Plus Metal Bottom Shield (to min 80lbs) | 134 |
| Two-seat Metal Bottom Shield (to min 80lbs) | 170 |
| Three-seat Metal Bottom Shield (to min 80lbs) | 242 |
| Urethane Arm Caps (pair) | 242 |
| Combination Upholstery - dual fabrics | 33 |
| Combination Upholstery -Three fabrics | 64 |

ZOLA BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

| Description | Model | Price | Weight | Cube |
|-------------|-----------------------------|---------------------|--------|------|
| | Replacement Arr ZOL3RBCS | n Panel Base 169 | 6 | .5 |



Replacement Floor Mounting Bracket (set of 4) ZOL3RFMB 113

| DOO! GODE!! | | | | | | |
|-------------|--------|-----------------|---------------|------------------|------------------|----------------|
| Line | Series | Chair Type | Seat Count | Back Type | Arm Type | Leg Type |
| ZOL Zola | | F Freestanding | 1 One Seat | 2 Upholstered | 2 Upholstered | 1 3" Runner |
| | | | | Back - no gap | Arms - no gap | |
| | | FB Freestanding | 2 Two Seat | | | |
| | | Plus | 3 | | | |
| | | | | | | |
| | | | Three Seat | | | |

ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES


| Square Tables ZOL4-BH181818 1390 1351 1109 1318 1356 1374 1411 ZOL4-BH242418 1779 1756 1403 1673 1728 1743 1795 Rectangular Tables ZOL4-BH241818 1604 1573 1254 1512 1558 1569 1618 ZOL4-BH241818 2696 2642 2155 2515 2593 2611 2692 Round Tables ZOL4-BH482418 2696 2642 2155 2515 2593 2611 2692 Round Tables ZOL4-BH3018 1199 1245 1276 1109 1228 1237 1355 ZOL4-BH3018 1465 1522 1612 1377 1506 1458 1588 ZOL4-BH24018 1465 1522 1612 1377 1506 1458 1588 ZOL4-BH30018 2838 2719 2996 2745 2705 2851 2808 Zola Behavioral Health Option Upcharges SList Floor Anchoring Hardware 91 COL4-BH181818 - Weighting to min 80lbs 239 ZOL4-BH241818 - Weighting to min 80lbs 129 ZOL4-BH32018 Weighting to min 80lbs 129 ZOL4-BH32018 Weighting to min 80lbs 388 ZOL4-BH32018 Weighting to min 80lbs 388 | Description | Model | Maple Palette | Beech | Laminate side Laminate top PVC edge | Wood side Laminate top w/ PVC edge Maple | Wood side Laminate top w/ PVC edge Beech | Wood side Laminate top w/ Wood edge Maple | Wood side Laminate top Wood edg Beech |
|---|--|---------------------------------|------------------|----------------|---|---|---|--|--|
| Round Tables 1199 1245 1276 1109 1228 1237 1355 20L4-BH24D18 1465 1522 1612 1377 1506 1458 1588 1588 20L4-BH30D18 2838 2719 2996 2745 2705 2851 2808 | | ZOL4-BH181818 | | | | | | | |
| Round Tables ZOL4-BH18D18 1199 1245 1276 1109 1228 1237 1355 ZOL4-BH24D18 1465 1522 1612 1377 1506 1458 1588 ZOL4-BH30D18 2838 2719 2996 2745 2705 2851 2808 ZOL4-BH30D18 2838 2719 2996 2745 2705 2851 2808 ZOL4-BH3818 - Weighting to min 80lbs 239 ZOL4-BH242418 - Weighting to min 80lbs 129 ZOL4-BH241818 - Weighting to min 80lbs 129 ZOL4-BH3818 - Standard exceeds 80lbs n/a ZOL4-BH3818 - Standard exceeds 80lbs n/a ZOL4-BH3818 - Weighting to min 80lbs 129 ZOL4-BH482418 - standard exceeds 80lbs n/a ZOL4-BH3818 - Weighting to min 80lbs 129 ZOL4-BH482418 - standard exceeds 80lbs n/a ZOL4-BH3818 - Weighting to min 80lbs 129 ZOL4-BH482418 - standard exceeds 80lbs n/a ZOL4-BH3818 - Weighting to min 80lbs 129 ZOL4-BH482418 - standard exceeds 80lbs n/a ZOL4-BH482418 - Standard exceeds 80lbs n/a ZOL4-BH3818 - Weighting to min 80lbs 129 ZOL4-BH482418 - Standard exceeds 80lbs n/a ZOL4-BH482418 - Standard exceeds 80lbs n/a ZOL4-BH482418 - ZOL4-B | | ZOL4-BH241818 | 1604 | | | | | | |
| Floor Anchoring Hardware 91 ZOL4-BH181818 - Weighting to min 80lbs 348 ZOL4-BH242418 - Weighting to min 80lbs 239 ZOL4-BH241818 - Weighting to min 80lbs 129 ZOL4-BH482418 - standard exceeds 80lbs n/a | | ZOL4-BH18D18 ZOL4-BH24D18 | 1465 | 1522 | 1612 | 1377 | 1506 | 1458 | 1588 |
| ZOL4-BH241818 - Weighting to min 80lbs ZOL4-BH482418 - standard exceeds 80lbs n/a | Floor Anchoring Harabeth ZOL4-BH181818 - | ardware - Weighting to min 8 | 30lbs | 91 348 | | | | | |
| | ZOL4-BH482418 - | - standard exceeds | 80lbs | | | | | | |
| | TABLE DIMEN | NSIONS | | | | | | • | Cube |
| TABLE DIMENSIONS Weight with Weight Solid Surface top Cube | Model | | | | D | Н | | · | |
| TABLE DIMENSIONS Weight with Weight Solid Surface top Cube | Square Tables | | | 18 24 | | | 39 64 | 48 80 | 4.0 5.2 |
| TABLE DIMENSIONS Weight with Weight Solid Surface top Cube Model W D H Weight Solid Surface top Cube Square Tables ZOL4-BH181818 ZOL4-BH242418 18 18 39 48 4.0 ZOL4-BH242418 24 18 18 64 80 5.2 | Rectangular Table | | | 24 48 | | | 51 123 | 63 156 | 6.9 13.5 |
| Model | Round Tables | ZOL4-BH18D1 ZOL4-BH24D1 | 8 | 18 24 30 | - 1 | 8 8 8 | 30 49 77 | 38 62 98 | 4.0 6.9 |

| | | | | | | Weight with | |
|--------------------|--------------------------------|----|----|----|--------|-------------------|------|
| Model | | W | D | Н | Weight | Solid Surface top | Cube |
| Owner Table | 701 4 DUI404040 | 18 | 18 | 18 | 39 | 48 | 4.0 |
| Square Tables | ZOL4-BH181818 ZOL4-BH242418 | 24 | 18 | 18 | 64 | 80 | 5.2 |
| Rectangular Tables | ZOL4-BH241818 | 24 | 24 | 18 | 51 | 63 | 6.9 |
| 9 | ZOL4-BH482418 | 48 | 24 | 18 | 123 | 156 | 13.5 |
| Round Tables | ZOL4-BH18D18 | 18 | - | 18 | 30 | 38 | 4.0 |
| riodria rabics | ZOL4-BH24D18 | 24 | - | 18 | 49 | 62 | 6.9 |
| | ZOL4-BH30D18 | 30 | - | 18 | 77 | 98 | 10.6 |

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
|------------------|---------------------------------------|--------------|
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.2 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, | |
| | Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See <u>page</u> 83 for pricing.

ZOLA | MODULAR LINKING TABLES

| DESCRIPTION | MODEL | BEECH PALETTE LAMINATE | MAPLE CHERRY | LAMINATE TOP W/BEECH SIDES | LAMINATE TOP W/ MAPLE/CHERRY SIDES | W | D | Н | WEIGHT | CUBE |
|---------------|--|------------------------------|-----------------|----------------------------------|--|----|------|-------|--------|------|
| $\overline{}$ | Middle Linking Modu | ılar Table | | | | | | | | |
| | ZOL4 LKM12 | 988 | 1036 | 1088 | 1140 | 12 | 16 | _ | 22 | 2.8 |
| • | ZOL4 LKM18 | 1044 | 1098 | 1147 | 1209 | 18 | 16 | _ | 24 | 4.5 |
| | ZOL4 LKM24 | 1074 | 1155 | 1181 | 1270 | 24 | 16 | - | 29 | 5.7 |
| | ORDERING NOTE: | Middle Linkin | g Modular Ta | ble ships with 2 K | B1 brackets. | | | | | |
| | Rectangular End Tab | le Square Co | rner | | | | | | | |
| | ZOL4 LKE12 | 1053 | 1108 | 1158 | 1218 | 12 | 16 | 14.75 | 5 19 | 2.8 |
| | ZOL4 LKE18 | 1098 | 1155 | 1209 | 1270 | 18 | 16 | 14.75 | 5 23 | 4.5 |
| | ZOL4 LKE24 | 1146 | 1202 | 1263 | 1323 | 24 | 16 | 14.75 | 5 28 | 5.7 |
| · | ORDERING NOTE: | End Linking N | Modular Table | ships with 1 KB1 | bracket. | | | | | |
| | End Table Rounded | Corner | | | | | | | | |
| \leftarrow | ZOL4 ECLKH12 | 1199 | 1246 | 1232 | 1284 | 12 | 12 | 14.75 | 5 18 | 2.5 |
| | ZOL4 ECLKH18 | 1295 | 1347 | 1342 | 1395 | 18 | 12 | 14.75 | 5 24 | 3 |
| Ų · | ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket. | | | | | | | | | |
| | Curvilinear 30° Table ZOL4 LKC30 | 1019 | 1074 | 1122 | 1181 | 16 | 16.5 | - | 15 | 2.3 |
| | Curvilinear 45° Table ZOL4 LKC45 | 1098 | 1155 | 1209 | 1270 | 16 | 17 | - | 17 | 2.9 |

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

| A-White | Grades A-Color | В | С |
|---------|---|--|---|
| | | | |
| 218 | 229 | 260 | 295 |
| 269 | 286 | 332 | 383 |
| 381 | 406 | 522 | 621 |
| 218 | 229 | 260 | 295 |
| 269 | 286 | 332 | 383 |
| 381 | 406 | 522 | 621 |
| 218 | 229 | 260 | 295 |
| 269 | 286 | 332 | 383 |
| 246 | 260 | 299 | 340 |
| 308 | 328 | 384 | 446 |
| | 218 269 381 218 269 381 218 269 246 | A-White A-Color 218 229 269 286 381 406 218 229 269 286 381 406 218 229 269 286 381 406 218 229 269 286 246 260 | A-White A-Color B 218 229 260 269 286 332 381 406 522 218 229 260 269 286 332 381 406 522 218 229 260 269 286 332 269 286 332 246 260 299 |

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


| DESCRIPTION | MODEL | BEECH PALETTE LAMINATE | MAPLE CHERRY | LAMINATE TOP W/BEECH SIDES | LAMINATE TOP W/ MAPLE/CHERRY SIDES | W | D | Н | WEIGHT | CUBE |
|-------------|--------------------------------------|------------------------------|-----------------|----------------------------------|--|----|------|-------|--------|------|
| | Curvilinear 60° Table ZOL4 LKC60 | 1146 | 1209 | 1263 | 1332 | 16 | 17.5 | - | 20 | 3.7 |
| G - C | Curvilinear 90° Table ZOL4 LKC90 | 1283 | 1354 | 1411 | 1487 | 16 | 19 | - | 24 | 5.4 |
| | Curvilinear 90°x2 Ta ZOL4 LKC90X2 | ble 2548 | 2625 | 2802 | 2886 | 16 | 19 | - | 55 | 10 |
| | Curvilinear Table ZOL4 LKH12 | 1116 | 1170 | 1228 | 1288 | 16 | 19 | 14.75 | 5 18 | 2.3 |

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

| Zola Solid Surface Upcharges | A-White | Grades A-Color | В | С |
|------------------------------|---------|-------------------|------|------|
| ZOL4-LKC60 | 379 | 402 | 473 | 559 |
| ZOL4-LKC90 | 562 | 596 | 719 | 857 |
| ZOL4-LKC90X2 | 894 | 933 | 1141 | 1378 |
| ZOL4-LKH12 | 218 | 229 | 260 | 295 |

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



2025 | SEATING & OCCASIONAL TABLES | USA | 104

ZOLA | FREESTANDING TABLES

| DESCRIPTION | MODEL | BEECH PALETTE LAMINATE | MAPLE CHERRY | LAMINATE TOP W/BEECH SIDES | LAMINATE TOP W/ MAPLE/CHERRY SIDES | W | D | H V | VEIGHT | Γ CUBE |
|-------------|--|---|------------------------------|----------------------------------|--|----------------------|----------------------|----------------------------------|----------------------|-------------------|
| | Square Tables ZOL4 181815 ZOL4 242415 | 1098 1187 | 1155 1251 | 1209 1305 | 1270 1374 | 18 24 | 18 24 | 14.75 14.75 | 24 34 | 3 5 |
| | Rectangular Tables ZOL4 241815 ZOL4 482415 | s 1139 1359 | 1203 1443 | 1253 1495 | 1327 1587 | 24 48 | 18 24 | 14.75 14.75 | 28 56 | 4 10 |
| | Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15 | 1170 1251 1391 | 1244 1318 1474 | 1288 1374 1530 | 1367 1452 1619 | 18 24 30 | - - - | 14.75 14.75 14.75 | 16 23 34 | 3 5 8 |
| | Square Table - Roi ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415 | und Corners 1275 1434 1578 2264 | 1328 1492 1639 2354 | 1320 1493 1686 2408 | 1376 1555 1752 2504 | 18 24 24 48 | 18 18 24 24 | 14.75 14.75 14.75 14.75 | 21 25 30 51 | 3 4 5 10 |
| | Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915 | 1327 1610 2016 | 1378 1673 2096 | 1499 1788 2254 | 1559 1858 2345 | 24 32 48 | 18 24 29 | 14.75 14.75 14.75 | 22 32 53 | 4 7 12 |

| Zola Solid Surface Upcharges | A-White | Grades A-Color | В | С |
|------------------------------|---------|-------------------|------|------|
| ZOL4 1818 | 287 | 301 | 352 | 409 |
| ZOL4 2424 | 460 | 469 | 560 | 662 |
| ZOL4 2418 | 343 | 364 | 433 | 510 |
| ZOL4 4824 | 771 | 791 | 970 | 1170 |
| ZOL4 18D | 274 | 290 | 339 | 396 |
| ZOL4 24D | 410 | 443 | 533 | 633 |
| ZOL4 30D | 658 | 716 | 942 | 1136 |
| ZOL4 EC1818 | 287 | 301 | 352 | 409 |
| ZOL4 EC2418 | 343 | 364 | 433 | 510 |
| ZOL4 EC2424 | 460 | 469 | 560 | 662 |
| ZOL4 EC4824 | 771 | 791 | 970 | 1170 |
| ZOL4 E2418 | 343 | 364 | 433 | 510 |
| ZOL4 E3224 | 543 | 581 | 699 | 834 |
| ZOL4 E4829 | 908 | 949 | 1164 | 1405 |

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

| | | BEECH PALETTE | MAPLE | W/BEECH | LAMINATE TOP W/ MAPLE/CHERRY | | _ | | | |
|-------------|---|--------------------------------------|------------------------------|----------------------|---------------------------------|-----------------------|----------------|-------------------------|--------|-----------------|
| DESCRIPTION | MODEL | LAMINATE | CHERRY | SIDES | SIDES | W | D | H | WEIGHT | CUBE |
| | Triangular Tables - ZOL4 CR45D1815 ZOL4 CR45D2415 ZOL4 CR45D2915 | Rounded Cori 1192 1354 1639 | ners 1240 1408 1705 | 1207 1404 1734 | 1257 1459 1803 | 15.75 20.5 25 | 18 24 29 | 14.75 14.75 14.75 | 22 | 2.5 4.5 7 |
| Ų | ZOL4 CR90D1815 ZOL4 CR90D2415 ZOL4 CR90D2915 | 1465 1730 2066 | 1526 1801 2148 | 1529 1813 2109 | 1585 1885 2194 | 17.5 36.25 44.5 | 18 24 29 | 14.75 14.75 14.75 | 5 29 | 3 7.5 11 |

| Zola Solid Surface Upcharges | A-White | Grades A-Color | В | С |
|------------------------------|---------|-------------------|------|------|
| ZOL4 CR45D18 | 270 | 286 | 333 | 386 |
| ZOL4 CR45D24 | 403 | 432 | 512 | 602 |
| ZOL4 CR45D29 | 542 | 573 | 687 | 815 |
| ZOL4 CR90D18 | 339 | 371 | 441 | 518 |
| ZOL4 CR90D24 | 576 | 613 | 740 | 885 |
| ZOL4 CR90D29 | 815 | 846 | 1033 | 1242 |

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

• Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO





KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











34 SLATE

84 TEAK

98 NICKLE

YATES















803 TOAST

92 ZINC



908 CHARCOAL

109 CRANBERRY

MCCOY











608 TUNDRA



94 MERCURY



108 CORDOVAN

ORIS






305 MIDNIGHT











KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ











61 OYSTE



9008 CHARCOAL

82 CLAY

304 CAPRI

31 AEGEAN

LORENZO











32 MIST

24 ALPINE



601 CREAM

106 HENNA

91 FLANNEL

新国家国际的

BISCOTTI









302 CAPRI

INTRIGUE





4003 OCHRE





27 OLIVE



805 PECAN





111 | USA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"



Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

| | | 2"-14" | 15"-19" | 20"-27" | 28"-36" |
|--------|-------|--------|---------|---------|---------|
| FABRIC | Plain | Repeat | Repeat | Repeat | Repeat |
| 54 | 0% | 10% | 15% | 20% | 25% |
| 53-50 | 16% | 20% | 25% | 30% | 35% |
| 48 | 16% | 25% | 30% | 35% | 40% |
| 45 | 40% | 50% | 55% | 60% | 65% |
| 36 | 50% | 60% | 65% | 70% | 75% |

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Light Oak Harvest Oak Mahogany Mellow Oak Espresso

Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut

Dark Walnut Clear Beech Medium Anigre

Finishes on Cherry

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black

White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

| Wood Grain Laminates | High Pressure Laminate Supplier | Textured Wood Grain Laminates | High Pressure Laminate Supplier | | |
|-----------------------------|---------------------------------|-------------------------------|---------------------------------|--|--|
| Champagne | Tafisa T492CR | Gingerbread | Tafisa T556UR | | |
| Hardrock Maple | Formica 86992-58 | Portobello | Tafisa T557UR | | |
| Dune | Tafisa T491CR | Ash | Tafisa T535AT | | |
| Copper | Tafisa T521CR | Willow | Tafisa T543AT | | |
| Shiraz Cherry Tafisa T472CR | | Solid Laminates | | | |
| Park Avenue Walnut | Wilsonart 7984-38 | | | | |
| Chocolate | Tafisa T498CR | Designer White | Wilsonart D354-60 | | |
| Nutmeg | Tafisa T477CR | Platinum | Tafisa T202CR | | |
| Dark Walnut | Tafisa T469CR | Earth | Tafisa T767CR | | |
| | | Charcoal | Tafisa T228CR | | |


PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC® certified

krug