**ZOLA**Price and Specification Guide
USA



# krug

Advancing Design Through Innovation

## **ZOLA | TABLE OF CONTENTS**

### **ZOLA | LOUNGE & MODULAR LOUNGE**

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

#### **ZOLA | MODULAR CURVE**

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

## **ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE**

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

## **ZOLA PRIVACY | MODULAR CURVE**

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

## **ZOLA PRIVACY | INLINE WALLS**

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

#### **ZOLA | MODULAR BENCH**

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

### **ZOLA | MODULAR CURVE BENCH**

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

### **ZOLA | BEHAVIORAL HEALTH**

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

## **ZOLA | TABLES**

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables


#### **GENERAL INFORMATION**

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

## **ZOLA** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS

#### MATERIAL CONTENT



PRF-CONSUMER RECYCLED CONTENT = 6%

POST-CONSUMER RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR-EMISSIONS**

All Zola products are supplied air-emissions certified. Contact customer service for information.

## In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our

helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies

that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and

other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide

## **ZOLA | FEATURES & OPTIONS**



#### **INTENSIVE USE ENVIRONMENTS**

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



## **ZOLA LOUNGE & ZOLA MODULAR**

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat.



#### RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



#### LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



## REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



### **FINISH DURABILITY**

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



## **WALL SAVER**

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



#### **CLEAN OUT**

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



#### LEGS

Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



#### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



## SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



## **FULL DEPTH BENCHES**

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

## **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

## **ZOLA | FEATURES & OPTIONS**



#### **TABLETS**

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



## **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



#### **LINKING TABLES**

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



### LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



## **POWER**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See <a href="mailto:page">page</a> 22 for locations and <a href="mailto:page">page</a> 83 for pricing.



## UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See <u>page</u> 83 for pricing.



## COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

## **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

#### **MOISTURE BARRIER & CAL 133**


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

## **ZOLA | RECONFIGURABILITY**

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



## **ZOLA | SEAM LOCATIONS**


Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



**Inside Curve** 


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




**Outside Curve** 


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


## **ZOLA** | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1312	
ZOL3 MS1S1	1	830	
ZOL4 LKM12	1	941	
ZOL4 LKE18	1	1046	
ZOL4 LKC90	1	1222	
ZOL4 241815	1	1131	
Total List	\$	11,730	






Qty.	Price (\$)
2	1353
2	995
2	1446
2	3321
2	2531
1	2427
	2 2 2 2

Total List \$	21,719
---------------	--------





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	830	
ZOL3 MS21	2	1160	
ZOL4 LKC90	2	1222	
ZOL4 LKM18	2	995	
Total List		\$8,414	

## **ZOLA** | LOUNGE

## **DIMENSIONS**

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

#### COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

**COM YARDAGES (Individual Components)** 

COM YARDAGES (Individual Components)											
	COM	COM	COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

#### **COM YARDAGES (Individual Components)**

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for
- 3 units

## **COMBINATION UPHOLSTERY OPTIONS**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

## **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see <u>page</u> 3.

## **ZOLA |** LOUNGE

		COM		COL	F.	ABRIC GR	ADES		LEATHE	R
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2079	2192	2304	2500	2696	2892	3088	3127	3567
	One-Seat Plus ZOL3 FB1111	2304	2416	2531	2725	2922	3118	3314	3509	3794
	NOTE: One-Seat Plus is 30	0" wide b	oetween a	rms.						
	Two-seat ZOL3 F2111	3070	3216	3350	3561	3772	3983	4192	4403	4735
	Two-seat Plus ZOL3 FB2111	3156	3298	3434	3643	3853	4065	4275	4486	4819
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth l	eg for ext	ra support				
					-					
	Three-seat ZOL3 F3111	4171	4383	4592	5013	5437	5857	6280	6701	7422
	Three-seat Plus ZOL3 FB3111	4270	4481	4690	5111	5534	5956	6374	6797	7520

**NOTE**: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	102 74 231	Solid Surface Arm Cap (per pair)	433	442	466	490

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 3 for more information on Zola options and features. Plus versions are not available with Caster options.

## PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

## **ZOLA** | MODULAR

#### **DIMENSIONS - ARMLESS UNITS**

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	VITH ARMS							
	Overall	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Height	Depth	Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	

## **COM YARDAGES - ARMLESS UNITS**

36

One-Seat (Plus)

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86
0110 0001 (1 100)	0.0	0.0	0.0	10.00

18.5

### **COM YARDAGES - WITH ARMS**

COW TANDAGE	S - WITH ANIVIS			
	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

34

## **COM YARDAGES - Individual Components**

COM IANDAG	LS - Illulvidu	ai Compoi	iciito						
	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

96

19.25

11.5

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## **COMBINATION UPHOLSTERY OPTIONS**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

## **PACKAGING**

All Modular Units, and tables will be shipped KD (Knocked Down)

## **Upcharge for Removable Upholstery Covers:**

Option Upcharge	\$ List	Option Upcharge	\$ List	
Arms (Right or Left)	74	One-Seat - seat	45	
Interim Arm	59	Two-seat - seat	65	
One-Seat - back	65	Three-seat - seat	81	
Two-seat - back	93	One-Seat Plus - seat	59	
Three-seat - back	116			
One-Seat Plus - back	74			

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see <u>page</u> 102, Zola Benches see <u>page</u> 85 and Zola Tablets see <u>page</u> 14.

## **ZOLA** | MODULAR -WOOD BACK

			CON	Л	C	OL	FABRIC	GRA	DES		LEAT	HER	
DESCRIPTION/MODE	EL/SPECIES		1		2	3	4	5	6	7	7 8	3	9
	One-Seat, Wood	or Palett	e Back,	Armless	3								
	ZOL3 MW1201	Beech	1312	1342	1372	1433	1492	1	554	1612	1672	1764	
		Maple/	1349	1379	1410	1467	1530	1	589	1650	1711	1800	
		Cherry											
		Palette	1312	1342	1372	1433	1492	1	554	1612	1672	1764	
_	One-Seat, Wood	or Palett	e Back v	w/ Upho	Istered Pa	d, Armles	ss						
	ZOL3 MW1301	Beech	1521	1566	1597	1672	1732	1	794	1854	1915	2034	
		Maple/	1560	1605	1634	1711	1770	1	831	1891	1951	2070	
		Cherry											
		Palette	1521	1566	1597	1672	1732	1	794	1854	1915	2034	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	102	
2 Casters/2 Legs (#3 Leg Type below)	74	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODE	=1	SPECIES	COM 1	2	COL 3	FA 4	BRIC (	GRADE 6	S 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING	
<u></u>	<del></del>	0. 20.20	•									.,		
	One-Seat Woo	od/Palette E	Back w/	UPH I	Pad									
	ZOL3 MB13	Beech	590	603	618	648	680	709	741	770	813	0.6	21	3.1
		Maple /Cherry	634	648	663	695	724	754	770	800	861	0.6	21	3.1
		Palette	590	603	618	648	680	709	741	770	813	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)(\\ \\)	ZOL3 MB12	Beech	408									-	19	3.1
		Maple /Cherry	446									-	19	3.1
		Palette	408									-	23	3.1

Y					
Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
	wood Back		3 Wood Back with		2 Casters
			Uph Pad		
					3
					Combination
					2 Front Standard Leg
	Series 3	Series Chair Type  3 MW	Series Chair Type Seat Count  3 MW 1 Soft Seating Modular One-Seat	Series Chair Type Seat Count Back Type  3	Series Chair Type Seat Count Back Type Arm Type  3

& 2 Rear Casters

## **ZOLA** | MODULAR

				COL	FA	BRIC GRA	ADES		LEATHER	3
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat, Upholstered Back ZOL3 M1101 n/a	k Armless 1446	1521	1597	1732	1867	2005	2138	2274	2515
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	Back, Arr 1566	nless 1612	1688	1823	1959	2093	2230	2365	2608
	ORDERING NOTES: One-S	eat Plus s	eat is 30"	wide.						
	One-Seat, Upholstered Back ZOL3 M1111	k with Arm 2214	ns 2327	2433	2629	2823	3017	3216	3410	3705
	One-Seat Plus, Upholstered ZOL3 MB1111	Back with 2335	n Arms 2446	2554	2747	2945	3138	3335	3532	3823
	ORDERING NOTES: One-S	eat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	Armless 2531	2673	2808	3017	3229	3439	3649	3864	4192
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arn 2613	nless 2756	2892	3102	3312	3523	3734	3945	4275
	Two-seat, Upholstered Back	with Arm	<u> </u>							
	ZOL3 M2111	3298	3439	3578	3788	3998	4210	4419	4630	4962
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3379	Arms 3523	3660	3871	4082	4291	4503	4713	5044
	Three-seat, Upholstered Bac ZOL3 M3101	ck Armless	s 3841	4050	4471	4895	5316	5737	6159	6881
	Three-seat Plus Upholstered ZOL3 MB3101	d Back Arr 3728	nless 3937	4148	4568	4992	5414	5833	6256	6979
	Three-seat, Upholstered Bac ZOL3 M3111 n/a	ck with Arı 4396	ms 4608	4819	5240	5660	6083	6504	6924	7649
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back wit 4495	h Arms 4706	4915	5338	5759	6182	6601	7022	7744

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	rges	List	Option		A-White	A-Cole	or B	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)		74	Solid Surface Arm Cap ( Solid Surface Arm Cap ( Solid Surface Arm Cap -	per pair)	217 433 177	220 442 178	233 466 180	245 490 184
PRODUCT CODE KEY	Y							
Line	Series	Chair Type	Seat Count	Back Type	Arm Ty	ре	Leg Typ	е
ZOL Zola	3 Lounge	M Modular	1 One-Seat	1 Fully Uph Back	0 Armles	ss	1 Standard Leg	+ Glide
		MB Modular	2 Two-seat		1 Uph Ar	rm	2 4 Caster	rs
		Plus Upgrac	de 3 Three-seat		2 Urethane Ar		Combinat	
					3 Solid Sur Arm Ca	face	Pront Standa & 2 Rear Ca	

## **ZOLA** | MODULAR BACKS & ARMS

		COM		COL	FAI	BRIC (	GRADE	S L	EATHE	R	COM	SHIPPING	J
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr ZOL3 MAL ZOL3 MAR	n 468	507	542	620	695	770	844	918	1023	1.5	19	3.1
	ZOL3 MAI	332	348	363	392	423	455	485	513	559	0.33	13	1.8
	Left, Right,or Interim Arr	n - Uretl	nane Ca	ар									
	ZOL3 MALU	590	627	663	741	813	890	966	1040	1145	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	422	436	454	474	512	541	571	602	646	0.33	13	1.8

## **ORDERING NOTES:**

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

	Grades							
Option	A-White	A-Color	В	С				
Solid Surface Arm Cap (per arm)	217	220	233	245				
Solid Surface Arm Cap (per pair)	433	442	466	490				
Solid Surface Arm Cap - Interim (per arm)	177	178	180	184				

DESCRIPTION/MODEL	SPECIES	COM 1	2	COL 3	FA 4	BRIC 5	GRADI 6	ES 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING WEIGHT	-
UPH Back ZOL3 MB11 <sup>2</sup> ZOL3 MB21 ZOL3 MB31 ZOL3 MBB1		746 981 1192 830	806 1063 1295 890	867 1145 1403 950	987 1312 1612 1069	1478 1822	1228 1642 2034 1312	1498 1807 2244 1433		1764 2170 2712 1711	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

**ORDERING NOTES**: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

## **ZOLA | SEATABLES**

		COM		COL	FAE	BRIC GF	RADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	660 852 1071	682 899 1125	704 947 1181	735 1014 1256	771 1089 1345	803 1158 1421	838 1236 1508	884 1330 1615	928 1426 1724	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	723 862	767 911	808 957	869 1023	938 1100	999 1169	1067 1245	1153 1341	1241 1437	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	793 1122	834 1181	878 1241	939 1323	1009 1417	1067 1498	1138 1593	1223 1713	1309 1831	1.3 2.4	31 62	6.6 12.6

**ORDERING NOTES:** Height from floor is 17.5".

## **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	I/MODEL	SPECIES	COM 1	2	COL 3	- FA	ABRIC 5	GRAD	ES 7	LEATHI	ER 9	COM YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	eat Wo	od Bad	ck									
<b>J</b> ///, A/V	ZOL3 RBM12		348									-	19	3.1
		Maple/Cherry	386									-	19	3.1
		Palette	348									-	23	3.1
		Modular One-Se				pholste	ered P	ad				0.0	04	0.4
	ZOL3 RBM13		530	542	559	590		648	680	709	754	0.6 0.6	21 21	3.1 3.1
		Maple/Cherry Palette	573	590	603	634	663		709	741	800	0.6	25	3.1
	Replacement	Back Pad -only	530	542	559	590	620		680	709	754 407	0.0	20	0.1
	ZOL3 RP	Duon ruu onny	213	228	243	271	303	332	363	392	437	0.6	1.6	2
	Replacement	Upholstered Bac	ck											
$\Lambda$	ZOL3 RBM11		687	746	806	928	1046	1169	1439	1560	1703	1.75	23	5.2
	ZOL3 RBM21			1003			1415			1915	2109	2.5	39	9.4
	ZOL3 RBM31			1236			1764			2397	2649	3.5	54	14
	ZOL3 RBBM1		770	830	890		1131		1372		1650	2	28	6.1
	existing "L" br and Replacen component to	NOTES: Modular rackets on site prenent Seat/Bench the replacemen	rior to a es do t comp	assemi not inc ponent	bly to the clude le If new	he beno gs and	ch. Re joining	placer g bracl	nent Ba kets. Th	acks do ne hardv	not inclu ware car	ude mounting be transferr	g brackets ed from th	and legs e original
	-	Replacement Up				F67	640	717	702	967	071	1 5	1.4	2
	ZOL3 RAMR ZOL3 RAML		415	455	490	567	640	717	793	867	971	1.5	14	3
	ZOL3 RAMRU	J	536	573	611	687	761	837	912	987	1092	1.5	15.5	3
	modular hard	J IOTES: Zola Rep ware. Replaceme ethane cap. Zola	nt Arn	ns do i	not incl	ude m	ountin	g brac	kets. Z	OL3 RA	AMRU &	ZOL3 RAMI	LU are rep	lacement
	units only as	od back units are a special - please Upholstered Sea	e conta							ola arm	ıs. Arms	can be spec	cified on w	ood back
	ZOL3 RSM1*	opriolotoroa col	741	783	830	912	995	1080	1160	1243	1412	1.33	25	5.2
	ZOL3 RSM2		1069		1174		1403			1740	1928	1.75	39	9.4
	ZOL3 RSM3				1543		1861		2175	2335	2531	2.5	50	14
	ZOL3 RSMB1				1046		1228		1410	1498	1634	1.75	26	6.1
	ZOL3 RSMB2	2	1145	1206	1267	1379	1492	1605	1718	1831	2018	1.75	39	9.4
	ZOL3 RSMB3	3	1672	1748	1823	1959	2093	2230	2365	2500	2712	2.5	50	14
	Back Cover		000	0.40	400	F20	640	770	200	1011	1006			
) <b>)</b> >	ZOL3 RCB1*		288 392	348 485	408 573	530 754		1115	1295	1478	1206 1703	2	2.8	1.7
	ZOL3 RCB2		485	603	724		1206				2230	3	3.6 4.3	1.7 1.7
	ZOL3 RCB3 ZOL3 RCBB1		320	379	437	559		800		1040	1222	3.75 2	2.8	1.7
	Arm Covers F	Right, Left or Inte	rim											
	ZOL3 RCAR	J ,	258	303	348	437	530	620	709	800	918	1.5	2.5	1.7
	ZOL3 RCAL								040	0.40	000	0.00	1 5	17
	ZOL3 RCAI ZOL3 RCARU	ı	168	181	198	228			319	348	386	0.33 1.5	1.5 2.5	1.7 1.7
	ZOL3 ROALU		258	303	348	437	530	620	709	800	918	1.5	2.0	1.7
	ORDERING I	NOTES: Replace	ment A	Arm Co	overs (le	eft or ri	ght) ar	e spec	cified as	s seated	i. ZOL3 I	RCARU & ZO	DL3 RCALI	J are arm
		ns with the ureth					•							
	Seat Cover		258	303	348	437	530	620	709	800	936			
H	ZOL3 RCS1*		332	392		573		813	936		1252	1.33	2.3	1.7
	ZOL3 RCS2		423	497	573	648	724		873	950	1069	1.75	2.6	1.7
	ZOL3 RCS3		392	446		603		813		1023	1174	2.5	3.8	1.7
	ZOL3 RCSB1		032	440	431	003	109	010	510	1020	/ 4	1.75	2.6	1.7

## **ZOLA** | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT CU	JBES
	Caster Without Brake ZOL3 RC1	56					0.4 012	25
	ORDERING NOTE: Casters ca	annot be orde	ered as replac	cement item	s for plus	units.		
	Caster With Brake ZOL3 RC2	67					0.4 0.1	25
	ORDERING NOTE: Casters ca	annot be orde	ered as replac	cement item	ns for plus	units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	121					1.5 0. 1.5 0.	
	Urethane Arm Cap - Interim Ar ZOL3 AIU	m 90					1.0 0.	.3
			A-White	Grade A-Color		С		
	Solid Surface Arm Cap (per an ZOL3 ASR ZOL3 ASL	m)	217	220	233	245	1.5 0.	0.3
	Solid Surface Arm Cap - Interi ZOL3 ASI	m (per arm)	177	178	180	184	1.0 0.	.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGHT CI	UBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513				12	2
	Tablet with Palette Fir ZOL3 T2	nish n/a	392				12	2
	Clear Glass Tablet ZOL3 T3	n/a	746				13	2
	Laminate Tablet ZOL3 T4	n/a	507				12	2
	ORDERING NOTES: handed and do not no					mer edge. Pleas	e note Zola Tablets are univer	rsally
	Solid Surface Tablet - ZOL3 T5AW	Grade A Wh	ite 611				14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Col n/a	lor 620				14	2
<b>!</b>	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654				14	2


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

### COM Yardages

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.70	7.4	11.1	14.8
45°	4.40	8.8	13.2	17.6
60°	4.40	8.8	13.2	17.6
90°	4.61	9.2	13.83	18.44
Double seat				
30°	6.3	12.6	18.9	25.2
45°	6.4	12.8	19.2	25.6
60°	8.2	16.4	24.6	32.8
90°	8.2	16.4	24.6	32.8

## **COM Yardages - Individual Components**

oom raraagoo	mairiadai oc	iii poi ioi ito						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside




Single Seat, Uph 45° Inside




Single Seat, Uph 60° Inside




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside Curve



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

## **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30°	33.75	28.25	34	18.5	22.5	48	23
45° 60° 90°	38.75 43.5 52	28.75 29.25 29.75	34 34 34	18.5 18.5 18.5	22.5 22.5 22.5	49 50 51	24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56

## **COM Yardages**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

## **COM Yardages - Individual Components**

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve



Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

DESCRIPTION/MOD		COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHER 8	9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2193	2317	2438	2611	2807	2982	3178	3421	3668
	Single-Seat, 30° Inside Curve F ZOL3 MCBIS30D1	Plus 2285	2410	2531	2703	2900	3073	3269	3516	3761
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2580	2737	2894	3116	3370	3591	3845	4161	4480
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2684	2842	2998	3222	3475	3696	3949	4267	4584
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2923	3081	3238	3461	3714	3935	4188	4505	4822
	Single-Seat, 60° Inside Curve F ZOL3 MCBIS60D1	Plus 3041	3199	3356	3580	3833	4055	4307	4624	4941
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3321	3520	3719	3997	4315	4592	4910	5309	5708
	Single-Seat, 90° Inside Curve F ZOL3 MCBIS90D1	Plus 3479	3679	3875	4155	4471	4750	5067	5467	5866
	Single-Seat, 30° Outside Curve ZOL3 MCOS30D1	9 1974	2086	2195	2348	2528	2683	2859	3081	3300
	Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1	Plus 2066	2178	2289	2442	2618	2775	2950	3173	3393
	Single-Seat, 45° Outside Curve ZOL3 MCOS45D1	2320	2463	2608	2806	3034	3234	3461	3747	4032
	Single-Seat, 45° Outside Curve ZOL3 MCBOS45D1	Plus 2425	2568	2712	2911	3138	3339	3565	3852	4135
	Single-Seat, 60° Outside Curve ZOL3 MCOS60D1	2632	2773	2916	3115	3343	3541	3770	4056	4340
	Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1	e Plus 2751	2892	3036	3235	3462	3661	3889	4173	4459
	Single-Seat, 90° Outside Curve ZOL3 MCOS90D1	e 2988	3165	3346	3595	3883	4134	4420	4779	5137
	Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1	Plus 3146	3323	3504	3753	4040	4292	4580	4937	5295

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

## PRODUCT CODE KEY

THODOOT CODE IN						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

90 Degree

	COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODE	L 1_	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 3837	4050	4268	4567	4912	5213	5559	5990	6419
	Double-Seat, 30° Inside Curve Plus ZOL3 MCBID30D1 3983		4413	4712	5057	5360	5704	6135	6565
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 4511	4789	5065	5450	5894	6284	6728	7280	7834
	Double-Seat, 45° Inside Curve Plus ZOL3 MCBID45D1 4683		5236	5622	6066	6456	6898	7450	8006
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 5112	5390	5665	6055	6497	6885	7330	7882	8437
	Double-Seat, 60° Inside Curve Plus ZOL3 MCBID60D1 5296		5849	6238	6682	7068	7513	8066	8620
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1 5809	6158	6506	6993	7548	8037	8593	9291	9986
	Double-Seat, 90° Inside Curve Plus ZOL3 MCBID90D1 6019		6714	7204	7759	8246	8804	9500	10196
	Double-Seat, 30° Outside Curve ZOL3 MCOD30D1 3454	3646	3841	4111	4422	4694	5004	5390	5780
	Double-Seat, 30° Outside Curve Plu ZOL3 MCBOD30D1 3598		3986	4256	4567	4839	5148	5535	5925
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 4060	4310	4559	4907	5306	5656	6055	6554	7050
	Double-Seat, 45° Outside Curve Plu ZOL3 MCBOD45D1 4231		4730	5078	5478	5826	6225	6724	7221
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 4601	4851	5100	5448	5847	6197	6596	7093	7592
	Double-Seat, 60° Outside Curve Plu ZOL3 MCBOD60D1 4784		5284	5633	6032	6380	6780	7278	7776
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 5227	5542	5854	6293	6795	7233	7735	8363	8989
	Double-Seat, 90° Outside Curve Plu ZOL3 MCBOD90D1 5437		6063	6503	7006	7443	7945	8571	9198

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

## PRODUCT CODE KEY


DOCT CODE K	<u>.</u> = 1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

## **ZOLA PRIVACY | ENVIRONMENTAL SUMMARY**

## **LEED CI CREDIT**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## **AIR EMISSIONS**

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA PRIVACY | FEATURES & OPTIONS**



#### **REPLACEABILITY**

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



## RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



## **PRECONFIGURED**

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



## **BACK CONNECTION**

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



## **LINKING SEAT-TO-SEAT**

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



### LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



#### **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



### **LEGS**

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **TWIN BACK**

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



## **COMBINATION UPHOLSTERY OPTIONS**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



## ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

## **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

## **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

## **ZOLA PRIVACY | OPTIONS**



#### **PRIVACY SCREEN**

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



#### SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start. Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



#### **TABLET**

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



## REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10' cord.

Modular arms can attach to the left or right ends

of seating units as well as interim locations

between units. They are fully upholstered and

can optionally be trimmed with urethane or solid



#### REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



**MODULAR ARM** 

surface arm caps.

**URETHANE ARM CAP** The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.



## **SOLID SURFACE ARM CAP**

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.



## **SHELVES & POWER**

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



## **SEAT POWER**

The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



## PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

## **ZOLA PRIVACY | POWER LOCATIONS**



### **Seat Power**

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



## **Shelf Power**

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



#### **Table Power**

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$561 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




### **Under-mount Power**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

## **ZOLA PRIVACY** | CONNECTING MULTIPLE UNITS


## **SEATING**

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





### SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



## **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**









7000 140540	2252 5587
ZOP3-M2F1C 4	3394
ZOP3-M1F1S 1	2252


TOTAL \$29,254






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5629
ZOP3-MCID60DF0C	3	5629
ZOP3-MCID60DF0E	1	5629
ZOL4-30D15	1	1325
TOTAL		\$29,470


## **ZOLA PRIVACY** | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2472
ZOP3-MCIS90DM0C	2	4354
ZOP3-M2M0C	1	2472
ZOP3-M2M0E	1	2472
ZOL4-242415	1	1131


TOTAL \$17,255






Model	Qty	Price (\$)
ZOL4-LKE18	4	1046
ZOP3-MB1F1S	2	2730
ZOP3-MCID90DF1C	2	7499
ZOP3-MB1F1E	2	2730
ZOL4 E482915	1	1920

TOTAL \$32,022





		4.0.00
ZOP4-E482915	1	1920
ZOP3-MPF0E	2	901
ZODO MOCOC	0	001
ZOP3-M3F0C	2	3783
ZOP3-MPF0S	2	901
Model	Qty	Price (\$)

TOTAL \$13,090

## **ZOLA PRIVACY** | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSION	<b>IS</b>
-----------	-----------

DIMENSIONS								
	0 "	Width	0 "	0 "		0 .	01	
	Overall Width	Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Preconfigured Fo	ull Height Bacl	k						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	lid Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
00111/17714	_							
COM YARDAGES		Vardaga	Vordogo	Vardaga				
	Yardage	Yardage	Yardage	Yardage				
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units				
Preconfigured Fo	ull Height Bacl	k/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	lid Height Bacl	k/Privacy Pane	I					
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fo	ull Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	lid Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				
Thice scat	0.40	17.00	21.72	21.20				

## **ZOLA PRIVACY | PRECONFIGURED**

DESCRIPTION/MOD	ICI	COM 1	2	COL 3		FABRIC GRADES 4 5 6			LEATHER 7 8 9			
DESCRIPTION/IVIOD	'LL	'		<u> </u>	- 4		- 0	,	0			
	åOne-Seat Plus with Privat ZOP3-PCB1MPF0	te Modular 3768	Side Pane 4065	l and Full 4365	Height Bac 4888	ek 5437	5960	6510	7108	8059		
One-Seat Plus with Semi-Private Modular Side Panel and Full Height Back												
	ZOP3-PCB1SMPF0	3076	3291	3508	3866	4249	4608	4992	5424	6045		
	One-Seat Plus with Private	Modular S	ide Panel	and Mid L	laight Racl	,						
	ZOP3-PCB1MPM0	3323	3540	3756	4133	4526	4898	5295	5728	6396		
	One-Seat Plus with Semi-F ZOP3-PCB1SMPM0	Private Moo 2841	dular Side 3016	Panel and 3195	Mid Heigh 3489	t Back 3804	4098	4414	4767	5276		

## **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTIC	ON UPCHARGES	\$ List			
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Plus Upgrade option		61 611 included			
PRODUCT CODE KEY	•				
Line	Series	Type	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

## **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAE	FABRIC GRADES		LEATH			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Two-Seat with Privat ZOP3-PC2MPF0 Two-Seat Plus with F ZOP3-PCB2MPF0	4354	4712	5074	5686	6337	6948 7071	7598 7721	8323 8446	9409	
	Two-Seat with Semi-Private Modular Side Panel and Full Height Back										
	ZOP3-PC2SMPF0	3660	3938	4216	4664	5150	5597	6082	6639	7395	
	Two-Seat Plus with Semi-Private Modular Side Panel and Full Height Back										
	ZOP3-PCB2SMPF0		4062	4340	4788	5274	5721	6205	6763	7519	
- V	Tive Cost with Drivet	o Madula	r Cido Dor	and Mic	d Haiabt D	n als					
	Two-Seat with Privat ZOP3-PC2MPM0	e Modulai 3600	r Side Par 3866	iei and iviid 4131	a Height B 4582	аск 5055	5500	5978	6511	7287	
	201 3-1 021011 1010	0000	0000	7101	4302	3033	3300	3370	0011	1201	
	Two-Seat Plus with Private Modular Side Panel and Mid Height Back										
	ZOP3-PCB2MPM0	3723	3990	4255	4706	5179	5624	6101	6634	7410	
	Two-Seat with Semi-					•					
	ZOP3-PC2SMPM0	3116	3343	3568	3937	4332	4699	5095	5548	6166	
	Two-Seat Plus with S					0					
	ZOP3-PCB2SMPM0	3241	3467	3693	4061	4457	4823	5220	5673	6290	

## ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

## PRODUCT CODE KEY

0D001 00D1 1(1	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Thron Soat		

## **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Three-Seat with Privat ZOP3-PC3MPF0	e Modular 5234	Side Pane 5658	el and Full 6086	Height Ba 6792	ack 7546	8251	9007	9861	11079
	Three-Seat Plus with F ZOP3-PCB3MPF0	Private Mo 5420	dular Side 5844	Panel and 6272	d Full Heig 6979	ht Back 7733	8438	9193	10046	11265
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Full Hei	oht Back				
	ZOP3-PC3SMPF0	4541	4884	5227	5769	6360	6899	7490	8179	9065
	Three-Seat Plus with S ZOP3-PCB3SMPF0	Semi-Priva 4728	te Modula 5069	r Side Par 5414	nel and Fu 5956	ll Height E 6545	3ack 7087	7676	8365	9251
	Three-Seat with Privat	e Modular	Side Pane	al and Mid	Height R	ack				
	ZOP3-PC3MPM0	4670	4995	5319	5856	6429	6961	7535	8186	9094
	Three-Seat Plus with F	Private Mo	dular Side	Panel and	d Mid Heid	ht Back				
	ZOP3-PCB3MPM0	4856	5182	5506	6042	6615	7147	7721	8372	9280
	Three-Seat with Semi-	Private Mo	ndular Sid	e Panel ar	nd Mid Hei	ight Back				
	ZOP3-PC3SMPM0	4187	4473	4758	5211	5705	6159	6653	7225	7973
	Three-Seat Plus with S	Semi-Priva	te Modula	r Side Par	nel and Mi	d Height E	Back			
	ZOP3-PCB3SMPM0	4373	4659	4944	5397	5891	6345	6839	7411	8160

## **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

## PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

## **ZOLA PRIVACY** | MODULAR - DIMENSIONS & COM REQUIREMENTS

## **DIMENSIONS**

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat w	vith Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat w	vith Mid Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	93	26
. ,									

## **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
E IIII CAL BAR												
Full Height Back	4.4	0.45	40.55	40.0	0.05	4.05	7.0	0.7	4.05	0.4	0.05	4.0
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner So	eat with F	ull Heiaht	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner So	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

### **ZOLA PRIVACY PLUS OPTION UPCHARGES**

	\$ List	
Plus Upgrade Two-Seat	123	
Plus Upgrade Three-Seat	186	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

# **ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS**

## **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Sing	le, Full Hei	ight No Sc	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Sing	le, Full Hei	ight with S	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Sing	le, Mid He	ight No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Sing	le, Mid He	ight with S	Screen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sic												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sic	le Panel, S	Single, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Madular I Inhalat	ranad Anna											
Modular Upholst ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR			14.5	19.75	25 25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3 3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/l Irethan	e Can									
ZOP3-MAUREL	Jorea Alli	3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER	*	3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Solid Sı	ırface Can									
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	:R 9
	One-Seat, Full Heig ZOP3-M1F0F	ht Back	1833	1962	2091	2275	2486	2671	2881	3138	3411
	ZOP3-M1F1_   ORDERING NOTES 42", 36" or 30". Free	ht Back with Shelf Option Beech/Laminate Maple/Palette  S: When ordering units wit estanding, Start and End units with the standing with t	2252 2343 th shelf ounits with	n the she	elf option	require co	ounterba	lance we	eight add	ded to ea	ch seat
	ZOP3-M1F2F	ht Back with Privacy Scre	2104	2231	2361	2544	2755	2940	3150	3408	3681
	One-Seat, Mid Heig ZOP3-M1M0F	S: Units with Privacy Scree	1725	1827	1930	2073	2237	2383	Z546	2751	2961
	ZOP3-M1M1_	pht Back with Shelf Option Beech/Laminate Maple/Palette S: When ordering units wit estanding, Start and End u	2145 2235 th shelf c units with	n the she	elf option	require co	ounterba	lance we	eight adc	ded to ea	ich seat
	ZOP3-M1M2F	ht Back with Privacy Scre	1993	2094	2198	2343	2507	2651	2817	3019	3229
Zola Privacy O	ORDERING NOTES  ption Upcharges	S: Units with Privacy Scree \$ List	en Optio	n are not	available	with Rem	ovable E		er optior List	1.	
Moisture Barrier Removable Sea Removable Bac	r & CAL 133(per yard) tt Covers One-Seat ck Covers One-Seat ultiple unit configuration	61 45 65	Sh	eat Powe nelf Powe ble Pow		t)		Ψ	611 571 561		
PRODUCT COD	E KEY										
ZOP Zola	Series  3 Lounge	Chair Type  M  Modular	[	1 Dne Seat 2 Two Seat		Full Hei Full Height	ght Back	th	Freesta	g Type  F anding Un  S art Unit	it

Mid Height Back with
Shelf Option

M2

Mid Height Back with
Privacy Screen Option

LEATHER

FABRIC GRADES

DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	.n 9
		D I.	1		<u> </u>	- 4		0		0	
	One-Seat Plus, Full Height ZOP3-MB1F0F	<b>Баск</b>	2299	2428	2557	2742	2952	3136	3346	3605	3877
	One-Seat Plus, Full Height	Back with Shel	f Option								
	ZOP3-MB1F1_ Beech/La Maple/Pa	minate	2730 2822	2859 2950	2988 3081	3172 3265	3384 3474	3566 3660	3777 3870	4036 4128	4310 4399
	ORDERING NOTES: When 42", 36" or 30". Freestandir unit, please add \$289 List	ig, Start and En	d units wi	ith the sh	elf optior	n require o	counterba	alance w	eight ad	ded to ea	ich sea
	One-Seat Plus, Full Height ZOP3-MB1F2F	Back with Priva	acy Scree 2639	n Option 2768	2896	3082	3292	3475	3686	3944	4217
	ORDERING NOTES: Units	with Privacy Sc	reen Opti	on are no	ot availabl	le with Re	movable	Back Co	ver optio	n.	
	One-Seat Plus, Mid Height ZOP3-MB1M0F	Back	2195	2297	2399	2543	2709	2852	3016	3221	343
	One-Seat Plus, Mid Height ZOP3-MB1M1_ Beech/La Maple/Pa	minate	f Option 2626 2718	2727 2819	2829 2922	2974 3066	3138 3229	3284 3374	3448 3539	3652 3744	386 395
	ORDERING NOTES: When 42", 36" or 30". Freestandir unit, please add \$289 List	ig, Start and En	d units wi	ith the sh	elf optior	n require o	counterba	alance w	eight ad	ded to ea	ich sea
	One-Seat Plus, Mid Height ZOP3-MB1M2F	Back with Priva	acy Scree 2535	n Option 2637	2740	2884	3048	3193	3356	3561	377
	ORDERING NOTES: Units	with Privacy Sc	reen Opti	on are no	ot availabl	le with Re	movable	Back Co	ver optio	n.	
ola Privacy O	ption Upcharges	\$ List						;	\$ List		
Removable Sea Removable Bac	r & CAL 133(per yard) t Covers One-Seat k Covers One-Seat ultiple unit configurations)	61 45 65 77	-	Shelf Pov Table Pov	wer	init) cludes Plu	ıs Upqra	de	611 571 561		
PRODUCT COD	, , ,						10				
Line	Series	Chair Type		Seat Cour	nt	Bad	k Type		L	eg Type	
ZOP	3	M		1			F0			F	
Zola	Lounge	Modular		One Sea	t	_	eight Back		Freest	tanding Un	it
		MB Modular		2 Two Sea	t		F1 ht Back w	ith	Si	S tart Unit	
		Plus Upgrade			•		f Option		_		
				Three Sea	at	Full Heig	F2 ht Back w creen Opt		Ce	C enter Unit	
							M0 eight Back	ζ	E	E ind Unit	
						Mid Heig	M1 ht Back w f Option	rith			
						Mid Heig	M2 ht Back w				
					701.4.1		creen Opt		JAI TAF	DI EC   I I	e A Lor

COM

COL

DESCRIPTION/I	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GRA	ADES 6	7	LEATHER 8	R 9
	Two-Seat, Full He ZOP3-M2F0F	ight Back	2885	3078	3267	3540	3852	4128	4437	4820	5229
	ZOP3-M2F1_	ight Back Shelf Option Beech/Laminate Maple/Palette ES: When ordering units v	3394 3489	3584 3680	3775 3871	4050 4145	4362 4457	4636 4731	4945 5040	5329 5422	5737 5831
· \	42", 36" or 30". Fi	reestanding, Start and End 289 List upcharge per un	d units with	n the she	elf option	require c	ounterba	lance w	eight add	ded to ead	ch seat
	Two-Seat, Full He ZOP3-M2F2F	ight Back with Privacy Sc	reen Optic 3352	on 3541	3734	4007	4319	4593	4768	5285	5694
	ORDERING NOT	ES: Units with Privacy Scr	een Optio	n are not	available	with Rem	novable E	Back Cov	er optior	1.	
	Two-Seat, Mid He ZOP3-M2M0F	ight Back	2472	2623	2775	2992	3238	3456	3701	4005	4321
	ZOP3-M2M1_ <b>ORDERING NOT</b> 42", 36" or 30". Fi	ight Back with Shelf Optic Beech/Laminate Maple/Palette ES: When ordering units vereestanding, Start and Enc 289 List upcharge per un	2983 3078 with shelf o	the she	elf option	require c	ounterba	lance w	eight add	ded to ead	ch seat
	ZOP3-M2M2F	ight Back with Privacy Sc	2940	3091	3242	3460	3706	3921	4169	4470	4791
	ORDERING NOT	ES: Units with Privacy Scr	een Optioi	n are not	available	with Rem	novable E	Back Cov	er optior	1.	
Zola Privacy O <sub>l</sub>	ption Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	· & CAL 133(per yard t Covers Two-Seat k Covers Two-Seat ultiple unit configura	65 93	SI Ta	helf Pow able Pow		•			611 571 561 123		
PRODUCT CODE	EKEY										
Line	Series	Chair Type	S	eat Coun	t	Bacl	к Туре		Le	eg Type	
ZOP Zola	3 Lounge	M Modular MB Modular Plus Upgrade		1 One Seat 2 Two Seat		Full Heigh	ght Back 1 Option	th		F anding Unit	
			Т	3 hree Seat		Full Heigh Privacy Sc				C nter Unit E nd Unit	

M1
Mid Height Back with
Shelf Option

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	7	LEATHER 8	٦ 9
	Three-Seat, Full H ZOP3-M3F0F	eight Back	3794	4050	4309	4673	5091	5458	5873	6388	6925
	ZOP3-M3F1_ ORDERING NOT	eight Back Shelf Option Beech/Laminate Maple/Palette ES: When ordering units wi Freestanding, Start and End				, ,	, ,				_
	unit, please add \$ Three-Seat, Full H ZOP3-M3F2F	289 List upcharge per unit	reen Opt 4460	ion 4717	ption are 4972	not availa	able with	Removal	6540	7053	
	Three-Seat, Mid H ZOP3-M3M0F	ES: Units with Privacy Scree	3570	3783	3993	with Rem	4639	4943	5288	5709	6159
	ZOP3-M3M1_ <b>ORDERING NOT</b> - 42", 36" or 30". F	leight Back Shelf Option Beech/Laminate Maple/Palette ES: When ordering units wi Freestanding, Start and End 289 List upcharge per unit	units with	h the she	If option r	equire co	ounterba	lance we	ight add	ed to eac	h seat
	ZOP3-M3M2F	leight Back with Privacy Screen	4238	4448	4659 available	4963 with Rem	5307 novable I	5610 Back Cove	5955 er option	6374	6823
Zola Privacy Op	tion Upcharges	\$ List						\$	List		
Removable Seat Removable Back	& CAL 133(per yard Covers Three-Sea Covers Three-Sea Itiple unit configura	t 81 t 116	Sh Ta	nelf Powe ible Powe		,	)		611 571 561 186		
PRODUCT CODE	<b>KEY</b> Series	Chair Type	9/	eat Count		Rack	. Туре		Lo	g Type	
ZOP Zola	3 Lounge	M Modular MB Modular Plus Upgrade	] [ ]	1 Dne Seat 2 Two Seat 3 Three Seat	I F	Full Heigh Shelf Full Heigh Frull Heigh rivacy Sc M Mid Heigh Mid Heigh Shelf	t Back wi Option 2 t Back wi reen Opti 0 ght Back	th th on	Sta	F Inding Unit S Int Unit C Iter Unit E I d Unit	

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	DES	7	LEATHEI 8	R 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0		4086	4307	4616	4971	5282	5636	6079	6522
	Modular Corner Seat, Full Height Back with ZOP3-MCF1LR Beech/Laminate Maple/Palette	4702 4794	4923 5014	5146 5236	5455 5546	5809 5901	6119 6211	6473 6565	6917 7008	7361 7450
	Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette  Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette	4519 4523	4751 4755	4984 4987 4984 4987	5309 5314 5309 5314	5682 5686 5682 5686	6008 6012 6008 6012	6379 6384 6379 6384	6843 6848 6843 6848	6984 6988 6984 6988
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	n Privacy So 4404	creens 4626	4847	5157	5512	5822	6176	6618	7063
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L  Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4356	4587	4820	5147 5147	5518 5518	5844 5844	6214 6214	6681	6820 6820

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

## PRODUCT CODE KEY

DOOT CODE ILE	•			
Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2	Right Side
			Full Height Back with Privacy Screen Option	LR

# **ZOLA PRIVACY | MODULAR**

DESCRIPTION/I	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3108	3291	3473	3730	4021	4278	4570	4937	5303
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 3944 4036	4129 4219	4312 4402	4567 4658	4860 4950	5115 5208	5409 5499	5773 5865	6140 6231
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette  Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette	3723 3728	3917 3920	4108 4177 at 4108 4177	4377 4381 4377 4381	4685 4688 4685 4688	4954 4958 4954 4958	5261 5265 5261 5265	5643 5647 5643 5647	5764 5767 5764 5767
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	Privacy 3647	Screens 3831	4014	4270	4562	4819	5111	5475	5843
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy \$	Screen L 3753	eft* 3944	4213	4520	4791	5097	5481	5600
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy 9 3560	Screen R 3753	Right 3944	4213	4520	4791	5097	5481	5600

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC  Modular Corner Seat	M0 Mid Height Back	L Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR
			Mid Height Back with Privacy Screen Option	Left & Right Sides

### **ZOLA PRIVACY | SIDE PANELS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258	
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517	
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258	
	Side Panel, Single, Full Height with Screen											
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799	
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	Side Panel, Singl	e. Mid Heiaht N	o Screen									
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650	
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920	
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650	
	Side Panel, Singl	e, Mid Height wi	ith Screen									
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933	
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200	
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933	
	OPPEDING NO	F. Cida Danala			0		in Haita	iale Deite		Oti		- ا -ا - ا :

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

THOUSEN CODE INC.					
Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
		1	Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM COL FABRIC GRADES				LEATHER					
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Panel, Single, Start Center End	Mid Height 490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position		
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center		
				E End		

### **ZOLA PRIVACY | MODULAR ARMS**

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	_	С	
Solid Surface Arm Cap (per arm)	123	130	144	150	

ODOO! OODE NE	•				
Line	Series	Type	Arm	Position	
ZOP	3	MA	UPH	L	
Zola	Lounge	Modular Arm	Upholstered	Left Hand Facing	
			URE	R	
			Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC	С	
			Unholstered Arm w/Solid Surface Can	Center	

### **ZOLA PRIVACY** | TWIN - DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

	Overall Width	Width with Arms	Overall Depth	Depth w/ Shelf	Overall Height	Overall Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	Back											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height E	Back											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

### **ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES**

	\$ List	
Plus Upgrade Twin Two-Seat	247	
Plus Upgrade Twin Three-Seat	370	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

### **ZOLA PRIVACY |** TWIN MODULAR PANELS & MODULAR ARMS

### **DIMENSIONS & COM REQUIREMENTS**

DIMENSIONS &	JOIN HEQU											
		Overall	Overall	Overall	Shipping	0.1	COM	COM	COM	COM	COM	COM
		Width	Depth	Height	Weight	Cubes	1-unit	2-units	3-units	4-units	5-units	6-units
Side Panel, Single	Full Height	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
20P3-WP1F0C	Center	2.75	51.5	43.9	00	0	4	5.5	9.34	12.03	14.72	10.7
Side Panel, Single	Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
20F3-WF 11 20	Center	2.75	31.3	30.4	00	O	4	5.5	3.34	12.03	14.72	10.7
Side Panel, Single	e, Mid Height	No Scree	n									
ZOP3-MPTM0Ŭ	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
2010 1111 111100	Conto	2.70	01.0	01.00	10		2.02	1.02	0.01	0.00	10.0	10.02
Side Panel, Single	e, Mid Height	with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	II Height									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	d Height									
ZOP3-MSPTM0U	Universal	2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Toda Maral Jan Hali	- l- l l . A	_										-
Twin Modular Uph	ioisterea Arn								_			
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	alatarad Ara	/I lvoth	na Can									
	ioistered Am			00.05	10	1.0	0.11	0.50	_	0.5	7.0	0.00
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Upholstered Arm w/Solid Surface Cap												
ZOP3-MATSSCU	ioistereu Am		14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
		3	14.5 14.5	20.25	16	1.8	2.11	3.56	5 5	6.5		
ZOP3-MATSSCC		3	14.5	20.25	10	1.0	2.11	3.30	Э	0.0	7.9	9.33

# **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MODI	EL	COM 1	2	COL 3	F 4	FABRIC GRAI 5	DES 6	7	LEATHER 8	R 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2716	2873	3033	3261	3516	3745	4003	4318	4656
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 2985	Privacy S 3142	creen Optio	on 3531	3786	4014	4271	4587	4924
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2584	2718	2853	3048	3267	3462	3682	3952	4242
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2852	Privacy S 2987	Screen Option	on 3318	3536	3732	3950	4221	4510
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3635	3793	3950	4180	4435	4664	4921	5237	5575
	Twin One-Seat Plus, Full Ho	eight Back	with Priva	acy Screen	Option					
	ORDERING NOTES: Units	3974 with Privac	4133 y Screen	4291 Option are	4519 not ava	4774 ilable with Re	5005 movable l	5261 Back Cove	5578 er option.	5915
	Twin One-Seat Plus, Mid H ZOP3-MBT1M0F	eight Back 3490	3625	3761	3955	4173	4369	4588	4860	5147
	Twin One-Seat Plus, Mid H ZOP3-MBT1M2F	eight Back 3830	with Priva	acy Screen 4101	Option 4293	4513	4709	4928	5198	5487
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
PRODUCT CODE KEY										
Line		hair Type		Seat Count	t	Back Tyr	oe		Leg Type	
ZOP Zola	[ Mo Plu	MT Judular Twin MTB Judular Twin s Upgrade Dage 39)		One Seat  2 Two Seat		Full Height F2 Full Height Ba Privacy Screer M0	ck with	Free	F estanding Ur S Start Unit	nit
				Three Seat		Mid Height  M2  Mid Height Ba  Privacy Screen	] ack with	(	End Unit	

# **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MOD	EL	COM 1	2	COL 3	F 4	ABRIC GRA	NDES 6	7	LEATHE 8	ER 9
	Twin Two-Seat, Full Height I ZOP3-MT2F0F	Back 4034	4282	4530	4899	5313	5682	6095	6592	7159
	Twin Two-Seat, Full Height I ZOP3-MT2F2F	Back Priva 4499	cy Screer 4749	Option 4996	5367	5780	6149	6561	7059	7627
	ORDERING NOTES: Units v	with Privac	y Screen	Option are	not avail	able with Re	movable E	Back Cove	option.	
	Twin Two-Seat, Mid Height ZOP3-MT2M0F	Back 3838	4054	4267	4580	4928	5240	5589	6018	6484
	Twin Two-Seat, Mid Height ZOP3-MT2M2F	4305	4519	4734	5044	5395	5707	6057	6484	6951
1	ORDERING NOTES: Units v	with Privac	y Screen	Option are	not avail	able with Re	movable E	Back Cove	option.	
	Twin Three-Seat, Full Heigl ZOP3-MT3F0F	ht Back 5542	5862	6180	6631	7147	7598	8111	8749	9408
	Twin Three-Seat, Full Heigl ZOP3-MT3F2F	ht Back Pr 6208	ivacy Scre 6528	een Option 6844	7296	7813	8265	8779	9415	10072
	ORDERING NOTES: Units	with Priva	cy Screer	Option are	e not ava	ilable with R	emovable	Back Cov	er option.	
	Twin Three-Seat, Mid Heig ZOP3-MT3M0F	ht Back 5100	5380	5659	6060	6514	6915	7367	7928	8519
	Twin Three-Seat, Mid Heig ZOP3-MT3M2F	ht Back wi 5766	th Privacy	Screen O	ption 6728	7180	7582	8034	8594	9186
	ORDERING NOTES: Units	with Priva	cy Screer	Option are	e not ava	ilable with R	emovable	Back Cov	er option.	
PRODUCT CODE KEY	,									
Line	Series C	Chair Type		Seat Cour	nt	Back T	уре		Leg Type	
ZOP	3 Lounge Mo	MT odular Twin		1 One Sea	t	F0 Full Heigh		Fre	Festanding	Unit
	Mo	MTB odular Twin us Upgrade		2 Two Sea		F2 Full Height E Privacy Scre	Back with		S Start Unit	
	()	<b>page</b> 39)		3 Three Sea	at	M0 Mid Heigh			C Center Uni	t
						M2	!		Е	

End Unit

Mid Height Back with Privacy Screen Option

### **ZOLA PRIVACY |** TWIN - SIDE PANELS

			COM		COL	FAB	RIC GRAD	ES	1	LEATHER	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, F ZOP3-MPTF0U	Full Height No Scr Universal End	een 1360	1485	1611	1862	2113	2365	2615	2867	3368
	ZOP3-MPTF0C	Center	2038	2164	2291	2541	2793	3041	3293	3543	4046
	Twin Side Panel,, I	Full Height with S	creen								
	ZOP3-MPTF2U	Universal End	1911	2037	2163	2413	2665	2916	3166	3419	3919
	ZOP3-MPTF2C	Center	2589	2716	2842	3092	3343	3593	3845	4093	4599
	Twin Side Panel, N										
	ZOP3-MPTM0U	Universal End	1131	1215	1299	1470	1639	1808	1979	2147	2486
	ZOP3-MPTM0C	Center	1807	1894	1979	2147	2317	2486	2656	2824	3164
	Twin Side Panel, N	Лed. Height with	Screen								
	ZOP3-MPTM2U	Universal End	1683	1767	1852	2021	2192	2361	2531	2699	3037
	ZOP3-MPTM2C	Center	2360	2445	2531	2699	2868	3037	3207	3375	3717
	ORDERING NOTE	: Side Panels will	l only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not a	vailable

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 40 for dimensions and COM.

I HODGOT GODETKET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		1	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with		
			Privacy Screen Option		

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	ጓ	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units. See <u>page</u> 40 for dimensions and COM.

### PRODUCT CODE KEY

Line	Series	Type	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v										
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С
Solid Surface Arm Cap (per arm)	263	275	303	313

### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

### **ZOLA PRIVACY** | CURVED - DIMENSIONS

		NS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Curved Single-Sea	t - Full He	eight Bac								
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	t - Mid He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Se	at - Full H	leight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Se	ot - Mid ⊔	leight Da	ck							
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5 37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45.5	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32
JU GUISIGE GUIVE	14.5	00.5	54.5	40.0	57.5	30	10.5	20.23	113	02

### **Upcharge for Plus Upgrade Option:**

Option \$	List	Option	\$ List
Option 4	LIST	Option	ΨLIST
Plus Upgrade -Single-seat curve 30° seat	92	Plus Upgrade -Double-seat curve 30° seat	145
Plus Upgrade -Single-seat curve 45° seat	106	Plus Upgrade -Double-seat curve 45° seat	172
Plus Upgrade -Single-seat curve 60° seat	118	Plus Upgrade -Double-seat curve 60° seat	184
Plus Upgrade -Single-seat curve 90° seat	158	Plus Upgrade -Double-seat curve 90° seat	210

### **ZOLA PRIVACY** | CURVED - COM REQUIREMENTS

### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea		eight Bac										
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bad	ck									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Ba										
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
Single-Seat, 30° Insid ZOP3-MCIS30DF0F	e Curve, Full Heigh	t Back 3267	3446	3625	3875	4161	4414	4697	5056	5414
Single-Seat, 30° Insid ZOP3-MCIS30DF1_	Beech/Laminate Maple/Palette	3855 3944	4035 4122	4213 4300	4463 4554	4750 4839	5000 5090	5285 5374	5643 5733	6000 6090
ORDERING NOTE: W - 42", 36" or 30" and o balance weight added	chose required leg t	type belov	v. Freesta	anding, S	Start and E	nd units w				
Single-Seat, 30° Insid ZOP3-MCIS30DF2F	e Curve, Full Heigh	t Back wi 3832	th Privac 4012	y Screer 4189	า 4442	4726	4979	5264	5621	5979
Single-Seat, 30° Insid ZOP3-MCIS30DM0F	e Curve, Mid Heigh	nt Back 3118	3274	3433	3652	3903	4122	4374	4688	5000
Single-Seat, 30° Insid ZOP3-MCIS30DM1_	_	nt Back w 3707 3795	ith Shelf 3865 3952	4020 4110	4242 4329	4491 4582	4711 4799	4963 5051	5276 5366	5589 5679
ORDERING NOTE: W - 36" or 30" and chose ance weight added to	e required leg type	below. Fr	eestandi	ng, Start	and End u	ınits with t				
Single-Seat, 30° Insid ZOP3-MCIS30DM2F	e Curve, Mid Heigh	nt Back w 3683	ith Privad 3841	cy Scree 3998	n Option 4217	4468	4688	4940	5254	5566
Zola Privacy Option Upcharges	\$ List							\$ List		
Moisture Barrier & CAL 133(per yard) Seat Power (per unit) Shelf Power Table Power	61 611 571 561	Dua Rem	I Leg (for novable S	Multiple Seat Cov	e-Seat, 30° e unit confi vers -Single ck covers a	gurations) e-Seat, 30	° Curve	92 77 59 curved ba		
PRODUCT CODE KEY										
Line Series	Chair Type	Cu	rve Style		Seat Degree	· I	Back Type		Leg Typ	е
ZOP 3 Zola Lounge	MC Modular Curve	Inside (	IS Curve -Sin	igle	30D	Full	F0 I Height Bac	ck Fre	F	g Unit
	MCB Modular Curve Plus	Inside C	ID Curve -Dou	uble	45D		F1 leight Back	with	S Start Ur	nit
		Outside	OS Curve -Si	ngle	60D	Full H	F2 leight Back		C Center U	nit

OD

Outside Curve -Double

90D

M2 Mid Height Back with Privacy Screen Options

M0

Mid Height Back

Mid Height Back with Shelf Option

Е

End Unit

			COM		COL	FABF	RIC GRAI	DES		LEATHER	3
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Insid ZOP3-MCIS450DF0F	e Curve, Full Heigl	ht Back 3664	3864	4060	4348	4671	4961	5284	5680	6113
	Single-Seat, 45° Insid ZOP3-MCIS45DF1_ ORDERING NOTE: W	Beech/Laminate Maple/Palette	4270 4359	4467 4558	4665 4756	4954 5043 se clearly sp	5276 5367 ecify on	5563 5656 vour order	5890 5981	6285 6373 sired She	6716 6808 If Height
	- 42", 36" or 30" and counterbalance weigh	d chose required I	eg type	below.	Freestan	ding, Start	and End	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DF2F	e Curve, Full Heigl	ht Back 4236	with Priv 4434	/acy Scre 4632	een 4921	5244	5533	5857	6253	6684
	Single-Seat, 45° Insid ZOP3-MCIS45DM0F	e Curve, Mid Heig	ht Back 3469	3630	3790	4015	4273	4498	4757	5076	5403
	Single-Seat, 45° Insid ZOP3-MCIS45DM1_		ht Back 4075 4163	with She 4233 4323	elf 4395 4485	4618 4710	4878 4968	5105 5194	5363 5450	5681 5771	6007 6098
	ORDERING NOTE: W - 36" or 30" and ch counterbalance weigh	ose required leg	type b	elow. Fr	eestandii	ng, Start ar	nd End ι	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DM2F	e Curve, Mid Heig	ht Back 4041	with Priv 4201	vacy Scre 4362	een Option 4587	4844	5070	5329	5649	5973
Zola Privacy Op	otion Upcharges	\$ List							\$ Lis	st	
Seat Power (per Shelf Power Table Power	,	61 611 571 561	Du Re	ıal Leg (f movable	or Multip Seat Co	le-Seat, 45° le unit confiç overs -Single ack covers a	gurations -Seat, 45	5° Curve	10 7 6 curved b	7 1	
PRODUCT CODE Line	Series	Chair Type	(	Curve Styl	e	Seat Degree		Back Type		Leg Ty	ne
ZOP Zola	3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus	Inside Outsid	IS e Curve -S ID OS de Curve -D OS de Curve - OD e Curve -I	Oouble Single	30D 45D 60D 90D	Full I Full I Priva Mi	F0  Ill Height Back Shelf Optior F2  Height Back cy Screen C  M0  id Height Back Shelf Optior  M1  Height Back Shelf Optior  M2  Height Back	with with ption	Freestandin S Start U C Center U E End U	Init Jnit

			COM		COL	FAE	RIC GRA	DES		LEATHE	R
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Inside ( ZOP3-MCIS60DF0F	Curve, Full Heig	ht Back 4163	4414	4659	5017	5425	5779	6183	6679	7207
	ORDERING NOTE: Who	eech/Laminate aple/Palette en ordering a ba	4939 5030 ack with	5185 5278 Shelf opti	5434 5524 ion pleas	, ,	, ,				_
	- 42", 36" or 30" and c counterbalance weight								the sher	горион	require
	Single-Seat, 60° Inside of ZOP3-MCIS60DF2F	Curve, Full Heig	ht Back 4738	with Priva 4987	acy Scre 5235	een 5591	5994	6353	6756	7253	7780
	Single-Seat, 60° Inside of ZOP3-MCIS60DM0F	Curve, Mid Heig	ght Back 3966	4143	4321	4573	4860	5109	5395	5752	6111
	Single-Seat, 60° Inside of ZOP3-MCIS60DM1_ Be M	eech/Laminate aple/Palette	4740 4831	4919 5009	5097 5188	5347 5440 se clearly si	5633 5723	5885 5973	6169 6261 the requi	6526 6616 red Shelf	6885 6976
	- 36" or 30" and chos counterbalance weight	se required leg	type be	elow. Fre	estandir	ng, Start a	nd End u	nits with			
	Single-Seat, 60° Inside of ZOP3-MCIS60DM2F	Curve, Mid Heig	ght Back 4540	with Priv 4718	acy Scre 4897	een Option 5149	5434	5684	5970	6326	6685
Zola Privacy Op	tion Upcharges	\$ List							\$ List		
	& CAL 133 (per yard)	61 611 571 561	Dua Ren	al Leg (for novable s	Multiple Seat Cov	le-Seat, 60° e unit confiç vers -Single ack covers a	gurations) -Seat, 60'	<sup>o</sup> Curve	118 77 82 curved ba	acks	
PRODUCT CODE	KEY										
Line	Series	Chair Type	C	urve Style		Seat Degree	•	Back Type		Leg Typ	е
ZOP	3	MC Madular Curus	lw -!-!	IS Curata Sia	l -	30D		F0	al. F	F	a l lm't
Zola	Lounge	Modular Curve	inside	Curve -Sir	ngie	45D	Ful	I Height Bad	CK Fr	eestandin S	g Unit
		Modular Curve	Inside	Curve -Do	uble	700		leight Back		Start Ur	it
		Plus		OS		60D	S	Shelf Option F2		С	]
			Outside	e Curve -S	ingle			leight Back		Center U	_ Init

OD

Outside Curve -Double

90D

M2
Mid Height Back with
Privacy Screen Options

Privacy Screen Option

M0 Mid Height Back

M1 Mid Height Back with Shelf Option Е

End Unit

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAI	DES 6	7	LEATHEF 8	R 9
	Single-Seat, 90° Inside ( ZOP3-MCIS90DF0F	Curve, Full Height	Back 4755	5013	5275	5639	6057	6421	6839	7360	7881
	_	Curve, Full Height Beech/Laminate Maple/Palette	Back wi 5587 5680	th Shelf 5847 5940	6107 6201	6472 6566	6890 6982	7254 7346	7672 7764	8190 8284	8712 8806
	ORDERING NOTE: Wh 42", 36" or 30" and c counterbalance weight a	hose required leg	type b	elow. Fre	estandi	ing, Start an	ıd End ι	units with			
	Single-Seat, 90° Inside ( ZOP3-MCIS90DF2F	Curve, Full Height	Back wi 5660	th Privacy 5920	y Screer 6183	n 6545	6963	7329	7744	8266	8786
	Single-Seat, 90° Inside of ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4354	4559	4762	5047	5373	5660	5987	6394	6804
	_	Curve, Mid Height Beech/Laminate Maple/Palette	Back wi 5185 5280	th Shelf 5391 5484	5594 5687	5880 5972	6206 6298	6494 6585	6819 6913	7226 7319	7634 7729
<del> </del>	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each so	quired leg type bel	ow. Free	estanding	, Start a	nd End units					
	Single-Seat, 90° Inside ( ZOP3-MCIS90DM2F	Curve, Mid Height	Back wi 5261	th Privac 5466	y Screer 5670	n Option 5955	6281	6567	6893	7298	7708
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Moisture Barr Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard) per unit)	61 611 571 561	Du Re	ial Leg (fo movable	or Multip Seat Co	gle-Seat, 90° le unit config overs -Single- ack covers a	urations) -Seat, 90	° Curve	158 77 108 curved b	3	
PRODUCT COL	Series	Chair Type	C	urve Style		Seat Degree		Back Type		Leg Typ	e
ZOP	3	MC		IS		30D		F0		F	]
Zola	Lounge	Modular Curve	Inside	Curve -Si	ngle		Ful	I Height Bac	k Fr	eestanding S	g Unit
		Modular Curve	Inside	Curve -Do	uble	45D	Full H	F1 leight Back v	with	Start Un	j it
		Plus		OS		60D		Shelf Option F2		С	]
			Outsid	e Curve -S	ingle			leight Back v Sy Screen Op		Center U	nit
			Outeide	OD e Curve -De	ouble	90D		M0  Height Bac		E End Uni	]
			Outside	e Curve -Di	ouble		IVIIC	M1	ĸ	Elia Oli	ıı
								leight Back v Shelf Option	with		
								M2 Height Back v y Screen Op			
							i iivac	, σοισσιί Οβ			

		COM		COL	FAB	RIC GRAD	DES		LEATHER	3
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ght Back 3098	3268	3438	3676	3948	4186	4458	4797	5136
	Single-Seat, 30° Outside Curve, Full HeigzOP3-MCOS30DF1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a back 42°, 36° or 30° and chose required le counterbalance weight added to each se	3385 3469 ck with Sh g type be	3555 3638 elf option	3724 3809 please cl estanding	, Start ar	nd End ur				
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ght Back w 3436	vith Privac 3606	cy Screen 3775	4014	4286	4523	4795	5135	5473
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ght Back 2986	3134	3281	3490	3728	3935	4172	4467	4769
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please a	3270 3355 ck with Sh elow. Frees	3419 3504 elf option standing,	3565 3649 please cl Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ght Back v 3323	vith Priva 3470	cy Screen 3617	Option 3828	4064	4272	4510	4803	5107

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 30° Curve	92
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 30° Curve	59
Table Power	561	Note: Removable back covers are not available on	curved backs

DOCT CODE KE	T					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single	<u> </u>	Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with	

		COM	COL	FABRI	C GRADES	;		ATHER	
DESCRIPTION	/MODEL/SPECIES	1 2	3	4	5	6	7	8	9
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS450DF0F	Height Back 3341 351	0 3680	3918	4189	4427 4	1698	5037	5378
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS45DF1_ Beech/Lamin Maple/Palette  ORDERING NOTE: When ordering a 42", 36" or 30" and chose required I balance weight added to each seat	ate 3622 379 a 3707 387 a back with Shelf ceg type below. Fre	2 3960 5 4045 option please estanding,	Start and End	4557 cify on your d units with	4794 5 order the	5065 required		
	Single-Seat, 45° Outside Curve, Full ZOP3-MCOS45DF2F	Height Back with 3676 384	-	een 4254	4526	4764 5	5035	5373	5714
	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM0F	Height Back 3221 336	8 3515	3723	3960	4170 4	1408	4702	5004
	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM1_ Beech/Lamin. Maple/Palette  ORDERING NOTE: When ordering a 36" or 30" and chose required leg typ weight added to each seat unit, plea	ate 3503 364 a 3587 373 a back with Shelf ope below.Freestand	8 3796 4 3880 option pleaseding, Start a	nd End units	4326 cify on your	4536 4	1772 required		
	Single-Seat, 45° Outside Curve, Mid ZOP3-MCOS45DM2F	Height Back with 3558 370	-	een Option 4059	4296	4505 4	1742	5037	5339
Zola Privacy C	Option Upcharges \$ Li	et					\$ List		
	er & CAL 133 (per yard) 61 er unit) 61 57	Plus Upg Dual Leg Remova	g (for Multipl ble Seat Co	le-Seat, 45° le unit config vers -Single- ack covers a	urations) Seat, 45° C		106 77 61	ks	
Line	Series Chair Typ	e Curve S	Style	Seat Degree	Bad	ck Type		Leg Typ	e
ZOP Zola	3 MC Lounge Modular Cu MCB  Modular Cu Plus	ID	e -Double	30D 45D 60D 90D	Full Heig Shel Full Heig Privacy S Mid He	F0 eight Back F1 ht Back wit f Option F2 ht Back wit creen Optic M0 eight Back M1 ht Back wit f Option	h S	F standing S Start Un C enter U E End Uni	it ] nit

M2
Mid Height Back with
Privacy Screen Options

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FAI 4	BRIC GRA	DES 6	7	LEATHE 8	R 9
DESCRIPTION		•		<u> </u>	4	5	U	- 1	0	
	Single-Seat, 60° Outside Curve, Full H ZOP3-MCOS60DF0F	eight Back 3481	3649	3820	4059	4330	4567	4840	5179	5518
	Single-Seat, 60° Outside Curve, Full H	eight Back	with Sh	elf						
B	ZOP3-MCOS60DF1_ Beech/Laminat Maple/Palette	0	3929 4013	4100 4184	4337 4420	4608 4693	4844 4930	5115 5203	5455 5539	5794 5880
	ORDERING NOTES: When ordering a - 42", 36" or 30" and chose required terbalance weight added to each seat	eg type be	low. Free	standing,	Start and	End units				_
A	Single-Seat, 60° Outside Curve, Full H ZOP3-MCOS60DF2F	eight Back 3799	with Pri 3970	vacy Scre 4140	en 4377	4650	4887	5159	5495	5836
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM0F	leight Bacl 3367	k 3515	3663	3871	4108	4317	4554	4849	5150
	Single Cost 600 Outside Cure Mid II	laight Daol	le with Ch	olf.						
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM1_ Beech/Laminat Maple/Palette	•	3793 3877	3941 4023	4147 4232	4385 4469	4593 4680	4830 4915	5128 5211	5425 5511
Υ'	ORDERING NOTE: When ordering a be 36" or 30" and chose required leg type ance weight added to each seat unit, p	e below. F	-reestand	ding, Start	and End	units with				_
	Single-Seat, 60° Outside Curve, Mid H ZOP3-MCOS60DM2F	leight Bacl 3685	k with Pri 3833	vacy Scre 3981	een Option 4188	4425	4635	4870	5167	5468

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on c	curved backs

PRODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	End Unit
			Outside Gurve -Double		Wild Height Back	Elia Ollit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

-Seat, 90° Outside Curve, Full H	1 leight Back 4196	2	3	4	5	6	7	8	9
Soot One Outside Comes Full I		4368	4537	4773	5046	5283	5556	5894	6234
-Seat, 90° Outside Curve, Full H MCOS90DF1_ Beech/Laminat Maple/Palette  RING NOTE: When ordering a base or 30" and chose required legue weight added to each seat un	e 4463 4546 back with Sh g type below	4635 4717 nelf option v. Freesta	4803 4887 n please nding, S	tart and End	units with				
-Seat, 90° Outside Curve, Full H MCOS90DF2F	eight Back 4512	with Priva 4684	acy Scre 4853	en 5090	5363	5599	5870	6210	6550
-Seat, 90° Outside Curve, Mid H MCOS90DM0F	leight Back 3761	3908	4056	4264	4500	4709	4945	5241	5544
-Seat, 90° Outside Curve, Mid H MCOS90DM1_ Beech/Laminat Maple/Palette RING NOTE: When ordering a b 30" and chose required leg type	e 4028 4110 back with Sh below. Free	4174 4257 nelf option estanding,	4321 4403 n please , Start ar	nd End units v					
-Seat, 90° Outside Curve, Mid H MCOS90DM2F	leight Back 4076	with Priva 4222	acy Scre 4370	en Option 4581	4817	5024	5262	5557	5860
<b>Jpcharges \$ List</b> _ 133 (per yard) 611	l Plu Du I Re	al Leg (foi movable (	r Multipl Seat Co	le-Seat, 90° ( e unit configu vers -Single- ack covers ar	urations) Seat, 90° (		\$ Lis 158 77 108 curved b	3 7 3	
Series Chair Type  3	rve Inside	OD	ingle ouble Single	Seat Degree  30D  45D  60D  90D	Full Hei Sh Full Hei Sh Full Hei Privacy Mid H	ght Back of Screen Open MO Height Back of M1 Inght Back of Option	with with otion	Е	ng Unit nit Junit
	Plus	Outsid	OS Outside Curve - S	OS Outside Curve -Single	OS 60D Outside Curve -Single OD 90D	OS 60D Full Hei Privacy  OD 90D Mid Hei Sho	OS 60D F2 Outside Curve -Single Full Height Back Privacy Screen Op  OD 90D M0 Outside Curve -Double Mid Height Back Shelf Option  M2 Mid Height Back	OS 60D F2 Outside Curve -Single Full Height Back with Privacy Screen Option  OD 90D M0 Outside Curve -Double Mid Height Back  M1 Mid Height Back with Shelf Option  M2 Mid Height Back with	OS 60D F2 C Outside Curve -Single Full Height Back with Privacy Screen Option  OD 90D M0 E Outside Curve -Double Mid Height Back End Ur  M1 Mid Height Back with Shelf Option  M2

			COM		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Insid ZOP3-MCID30DF0F	le Curve, Full Heigl	nt Back 4708	4996	5284	5689	6154	6557	7018	7594	8173
	Double-Seat, 30° Insic ZOP3-MCID30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch	Beech/Laminate Maple/Palette hen ordering a bac	5443 5535 k with SI	5731 5823 helf option	6019 6113 n please						
	balance weight added	to each seat unit,	please a	dd <b>\$289 L</b>	.ist upch	arge per un	it.				
	Double-Seat, 30° Insid ZOP3-MCID30DF2F	le Curve, Full Heigl	nt Back v 5608	vith Privad 5896	cy Scree 6185	n 6589	7051	7457	7917	8494	9072
	Double-Seat, 30° Insid ZOP3-MCID30DM0F	le Curve, Mid Heig	ht Back 4456	4698	4944	5288	5680	6021	6414	6903	7393
	Double-Seat, 30° Insid ZOP3-MCID30DM1_  ORDERING NOTE: W 36" or 30" and chose r weight added to each	Beech/Laminate Maple/Palette hen ordering a bacequired leg type be	5189 5282 k with SI low. Free	5434 5526 helf option estanding	5680 5772 n please Start an	d End units					
	Double-Seat, 30° Insid ZOP3-MCID30DM2F	le Curve, Mid Heig	ht Back v 5353	with Priva 5599	cy Scree 5845	n Option 6187	6580	6921	7315	7803	8292
Zola Privacy (	Option Upcharges	\$ List							\$ List		
	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rei	al Leg (for movable s	Multiple Seat Cov	e unit config ers -Double ck covers a	urations) -Seat, 30	0° Curve	145 77 89		
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside ( Outside	IS  Curve -Sir  ID  Curve -Dou  OS  e Curve -Si  OD  c Curve -Dou  c Curve -Dou	uble	30D 45D 60D 90D	Full H S Full H Privac	F0 I Height Back whelf Option F2 leight Back wy Screen Op M0 I Height Back	with with otion	F eestanding S Start Un C Center U	it         

M1
Mid Height Back with Shelf Option
M2

I/MODEL/SPECIES  Double-Seat, 45° Inside ZOP3-MCID45DF0F	e Curve, Full Heigl			3	4	C GRAD	6	7	LEATHEF 8	. 9
		nt Back 5105	5397	5691	6106	6580	6994	7466	8055	8654
_ N	eech/Laminate laple/Palette	5868 5962	6161 6256	6457 6550	6871 6966	7344 7438	7759 7855	8232 8325	8820 8914	9417 9513
42", 36" or 30" and cho	se required leg ty	pe belov	и. Freesta	nding, S	tart and End	d units w				_
Double-Seat, 45° Inside ZOP3-MCID45DF2F	e Curve, Full Heigl	nt Back v 6013	with Priva 6306	cy Scree 6601	n 7017	7489	7903	8374	8964	9563
Double-Seat, 45° Inside ZOP3-MCID45DM0F	e Curve, Mid Heig	ht Back 4860	5112	5367	5728	6138	6498	6910	7417	7943
ZOP3-MCID45DM1_ B	eech/Laminate	ht Back 5623 5718	with Shelf 5877 5971	6132 6226	6493 6585	6903 6996	7262 7358	7673 7767	8181 8275	8708 8801
36" or 30" and chose re weight added to each s  Double-Seat, 45° Inside	quired leg type be eat unit, please a	low. Fredd \$289	estanding List upch	, Start an large per cy Scree	nd End units unit. en Option	with the	shelf optic	n require	e counter	balance
ZOP3-MCID45DM2F		5767	6021	6274	6637	7047	7408	7817	8325	8853
Option Upcharges	\$ List							\$ List	t	
er unit)	61 611 571 561	Du Re	al Leg (for movable s	<sup>.</sup> Multiple Seat Cov	e unit config ers -Double	urations) -Seat, 4	5° Curve	77 97	7 7	
Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	oe .
3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus		ID		30D 45D 60D	Full H	F1 leight Back		Feestandin S Start Ur	
		Outside	e Curve -Si	ngle	90D		leight Back by Screen Op M0		Center U	Jnit T
•	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added to Double-Seat, 45° Inside ZOP3-MCID45DF2F  Double-Seat, 45° Inside ZOP3-MCID45DM0F  Double-Seat, 45° Inside ZOP3-MCID45DM1_ B M  ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s  Double-Seat, 45° Inside ZOP3-MCID45DM1_ B M  ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s  Double-Seat, 45° Inside ZOP3-MCID45DM2F  Option Upcharges er & CAL 133 (per yard) er unit)  DE KEY  Series	42", 36" or 30" and chose required leg ty balance weight added to each seat unit,  Double-Seat, 45° Inside Curve, Full Height ZOP3-MCID45DF2F  Double-Seat, 45° Inside Curve, Mid Height ZOP3-MCID45DM0F  Double-Seat, 45° Inside Curve, Mid Height ZOP3-MCID45DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type be weight added to each seat unit, please and Double-Seat, 45° Inside Curve, Mid Height ZOP3-MCID45DM2F  Double-Seat, 45° Inside Curve, Mid Height ZOP3-MCID45DM2F  Details and the seat unit in the seat	ORDERING NOTE: When ordering a back with S 42", 36" or 30" and chose required leg type below balance weight added to each seat unit, please at Double-Seat, 45° Inside Curve, Full Height Back ZOP3-MCID45DF2F 6013  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM0F 4860  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM1_ Beech/Laminate 5623 Maple/Palette 5718  ORDERING NOTE: When ordering a back with S 36" or 30" and chose required leg type below. Freweight added to each seat unit, please add \$289  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM2F 5767  Option Upcharges \$ List  er & CAL 133 (per yard) 61 Plu 571 Re 561 No 180 Plus 190	Maple/Palette 5962 6256  ORDERING NOTE: When ordering a back with Shelf option 42", 36" or 30" and chose required leg type below. Freesta balance weight added to each seat unit, please add \$289 I Double-Seat, 45° Inside Curve, Full Height Back with Privat ZOP3-MCID45DF2F 6013 6306  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM0F 4860 5112  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1_ Beech/Laminate 5623 5877 Maple/Palette 5718 5971  ORDERING NOTE: When ordering a back with Shelf option 36" or 30" and chose required leg type below. Freestanding weight added to each seat unit, please add \$289 List upch Double-Seat, 45° Inside Curve, Mid Height Back with Privat ZOP3-MCID45DM2F 5767 6021  Option Upcharges \$List  Option Upcha	ORDERING NOTE: When ordering a back with Shelf option please 42", 36" or 30" and chose required leg type below. Freestanding, S balance weight added to each seat unit, please add \$289 List upch Double-Seat, 45° Inside Curve, Full Height Back with Privacy Scree ZOP3-MCID45DF2F 6013 6306 6601  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM0F 4860 5112 5367  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1_ Beech/Laminate 5623 5877 6132 Maple/Palette 5718 5971 6226  ORDERING NOTE: When ordering a back with Shelf option please 36" or 30" and chose required leg type below. Freestanding, Start ar weight added to each seat unit, please add \$289 List upcharge per Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Scree ZOP3-MCID45DM2F 5767 6021 6274  Option Upcharges \$List  er & CAL 133 (per yard) 61 Plus Upgrade - Doubler unit) 611 Dual Leg (for Multiple 571 Removable Seat Cov Note: Removable base of the company	Maple/Palette 5962 6256 6550 6966  ORDERING NOTE: When ordering a back with Shelf option please clearly spect 42", 36" or 30" and chose required leg type below. Freestanding, Start and Enchalance weight added to each seat unit, please add \$289 List upcharge per unit balance weight added to each seat unit, please add \$289 List upcharge per unit bulber-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F 6013 6306 6601 7017  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM0F 4860 5112 5367 5728  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1_ Beech/Laminate 5623 5877 6132 6493 Maple/Palette 5718 5971 6226 6585  ORDERING NOTE: When ordering a back with Shelf option please clearly spec 36° or 30° and chose required leg type below. Freestanding, Start and End units weight added to each seat unit, please add \$289 List upcharge per unit.  Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F 5767 6021 6274 6637  Option Upcharges \$List  Plus Upgrade - Double-Seat, 45° Plus Upgrade - Double-Seat, 45° Plus Upcharge per unit.  Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F 5767 6021 6274 6637  Option Upcharges \$List  Pus Upgrade - Double-Seat, 45° Plus Upcharge per unit.  Double-Seat Covers - Double Seat Seat Seat Seat Seat Seat Seat Sea	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on you shall also and chose required leg type below. Freestanding, Start and End units we balance weight added to each seat unit, please add \$289 List upcharge per unit.  Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F 6013 6306 6601 7017 7489  Double-Seat, 45° Inside Curve, Mid Height Back ZOP3-MCID45DM0F 4860 5112 5367 5728 6138  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM0F 4860 5112 5367 5728 6138  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1 Beech/Laminate 5623 5877 6132 6493 6903 Maple/Palette 5718 5971 6226 6585 6996  ORDERING NOTE: When ordering a back with Shelf option please clearly specify on you 36° or 30° and chose required leg type below. Freestanding, Start and End units with the weight added to each seat unit, please add \$289 List upcharge per unit.  Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F 5767 6021 6274 6637 7047  Option Upcharges \$List  Plus Upgrade - Double-Seat, 45° Curve Streen Option Screen Optio	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the A2", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the she balance weight added to each seat unit, please add \$289 List upcharge per unit.  Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F 6013 6306 6601 7017 7489 7903  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM0F 4860 5112 5367 5728 6138 6498  Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1_ Beech/Laminate 5623 5877 6132 6493 6903 7262 Maple/Palette 5718 5971 6226 6585 6996 7358  ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option weight added to each seat unit, please add \$289 List upcharge per unit.  Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F 5767 6021 6274 6637 7047 7408  Option Upcharges \$ List  er & CAL 133 (per yard) 61 Plus Upgrade - Double-Seat, 45° Curve Dual Leg (for Multiple unit configurations) 571 Removable Seat Covers - Double-Seat, 45° Curve 561 Note: Removable back covers are not available on the KEY  Series Chair Type Curve Style Seat Degree Back Type Modular Curve Inside Curve - Single Full Height Back Shelf Option Plus Got Fill Height Back Shelf Option Fill Fill Fill Fill Fill Fill Fill Fil	### Apple/Palette	## ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require oblaince weight added to each seat unit, please and \$289 List upcharge be unit.    Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	de Curve, Full Heigh		5965	6301	6788	7338	7824	8373	9047	9774
	Double-Seat, 60° Insid ZOP3-MCID60DF1_ ORDERING NOTE: W 42", 36" or 30" and cl balance weight added	Beech/Laminate Maple/Palette  /hen ordering a bachose required leg ty	6444 6540 k with Sh pe below	6783 6876 elf option . Freestar	ding, Sta	art and End	l units wi			9960 ed Shelf I	
	Double-Seat, 60° Insid ZOP3-MCID60DF2F						8254	8738	9290	9962	10690
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	de Curve, Mid Heigl	nt Back 5322	5604	5881	6281	6733	7131	7584	8141	8725
	Double-Seat, 60° Insid ZOP3-MCID60DM1_ ORDERING NOTE: W 36" or 30" and chose weight added to each	Beech/Laminate Maple/Palette  /hen ordering a bac required leg type be	6140 6234 k with Sh low. Free:	6421 6515 elf option standing,	Start and	d End units					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	-					7647	8045	8496	9056	9641
Moisture Barri Seat Power (p Shelf Power Table Power	,	\$ List 61 611 571 561	Dua Ren	ll Leg (for novable S	Multiple eat Cove	e-Seat, 60° unit configuers -Double k covers ar	urations) -Seat, 60		<b>\$ List</b> 175 77 118 curved b		
DECELIAT COR	DE KEY										
PRODUCT COD	Series	Chair Type	Cui	rve Style	S	eat Degree	E	Back Type		Leg Type	Э

Mid Height Back with Shelf Option

									-		
DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAI	DES 6	7	LEATHEI 8	R 9
	Double-Seat, 90° Insic ZOP3-MCID90DF0F	le Curve, Full Hei	•	6956	7308	7820	8394	8909	9485	10185	10964
	Double-Seat, 90° Insid	le Curve, Full Heig	ght Back	with She	elf						
	ZOP3-MCID90DF1_	Beech/Laminate Maple/Palette		7847 7944	8200 8295	8712 8809	9289 9384	9801 9896	10377 10471	11077 11174	
	ORDERING NOTE: W - 42", 36" or 30" and of terbalance weight add	hose required leg	type bel	ow. Free	standing	, Start and	End unit				
	Double-Seat, 90° Insic	le Curve, Full Hei	ght Back	with Priv	acy Scre	een					
	ZOP3-MCID90DF2F		7564	7913	8265	8779	9351	9865	10441	11142	11919
	Double-Seat, 90° Insic	le Curve, Mid Hei	ght Back								
	ZOP3-MCID90DM0F		6135	6415	6694	7092	7544	7943	8394	8956	953
	Double-Seat, 90° Insid			with She	əlf						
	ZOP3-MCID90DM1_	Beech/Laminate Maple/Palette	7028 7124	7309 7403	7587 7683	7986 8081	8438 8533	8836 8933	9289 9384	9847 9943	
	ance weight added to  Double-Seat, 90° Insid ZOP3-MCID90DM2F						8500	8898	9351	9913	10/10
			1092	1012	7001	0040	0300	0090	9001	3913	1043
Zola Privacy Op	otion Upcharges	\$ List							\$ Lis	st	
Moisture Barrier	& CAL 133 (per yard)	61	Plus	s Upgrad	de - Douk	ole-Seat, 90	° Curve		21	0	
Seat Power (per	unit)	611		0 (		e unit config		,		7	
Shelf Power Fable Power		571 561				vers - Doubl ick covers a	-		12 curved		
RODUCT CODE	KEY										
Line	Series	Chair Type	Cu	rve Style		Seat Degree		Back Type		Leg Ty	oe
ZOP Zola	3 Lounge	MC  Modular Curve	Inside (	IS Curve -Sir	ngle	30D	Fu	F0	ck F	Freestandir	] ng Unit
		MCB Modular Curve	Inside C	ID Curve -Do	uble	45D		F1 Height Back		Start U	nit
		Plus	Outside	OS Curve -S	nale	60D		Shelf Option F2 Height Back		C Center U	Jnit
				OD	3	90D		M0		E	
			Outside	Curve -Do	ouble		Mi	d Height Ba	ck	End Ur	nit
								Height Back Shelf Option			
								1.10			

M2 Mid Height Back with Privacy Screen Options

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRAI 5	DES 6	7	LEATHER 8	R 9
	Double-Seat, 30° Outs ZOP3-MCOD30DF0F	ide Curve, Full Hei	ght Back 4375	4647	4920	5299	5734	6114	6546	7091	7634
	Double-Seat, 30° Outs ZOP3-MCOD30DF1_ ORDERING NOTES: Note 142", 36" or 30" and could balance weight added	Beech/Laminate Maple/Palette When ordering a ba hose required leg ty	4910 4999 ack with S ype belov	5182 5271 Shelf option. V. Freesta	5454 5544 on please anding, S	Start and End	d units wi				
	Double-Seat, 30° Outs ZOP3-MCOD30DF2F	ide Curve, Full Hei	ght Back 4945	with Priv 5218	acy Scre 5490	een 5870	6305	6684	7119	7661	8205
	Double-Seat, 30° Outs ZOP3-MCOD30DMOF	·	ght Back 4189	4417	4641	4959	5320	5637	5997	6448	6900
	Double-Seat, 30° Outs ZOP3-MCOD30DM1_ ORDERING NOTES: V - 36" or 30" and chose weight added to each	Beech/Laminate Maple/Palette When ordering a ba required leg type be	4725 4814 ack with Selow. Free	4952 5040 Shelf options standing	5178 5266 on pleas g, Start a	nd End units					
	Double-Seat, 30° Outs ZOP3-MCOD30DM2F	-					5891	6208	6568	7020	7471
	Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Dua Ren	al Leg (for novable s	Multiple Seat Cov	ole-Seat, 30° e unit configuers -Double ck covers an	urations) -Seat, 30		<b>\$ List</b> 145 77 89 curved b	; ,	
Line ZOP Zola	Series  3 Lounge	Chair Type  MC  Modular Curve  MCB  Modular Curve  Plus	Inside Inside	IS Curve -Sin ID Curve -Do OS E Curve -S OD Curve -Do	uble	Seat Degree  30D  45D  60D  90D	Full H S Full H Privacy Mid Mid H	F0 Height Back thelf Option F2 eight Back to the Source of Mo Height Back to the Source of Mo Height Back thelf Option M1 eight Back thelf Option M2	with with otion	Leg Type Freestanding S Start Uni C Center Ur E End Uni	g Unit               

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	7	LEATHEF 8	9
	Double-Seat, 45° Outsic ZOP3-MCOD45DFOF	de Curve, Full He	ight Back 4570	4842	5113	5493	5929	6309	6743	7287	7830
	Double-Seat, 45° Outsid ZOP3-MCOD45DF1_ E N ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	Beech/Laminate Maple/Palette en ordering a bac se required leg ty	5107 5195 ck with Sh pe below	5378 5467 nelf optio	5650 5738 n please anding, S	Start and End	l units wi				
	Double-Seat, 45° Outsid ZOP3-MCOD45DF2F	de Curve, Full He	ight Back 5140	with Priv 5414	vacy Scr 5685	reen 6063	6499	6879	7315	7858	8400
	Double-Seat, 45° Outsic ZOP3-MCOD45DMOF	de Curve, Mid He	eight Back 4363	4588	4816	5132	5492	5809	6170	6623	7075
	Double-Seat, 45° Outsid ZOP3-MCOD45DM1_ E N ORDERING NOTE: Wh 36" or 30" and chose re- weight added to each s	Beech/Laminate Maple/Palette en ordering a bac quired leg type be	4898 4987 ck with Shelow. Free	5125 5212 nelf optio	5349 5440 n please , Start a	nd End units					
	Double-Seat, 45° Outsid ZOP3-MCOD45DM2F	de Curve, Mid He	eight Back 4935	with Pri 5160	vacy Sci 5387	reen Option 5701	6062	6379	6742	7193	7646
	Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Dua Rer	al Leg (fo movable	r Multipl Seat Co	ble-Seat, 45° le unit config vers - Doubl	urations)	5° Curve	<b>\$ List</b> 172 77 97	2	
	DE KEY				vable ba	ack covers a	-	ailable on			

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 60° Outsid ZOP3-MCOD60DFOF	le Curve, Full Hei	ght Back 4810	5082	5352	5733	6166	6546	6982	7524	806
	Double-Seat, 60° Outsid ZOP3-MCOD60DF1_ B N ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate laple/Palette en ordering a bac se required leg ty	5342 5431 k with Sh pe below	5614 5701 elf option . Freestar	5887 5972 please onding, St	art and End	units wit				_
	Double-Seat, 60° Outsid ZOP3-MCOD60DF2F	e Curve, Full Hei	ght Back 5379	with Priva 5651	acy Scre 5922	en 6301	6736	7117	7551	8095	863
	Double-Seat, 60° Outsid ZOP3-MCOD60DMOF	e Curve, Mid He	ight Back 4570	4796	5023	5340	5700	6017	6378	6832	728
	ORDERING NOTE: Whe	eech/Laminate laple/Palette en ordering a bac juired leg type be	5105 5191 k with Sh low. Frees	5329 5416 elf option standing,	5556 5642 please	d End units					
	weight added to each see  Double-Seat, 60° Outsid ZOP3-MCOD60DM2F						6269	6585	6947	7399	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barri Seat Power (p Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Ren	Il Leg (for novable S	Multiple Seat Cov	e unit configuers - Double	urations) e-Seat, 60	)° Curve ilable on d	184 77 118 curved ba	acks	
PPODLICT COI	DE KEV				able bar	CR COVEIS AI					
PRODUCT COL	DE KEY Series	Chair Type	Cı	urve Style		Seat Degree	E	Back Type		Leg Type	e

Mid Height Back with Privacy Screen Options

			COM		COL		RIC GRAD			EATHER	
DESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Outs ZOP3-MCOD90DF0F	ide Curve, Full He	ight Bac 5390	k 5661	5933	6313	6747	7128	7562	8106	8648
	Double-Seat, 90° Outs	ide Curve, Full He	ight Bac	k with SI	helf						
	ZOP3-MCOD90DF1_	Beech/Laminate Maple/Palette	5917 6004	6188 6274	6461 6546	6840 6925	7275 7362	7656 7742	8089 8176	8633 8721	9174 9262
	ORDERING NOTES: Note: 42", 36" or 30" and contains a weight added	hose required leg t	type belo	ow. Frees	standing,	Start and E	nd units v				
	Double-Seat, 90° Outs	ide Curve, Full He	ight Bac	k with Pi	rivacy Sc	reen					
	ZOP3-MCOD90DF2F		5950	6223	6495	6873	7309	7689	8123	8666	9208
	Double-Seat, 90° Outs ZOP3-MCOD90DM0F	ide Curve, Mid He	eight Bad 5245	5556	5866	6346	6873	7355	7882	8505	9274
	Davible Cost 000 Oute	ida Cumra Mid Ha	iaht Dae	ole suith C	half						
	Double-Seat, 90° Outs ZOP3-MCOD90DM1_		5772	6083	6394	6873	7400	7882	8410	9031	9801
		•	5861	6169	6481	6962	7489	7969	8495	9118	9888
	ORDERING NOTES: No. 36" or 30" and chose weight added to each	required leg type b	elow. Fr	eestandii	ng, Start	and End unit					
	Double-Seat, 90° Outs	ide Curve, Mid He	eight Bac	k with P	rivacy So	creen Option					
	ZOP3-MCOD90DM2F		5807	6116	6428	6910	7436	7915	8443	9064	9837
Zola Privacy (	Option Upcharges	\$ List							\$ Lis	t	
Moisture Barrie	er & CAL 133 (per yard)	61	Plu	us Upgra	ıde - Doı	uble-Seat, 90	)° Curve		210	)	
Seat Power (pe	er unit)	611		• (		le unit confi			77		
Shelf Power Table Power		571 561				overs - Doub ack covers			121 curved b		
PRODUCT COD	DE KEY										
Line	Series	Chair Type	C	Curve Style	е	Seat Degree		Back Type		Leg Typ	ре
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	e Curve -S	Single		Fu	I Height Ba	ck Fr	reestandin	g Unit
		MCB		ID		45D		F1		S	
		Modular Curve Plus	Inside	Curve -D	ouble			leight Back Shelf Option		Start U	nit
				OS		60D		F2		С	
			Outsic	de Curve -	Single			leight Back by Screen O		Center L	Jnit
			Outsid	OD e Curve -[	Double	90D		M0 d Height Ba		E End Ur	nit
								M1			
								Height Back Shelf Option			
								M2 Height Back			
							Privac	y Screen Op	บแบทธ		

# **ZOLA PRIVACY | SIDE PANELS**

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
		e, Full Height No Sc									
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258
	Side Panel, Single	e, Full Height with S	Screen								
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539
	Side Panel, Single	e, Mid Height No So	creen								
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650
$\overline{}$	Side Panel, Single	e, Mid Height with S	Screen								
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 30 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FABRIC GRADES			LEATHER			
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single, I	Full Height									
	ZOP3-MSPF0S	Start	556	599	642	729	816	904	990	1079	1252	
	ZOP3-MSPF0C	Center	817	862	907	992	1080	1166	1253	1340	1514	
	ZOP3-MSPF0E	End	556	599	642	729	816	904	990	1079	1252	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S	Start	490	529	564	640	716	790	866	940	1089	
	ZOP3-MSPM0C	Center	759	796	834	910	984	1059	1135	1209	1360	
	ZOP3-MSPM0E	End	490	529	564	640	716	790	866	940	1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP  Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

### **ZOLA PRIVACY | MODULAR ARMS**

		COM		COL	FA	FABRIC GRADES		LEATHER		R	
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole		С
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

### **ZOLA PRIVACY** | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

### **DIMENSIONS**

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	gle-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	gle-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ıble-Seat - Fı	ull Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ıble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

#### **COM YARDAGES**

	Yardage Entire	Yardage 2 Entire	Yardage 3 Entire	Yardage 4 Entire	Yardage per	Yardage per 2	Yardage per 3	Yardage per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	Height Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

### **ZOLA PRIVACY** | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODEL			COM 1	2	COL 3	FABI 4	RIC GRA	DES 6	7	EATHER 8	9
	n Single-Seat, 30° 23-MCTS30DF0F	Curve, Full H	leight Ba 4957	ck 5255	5553	5970	6445	6865	7342	7939	8534
	n Single-Seat, 30° P3-MCTS30DF2F	Curve, Full H	leight Ba 5520	ck with F 5820	Privacy So 6117	creen Optio 6536	on 7012	7429	7907	8505	9100
	n Single-Seat, 30° P3-MCTS30DM0F	Curve, Mid I	Height B 4696	ack 4965	5233	5608	6035	6411	6839	7373	7910
	n Single-Seat, 30° 23-MCTS30DM2F	Curve, Mid I	Height B 5262	ack with 5530	Privacy S 5796	Screen Opti 6172	on 6601	6975	7403	7940	8473
	n Single-Seat, 45° 23-MCTS45DF0F	Curve, Full I	Height Ba	ack 5897	6209	6645	7141	7575	8074	8696	9316
	n Single-Seat, 45° 23-MCTS45DF2F	Curve, Full I	Height Ba	ack with 6470	Privacy S 6781	creen Optio	on 7713	8148	8647	9267	9888
Zola Privacy Option Upch	arges	\$ List							\$ Lis	+	
Moisture Barrier & CAL 133 Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple unit of	3 (per yard)	61 611 571 561 77	Plu Rer Rer	s Upgrad novable novable	e - Twin Seat Cov Seat Cov	Single-Seat Single-Seat ers -Twin S ers -Twin S ck covers a	t, 45° Cui ingle-Sea ingle-Sea	rve at, 30° Cur at, 45° Cur	274 329 ve 148 ve 159	4 9 3 9	
PRODUCT CODE KEY	laviaa C	de aix Time	0	m to Chulo		ant Danuar		Pools Time		Log Tupe	
ZOP	3	MCT MCT MCT MCT	Sma	S Sall Radius-	S	at Degree 30D		Back Type F0 Height Back	c Fre	Leg Type F eestanding	
	Mo	MCTB dular Curve win Plus		D all Radius- ble Width		45D		F2 eight Back w / Screen Opt		Start Uni	t
						90D	Mid He	M0 Height Back M2 eight Back w Screen Opti	vith	C Center Ur E	

DESCRIPTION/MODE	EL		COM 1	1 2	COL 3	. FABR	IC GRA	DES 6	7	LEATHEF 8	9
	Twin Single-Seat, ZOP3-MCTS45D		fid Height E 5292	Засk 5572	5850	6244	6693	7084	7533	8095	8655
	Twin Single-Seat, ZOP3-MCTS45D		flid Height E 5268	Back with 5536	Privacy S 5803		n 6608	6982	7411	7945	8481
	Twin Single-Seat, ZOP3-MCTS60D		ull Height E 6345	3ack 6710	7077	7587	8172	8682	9266	9996	10725
	Twin Single-Seat, ZOP3-MCTS60D		ull Height E 6920	Back with 7285	Privacy S 7651		า 8747	9257	9841	10570	11301
	Twin Single-Seat, ZOP3-MCTS60D		1id Height I	Back 6328	6651	7105	7621	8074	8591	9236	9885
	Twin Single-Seat, ZOP3-MCTS60D		fid Height E 7124	Back with 7537	Privacy S 7948		n 9191	9771	10432	11258	12084
Zola Privacy Option	upcharges	\$ Lis	st						\$ Lis	st	
Moisture Barrier & C/ Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple		6 61 57 56 s) 7	1 P 1 R 1 R	lus Upgrademovable emovable	de - Twin Seat Cov Seat Cov	Single-Seat Single-Seat vers -Twin Si vers -Twin Si ack covers ar	, 60° Cu ngle-Se ngle-Se	ırve eat, 45° Cu eat, 60° Cu	ırve 20	5 9 2	
	Series	Chair Type	<b>)</b>	Curve Style		Seat Degree		Back Type		Leg Ty	pe
PRODUCT CODE KEY	Series  3 Lounge	Chair Type MCT Modular Curve	Twin S	Curve Style S mall Radius Single Width	-	Seat Degree	Fu	Back Type F0 III Height Ba		Leg Ty F reestandir	
PRODUCT CODE KEY Line ZOP	3	MCT	Twin S	S mall Radius	;- I		Full I	F0	ack F	F	ng Unit

		COM		COL	FA	FABRIC GRADES		LEATHER		
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Ful ZOP3-MCTS90DF0F	l Height E 7917	3ack 8288	8659	9185	9781	10303	10901	11643	12398
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F	Height B 8824	ack with 9195	Privacy S 9566	creen Opt 10090	ion 10689	11209	11806	12548	13304
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	d Height E 7442	3ack 7771	8101	8566	9096	9562	10090	10749	11420
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	d Height E 7093	Back with 7465	Privacy \$	Screen Op 8358	tion 8951	9472	10067	10809	11553

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Single-Seat, 90° Curve 492
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77
Shelf Power	571	Removable Seat Covers -Twin Single-Seat, 90° Curve 229
Table Power	561	Note: Removable back covers are not available on curved backs

PRODUCT CODE KE	T					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FAB	FABRIC GRADES		LEATHER		
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DF0F	Full Height 6548	Back 6963	7375	7953	8616	9195	9856	10682	11511
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DF2F	Full Height 7448	Back witl 7863	h Privacy : 8275	Screen Op 8854	otion 9516	10094	10756	11584	12409
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM0F	/lid Height I 6187	3ack 6559	6933	7450	8045	8565	9161	9904	10647
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM2F	flid Height I 7087	Back with	Privacy 9 7831	Screen Op 8351	otion 8946	9465	10061	10804	11545

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 30° Curve 385
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 30° Curve 178
Table Power	561	Note: Removable back covers are not available on curved backs

DOCT CODE KE	Y .					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DESCRIPTION/MOD	DEL/SPECIES	COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	LEATHER 7 8		R 9
	Twin Double-Seat, 45° Curve, Fu ZOP3-MCTD45DF0F	ll Height B 7385	ack 7808	8234	8828	9508	10101	10781	11630	
	Twin Double-Seat, 45° Curve, Fu ZOP3-MCTD45DF2F	ll Height B 8292	ack with 8720	Privacy S 9143	creen Op 9736	tion 10417	11011	11690	12540	13389
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM0F	d Height E 6997	3ack 7381	7764	8300	8913	9447	10061	10826	11592
	Twin Double-Seat, 45° Curve, Mic ZOP3-MCTD45DM2F	d Height E 7909	Back with 8289	Privacy S 8675	Screen Op 9208	tion 9821	10358	10969	11734	12502

### **ORDERING NOTES:**

The  $90^{\circ}$  size is not available in a Double-Seat unit, order two  $45^{\circ}$  degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 45° Curve	437
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers - Twin Double-Seat, 45° Curv	e 195
Table Power	561	Note: Removable back covers are not available on cur	ved backs

RODUCT CODE KEY	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

# **ZOLA PRIVACY** | TWIN CURVED

		COM		COL	FAB	FABRIC GRADES		LEATHER		
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8056	ack 8488	8918	9520	10211	10813	11504	12365	13226
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF2F	Height B	ack with 9403	Privacy S 9833	creen Opt 10437	tion 11124	11729	12418	13280	14141
	Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM0F	l Height B 7614	ack 8004	8392	8937	9561	10104	10728	11508	12283
	Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM2F	Height Ba	ack with I 8918	Privacy So 9307	creen Opt 9852	ion 10472	11018	11643	12421	13199

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 60° Curve 518	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 60° Curve 237	
Table Power	561	Note: Removable back covers are not available on curved backs	

JOOT GODE KE	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

# **ZOLA PRIVACY |** TWIN SIDE PANELS

			COM		COL	FABI	RIC GRAD	ES	LE	ATHER	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, F ZOP3-MPTF0U ZOP3-MPTF0C	full Height No Screen Universal End Center	1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
	Twin Side Panel, F ZOP3-MPTF2U ZOP3-MPTF2C	ull Height with Screen Universal End Center	1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
	Twin Side Panel, N ZOP3-MPTM0U ZOP3-MPTM0C	/led. Height No Screen - Universal End Center	1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
	ZOP3-MPTM2U ZOP3-MPTM2C	Med. Height with Screen Universal End Center  E: Side Panels will only of	1683 2360	1767 2445 to Cente	1852 2531	2021 2699 units, Units	2192 2868 s with Priva	2361 3037 acv Screer	2531 3207	2699 3375	3037 3717
الالقيد من المناطقة		ack Cover option. See <u>pa</u>						,	. ၁၉။၀// 0	5 1101 41	

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

# **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

## PRODUCT CODE KEY

Line	Series	Type	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

## **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	10DEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v	v/Urethane	Cap								
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Grades

Zola Option Upcharges	A-White	A-Cole		С
Solid Surface Arm Cap (per arm)	263	275	303	313

## PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

# **ZOLA PRIVACY** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513	12	2
	Tablet with Palette Finis ZOL3 T2	sh n/a	392	12	2
	Clear Glass Tablet ZOL3 T3	n/a	746	13	2
			507 blet comes standard with a polymer edge. Please note Zola Table fied right or left when ordering.	12 ets are uni	2 versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	e 611	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	620	14	2
<b>9</b>	Solid Surface Tablet - CZOL3 T5B	Grade B n/a	654	14	2
	Solid Surface Tablet - CZOL3 T5C	Grade C n/a	706	14	2

## **ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS**



## RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



### **RUNOFF TABLES**

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



## **BACK CONNECTION**

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



## LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



### **LEGS**

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



## **SOLID SURFACE OVERLAY**


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.




## **MEDIA & POWER**

Inline walls can be optioned with Media provisions and Powerdocs.

# **ZOLA PRIVACY** | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	2885
ZOP3-IWF048MP	1	2290
ZOP3-ICWF0L	1	1617
ZOP3-ICWF0R	1	1617
ZOP3-RO48532416	1	1016
TOTAL		\$12.310



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0L ZOP3-ICTWM0R	3 1 1	2472 1634 1634
TOTAL		\$10.684

# **ZOLA PRIVACY** | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH <sup>-</sup>	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1117	1891	1594	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1202	2064	1690	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1285	2148	1786	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1369	2232	1880	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1043	1603	1513	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1128	1775	1608	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1211	1860	1704	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1295	1943	1797	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1256	2030	1734	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	.8" 1340	2203	1830	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	1423	2287	1923	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	50" 1508	2370	2019	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	12" 1183	1740	1652	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	18" 1267	1915	1747	48	12	37	102	15.25
	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	54" 1350	1997	1842	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1435	2082	1937	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

# **ZOLA PRIVACY** | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2066	2840	2544	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2150	3013	2639	48	12	50	212	21.5
<b>10</b>	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2234	3097	2734	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2318	3181	2829	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 1992	2551	2462	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2077	2724	2557	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2160	2808	2653	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2244	2892	2746	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2206	2979	2683	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	es, Full Height 48" 2290	3153	2779	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2373	3236	2872	54	12	50	135	24
	Inline Wall Media w/Power Doc ZOP3-IWF060MP	es, Full Height 60" 2458	3320	2968	60	12	50	147	26.5
	Inline Wall Media w/Power Doc ZOP3-IWM042MP	es, Mid Height 42" 2132	2689	2600	42	12	37	92	13.5
	Inline Wall Media w/Power Doc ZOP3-IWM048MP	es, Mid Height 48" 2216	2864	2696	48	12	37	102	15.5
	Inline Wall Media w/Power Doc ZOP3-IWM054MP	es, Mid Height 54" 2299	2946	2790	54	12	37	116	17
	Inline Wall Media w/Power Doc ZOP3-IWM060MP	es, Mid Height 60" 2384	3031	2886	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

# **ZOLA PRIVACY | INLINE CORNER WALLS**

DESCRIPTION/N	MODEL .	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1617 1617	2275 2275	1948 1948	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1560 1560	2170 2170	1882 1882	26.5 26.5	12 12	37 37	70 70	11 11

## **ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES**

		Gra	ıdes	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	407	425	530	631
ZOP3-IWF048N	456	477	593	710
ZOP3-IWF054N	505	529	660	790
ZOP3-IWF060N	529	579	725	870

## **ORDERING NOTES:**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position
ZOP	3	ICW	FO	L
Zola	Lounge	Inline Corner Wall	Full Height	Left
			MO	R
			Mid Height	Right

# **ZOLA PRIVACY | INLINE TABLE WALLS**

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH <sup>-</sup>	Γ CUBE
	Inline Table Wall, Full Height 23' ZOP3-ITWF023N	940	1507	1423	23	25.7	50	100	21
	Inline Table Wall, Full Height 30' ZOP3-ITWF030N	, 1108	1854	1604	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	867	1219	1341	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1035	1565	1520	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs,	Full Height 23"							
	ZOP3-ITWF023P	1890	2457	2373	23	25.7	50	100	21
	Inline Table Wall w/Power Docs, ZOP3-ITWF030P	, Full Height 30" 2058	2803	2553	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1816	2166	2291	23	25.7	37	90	15
5	Inline Table Wall w/Power Docs, ZOP3-ITWM030P	, Mid Height 30" 1984	2514	2469	30	25.7	37	115	18.5

**ORDERING NOTE:** For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

# **ZOLA PRIVACY |** INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

		THERMOFUSED	HIGH PRESSURE	CHERRY MAPLE					
DESCRIPTION/MO	DDEL	LAMINATE	LAMINATE	BEECH	W	D	ΗV	VEIGHT (	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1692	2551	2075	28	28	50	140	31
	ZOP3-ICTWF0R	1692	2551	2075	28	28	50	140	31
_	Inline Corner Table Wall, Mid	l Height							
	ZOP3-ICTWM0L	1634	2444	2008	28	28	37	127	23
	ZOP3-ICTWM0R	1634	2444	2008	28	28	37	127	23

## **ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES**

ZOLA INLINE TAI	BLE WALLS SOLID SURFAC	E OVERLAY UPCHA Grade							
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	460	484	602	720					
ZOP3-ITWF030N	577	605	759	912	ORDERING NOTES:				
ZOP3-ITWM023N	460	484	602	720	The Solid Su			otion is pr	iced as
ZOP3-ITWM030N	577	605	759	912	an upcharg				
ZOP3-ITWF023P	460	484	602	720	Please add a				
ZOP3-ITWF030P	577	605	759	912	number and				
ZOP3-ITWM023P	460	484	602	720	Zola Solid S	Surfac	e tab	les have	a 1/2"
ZOP3-ITWM030P	577	605	759	912	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	579	607	763	916	with a 1 mm				
ZOP3-ICTWM0	579	607	763	916	cal edge). Please see <u>page</u> 116 for col options.				or color
PRODUCT CODE K	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table	Wall	Full Height		Le	eft		
				MO		F	3		
				Mid Height			 ght		
				Wild Fleight		1 115	gi i c		
			HIGH	CHERRY					
		THERMOFUSED	PRESSURE						
DESCRIPTION/M	ODEL	LAMINATE	LAMINATE	BEECH	W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline	Wall							
	ZOL4-RO48-302416	861	1219	1323	30	24	16	25	3.75
	ZOL4-RO48-372416	909	1315	1386	37	24	16	30	4.5
	ZOL4-RO48-532416	1016	1539	1527	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1173	1860	1732	76	24	16	56	7.5
	Run-off Table for 54" Inline	Wall							
	ZOL4-RO54-303016	912	1193	1390	30	30	16	35	4.25
	ZOL4-RO54-373016	970	1314	1467	37	30	16	41	5.25
$\prod$	ZOL4-RO54-533016	1108	1592	1646	53	30	16	54	6.75
U	ZOL4-RO54-763016	1305	1993	1900	76	30	16	74	8.75
					70	-			0.70

# **ZOLA** | COLLECTION COMPONENTS

DESCRIPTION/M	ESCRIPTION/MODEL		PRICE	WEIGHT	CUBE
	Wood Tablet of ZOL3 RT1	& Mounting Plate Only Beech Maple /Cherry	363 386	5 5	0.32 0.32
	Painted Table ZOL3 RT2	ot & Mounting Plate Only n/a	265	5	0.32
	Clear Glass T ZOL3 RT3	ablet & Mounting Plate Only n/a	620	6	0.32
	Laminate Tab ZOL3 RT4	let & Mounting Plate Only n/a	379	5	0.32
	ZOL3 RT5	Tablet & Mounting Plate Or Grade - A-White Grade - A-Color Grade - B Grade - C	514 521 550 595		
	ORDERING I	NOTES: The Zola replacem	ent tablets on this page include the	top with mounting plate only.	
	Leg ZOL3 RLS		56	1	0.125
ſ	Caster Leg ZOL3 RLC		38	0.4	0.125
	Dual leg ZOL3 RDL		96	1	0.125
	Leg Glide (4) ZOL3 RLG		23	0.2	0.01
000	Replacement ZOL3 RLKB2	Seat-to-Seat Bracket	91	1	0.125
			each seat is automatically supplied	with two seat to seat brackets	0.120
	Replacement ZOL3 RLKB1	Table-to-Seat Bracket	109	3	0.125
	ZOL3-POWE	RDOC1 - Undermount	543	3	0.375
D and			Seats and Tables as a replacement parower and 2 USB outlets. PowerDoc		ously spec
	ZOL3-POWE	RDOC2	617	3	0.375
D D B			es or Square/Rectangular tables whi B outlets. PowerDoc's have a 10' co		this powe
	Wire Manage ZOL3 WM10	r Shroud	115	1	0.375
	ORDERING I	NOTES: Comes in a 10' len	gth when ordered. Can be cut to size	e on site.	


# **ZOLA PRIVACY** | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 64	2	0.32
B	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 56	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 71	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 161	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 179	4	0.32
0:0:8	ZOP3-POWERDOC3 - Shelves only 630  Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 179	1	0.375

## **ZOLA BENCH | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

#### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

## **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

#### DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes
One-Seat	23	26	18.5	33	11.5
Two-seat	46	26	18.5	55	21
Three-seat	69	26	18.5	72	32
One-Seat (Plus)	30	26	18.5	45	16
Two-seat (Plus)	46	26	18.5	57	21
Three-seat (Plus)	69	26	18.5	75	32

## **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Arms (Right or Left)	74	One-Seat standard depth seat	45
Interim Arm	59	Two-seat standard depth seat	65
One-Seat back	65	Three-seat standard depth seat	81
Two-seat back	93	One-Seat plus standard depth seat	59
Three-seat back	116	One-Seat full depth seat	50
One-Seat plus back	75	Two-seat full depth seat	71
·		Three-seat full depth seat	81
		One-Seat plus full depth seat	64

## ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ı
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	830	873	918	1003	1085	1169	1252	1332	1462
	One-Seat Plus ZOL3 MSB1S1	1046	1092	1139	1228	1319	1410	1498	1589	1724
	ORDERING NOTES: One	e-Seat Plus B	ench is 30	)" wide.						
	Two-Seat ZOL3 MS2S1	1160	1212	1267	1379	1492	1605	1718	1831	2018
"	Two-Seat Plus ZOL3 MSB2S1	1236	1295	1355	1467	1583	1694	1807	1921	2109
	ORDERING NOTES: The	Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppor	t.		
	Three-Seat ZOL3 MS3S1	1484	1560	1634	1794	1951	2109	2268	2427	2618
	Three-Seat Plus ZOL3 MSB3S1	1764	1837	1915	2046	2185	2319	2457	2589	2806
	ORDERING NOTES: The	Three-Seat I	Plus come	s standar	d with a fif	th lea for e	extra supp	ort.		

## **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	916	963	1008	1068	1141	1203	1273	1363	1481
	One-Seat Plus ZOL3 MSB1F1	1103	1164	1223	1306	1398	1483	1579	1694	1815
	ORDERING NOTES: One-	Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3 MS2F1	1353	1412	1472	1555	1648	1731	1827	1943	2063
	Two-Seat Plus ZOL3 MSB2F1	1404	1463	1521	1605	1697	1781	1875	2132	2113
	ORDERING NOTES: The T	wo-Seat Pl	lus comes	standard	with a fifth	leg for ex	tra suppor	rt.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1830 1894	1920 1986	2008 2073	2130 2200	2275 2343	2402 2468	2544 2612	2723 2789	2902 2969
· W	ZOLO MODOI I	. 50 1	. 500	_3,0	0	_3 10	00	_31_	00	_300

**ORDERING NOTES:** The Three-Seat Plus comes standard with a fifth leg for extra support.

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of \$102 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$74 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

**DIMENSIONS INSIDE CURVE** 

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat 30° 45° 60° 90°	36 42 48 59	28.5 29 29 31	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	50 54 57 69	18 19 22 26	
Double seat 30° 45° 60° 90°	58 64 70 81	30 31 33 36	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	90 97.2 102.6 124.2	32 33 39 46	

**COM Yardages** 

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

**COM Yardages - Individual Components** 


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6




One-Seat, Uph 30° Inside Curve



One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

## **DIMENSIONS OUTSIDE CURVE**


	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat							
30°	33.75	28.25	18.5	22.5	48	23	
45°	38.75	28.75	18.5	22.5	49	24	
60°	43.5	29.25	18.5	22.5	50	29	
90°	52	29.75	18.5	22.5	51	34	
Double seat							
30°	55.75	29.75	18.5	22.5	83	36	
45°	60.75	31	18.5	22.5	84	40	
60°	65.75	32.25	18.5	22.5	86	45	
90°	74	34.5	18.5	22.5	96	56	

## **COM Yardages**


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

## **COM Yardages - Individual Components**

OOM Taraages	illaiviadai Oc	mponento						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Sta ZOL3 MCS30DS1	ndard Dep 1192	oth 1297	1408	1557	1727	1877	2047	2265	2479
	Single-Seat, 45° Curve, Sta ZOL3 MCS45DS1	ndard Dep 1297	oth 1456	1611	1831	2082	2300	2551	2865	3178
	Single-Seat, 60° Curve, Sta ZOL3 MCS60DS1	ndard Dep 1466	oth 1624	1780	2000	2248	2468	2719	3033	3346
	Single-Seat, 90° Curve, Sta ZOL3 MCS90DS1	ndard Dep 1692	oth 1863	2035	2277	2554	2795	3069	3417	3761
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1311	1428	1546	1712	1900	2065	2256	2489	2725
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1430	1600	1773	2013	2291	2531	2806	3150	3495
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1613	1786	1959	2199	2473	2716	2989	3335	3680
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1861	2047	2240	2506	2808	3076	3377	3759	4137

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

RODUCT CODE K	E1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, St	andard Der	oth							
	ZOL3 MCD30DS1	2086	2272	2461	2722	3022	3288	3587	3962	4339
	D. H. O. J. 450 O 0	and and David	- 11-							
	Double-Seat, 45° Curve, St			0010	0000	0000	4000	4404	5000	
	ZOL3 MCD45DS1	2272	2545	2819	3203	3639	4022	4461	5009	5557
	Double-Seat, 60° Curve, St ZOL3 MCD60DS1	andard Dep 2566	oth 2841	3114	3497	3935	4318	4757	5304	5850
	Double-Seat, 90° Curve, St ZOL3 MCD90DS1	tandard Dep 2958	oth 3261	3562	3985	4468	4891	5372	5975	6580
и Ц										

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	<b>6</b> 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

		COM		COL	FAI	BRIC GRA	DES		LEATHER 8 9			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9		
	Double-Seat, 30° Curve, Fu ZOL3 MCD30DF1	ll Depth 2397	2612	2828	3131	3475	3778	4125	4557	4987		
	Double-Seat, 45° Curve, Fu ZOL3 MCD45DF1	II Depth 2612	2927	3241	3682	4186	4628	5132	5760	6390		
	Double-Seat, 60° Curve, Fu ZOL3 MCD60DF1	II Depth 2952	3266	3581	4020	4526	4966	5469	6100	6730		
	Double-Seat, 90° Curve, Fu ZOL3 MCD90DF1	II Depth 3403	3748	4093	4583	5137	5623	6178	6872	7567		

## **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

Replacement Back Single-seart Inside Curve			СОМ		COL	FAE	BRIC GF	RADES		LEATHE		COM		
2013 RMCBISS0D	DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
Replacement Back Double-seat Inside Curve		ZOL3 RMCBIS30D ZOL3 RMCBIS45D	1113 1291	1188 1375	1267 1460	1375 1580	1716	1833	1968	2138	2308	2.6	22	8
ZOL3 RMCBI030D														
ZOL3 RMCBID6DD   2257   2404   2554   2760   2998   3207   3445   3742   4038   3   42   13.5							2617	2807	3021	3292	3561	2.8	38	13
### Replacement Back Single-seat Outside Curve  ZOL3 RMCBOSS0D 1003 1069 1140 1237 1348 1443 1556 1694 1832 1.7 15 5.0  ZOL3 RMCBOSS0D 1003 1069 1140 1237 1348 1443 1556 1694 1832 1.7 15 5.0  ZOL3 RMCBOSS0D 1580 1581 1623 1770 1937 2086 2249 2461 2670 1.7 20 9.0  ZOL3 RMCBOSS0D 1580 1688 1796 1948 2122 2273 2447 2665 2884 1.7 25 9.0  Replacement Back Double-seat Outside Curve  ZOL3 RMCBOSS0D 1572 1872 1993 2163 2356 2526 2721 2963 3206 3.1 30 9.0  ZOL3 RMCBODS0D 2752 1872 1993 2163 2356 2526 2721 2963 3206 3.1 30 9.0  ZOL3 RMCBODS0D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 40 14.0  Replacement Seat Single-seat Standard Depth Curve  ZOL3 RMCSS4DDS 1199 1354 1375 1730 1981 2202 2448 2764 3078 1.8 30 11  ZOL3 RMCSS4DDS 1899 1199 1307 1457 1627 1778 1949 2164 2378 1.8 30 11  ZOL3 RMCSS4DDS 1899 1599 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16  Replacement Seat Single-seat Standard Depth Curve  ZOL3 RMCSS4DDS 1959 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16  Replacement Seat Single-seat Standard Depth Curve  ZOL3 RMCSS4DDS 1959 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16  Replacement Seat Single-seat Standard Depth Curve  ZOL3 RMCSS4DDS 1272 2486 2620 2923 3185 3488 3964 4238 3.4 52.2 19.5  ZOL3 RMCSD0DDS 2625 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28  Replacement Seat Single-seat Full Depth Curve  ZOL3 RMCSD0DDS 2625 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28  Replacement Seat Single-seat Full Depth Curve  ZOL3 RMCSS0DDF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19  Replacement Seat Double-seat Full Depth Curve  ZOL3 RMCSS0DDF 2566 3216 3767 379 466 562 648 759 869 1.8 2.5 1  ZOL3 RMCSS0DDF 2566 3216 3769 2098 2374 2644 2666 5368 5998 6629 3.7 72 27  ZOL3 RMCSS0DDF 2566 3216 3760 5466 562 648 759 869 1.8 2.5 1  ZOL3 RMCSS0DDF 2566 316 3660 2475 566 602 661 800 910 1.8 3.7 1.5  ZOL3 RMCSSC0DDS 274 329 385 460 546 664 711 823 932 1.8 4.3 1.5  ZOL3 RMCSSC0DDS 277 378 328 404 492 569 667 767 874 1.8 3.1 1.5  ZOL3 RMCSSC0DDS 277 328 404 492 569 667 767 874 1.8 3.1 1.5	1		2257											
ZOL3 RIMCBOS40D 11003 10699 1140 1237 1348 1443 1556 1694 1832 1.7 15 5.0 201 201 RIMCBOS45D 1160 1237 1315 1421 1454 1565 16773 1924 2079 1.7 17 7.0 20 9.0 201.3 RIMCBOS60D 1389 1518 1623 1770 1937 2086 2249 2461 2670 1.7 20 9.0 201.3 RIMCBOS90D 1589 1518 1623 1770 1937 2086 2249 2461 2670 1.7 25 9.0 201.3 RIMCBOS90D 1759 1179 1937 2086 2249 2461 2670 1.7 25 9.0 201.3 RIMCBOS90D 1752 1872 1993 2163 2356 2526 2721 2963 3206 3.1 30 9.0 201.3 RIMCBOD03D 1752 1872 1993 2163 2356 2526 2721 2963 3206 3.1 34 11.0 201.3 RIMCBOD045D 2032 2164 2298 2486 2899 2886 3098 3367 3635 3.1 34 11.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3390 3645 3937 4305 4670 3.1 35 14.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3390 3645 3937 4305 4670 3.1 35 14.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3390 3645 3937 4305 4670 3.1 35 14.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3390 3645 3937 4305 4670 3.1 35 14.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3391 4045 4664 5043 3.1 40 14.0 201.3 RIMCBOD06D 2473 2657 2641 3095 3391 4284 4664 5043 3.1 40 14.0 201.3 RIMCSS0DS 1089 1199 1307 1457 1627 1778 1949 2164 2378 1.8 30 11 201.3 RIMCSS0DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 32 12 201.3 RIMCSS0DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 34 13 201.3 RIMCSS0DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 34 116 201.3 RIMCSD0DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 56 21 201.3 RIMCSD0DS 2465 2172 2445 2719 3102 3538 3322 4381 5339 5455 3.4 56 21 201.3 RIMCSD0DS 2825 3127 3431 3650 4335 4757 5240 5844 6445 3.4 72 28 201.3 RIMCSD0DS 2825 3127 3431 3650 4335 4757 5240 5844 6445 3.4 72 28 201.3 RIMCSD0DS 2825 3127 3431 3650 4335 4757 5240 5844 6445 3.4 72 28 201.3 RIMCSD0DF 1210 1327 1446 1611 1800 1965 2165 2388 2626 1.94 36 13.5 201.3 RIMCSD0DF 2825 3127 3431 3650 4335 4757 5240 5844 6445 3.4 72 28 201.3 RIMCSD0DF 2825 3127 3431 3650 4385 4375 5240 5844 6445 3.4 72 28 201.3 RIMCSD0DF 2826 3164 3480 3920 4424 4866 5388 5998 6529 3.7 63 25.5 201.3 RIMCSD0DF 2826 3164 3480 3920 4424 4866 5388 5998 6529 3.7 63 25.5 201.3 RIMCSD0DF 2														
ZOL3 RMCBOS45D   1160   1237   1315   1421   1543   1550   1773   1924   2079   1.7   27   20   20   20   20   20   20   2		•	_				10.10							
ZOL3 RMCBOS90D 1389 1518 1623 1770 1937 2086 2249 2461 2670 1.7 20 9.0 ZOL3 RMCBOS90D 1580 1688 1796 1948 2122 2273 2447 2665 2884 1.7 25 9.0 Replacement Back Double-seat Outside Curve ZOL3 RMCBOD90D 1752 1872 1993 2163 2356 2526 2721 2963 3206 3.1 30 9.0 ZOL3 RMCBOD45D 2032 2164 2298 2486 2899 2886 3098 3367 3635 3.1 34 11.0 ZOL3 RMCBOD60D 2473 2657 2941 3095 3390 3645 3937 4305 4670 3.1 35 141.0 ZOL3 RMCBOD90D 2760 2952 3142 3408 3711 3379 4284 4684 5043 3.1 40 14.0 ZOL3 RMCSS30DS 1089 1199 1307 1457 1627 1778 1949 2164 2378 1.8 30 11 ZOL3 RMCSS30DS 1089 1199 1307 1457 1627 1778 1949 2164 2378 1.8 30 11 ZOL3 RMCSS30DS 1089 1199 1307 1457 1627 1778 1949 2164 2378 1.8 32 12 ZOL3 RMCSS40DS 1399 1354 1375 1730 1981 2202 2448 2764 3078 1.8 34 13 ZOL3 RMCSS40DS 1396 1522 1681 1899 2148 2669 2617 2931 3246 1.8 34 13 ZOL3 RMCSS40DS 1985 2172 2360 2620 2923 3185 3488 3864 4238 3.4 56 21 ZOL3 RMCSD45DS 2172 2446 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2465 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2465 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2465 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2465 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2465 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD45DS 2172 2466 2741 3013 3396 3836 4217 4565 5204 5753 3.4 60 23 ZOL3 RMCSD45DF 1328 1499 1672 1915 2189 2431 2704 3505 3394 194 39 14.5 ZOL3 RMCSD45DF 1328 1499 1672 1915 2189 2431 2704 3505 3394 194 39 14.5 ZOL3 RMCSD45DF 2286 2587 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD45DF 2286 2587 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD45DF 2512 2827 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD45DF 2580 3464 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD45DF 2580 3464 3480 3920 4424 4866 5626 648 759 869 1.8 3.1 15 ZOL3 RMCBSC050DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSC050DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSC050DS 274 329 385 4	\ \ \													
Replacement Back Double-seat Outside Curve														
ZOL3 RMCBOD30D 1752 1872 1993 2163 2356 2526 2721 2963 3206 3.1 30 9.0. ZOL3 RMCBOD60D 2373 2657 2841 3095 3390 3864 3397 3635 3.1 34 11.0 ZOL3 RMCBOD60D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 35 14.0 ZOL3 RMCBOD90D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 40 14.0  Replacement Seat Single-seat Standard Depth Curve ZOL3 RMCSS30DS 1099 1999 1307 1457 1627 1778 1949 2164 2378 1.8 30 11 ZOL3 RMCSS30DS 1099 1945 1375 1730 1981 2202 2448 2764 3078 1.8 32 12 ZOL3 RMCSS60DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 34 13 ZOL3 RMCSS90DS 1559 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16  Replacement Seat Double-seat Standard Depth Curve ZOL3 RMCSD30DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 60 23 ZOL3 RMCSD90DS 2825 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28  Replacement Seat Single-seat Full Depth Curve ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSS90DF 1514 1687 1859 2098 2374 2614 2891 33243 3623 4005 1.94 49 19  Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19  Replacement Seat Cover Single-seat Full Depth Curve ZOL3 RMCSS90DF 265 2512 2727 3031 3356 4858 5989 6629 3.7 72 27 ZOL3 RMCSS0DDF 265 3164 3480 3920 4424 4866 5368 5989 6629 3.7 72 27 ZOL3 RMCSS0DDF 265 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSS0DDF 265 316 336 362 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCSS0DDF 265 316 362 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCSSCS0DS 253 306 362 4377 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCSSCS0DS 253 306 362 4377 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCSSCS0DS 253 306 362 4377 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCSSCS0DS 253 306 362 4377 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCSSCS0DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCSSCS0DS 254 325 328 365 585 729 895 1039 1205 1412 1618 3.4 4.8 1.5			1580	1688	1796	1948	2122	2273	2447	2665	2884			
ZOL3 RMCBOD45D 2032 2164 2298 2486 2699 2886 3098 3367 3635 3.1 34 11.0 2013 RMCBOD60D 2473 2657 2841 3095 3390 3645 3937 4305 4670 3.1 35 14.0 2013 RMCBOD90D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 40 14.0 14.0 14.0 14.0 14.0 14.0 14.0		-												
ZOL3 RMCBOD90D 2473 2657 2841 3095 3390 3645 3937 4305 4670 3.1 35 14.0 ZOL3 RMCBOD90D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 40 14.0 ZOL3 RMCBSOB0D9D 2760 2952 3142 3408 3711 3979 4284 4664 5043 3.1 40 14.0 ZOL3 RMCSS3ODS 1089 1199 1307 1457 1627 1778 1949 2164 2378 1.8 30 11 ZOL3 RMCSSADDS 1189 1199 1307 1457 1627 1778 1949 2164 2378 1.8 32 12 ZOL3 RMCSS60DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 34 13 ZOL3 RMCSS9ODS 1559 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16 ZOL3 RMCSSODDS 1559 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16 ZOL3 RMCSD4DDS 1985 2172 2360 2620 2923 3185 3488 3864 4238 3.4 52.2 19.5 ZOL3 RMCSD4DDS 2466 2719 3102 3538 3922 4361 5339 5455 3.4 66 21 ZOL3 RMCSD4DDS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 60 23 ZOL3 RMCSD4DDS 2862 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28 ZOL3 RMCSSADDF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSSADDF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSSADDF 1218 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSSADDF 1218 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSSADDF 1216 1899 1672 1915 2189 2431 2704 3050 3394 1.94 49 19 19 19 20 20 20 20 20 20 20 20 20 20 20 20 20	)													
Replacement Seat Single-seat Standard Depth Curve														
ZOL3 RMCSS30DS   1089   1199   1307   1457   1627   1778   1949   2164   2378   1.8   30   11   20L3 RMCSS45DS   1199   1354   1375   1730   1981   2202   2448   2764   3078   1.8   32   12   20L3 RMCSS90DS   1559   1730   1903   2145   2419   2661   2936   3282   3628   1.8   41   16   16   16   16   16   16   16			2760	2952	3142	3408	3711	3979	4284	4664	5043			
ZOL3 RMCSS45DS 1199 1354 1375 1730 1981 2202 2448 2764 3078 1.8 32 12 ZOL3 RMCSS60DS 1369 1522 1681 1899 2148 2369 2617 2931 3246 1.8 34 13 ZOL3 RMCSS90DS 1559 1730 1903 2145 2419 2661 2936 3282 3628 1.8 41 16 Replacement Seat Double-seat Standard Depth Curve ZOL3 RMCSD30DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 56 21 ZOL3 RMCSD30DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 60 23 ZOL3 RMCSD30DS 2825 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28 Replacement Seat Single-seat Full Depth Curve ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSS90DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 39 14.5 ZOL3 RMCSS90DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19 Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSS90DF 2286 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 69 25.5 ZOL3 RMCSD30DF 2286 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 69 25.5 ZOL3 RMCSD90DS 374 329 385 460 546 624 711 823 932 1.8 3.1 1 ZOL3 RMCRSCS90DS 274 329 385 460 546 624 711 823 932 1.8 3.1 1 ZOL3 RMCRSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCRSCS90DS 376 437 556 729 895 1039 1205 1412 1618 3.4 5.9 1.5								1770	1040	0164	0070	4.0		
ZOL3 RMCSS6DDS														
Replacement Seat Double-seat Standard Depth Curve  ZOL3 RMCSD30DS 1985 2172 2360 2620 2923 3185 3488 3864 4238 3.4 52.2 19.5  ZOL3 RMCSD45DS 2172 2445 2719 3102 3538 3922 4361 5339 5455 3.4 56 21  ZOL3 RMCSD60DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 60 23  ZOL3 RMCSD90DS 2825 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28  Replacement Seat Single-seat Full Depth Curve  ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5  ZOL3 RMCSS45DF 1328 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5  ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 411 15.5  ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19  Replacement Seat Double-seat Full Depth Curve  ZOL3 RMCSD45DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24  ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5  ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5  ZOL3 RMCSD45DF 2512 2867 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27  ZOL3 RMCSD45DF 2512 2827 3140 5582 4085 4528 5030 5659 6289 3.7 69 25.5  ZOL3 RMCSD45DF 2512 2827 3140 5582 4085 4528 5030 5659 6289 3.7 69 25.5  ZOL3 RMCSD50DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27  ZOL3 RMCSD50DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve  ZOL3 RMCSCS60DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1  ZOL3 RMCSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5  ZOL3 RMCSCS60DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve  ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5  ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 5.9 1.5														
ZOL3 RMCSD30DS 1985 2172 2360 2620 2923 3185 3488 3864 4238 3.4 52.2 19.5 ZOL3 RMCSD45DS 2172 2445 2719 3102 3538 3922 4361 5339 5455 3.4 56 21 ZOL3 RMCSD60DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 660 23 ZOL3 RMCSD90DS 2825 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28 Replacement Seat Single-seat Full Depth Curve ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSS45DF 1328 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19 19    Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 72 27 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 72 27 ZOL3 RMCSD45DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD50DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD50DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5 ZOL3 RMCSD50DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCSD50DS 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS45DS 279 283 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSCS45DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 885 1039 1205 1412 1618 3.4 5.9 1.5		ZOL3 RMCSS90DS	1559	1730	1903	2145	2419	2661	2936	3282	3628	1.8	41	16
ZOL3 RMCSD45DS								0105	0.400	0004	4000	0.4	50.0	40.5
ZOL3 RMCSD60DS 2466 2741 3013 3396 3836 4217 4656 5204 5752 3.4 60 23 ZOL3 RMCSD90DS 2825 3127 3431 3850 4335 4757 5240 5844 6445 3.4 72 28 Replacement Seat Single-seat Full Depth Curve ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSS45DF 1328 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19 19 Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD30DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD30DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD30DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD30DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5 Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCSD30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 3.1 1 ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 3.1 1 ZOL3 RMCBSCS30DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSCS30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 471 575 721 886 1032 1198 1404 1611 3.4 5.9 1.5														
Replacement Seat Single-seat Full Depth Curve   ZOL3 RMCSS30DF   1210   1327   1446   1611   1800   1965   2156   2388   2626   1.94   36   13.5   2013 RMCSS45DF   1328   1499   1672   1915   2189   2431   2704   3050   3394   1.94   39   14.5   2013 RMCSS60DF   1514   1687   1859   2098   2374   2614   2891   3236   3580   1.94   41   15.5   2013 RMCSS90DF   1727   1917   2106   2373   2674   2943   3243   3623   4005   1.94   49   19   19   19   19   19   19	•													
ZOL3 RMCSS30DF 1210 1327 1446 1611 1800 1965 2156 2388 2626 1.94 36 13.5 ZOL3 RMCSS45DF 1328 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19 19    Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 69 25.5 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5    Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5			2825	3127	3431	3850	4335	4757	5240	5844	6445			
ZOL3 RMCSS45DF 1328 1499 1672 1915 2189 2431 2704 3050 3394 1.94 39 14.5 ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19  Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 69 25.5 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCS90DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5							1800	1065	2156	2388	2626	1.04	26	10.5
ZOL3 RMCSS60DF 1514 1687 1859 2098 2374 2614 2891 3236 3580 1.94 41 15.5 ZOL3 RMCSS90DF 1727 1917 2106 2373 2674 2943 3243 3623 4005 1.94 49 19  Replacement Seat Double-seat Full Depth Curve ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCS90DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5														
Replacement Seat Double-seat Full Depth Curve  ZOL3 RMCSD30DF														
ZOL3 RMCSD30DF 2296 2512 2727 3031 3375 3679 4022 4456 4887 3.7 63 24 ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5   Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5   Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCS03DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5		ZOL3 RMCSS90DF	1727	1917	2106	2373	2674	2943	3243	3623	4005	1.94	49	19
ZOL3 RMCSD45DF 2512 2827 3140 3582 4085 4528 5030 5659 6289 3.7 69 25.5 ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5 Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5 Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5							2275	2670	4000	1156	1007	0.7	20	
ZOL3 RMCSD60DF 2850 3164 3480 3920 4424 4866 5368 5998 6629 3.7 72 27 ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5														
ZOL3 RMCSD90DF 3268 3615 3962 4447 5006 5490 6045 6738 7435 3.7 86 33.5  Replacement Seat Cover Single-seat Standard Depth Curve ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD30DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5														
ZOL3 RMCBSCS30DS 213 266 321 397 486 562 648 759 869 1.8 2.5 1 ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5			3268	3615	3962	4447	5006	5490	6045	6738	7435		86	33.5
ZOL3 RMCBSCS45DS 219 273 328 404 492 569 657 767 874 1.8 3.1 1 ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5									648	759	869	1.0	0.5	
ZOL3 RMCBSCS60DS 253 306 362 437 526 602 691 800 910 1.8 3.7 1.5 ZOL3 RMCBSCS90DS 274 329 385 460 546 624 711 823 932 1.8 4.3 1.5  Replacement Seat Cover Double-seat Standard Depth Curve ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5		7013 RMCRSCS45DS	219											
Replacement Seat Cover Double-seat Standard Depth Curve  ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5  ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5														
ZOL3 RMCBSCD30DS 370 471 575 721 886 1032 1198 1404 1611 3.4 4.8 1.5 ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5				329	385	460	546	624	711	823	932	1.8	4.3	1.5
ZOL3 RMCBSCD45DS 376 483 585 729 895 1039 1205 1412 1618 3.4 5.9 1.5							•		1100	1404	1614	0.1	4.0	4.5
20201111020021020														
	*	ZOL3 RMCBSCD49DS		530	633	777	941	1086	1252	1460	1665	3.4	7.0	2.5
ZOL3 RMCBSCD90DS 442 544 647 794 960 1106 1270 1478 1684 3.4 8.2 2.5				544	647	794	960	1106	1270	1478	1684	3.4	8.2	2.5

# **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS


		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	gle-seat	t Full De	epth Cu	ırve							
	ZOL3 RMCBSCS30D	F 235	298	362	448	544	634	732	856	981	1.94	2.9	1
	ZOL3 RMCBSCS45D	F 244	305	368	456	555	640	741	863	987	1.94	3.6	1
	ZOL3 RMCBSCS60D	F 281	342	404	491	591	677	774	899	1022	1.94	4.3	1.5
	ZOL3 RMCBSCS90D	F 299	362	423	511	610	696	796	917	1042	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ıble-sea	at Full D	epth C	urve							
	ZOL3 RMCBSCD30D	F 413	531	648	813	1004	1170	1356	1593	1831	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	F 420	539	657	824	1012	1178	1366	1603	1838	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	F 470	590	708	872	1063	1228	1417	1653	1890	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	F 505	623	741	907	1093	1258	1450	1687	1921	3.7	9.4	2.5

## **ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 2.78%

POST-CONSUMER RECYCLED CONTENT = 9.71%

Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## AIR-FMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA BEHAVIORAL HEALTH | FEATURES**



## TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

## FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.



## **INACCESSIBLE STAPLES**

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

### **LATEX FREE**

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### **WEIGHT CAPACITIES**

Zola Behavioral Health weight capacities are as follows One Seat - 300lbs Two Seat - 525 Three Seat - 750

One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150



## LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.


## **ADDITIONAL FEATURES**

- Lifetime warranty
- Certified to meet CAL 117 with most fabrics



## SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.



## **ARM PANEL BASE**

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.

## **SECURED GLIDES**

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



## WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.



## **CLEAN OUT**


The expanded clean out space on Zola Behavioral Health seating provides an opening between the seat and back to assist in cleaning of the product, and prevents the buildup of debris and germs. It also reduces the ability to use this area for the concealment of contraband or weapons. Alternatively, Restricted Access Upholstery can be specified to hinder the use of this area for such concealment.

## **ZOLA BEHAVIORAL HEALTH | OPTIONS**



### RESTRICTED ACCESS UPHOLSTERY

This option provides complete closure and elimination of the normal gap between upholstered seat, back and arm panels in the seat area of the product - hindering the use of these areas for hiding weapons and contraband. This option further reduces the ability to utilize the product



## **FLOOR ANCHORING**

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



### STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



#### WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



## **PLUS UPGRADE**

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



## REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

# **ZOLA BEHAVIORAL HEALTH** | LOUNGE

## **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5	
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38	
Three-seat One-Seat (Plus)	75.25 36.25	27 27	34 34	18.5 18.5	26.75 26.75	69 30	19.25 19.25	116 72	54.5 22.6	

## **COM YARDAGES** (Lounge Product Only Available with Arms)

	COM Entire Unit	COM 2 Entire Units	COM 3 Entire Units	COM 4 Entire Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

## **COM YARDAGES (Individual Components)**

	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

## **COM YARDAGES (Individual Components cont'd)**

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.75	2.4	3.3	4.2
Two-seat	8.5	1.75	2.4	3.3	4.2
Three-seat	12.5	1.75	2.4	3.3	4.2
One-Seat (Plus)	7	1.75	2.4	3.3	4.2

## **Upcharge for Removable Upholstery Covers:**

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat seat	45
One-Seat back	65	Two-seat seat	65
Two-seat back	93	Three-seat seat	81
Three-seat back	116	One-Seat plus seat	59
One-Seat plus back	74		

# **ZOLA BEHAVIORAL HEALTH | LOUNGE**

DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	RIC GRAI 5	DES 6	7	LEATHER 8
	One-Seat ZOL3 BHF1111	2517	2662	2808	3048	3295	3535	3783	3885
	Two-Seat ZOL3 BHF2111	3603	3777	3944	4197	4461	4716	4979	5251
	Three-Seat ZOL3 BHF3111	4791	5032	5274	5742	6212	6680	7151	7636
Upcharge for Removabl Option Upcharge	le Upholstery Cove \$ List	rs: Option Upo	charge	\$	List				
			eat seat	\$	45 65 81 59				
Option Upcharge  Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back  Zola Behavioral Health O	\$ List  74 65 93 116 74  Option Upcharges	Option Upo One-Seat se Two-seat se Three-seat se One-Seat p	eat seat	\$	45 65 81				
Option Upcharge  Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back	\$ List  74 65 93 116 74  Poption Upcharges ier (per yard) stery e Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat se Two-seat se Three-seat se One-Seat p  \$ List  61 18 90 110 Dibs) 128 162	eat seat	<b>\$</b>	45 65 81				
Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back  Zola Behavioral Health O  CAL 133 & Moisture Barri Restricted Access Uphols Floor Anchoring Hardward One-Seat Metal Bottom S One-Seat Plus Metal Bottom S Three-seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair)	74 65 93 116 74  Option Upcharges er (per yard) stery e Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat se Two-seat se Three-seat se One-Seat p  \$ List  61 18 90 110 0lbs) 128 162 231 231	eat eat seat lus seat		45 65 81 59	<b>(D2</b> )	Arm Ti		Log Tim
Arms (Right or Left) One-Seat back Two-seat back Three-seat back One-Seat plus back  Zola Behavioral Health O  CAL 133 & Moisture Barri Restricted Access Uphols Floor Anchoring Hardwar One-Seat Metal Bottom S One-Seat Plus Metal Bottom Two-seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair)	74 65 93 116 74  Option Upcharges er (per yard) stery e Shield (to min 80lbs) tom Shield (to min 80lbs) Shield (to min 80lbs)	Option Upo One-Seat se Two-seat se Three-seat se One-Seat p  \$ List  61 18 90 110 0lbs) 128 162 ) 231	eat seat		45 65 81	ype	Arm Ty	pe	Leg Type

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat seat	45
One-Seat back	65	Two-seat seat	65
Two-seat back	93	Three-seat seat	81
Three-seat back	116	One-Seat plus seat	59
One-Seat plus back	74		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Restricted Access Upholstery	18
Floor Anchoring Hardware	90
One-Seat Metal Bottom Shield (to min 80lbs)	110
One-Seat Plus Metal Bottom Shield (to min 80lbs)	128
Two-seat Metal Bottom Shield (to min 80lbs)	162
Three-seat Metal Bottom Shield (to min 80lbs)	231
Urethane Arm Caps (pair)	231

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	Freestanding	1 One Seat	1 Upholstered Back - STD	1 Upholstered Arms - STD	1 3" Runner
		FB Freestanding Plus	2 Two Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	
			3 Three Seat			

		COM		COL	FAE	BRIC GRAI	DES	LEATHER		₹
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus ZOL3 BHFB1111	2793	2935	3082	3323	3567	3811	4056	4317	4665



Two-Seat Plus ZOL3 BHFB2111 3683 3862 4026 4282 4544 4798 5061 5337 5731

5841

6310

6776

7250

7735


2

8520

ORDERING NOTE: The Two-Seat Plus comes standard with center support.

5370

5131



Zola Behavioral Health Option Upcharges \$ List

CAL 133 & Moisture Barrier (per yard) 61

Restricted Access Upholsterv 18

4887

Three-Seat Plus

ZOL3 BHFB3111

## **ZOLA BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS**

Description	Model	Price	Weight	Cube
	Replacement Arm P ZOL3RBCS	anel Base 161	6	.5

Replacement Floor Mounting Bracket (set of 4) ZOL3RFMB 108

## Ŭ

ODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	Freestanding	One Seat	1 Upholstered Back - STD	1 Upholstered Arms - STD	1 3" Runner
		FB Freestanding Plus	2 Two Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	
			3			
			Three Seat			

# **ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES**


Description	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top wa PVC edge Beech	Wood side  / Laminate top w/ Wood edge Maple	Wood side Laminate top Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	1324 1695	1287 1673	1057 1337	1256 1594	1292 1646	1309 1660	1344 1710
	Rectangular Tables ZOL4-BH241818 ZOL4-BH482418	1528 2568	1499 2517	1195 2053	1440 2396	1484 2470	1495 2487	1541 2564
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	1142 1396 2703	1186 1450 2590	1216 1536 2854	1057 1312 2615	1170 1435 2577	1179 1389 2716	1291 1513 2675
Zola Behavioral He Floor Anchoring Ha ZOL4-BH181818 - ZOL4-BH242418 -	ardware Weighting to min 8	30lbs	<b>\$ List</b> 87  332  228					
ZOL4-BH241818 - ZOL4-BH482418 -	Weighting to min 8	80lbs	123 n/a					
ZOL4-BH18D18 - V ZOL4-BH24D18 - V ZOL4-BH30D18 - s	Weighting to min 80 standard exceeds 8	Olbs BOlbs	370 228 n/a					
ORDERING NOTE	: Additional weight	levels ar	e availat	ble, contact cus	stomer service for	quotes.		
TABLE DIMEN	SIONS						eight with Surface top	Cube
7	ZOL4-BH1818 <sup>-</sup> ZOL4-BH2424 <sup>-</sup>		18 24		H 8 8	39 64	48 80	4.0 5.2
Square Tables  Rectangular Tables		18	24 48		8 8	51 123	63 156	6.9 13.5
Round Tables	ZOL4-BH18D1 ZOL4-BH24D1	8	18 24 30	- 1	8 8 8	30 49 77	38 62 98	4.0 6.9

					\\\aight	Weight with	Cuba	
Model		W	D	Н	Weight	Solid Surface top	Cube	_
Caucara Tablas	ZOL4-BH181818	18	18	18	39	48	4.0	
Square Tables	ZOL4-BH161616 ZOL4-BH242418	<sup>1818</sup> 24 18 18 64	64	80	5.2			
Rectangular Tables	ZOL4-BH241818	24	24	18	51	63	6.9	
nectarigular rables	ZOL4-BH482418	48	24	18	123	156	13.5	
Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0	
riodria rabico	ZOL4-BH24D18	24	-	18	49	62	6.9	
	ZOL4-BH30D18	30	-	18	77	98	10.6	

## **ZOLA TABLES** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR EMISSIONS**

All Zola products are supplied air emissions-certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA | TABLES FEATURES**

#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

#### **POWER OPTION**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$561 list.

#### **UNDER-MOUNT POWER OPTION**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See page 83 for pricing.

## **ZOLA | MODULAR LINKING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modular Table									
$\leq$	ZOL4 LKM12	941	987	1037	1086	12	16	_	22	2.8
<b>d</b> [	ZOL4 LKM18	995	1046	1093	1152	18	16	_	24	4.5
	ZOL4 LKM24	1023	1100	1125	1210	24	16	_	29	5.7
	ORDERING NOTE: N									
	Rectangular End Tab	le Sauare Co	rner							
	ZOL4 LKE12	1003	1056	1103	1160	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1046	1100	1152	1210	18	16	14.75		4.5
	ZOL4 LKE24	1092	1145	1203	1260	24	16	14.75		5.7
-	ORDERING NOTE: E	End Linking N	1odular Table	ships with 1 KB1	bracket.					
	End Table Rounded (	Corner								
	ZOL4 ECLKH12	1142	1187	1174	1223	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1234	1283	1279	1329	18	12	14.75	5 24	3
	ORDERING NOTE: E	End Linking M	1odular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	971	1023	1069	1125	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1046	1100	1152	1210	16	17	-	17	2.9

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
	71 111110	7. 00.0.		
ZOL4-LKM12	208	219	248	281
ZOL4-LKM18	257	273	317	365
ZOL4-LKM24	363	387	498	592
ZOL4-LKE12	208	219	248	281
ZOL4-LKE18	257	273	317	365
ZOL4-LKE24	363	387	498	592
ZOL4-ECLKH12	208	219	248	281
ZOL4-ECLKH18	257	273	317	365
ZOL4-LKC30	235	248	285	324
ZOL4-LKC45	294	313	366	425

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

## **ZOLA | MODULAR LINKING TABLES**


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	1092	1152	1203	1269	16	17.5	-	20	3.7
G - C	Curvilinear 90° Table ZOL4 LKC90	e 1222	1290	1344	1417	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	ble 2427	2500	2669	2749	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1063	1115	1170	1227	16	19	14.75	i 18	2.3

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	361	383	451	533
ZOL4-LKC90	536	568	685	817
ZOL4-LKC90X2	852	889	1087	1313
ZOL4-LKH12	208	219	248	281

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

## **CURVILINEAR TABLE DIMENSIONS**



# **ZOLA | FREESTANDING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	P LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	/EIGHT	CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1046 1131	1100 1192	1152 1243	1210 1309	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1085 1295	1146 1375	1194 1424	1264 1512	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1115 1192 1325	1185 1256 1404	1227 1309 1458	1302 1383 1542	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Roi ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1215 1366 1503 2157	1265 1421 1561 2242	1258 1422 1606 2294	1311 1481 1669 2385	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1264 1534 1920	1313 1594 1997	1428 1703 2147	1485 1770 2234	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	274	287	336	390
ZOL4 2424	439	447	534	631
ZOL4 2418	327	347	413	486
7OI 4 4824	735	754	924	1115
ZOL4 18D	261	277	323	378
ZOL4 24D	391	422	508	603
ZOL4 30D	627	682	898	1082
ZOL4 EC1818	274	287	336	390
ZOL4 EC2418	327	347	413	486
ZOL4 EC2424	439	447	534	631
ZOL4 EC4824	735	754	924	1115
ZOL4 E2418	327	347	413	486
ZOL4 E3224	518	554	666	795
ZOL4 E4829	865	904	1109	1339

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


# **ZOLA | FREESTANDING TABLES**

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGH	T CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1136	1181	1150	1198	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1290	1341	1338	1390	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1561	1624	1652	1718	25	29	14.75	27	7
<u> </u>	ZOL4 CR90D1815	1396	1454	1457	1510	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1648	1716	1727	1796	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1968	2046	2009	2090	44.5	29	14.75	35	11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	258	273	318	368
ZOL4 CR45D24	384	412	488	574
ZOL4 CR45D29	517	546	655	777
ZOL4 CR90D18	323	354	420	494
ZOL4 CR90D24	549	584	705	843
ZOL4 CR90D29	777	806	984	1183

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

## TRIANGULAR TABLE DIMENSIONS



## GENERAL INFORMATION

### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

## **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

## **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

## Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

## Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

## Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

## **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

## Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

## **Installation Support**

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

## GENERAL INFORMATION

## **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

## **Product Strength and Durability Testing**

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

## **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

## **Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

## **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

#### These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

## Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

## **Fabric Upholstery**

Professional upholstery cleaning is recommended.

## Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013



## Krug Textiles - Stocked Fabric Program

## Grade 2





## Krug Textiles - Stocked Fabric Program

## Grade 2






## Krug Textiles - Stocked Fabric Program

## Grade 2



## Grade 3



## Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



## Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

## LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.



## Krug Textiles - Faux Leather Program - Grade 2



## CUSTOMER'S OWN MATERIAL - C.O.M.

## Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

## **Application of Directional Upholstery cover**

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut

Non-Standard-Cut across the roll "railroad"

## **COM/COL Shipping Procedures**

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

## Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

## **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

## GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

## **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

## Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

## **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

## KRUGEXPRESS PROGRAM

## **PROGRAM DETAILS**

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

## **SEATING PROGRAM**

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

## **ZOLA | FINISHES**

## WOOD FINISHES

Standard wood finishes are:

#### **Finishes on Beech**

Light Oak Harvest Oak Mahogany Mellow Oak Espresso

Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut Clear Beech

## **Finishes on Cherry**

Medium Anigre

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

## Finishes on Maple

Clear Maple Honey Maple Wheat Maple

### **PALETTE**

Palette finishes available for applicable products. Black

Black White Soft Green Steel Blue Slate

## NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

## **Custom Wood Finishes**

Add 10% list to your order for special finishes a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

## **Dual Finishes**

Add 10% list per item if specifying dual finish.

### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

## **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

## **IN-STOCK LAMINATES**

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

## PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

## Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

## **METAL FINISHES**




## **URETHANE COLOR OPTIONS**



## **SOLID SURFACE PROGRAM**

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC® certified

krug