ZOLA Price and Specification Guide **USA**



krug

Advancing Design Through Innovation

ZOLA | TABLE OF CONTENTS

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
 - 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES


- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables

GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat.



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.

CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)

LEGS

Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.

URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.

SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.

FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:
One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved)- 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs





TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.

POWER

The flush-mounted Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See <u>page</u> 22 for locations and <u>page</u> 83 for pricing.

UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located below seats and tables. See **page** 83 for pricing.

ZOLA | FEATURES & OPTIONS

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.




0.004

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$62 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1⁄2″	1″
45 Deg	2″	1 1⁄2″
60 Deg	2 1/2"	2″
90 Deg	3″	2 1/2"








Inside Curve

Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.





Outside Curve Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.

ZOLA | SAMPLE CONFIGURATIONS



Model	Qty	Price	(\$) Beech
ZOL3 M1201	5	1377	
ZOL3 MS1S1	1	871	
ZOL4 LKM12	1	988	
ZOL4 LKE18	1	1098	
ZOL4 LKC90	1	1283	
ZOL4 241815		1107	
ZUL4 241615	1	1187	







Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1420
ZOL4 LKM18	2	1044
ZOL3 M1101	2	1518
ZOL3 MCIS90D	2	3487
ZOL3 M2101	2	2657
ZOL4 LKC90X2	1	2548

Total List

\$22,800



Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	871	
ZOL3 MS21	2	1218	
ZOL4 LKC90	2	1283	
ZOL4 LKM18	2	1044	
Total List	ę	\$8,832	



ZOLA | LOUNGE

DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per	COM Yardage	COM Yardage Per	COM Yardage Per	COM Yardage Per
One Ceet	4 Backs	Per Arm	2 Arms	3 Arms	4 Arms
One-Seat Two-seat	5.25 8.5	1.5 1.5	1.90 1.90	2.61 2.61	3.3 3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

6 Units = Take the yardage for 4 units and add the yardage for 2 units

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 3.

ZOLA | LOUNGE

		COM		COL	COL FABRIC GRADES			LEATHER			
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745	
	One-Seat Plus ZOL3 FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983	
	NOTE: One-Seat Plus is 30" wide between arms.										
	Two-seat ZOL3 F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971	
	Two-seat Plus ZOL3 FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059	
	NOTE: The Two-Seat Plus comes standard with a fifth leg for extra support.										

	Three-seat ZOL3 F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793
	Three-seat Plus ZOL3 FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	в	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below)	107	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 3 for more information on Zola options and features. Plus versions are not available with Caster options.

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5

DIMENSIONS - WITH ARMS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	29	27	34	18.5	19.25	88	9.75
Two-seat	52	27	34	18.5	19.25	120	17.6
Three-seat	75	27	34	18.5	19.25	154	26.3
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5

COM YARDAGES - ARMLESS UNITS

	COM Yardage Entire Unit wo/ Arms	COM Yardage 2 Entire Units wo/ Arms	COM Yardage 3 Entire Units wo/ Arms	COM Yardage 4 Entire Units wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

6 Units = Take the yardage for 4 units and add the yardage for 2 units 7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

	• •		
Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat - seat	47
Interim Arm	61	Two-seat - seat	68
One-Seat - back	68	Three-seat - seat	85
Two-seat - back	97	One-Seat Plus - seat	61
Three-seat - back	121		
One-Seat Plus - back	77		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 102, Zola Benches see page 85 and Zola Tablets see page 14.

ZOLA | MODULAR -WOOD BACK

			CON	1	С	OL	FABRIC	GRADES		LEAT	HER
DESCRIPTION/MODEL/	/SPECIES		1	2	2	3	4	5 6	67	' 8	3 9
C	Dne-Seat, Wood	or Palette	e Back,	Armless							
Z Z	OL3 MW1201	Beech	1377	1409	1440	1504	1566	1631	1692	1755	1852
		Maple/ Cherry	1416	1447	1480	1540	1606	1668	1732	1796	1890
		Palette	1377	1409	1440	1504	1566	1631	1692	1755	1852
C	Dne-Seat, Wood	or Palett	e Back \	w/ Uphol	stered Pa	d, Armles	S				
	OL3 MW1301	Beech	1597	1644	1676	1755	1818	1883	1946	2010	2135
		Maple/ Cherry	1638	1685	1715	1796	1858	1922	1985	2048	2173
		Palette	1597	1644	1676	1755	1818	1883	1946	2010	2135

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 L∉g Type below)	74	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

			COM		COL	FA	BRIC	GRAI	DES	LEATHER		CC	DM	SHI	PPIN	١G	
DESCRIPTION/MODE	L	SPECIES	1	2	3	4	5	6	7	8	9	YARE	DAGE	E WE	EIGH	T CI	JBES
	One-Seat Woo																
M	ZOL3 MB13	Beech	619	63	3	648	6	80	714	744		778	0.6	808	21	853	3.1
		Maple /Cherry	665	68	0	696	7	29	760	791		808	0.6	840	21	904	3.1
		Palette	619	63	3	648	6	80	714	744		778	0.6	808	25	853	3.1
	One-Seat Woo	od/Palette B	Back														
	ZOL3 MB12	Beech	428										-		19		3.1
		Maple /Cherry	468										-		19		3.1
		Palette	428										-		23		3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
				Ophrau		3 Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

		COM		COL	FA	BRIC GRA	ADES		LEATHE	7
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
\int	One-Seat, Upholstered Bac ZOL3 M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	l Back, Arr 1644	nless 1692	1772	1914	2056	2197	2341	2483	2738
	ORDERING NOTES: One-S	Seat Plus s	eat is 30"	' wide.						
	One-Seat, Upholstered Bac ZOL3 M1111	k with Arm 2324	is 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3 MB1111	l Back with 2451	n Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	Seat Plus is	s 30" wide	e betweer	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2743	nless 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Back	with Arm	s							
Th	ZOL3 M2111	3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered	Back with	Arms							
	ZOL3 MB2111	3547	3699	3843	4064	4286	4505	4728	4948	5296
	Three-seat, Upholstered Ba ZOL3 M3101	ck Armless 3812	s 4033	4252	4694	5139	5581	6023	6466	7225
				4232	4094	5139	0001	6023	6466	1225
F	Three-seat Plus Upholstered ZOL3 MB3101	3914	4133	4355	4796	5241	5684	6124	6568	7327
	Three-seat, Upholstered Ba ZOL3 M3111 n/a	ck with Arr 4615	ms 4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back wit 4719	h Arms 4941	5160	5604	6046	6491	6931	7373	8131

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

				Grades	6	
Zola Option Upcharges	List	Option	A-White	A-Color	В	С
4 Casters (#2 Leg Type below)	107	Solid Surface Arm Cap (per arm)	227	231	244	257
2 Casters/2 Legs (#3 Leg Type below)	77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242	Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL	3	М	1	1	0	1
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armless	Standard Leg + Glide
		MB	2		1	2
		Modular	Two-seat		Uph Arm	4 Casters
		Plus Upgrade	3		2	3
			Three-seat		Urethane Arm Cap	Combination
					3	2 Front Standard Legs & 2 Rear Casters
					Solid Surface Arm Cap	

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC		ES L	EATHE			SHIPPING	-
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
\square	Left, Right,or Interim Arm	ı											
	ZOL3 MAL	491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3 MAR												
	ZOL3 MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right, or Interim Arm	ı - Uretl	hane C	ар									
	ZOL3 MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3 MARU												
	ZOL3 MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

		Grades	6	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	227	231	244	257
Solid Surface Arm Cap (per pair)	454	464	489	514
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

		СОМ		COL	FA	BRIC	GRADI	ES L	EATHE	R	COM	SHIPPING	à
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11			0.0	910 1202 1473 997	1692	1551	1724	1572 1897 2356 1504	1699 2072 2579 1631		1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

DESCRIPTION	MODEL	COM	2	COL 3	FAE 4	BRIC GF	RADES 6	7	LEATHE 8	R 9	COM YARDAGE	WEIGHT	CURE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	693 894 1124	716 943	739 994 1240	771 1064 1318	809 1143 1412	843 1215 1492	879 1297 1583	928 1396 1695	974 1497 1810	1.3 1.5	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	759 905	805 956	848 1004	912 1074	984 1155	1048 1227	1120 1307	1210 1408	1303 1508	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	832 1178	875 1240	921 1303	985 1389	1059 1487	1120 1572	1194 1672	1284 1798	1374 1922	1.3 2.4	31 62	6.6 12.6

ORDERING NOTES: Height from floor is 17.5".

ZOLA | MODULAR - REPLACEMENT COMPONENTS

			COM		COL	. FA	ABRIC	GRAD	ES	LEATH	ER	COM	SHIPPING	à
DESCRIPTION	N/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	•	Modular One-Se		od Bad	k									
	ZOL3 RBM12		365									-	19	3.1
(AL)		Maple/Cherry	405									-	19	3.1
		Palette	365									-	23	3.1
	Replacement	Modular One-Se	eat Wo	od Bad	k w∕ U	pholste	ered P	ad						
	ZOL3 RBM13	Beech	556	569	586	619	651	680	714	744	791	0.6	21	3.1
MI		Maple/Cherry	601	619	633	665	696	729	744	778	840	0.6	21	3.1
		Palette	556	569	586	619	651	680	714	744	791	0.6	25	3.1
	Replacement	Back Pad -only	223	239	255	284			381	411	458			
	ZOL3 RP		LLO	200	200	204	010	040	001		100	0.6	1.6	2
		Upholstered Ba	ck											
	ZOL3 RBM11	*	721	783	846	974	1098	1227	1510	1638	1788	1.75	23	5.2
	ZOL3 RBM21		963	1053	1139	- · ·	1485		1835	2010	2214	2.5	39	9.4
	ZOL3 RBM31			1297	1409		1852		2294		2781	3.5	54	14
	ZOL3 RBBM1	1	808	871	934		1187			1566	1732	2	28	6.1
	existing "L" br and Replacen	IOTES: Modular ackets on site p nent Seat/Bench the replacemen	rior to a les do i	asseml not inc	oly to th lude leg	ne beno gs and	ch. Re joinin	placen g bracl	nent Ba kets. Th	acks do ne hardv	not inclu ware can	de mounting be transferre	g brackets ed from th	and legs e original
	Right or Left F	Replacement Up	holster	ed Arn	n									
	ZOL3 RAMR ZOL3 RAML	,	435	477	514	595	672	752	832	910	1019	1.5	14	3

	Right or Left Replacement Up	nolstere	ed Arm										
	ZOL3 RAMR	435	477	514	595	672	752	832	910	1019	1.5	14	3
	ZOL3 RAML												
-	ZOL3 RAMRU	562	601	641	721	799	878	957	1036	1146	1.5	15.5	3
	ZOL3 RAMLU												

ORDERING NOTES: Zola Replacement arms (left or right) are specified when seated. Replacement Modular Arms are sent without modular hardware. Replacement Arms do not include mounting brackets. ZOL3 RAMRU & ZOL3 RAMLU are replacement arms with urethane cap. Zola replacement arms are available with Solid Surface Arm Caps, see option upcharge chart on page 12. Wood back units are not designed to be specified with standard Zola arms. Arms can be specified on wood back units only as a special - please contact Customer Service for assistance.

Replacement Upholstered Sea ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3	778 1122 1463 1004 1202	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914	957 1354 1788 1195 1447 2056	1473 1954	1589 2118 1384 1685	1218 1708 2283 1480 1803 2483	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	1.33 1.75 2.5 1.75 1.75 2.5	25 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14
Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCBB1	302 411 509 336	365 509 633 397	428 601 760 458	556 791 1014 586		808 1170 1518 840	934 1359 1772 963	1061 1551 2024 1092	1266 1788 2341 1283	2 3 3.75 2	2.8 3.6 4.3 2.8	1.7 1.7 1.7 1.7
Arm Covers Right, Left or Inter ZOL3 RCAR ZOL3 RCAL ZOL3 RCAI ZOL3 RCAI ZOL3 RCARU ZOL3 RCALU	im 270 176 270	318 190 318	365 207 365	458 239 458	556 270 556	651 302 651	744 334 744	840 365 840	963 405 963	1.5 0.33 1.5	2.5 1.5 2.5	1.7 1.7 1.7

ORDERING NOTES: Replacement Arm Covers (left or right) are specified as seated. ZOL3 RCARU & ZOL3 RCALU are arm covers for arms with the urethane arm cap option.

\sim	Seat Cover												
\square	ZOL3 RCS1*	270	318	365	458	556	651	744	840	982	1.33	2.3	1.7
	ZOL3 RCS2	348	411	477	601	729	853	982	1108	1314	1.75	2.6	1.7
	ZOL3 RCS3	444	521	601	680	760	840	916	997	1122	2.5	3.8	1.7
	ZOL3 RCSB1	411	468	521	633	744	853	963	1074	1232	1.75	2.6	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIC	N/MODEL	PRICE					SHIPPIN WEIGHT	G F CUBES
	Caster Without Brake ZOL3 RC1	58					0.4	0125
Ť	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement item	s for plu	s units.		
	Caster With Brake ZOL3 RC2	70					0.4	0.125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement item	s for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim ZOL3 AIU	Arm 94					1.0	0.3
			A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Inte ZOL3 ASI	erim (per arm)	185	186	189	193	1.0	0.3
DESCRIPTIC	DN MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette F ZOL3 T2	Finish n/a	411				12	2
	Clear Glass Tablet ZOL3 T3	n/a	783				13	2
	Laminate Tablet ZOL3 T4	n/a	532				12	2
	ORDERING NOTES handed and do not					mer edge. Pleas	se note Zola Tablets are u	universally
	Solid Surface Table ZOL3 T5AW	t - Grade A Wh n/a	ite 641				14	2
	Solid Surface Table ZOL3 T5AC	t - Grade A Col n/a	lor 651				14	2
	Solid Surface Table ZOL3 T5B	t - Grade B n/a	686				14	2

DIMENSIONS INSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

eem raraagee					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6



Single Seat, Uph 30° Inside


30º


58²

Curve



Single Seat, Uph 45° Inside Curve







Single Seat, Uph 60° Inside Curve



Double Seat, Uph 60° Inside Curve



Single Seat, Uph 90° Inside Curve




Double Seat, Uph 90° Inside Curve

44" Double Seat, Uph 30° Inside Curve

Double Seat, Uph 45° Inside Curve





Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

15 | USA | SEATING & OCCASIONAL TABLES | 2025

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30° 45° 60° 90°	33.75 38.75 43.5 52	28.25 28.75 29.25 29.75	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	48 49 50 51	23 24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56


COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	


COM Yardages - Individual Components

een nanaagee								
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60°	1.7 1.7 1.7	2.95 2.95 2.95	4.65 4.65 4.65	5.9 5.9 5.9	1.8 1.8 1.8	3.6 3.6 3.6	5.4 5.4 5.4	7.2 7.2 7.2
90° Double seat 30°	1.7 3.1	2.95 6.2	4.65 9.3	5.9 12.4	1.8 3.4	3.6 6.8	5.4 10.2	7.2 13.6
45° 60° 90° 6.8	3.1 3.1 3.1 10.2	6.2 6.2 6.2 13.6	9.3 9.3 9.3	12.4 12.4 12.4	3.4 3.4 3.4	6.8 6.8	10.2 10.2	13.6 13.6





Single Seat, Uph 30° Outside Curve




Double Seat, Uph 30° Outside Curve




Double Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve



Double Seat, Uph 60° Outside Curve



Single Seat, Uph 90° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

2025 | SEATING & OCCASIONAL TABLES | USA | 16

DESCRIPTION/MOD		COM	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHE	R 9
	Single-Seat, 30° Inside Curve	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30º Inside Curve F ZOL3 MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve I ZOL3 MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve F ZOL3 MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve F ZOL3 MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curve ZOL3 MCOS30D1	e 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1	e Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
\square	Single-Seat, 45° Outside Curve ZOL3 MCOS45D1	e 2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45° Outside Curve ZOL3 MCBOS45D1	e Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curve ZOL3 MCOS60D1	9 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curve ZOL3 MCOS90D1	e 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1	e Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	Ι	S	30D	1
Zola	Soft Seating	Modular	Inside Curve	Single	30 Degree	Standard Leg + Glide
		MCB	0	D	45D	
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	
					90 Degree	

DESCRIPTION/MODE		COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHEI 8	R 9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1	4028	4252	4481	4795	5157	5473	5836	6289	6739
	Double-Seat, 30° Inside Curve ZOL3 MCBID30D1	Plus 4182	4405	4633	4947	5309	5628	5989	6441	6893
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1	4736	5028	5318	5722	6188	6598	7064	7644	8225
	Double-Seat, 45° Inside Curve ZOL3 MCBID45D1	Plus 4917	5209	5497	5903	6369	6778	7242	7822	8406
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1	5367	5659	5948	6357	6821	7229	7696	8276	8858
	Double-Seat, 60° Inside Curve ZOL3 MCBID60D1	Plus 5560	5852	6141	6549	7016	7421	7888	8469	9051
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1	6099	6465	6831	7342	7925	8438	9022	9755	10485
	Double-Seat, 90° Inside Curve ZOL3 MCBID90D1	Plus 6319	6686	7049	7564	8146	8658	9244	9975	10705
	Double-Seat, 30° Outside Cur ZOL3 MCOD30D1	ve 3626	3828	4033	4316	4643	4928	5254	5659	6069
	Double-Seat, 30° Outside Cur ZOL3 MCBOD30D1	ve Plus 3777	3980	4185	4468	4795	5080	5405	5811	6221
	Double-Seat, 45° Outside Cur ZOL3 MCOD45D1	ve 4263	4525	4786	5152	5571	5938	6357	6881	7402
	Double-Seat, 45° Outside Cur ZOL3 MCBOD45D1	ve Plus 4442	4706	4966	5331	5751	6117	6536	7060	7582
	Double-Seat, 60° Outside Cur ZOL3 MCOD60D1	ve 4831	5093	5355	5720	6139	6506	6925	7447	7971
	Double-Seat, 60° Outside Cur ZOL3 MCBOD60D1	ve Plus 5023	5286	5548	5914	6333	6699	7119	7641	8164
	Double-Seat, 90° Outside Cur ZOL3 MCOD90D1	ve 5488	5819	6146	6607	7134	7594	8121	8781	9438
	Double-Seat, 90° Outside Cur ZOL3 MCBOD90D1	ve Plus 5708	6039	6366	6828	7356	7815	8342	8999	9657

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).


PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D	

90 Degree 2025 | SEATING & OCCASIONAL TABLES | USA | 18

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powdercoated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.





CLEAN OUT

LEGS

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.

The legs offered on Zola Lounge are Silver

Metallic or Matte Black and feature glides that

are adjustable up to 1.25", which provide

leveling capability over longer spans. Caster



TWIN BACK

leg is not available.

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



When combination upholstery is specified



with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

FINISH DURABILITY

Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows: One-Seat (Straight or curved) - 300 lbs One-Seat plus - 750 lbs Two-seat (Straight or curved)- 525lbs Two-seat plus - 975 lbs Three-seat - 750 lbs Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



TABLET

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



TABLES

Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB A & C outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10" cord.



MODULAR ARM

Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.

The optional urethane arm cap provides

enhanced durability and protection for the arms. Urethane arm caps are available in two

color options; Grey and Taupe. The urethane



arm cap is field replaceable if damaged or degraded.

URETHANE ARM CAP

enhanced durability, protection and cleanability for the arms. This is field replaceable if this

SOLID SURFACE ARM CAP

for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.

The optional Solid Surface Arm Cap provides



SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available – contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.

SEAT POWER

The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See **page** 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.







SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.


MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)

B - for left side of seat (facing)





Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.

Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add **\$647 list**.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.



Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.


ZOLA PRIVACY | CONNECTING MULTIPLE UNITS

SEATING


Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.




Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.




ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING







Model	Qty	Price (ea)
ZOP3-MCIS30DM0E	2	3273
ZOP3-MCIS30DM0C	2	3273
ZOP3-MCIS30DM0S	2	3273
ZOL3-MCS30DF1	3	1376
ZOP3-MCIS30DF1E	2	4047
ZOP3-MCIS30DF1C	4	4047
ZOP3-MCIS30DF1S	2	4047
Total		\$56,142



Total


\$30,712







Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391
Total		\$30,941


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C	1	2595
ZOP3-M2M0E	1	2595
ZOL4-242415	1	1187
Total		\$18,114





	2010
1	2016
2	2866
2	7873
2	2866
4	1098
Qty	Price (\$)
	4 2 2 2





Total		\$13,744
ZOP4-E482915	1	2016
ZOP3-MPF0E	2	946
ZOP3-M3F0C	2	3972
ZOP3-MPF0S	2	946
Model	Qty	Price (\$)

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

(
	Overall Width	Width Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Preconfigured Full H	eight Bacl	k						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured Mid H	eight Bac	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3

COM YARDAGES				
	Yardage	Yardage	Yardage	Yardage
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
Preconfigured Ful	I Height Back	/Privacy Panel	l	
One-Seat Plus	9.59	13.78	17.97	22.16
Two-seat	11.48	16.13	20.83	26.56
Three-seat	13.56	21.32	29.38	37.04
Preconfigured Mid	d Height Back	/Privacy Pane	I	
One-Seat Plus	7.31	10.96	14.61	18.26
Two-seat	8.49	12.22	16.72	21.20
Three-seat	10.60	18.36	26.42	34.08
Preconfigured Ful	I Height Back	/Semi-Private	Panel	
One-Seat Plus	6.63	10.82	15.01	19.20
Two-seat	8.52	13.17	17.87	23.60
Three-seat	10.60	18.36	25.42	34.08

по неідпі васк	/Semi-Private	Panel	
5.41	9.06	12.71	16.36
6.59	10.32	14.82	19.30
8.48	14.80	21.42	27.20
	5.41 6.59	5.41 9.06 6.59 10.32	6.59 10.32 14.82


ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	åOne-Seat Plus with Priva ZOP3-PCB1MPF0	te Modular 3956	Side Pane 4268	l and Full 4583	Height Bao 5132	ck 5708	6258	6835	7463	8461
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Moo 3229	dular Side 3455	Panel and 3683	Full Heigh 4059	t Back 4461	4838	5241	5695	6347
	One-Seat Plus with Private	e Modular S	ide Panel	and Mid F	leight Bacl	k				
	ZOP3-PCB1MPM0	3489	3717	3943	4339	4752	5142	5559	6014	6715
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Moo 2983	dular Side 3166	Panel and 3354	Mid Heigh 3663	it Back 3994	4302	4634	5005	5539

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641
Plus Upgrade option	included
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64



ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAI	BRIC GRA	DES		LEATHEF	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat	e Modula	r Side Par	el and Fu	I Height B	ack				
	ZOP3-PC2MPF0	4571	4947	5327	5970	6653	7295	7977	8739	9879
	Two-Seat Plus with F	Private Mo	odular Side	e Panel ar	d Full Heig	ght Back				
	ZOP3-PCB2MPF0	4702	5078	5456	6099	6783	7424	8107	8868	10008
•	Two-Seat with Semi-	Private N	lodular Sic	de Panel a	nd Full He	ight Back				
	ZOP3-PC2SMPF0	3843	4134	4426	4897	5407	5876	6386	6970	7764
	Two-Seat Plus with S		ate Modula	ar Side Pa	nel and Fu	ull Height E	Back			
	ZOP3-PCB2SMPF0	3972	4265	4557	5027	5537	6007	6515	7101	7894
-	Two-Seat with Privat	e Modula	r Side Par	el and Mi	d Height B	ack				
	ZOP3-PC2MPM0	3780	4059	4337	4811	5307	5775	6276	6836	7651
	Two-Seat Plus with F	Private Mo	odular Side	e Panel ar	d Mid Hei	ght Back				
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780
	Two-Seat with Semi-	Private M	Iodular Sic	le Panel a	nd Mid He	ant Back				
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474
	Two-Seat Plus with S	Semi-Priv	ate Modula	ar Side Pa	nel and M	id Height I	Back			
	ZOP3-PCB2SMPM0		3640	3877	4264	4679	5064	5481	5956	6604

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Seat Power (per power unit)	641	
Combination Upholstery - dual fabrics	33	
Combination Upholstery -Three fabrics	64	

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	M0
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		


ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Three-Seat with Privat ZOP3-PC3MPF0 Three-Seat Plus with I ZOP3-PCB3MPF0	5495	5940	6390	7131	7923	8663 8859	9457 9652	10354 10548	11632 11828	
	These Original States	Dán la M		. Davida		ald Deale					
	Three-Seat with Semi- ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518	
	Three-Seat Plus with ZOP3-PCB3SMPF0	Semi-Priva 4964	ate Modula 5322	ar Side Pa 5684	nel and Fu 6253	II Height B 6872	Back 7441	8059	8783	9713	
	Three-Seat with Priva	te Modula	r Side Pan	el and Mic	Height B	ack					
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548	
	Three-Seat Plus with					<i>.</i>					
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744	
	Three-Seat with Semi- ZOP3-PC3SMPM0	-Private M 4396	odular Sic 4696	le Panel ai 4995	nd Mid He 5471	ight Back 5990	6466	6985	7586	8371	
		4390	4090	4990	3471	2990	0400	0900	1000	03/1	
	Three-Seat Plus with ZOP3-PCB3SMPM0	Semi-Priva 4591	ate Modula 4891	ar Side Pa 5191	nel and Mi 5666	id Height E 6185	3ack 6662	7180	7781	8568	

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

\$ List
64
641
33
64



ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

DIMENSIONS						Overall			
	Overall Width	Overall Depth	Depth w/ Shelf	Overall Height	Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with	Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with	Mid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with Fu	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Heiaht	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List
Plus Upgrade Two-Seat	129
Plus Upgrade Three-Seat	195

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

			NTO									
DIMENSIONS &	COM RE											
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e, Full He	ight No Sc	reen									<u> </u>
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Full He	ight with S	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid He	ight No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	e, Mid He	ight with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sid												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sid	e Panel, S	Single, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholst	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/l Irethan	e Can									
ZOP3-MAUREL		3	e Oap 14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Solid Su	Irface Cap									
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
		-										-

			COM		COL		RIC GR/			LEATHE	
DESCRIPTION/M			1	2	3	4	5	6	7	8	9
	One-Seat, Full He ZOP3-M1F0F	ight Back	1924	2060	2195	2388	2610	2804	3025	3294	3581
	ZOP3-M1F1_	ight Back with Shelf Option Beech/Laminate Maple/Palette	2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	4022 4116
	42", 36" or 30". Fi	ES: When ordering units wi reestanding, Start and End 103 list upcharge per unit. U	units with	h the she	elf option	require co	ounterba	lance we	eight add	led to ea	ch seat
	One-Seat, Full He ZOP3-M1F2F	ight Back with Privacy Scr	een Optio 2209	on 2342	2479	2671	2892	3087	3307	3578	3865
	ORDERING NOT	ES: Units with Privacy Scre	en Optio	n are not	available	with Rem	novable E	Back Cov	er optior	l.	
	One-Seat, Mid He ZOP3-M1M0F	eight Back	1811	1918	2026	2176	2348	2502	2673	2888	3109
R	One-Seat, Mid He ZOP3-M1M1_	eight Back with Shelf Option Beech/Laminate Maple/Palette	n 2252 2346	2357 2452	2464 2560	2615 2713	2789 2883	2942 3036	3114 3209	3327 3424	3547 3643
	42", 36" or 30". Fi	ES: When ordering units wi reestanding, Start and End 103 list upcharge per unit. U	units with	h the she	elf option	require co	ounterba	lance we	eight add	ed to ea	ch seat
	One-Seat, Mid He ZOP3-M1M2F	eight Back with Privacy Scr	een Opti 2092	on 2198	2307	2460	2632	2783	2957	3169	3390
A Ja		ES: Units with Privacy Scre	en Optio	n are not	available	with Rem	novable E				
Zola Privacy Op	tion Upcharges	\$ List						\$	List		
Removable Seat Removable Back	& CAL 133(per yarc Covers One-Seat Covers One-Seat tiple unit configura	47 68	Sł Ta	nelf Powe			ual fabric	s	641 600 647 33		
PRODUCT CODE	KEY										
Line	Series	Chair Type	S	eat Count		Back	Туре		Le	д Туре	
ZOP	3	Μ	[1		F	0			F	
Zola	Lounge	Modular	C	One Seat		Full Heig	ght Back		Freesta	Inding Uni	it
			[2		F	1			S	
			٦	Two Seat		Full Height Shelf (t Back wit Option	h	Sta	art Unit	
			[3		F				С	
			T	hree Seat		Full Height			Cer	ter Unit	
					F	Privacy Sci		on		E	
						Mid Heig	ght Back		En	d Unit	
						Mid Height		th			
							12				
						Mid Height		th			

		COM			COL FABRIC G				LEATHE	R
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Plus, Full Height Back ZOP3-MB1F0F	2413	2549	2684	2879	3099	3292	3513	3785	4070
	One-Seat Plus, Full Height Back with ZOP3-MB1F1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering of 42", 36" or 30". Freestanding, Start ar unit, please add 303 list upcharge pe	2866 2963 units with shelt nd End units w	ith the sh	elf optior	n require o	counterba	alance w	eight ad	ded to ea	ch seat
	One-Seat Plus, Full Height Back with ZOP3-MB1F2F	Privacy Scree 2770	n Option 2906	3040	3236	3456	3648	3870	4141	4427
	ORDERING NOTES: Units with Privac	cy Screen Opt	ion are no	ot availab	le with Re	movable	Back Co	ver optio	n.	
	One-Seat Plus, Mid Height Back ZOP3-MB1M0F	2304	2411	2518	2670	2844	2994	3166	3382	3603
	One-Seat Plus, Mid Height Back with ZOP3-MB1M1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering to	2757 2853	2863 2959	2970 3068	3122 3219	3294 3390	3448 3542	3620 3715	3834 3931	4057 4152
U 	42", 36" or 30". Freestanding, Start ar unit, please add 303 list upcharge pe	nd End units w er unit. Units wi	ith the sh th shelf o	elf optior ption are	n require o	counterba	alance w	eight ad	ded to ea	ch seat
	One-Seat Plus, Mid Height Back with ZOP3-MB1M2F	Privacy Scree 2661	n Option 2768	2877	3028	3200	3352	3523	3739	3959
K	ORDERING NOTES: Units with Privac	cy Screen Opt	ion are no	ot availabl	le with Re	movable	Back Co	ver optio	n.	
Zola Privacy O	ption Upcharges \$ Lis	st						\$ List		
Removable Sea Removable Bac Dual Leg (for M	at Covers One-Seat Plus 4 ck Covers One-Seat Plus 6 ultiple unit configurations) 8	7	Shelf Pov Table Pov	wer wer	oower unit	,	de	641 600 647		
PRODUCT COD	E KEY Series Chair Ty	(DA	Seat Cou	nt	Bar	k Type			eg Type	
ZOP	3 M Lounge Modula]	1 One Sea		Full He	F0 Pight Back	ζ.		F Un	it
	MB Modula Plus Upgr		2 Two Sea 3	t	Full Heig Shel	F1 ht Back w f Option F2	rith	s:	S tart Unit C	
			Three Sea	at	Full Height Back with Privacy Screen Option M0 Mid Height Back			Center Unit		
					Mid Heig Shel	M1 ht Back w f Option M2				
				2025		ht Back w creen Opt	lion	ΝΑΙ ΤΑΓ	BLES U	SA 32
				_0_0			2. 10101			

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHER 8	9
	Two-Seat, Full Height E ZOP3-M2F0F	Back	3029	3231	3430	3717	4044	4334	4658	5061	5490
		ch/Laminate ble/Palette Vhen ordering units v anding, Start and End	d units with	n the she	If option	require c	ounterba	lance we	eight ad	ded to each	n seat
	Two-Seat, Full Height E ZOP3-M2F2F ORDERING NOTES: U		3519	3718	3920 available	4207	4534	4822	5006	5549	597
	Two-Seat, Mid Height ZOP3-M2M0F	Back	2595	2754	2913	3141	3399	3628	3886	4205	453
		ch/Laminate ble/Palette Vhen ordering units v anding, Start and End	3132 3231 with shelf o d units with	n the she	If option	require c	ounterba	lance we	eight ad	ded to each	n seat
	Two-Seat, Mid Height I ZOP3-M2M2F ORDERING NOTES: U		3087	3245	3404 available	3633 with Rem	3891 novable E	4117 Back Cov	4377 ver optior	4693	503
Zola Privacy O p Moisture Barrier											
Removable Seat Removable Bacl Dual Leg (for Mu	& CAL 133(per yard) t Covers Two-Seat k Covers Two-Seat ultiple unit configurations pholstery - dual fabrics	\$ List 64 68 97 97 97 33	SI Ta	eat Powe helf Pow able Pow lus Upgra	er (per po er er	ower unit)		\$	641 600 647 129		

		COM		COL	FAE	RIC GR	ADES		LEATHEI	R
DESCRIPTION/N	NODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Three-Seat, Full Height Back ZOP3-M3F0F	3983	4252	4524	4906	5345	5730	6166	6707	7271
	Three-Seat, Full Height Back Shelf Optic ZOP3-M3F1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering uni - 42", 36" or 30". Freestanding, Start and unit, please add 303 list upcharge per un	4610 4713 ts with shelf c End units with	i the she	If option r	require co	ounterba	lance we	eight adde	ed to eac	h seat
	Three-Seat, Full Height Back with Privac ZOP3-M3F2F	4683	4952	5220	5608	6045	6431	6867	7405	7972
	ORDERING NOTES: Units with Privacy S Three-Seat, Mid Height Back ZOP3-M3M0F	3748	3972	4192	4510	4870	5190	5552	5994	6466
	Three-Seat, Mid Height Back Shelf Optio ZOP3-M3M1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering uni - 42", 36" or 30". Freestanding, Start and unit, please add 303 list upcharge per un	4377 4481 ts with shelf c End units with	n the she	If option r	require co	ounterba	lance we	eight adde	ed to eac	h seat
	Three-Seat, Mid Height Back with Privac ZOP3-M3M2F ORDERING NOTES: Units with Privacy S	4449	4670	4891 available	5211 with Rem	5572 novable l	5890 Back Cov	6252 er option.	6692	7164
Zola Privacy Op	otion Upcharges \$ List						\$	List		
Moisture Barrier Removable Seat Removable Back Dual Leg (for Mu	& CAL 133(per yard)64Covers Three-Seat85< Covers Three-Seat	Sh Ta	nelf Powe ble Pow		,)		641 600 647 195		
Line	Series Chair Type	Se	eat Count		Back	Туре		Leg	ј Туре	
ZOP Zola	3 M Lounge Modular MB Modular Plus Upgrade	= =	1 Dne Seat 2 two Seat 3		Full Heigh Full Heigh Shelf	t Back w Option 2	th	Freestar Star	F nding Unit S rt Unit C	t
		T	nree Seat	F	Mid Hei Mid Heigh Shelf Mid Heigh Privacy Sc	reen Opti ght Back 1 t Back w Option 12 t Back w reen Opt	on ith ion		EUnit	6A 34

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	ADES 6	ا 7	_EATHEI 8	۶ 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back with ZOP3-MCF1LR Beech/Laminate Maple/Palette	Shelves 4937 5033	5169 5264	5403 5497	5727 5823	6099 6196	6424 6521	6796 6893	7262 7358	7729 7822
	Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette	4744 4749	4988 4992	5233 5236 5233 5233 5236	5574 5579 5574 5579	5966 5970 5966 5970	6308 6312 6308 6312	6697 6703 6697 6703	7185 7190 7185 7190	7333 7337 7333 7333 7337
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	Privacy So 4624	creens 4857	5089	5414	5787	6113	6484	6948	7416
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4573	4816	5061	5404 5404	5793 5793	6136 6136	6524 6524	7015 7015	7161 7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Combination Upholstery - dual fabrics	33

PRODUCT CODE KEY				
Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	R Right Side
				Left & Right Sides

ZOLA PRIVACY | MODULAR

DESCRIPTION/I	MODEL/SPECIES	COM	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3263	3455	3646	3916	4222	4491	4798	5183	5568
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette	Single S 3909 3914	helf left* 4112 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
₽ <mark>₽</mark> ₽	Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette	Single S 3909 3914	helf Righ 4112 4116	nt 4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	Privacy 3829	Screens 4022	4214	4483	4790	5059	5366	5748	6135
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy 3 3738	Screen L 3940	eft* 4141	4423	4746	5030	5351	5755	5880
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy S 3738	Screen R 3940	light 4141	4423	4746	5030	5351	5755	5880
Zola Privacy O	otion Upcharges \$ List									

Moisture Barrier & CAL 133(per vard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Combination Upholstery - dual fabrics	33

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	M0 Mid Height Back	L Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR
			Mid Height Back with Privacy Screen Option	Left & Right Sides


2025 | SEATING & OCCASIONAL TABLES | USA | 36

ZOLA PRIVACY | SIDE PANELS

					COL	FAE	BRIC GR	ADES		LEATHEI	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Single	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
	Side Panel, Single	e, Full Height wit	h Screen									
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Single	e, Mid Height No	Screen									
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
	Side Panel, Single	e, Mid Height wi	th Screen									
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
					<u> </u>				0	A 11		

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT CODE KEY



ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

DESCRIPTION/I	MODEL		COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHEI 8	R 9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	e Panel, Single, Start Center End	Full Height 583 857 583	628 905 628	674 952 674	765 1041 765	856 1134 856	949 1224 949	1039 1315 1039	1132 1407 1132	1314 1589 1314	
	Semi-Private Side ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Panel, Single, Start Center End	Mid Height 514 796 514	555 835 555	592 875 592	672 955 672	751 1033 751	829 1111 829	909 1191 909	987 1269 987	1143 1428 1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C Center E End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	Modular Upholstered Arm									
	ZOP3-MAUPHL*	702	740	778	853	930	1004	1081	1155	1307
	ZOP3-MAUPHR	702	740	778	853	930	1004	1081	1155	1307
ŀ	ZOP3-MAUPHC	784	823	859	935	1012	1087	1163	1239	1390
	Modular Upholstered Arm w/Ure	ethane Cap								
	ZOP3-MAUREL	840	878	914	990	1066	1141	1218	1292	1445
	ZOP3-MAURER*	840	878	914	990	1066	1141	1218	1292	1445
	ZOP3-MAUREC	906	942	981	1058	1134	1207	1284	1358	1510

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С
Solid Surface Arm Cap (per arm)	129	136	151	157

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C	

2025 | SEATING & OCCASIONAL TABLES | USA | 38

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

			5									
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
		Width	Bopin	rioigint	Weight	00000	i unit	2 01110	0 01110	4 01110	0 01110	
Side Panel, Single	e, Full Height	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	n									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	III Height									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private	Side Panel,	Single, Mi	id Height									
ZOP3-MSPTM0U	Universal	2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	nolstered Arn								_			
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	olstered Arn	n w/Solid S	Surface Ca	ар								
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

		COM		COL		FABRIC GRA			LEATHE	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2851	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with F 3134	Privacy S 3299	creen Opti 3465	on 3707	3975	4214	4484	4816	5170
A C	ORDERING NOTES: Units	with Privacy	y Screen	Option are	not ava	ailable with Re	movable	Back Cove	r option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
	Twin One-Seat, Mid Height ZOP3-MT1M2F	2994	3136	3278	3483	3712	3918	4147	4432	4735
NG	ORDERING NOTES: Units	with Privacy	y Screen	Option are	not ava	ailable with Re	movable	Back Cove	r option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full He ZOP3-MBT1F2F	eight Back v 4172	with Priva 4339	acy Screen 4505	Option 4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Units	with Privacy	y Screen	Option are	not ava	ailable with Re	movable	Back Cove	r option.	
	Twin One-Seat Plus, Mid He ZOP3-MBT1M0F	eight Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
	Twin One-Seat Plus, Mid He ZOP3-MBT1M2F	eight Back 4021	with Priva 4162	acy Screen 4306	Optior 4507	ı 4738	4944	5174	5457	5761
	ORDERING NOTES: Units	with Privacy	y Screen	Option are	not ava	ailable with Re	movable	Back Cove	r option.	
PRODUCT CODE KEY										
Line	Series C	nair Type		Seat Coun	t	Back Ty	ре		Leg Type	
ZOP Zola	[Mo	MT dular Twin MTB dular Twin		1 One Seat 2 Two Seat		F0 Full Height F2 Full Height Ba	 ack with	Free	F estanding U S Start Unit	Init
		s Upgrade p <mark>age</mark> 39)		3 Three Seat	t	Privacy Scree M0 Mid Height]	(C Center Unit	
						M2 Mid Height Ba Privacy Scree			E End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	ABRIC GRA	DES 6	7	LEATHE 8	ER 9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	3ack Priva 4723	cy Screen 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	e not availa	ble with Re	movable E	lack Cover	option.	
	Twin Two-Seat, Mid Height E ZOP3-MT2M0F	3ack 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid Height E ZOP3-MT2M2F	Back with 4520	Privacy So 4744	creen Opt 4970	ion 5296	5664	5992	6359	6808	7298
NG I	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	e not availa	ble with Re	movable E	lack Cover	r option.	
	Twin Three-Seat, Full Heigh ZOP3-MT3F0F	nt Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Full Heigh ZOP3-MT3F2F	nt Back Pr 6518	ivacy Scre 6854	een Optior 7186	ר 7660	8203	8678	9217	9885	10575
	ORDERING NOTES: Units	with Priva	cy Screen	Option a	re not avail	able with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid Heigh ZOP3-MT3M0F	nt Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
	Twin Three-Seat, Mid Heigh ZOP3-MT3M2F ORDERING NOTES: Units	6054	6348	6641	7064	7539 able with R	7961 emovable	8435 Back Cove	9023 er option.	9645
PRODUCT CODE KEY	,									
Line	Series C	hair Type		Seat Cou	unt	Back T	уре		Leg Type	
ZOP Zola	3 [Lounge Mo	MT odular Twin		1 One Sea] at	F0 Full Heigh		Fre	F	Unit

MTB

Modular Twin

Plus Upgrade (**page** 39) 2

Two Seat

3

Three Seat

S

Start Unit

С

Center Unit

Е

End Unit

F2

Full Height Back with Privacy Screen Option

M0

Mid Height Back

Mid Height Back with


Privacy Screen Option

ZOLA PRIVACY | TWIN - SIDE PANELS

	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No So ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	creen 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel,, Full Height with ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	Screen 2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	Screen - 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	n Screen 1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See **page** 40 for dimensions and COM.

PRODUCT CODE KEY



ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private	Side Panel, Si	ngle, Full H	eight							
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694
	Twin Semi-Private		ngle, Mid H	leight							
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497

1581 1633 1686 1758 1842 1915 2001

ZOP3-MSPTM0C Center

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

2106

2211

		COM		COL	FAE	BRIC GR	ADES		LEATHER	R
DESCRIPTION/N	NODEL	1	2	3	4	5	6	7	8	9
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608



Twin Modular Upholstered Arm	n w/Urethane	Сар								
ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE URE Upholstered Arm w/Urethane Cap	C Center /Interim	
			SSC		

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

Width Width Overall Arms Depth Overall bepth Overall Verall Formal Height Seat Height Seat Depth Seat Depth Shipping Weight Cubes Curved Single-Seat - Full Height Back 36 42 28.5 40.5 50 62.5 18.5 20.25 73 15 Go' Inside Curve 48.5 54.5 29 41 50 62.5 18.5 20.25 89 24 90° Inside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 30° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 60° Inside Curve	
Width Arms Depth w/ Shelf Height W/Screen Height Depth Weight Cubes 30° Inside Curve 36 42 28.5 40.5 50 62.5 18.5 20.25 73 15 45° Inside Curve 42.5 48.5 54.5 30 42 50 62.5 18.5 20.25 81 19 60° Inside Curve 48.5 54.5 30 42 50 62.5 18.5 20.25 111 36 30° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 70 15 90° Outside Curve 32 58 30 42 50 62.5 18.5 20.25 76 16 60° Outside Curve 36 42 28.5 40.5 37.5 50	
30° Inside Curve 36 42 28.5 40.5 50 62.5 18.5 20.25 73 15 45° Inside Curve 42.5 48.5 54.5 30 42 50 62.5 18.5 20.25 81 19 90° Inside Curve 59 65 31.5 43.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 33.5 45.2 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 75 16 Curve discurve 43.5 49.5 29 41 50 62.5 18.5 20.25 75 16 Curve discurve 43.5 49.5 29 41 37.5 50 18.5 20.25 68 13 45° Inside Curve	
30° Inside Curve 36 42 28,5 40.5 50 62.5 18.5 20.25 73 15 45° Inside Curve 42.5 48.5 54.5 30 42 50 62.5 18.5 20.25 81 19 90° Inside Curve 59 65 31.5 43.5 50 62.5 18.5 20.25 111 36 30° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 75 16 Curve discle Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 75 16 Curve Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 <td></td>	
45° Inside Curve 42.5 48.5 29 41 50 62.5 18.5 20.25 81 19 60° Inside Curve 48.5 54.5 30 42 50 62.5 18.5 20.25 89 24 90° Inside Curve 59 65 31.5 43.5 50 62.5 18.5 20.25 111 36 30° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 62 10	
60° Inside Curve 48.5 54.5 30 42 50 62.5 18.5 20.25 89 24 90° Inside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 35.5 49.5 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 68 13 90° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 62 10 <	
90° Inside Curve 59 65 31.5 43.5 50 62.5 18.5 20.25 111 36 30° Outside Curve 33.5 39.5 28.5 40.5 50 62.5 18.5 20.25 65 12 45° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 70 15 90° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 68 13 20 20 28 20 28 20 25 103 28 28 20 21 37.5 50 1	
45° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 70 15 90° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 29 41 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 103 28 30° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 67 13	
45° Outside Curve 39 45 29 41 50 62.5 18.5 20.25 67 13 60° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 70 15 90° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 29 41 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 103 28 30° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 67 13	
60° Outside Curve 43.5 49.5 29 41 50 62.5 18.5 20.25 70 15 90° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 48.5 54.5 29 41 37.5 50 18.5 20.25 68 13 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 62 10 45° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13	
90° Outside Curve 52 58 30 42 50 62.5 18.5 20.25 75 16 Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 42.5 48.5 29 41 37.5 50 18.5 20.25 68 13 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5	
Curved Single-Seat - Mid Height Back 30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 42.5 48.5 29 41 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 49.5 29 41 37.5 50 18.5 20.25 62 10 45° Outside Curve 43.5 49.5 29 42 37.5 50 18.5	
30° Inside Curve 36 42 28.5 40.5 37.5 50 18.5 20.25 68 13 45° Inside Curve 42.5 48.5 29 41 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 33.5 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 177 28 30° Inside Curve 58 64 30 <td></td>	
45° Inside Curve 42.5 48.5 29 41 37.5 50 18.5 20.25 76 16 60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 39 45 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 73 14 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Insi	
60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 103 28 30° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 124 37 60° Inside Curve 64.5 70.5 <td< td=""><td></td></td<>	
60° Inside Curve 48.5 54.5 30 42 37.5 50 18.5 20.25 83 20 90° Inside Curve 59 65 31.5 43.5 37.5 50 18.5 20.25 103 28 30° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 73 14 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37	
30° Outside Curve 33.5 39.5 28.5 40.5 37.5 50 18.5 20.25 62 10 45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 64 12 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 64 30 42 50 62.5 18.5 20.25 73 14 Curved Double-Seat - Full Height Back 30° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65	
45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 67 13 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 81 87 36 48 50 62.5 18.5 20.25 101 24 <tr< td=""><td></td></tr<>	
45° Outside Curve 39 45 29 41 37.5 50 18.5 20.25 64 12 60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 67 13 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 81 87 36 48 50 62.5 18.5 20.25 101 24 <tr< td=""><td></td></tr<>	
60° Outside Curve 43.5 49.5 29 42 37.5 50 18.5 20.25 67 13 90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 73 14 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 81 87 36 48 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 104 28 <td< td=""><td></td></td<>	
90° Outside Curve 52 58 30 43.5 37.5 50 18.5 20.25 73 14 Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 55.5 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31	
Curved Double-Seat - Full Height Back 30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 55.5 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 <td></td>	
30° Inside Curve 58 64 30 42 50 62.5 18.5 20.25 117 28 45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 124 37 60° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 101 24 45° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 44 <td></td>	
45° Inside Curve 64.5 70.5 31.5 43.5 50 62.5 18.5 20.25 124 37 60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 55.5 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 101 24 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 110 32	
60° Inside Curve 70.5 76.5 33 45 50 62.5 18.5 20.25 132 46 90° Inside Curve 81 87 36 48 50 62.5 18.5 20.25 151 65 30° Outside Curve 55.5 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 101 24 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 104 28	
90° Inside Curve818736485062.518.520.251516530° Outside Curve55.561.529.541.55062.518.520.251012445° Outside Curve616731435062.518.520.251042860° Outside Curve65.571.532445062.518.520.2511032	
30° Outside Curve 55.5 61.5 29.5 41.5 50 62.5 18.5 20.25 101 24 45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 110 32	
45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 110 32	
45° Outside Curve 61 67 31 43 50 62.5 18.5 20.25 104 28 60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 110 32	
60° Outside Curve 65.5 71.5 32 44 50 62.5 18.5 20.25 110 32	
Curved Double-Seat - Mid Height Back	
30° Inside Curve 58 64 30 42 37.5 50 18.5 20.25 110 24	
45° Inside Curve 64.5 70.5 31.5 43.5 37.5 50 18.5 20.25 116 31	
60° Inside Curve 70.5 76.5 33 45 37.5 50 18.5 20.25 123 38	
90° Inside Curve 81 87 36 48 37.5 50 18.5 20.25 141 52	
30° Outside Curve 55.5 61.5 29.5 41.5 37.5 50 18.5 20.25 96 21	
45° Outside Curve 61 67 31 43 37.5 50 18.5 20.25 99 25	
60° Outside Curve 65.5 71.5 32 44 37.5 50 18.5 20.25 105 28	
90° Outside Curve 74.5 80.5 34.5 46.5 37.5 50 18.5 20.25 115 32	

Upcharge for Plus Upgrade Option:

Option \$	6 List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	t 152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	t 180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	t 193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	t 220

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea		-										
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	it - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H											
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se		-										
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DESCRIPTION	/MODEL/SPECIES		COM	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Insic ZOP3-MCIS30DF0F	le Curve, Full Heigh		3618	3806	4068	4369	4634	4931	5308	5684
	Single-Seat, 30° Insic ZOP3-MCIS30DF1_ ORDERING NOTE: V - 42", 36" or 30" and	Beech/Laminate Maple/Palette Vhen ordering a bac	4047 4141 ck with \$	4236 4328 Shelf optic							
	Single-Seat, 30° Insic ZOP3-MCIS30DF2F	d to each seat unit,	please	add 303 li	st upcha	rge per unit		5227	5527	5902	6277
	Single-Seat, 30° Insic ZOP3-MCIS30DM0F	le Curve, Mid Heigh	nt Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
	Single-Seat, 30º Insic ZOP3-MCIS30DM1_	-	nt Back 3892 3984	with Shelf 4058 4149	4221 4315	4454 4545	4715 4811	4946 5038	5211 5303	5539 5634	5868 5962
	ORDERING NOTE: W - 36" or 30" and chos ance weight added to Single-Seat, 30° Insid	e required leg type each seat unit, ple	below. I ease ado nt Back	Freestandi d 303 list u with Priva	ing, Start upcharge cy Screer	and End ur per unit.	nits with t	the shelf o	ption req	uire cour	nterbal-
Zola Privacy O	ZOP3-MCIS30DM2F	\$ List	3867	4033	4197	4427	4691	4922	5187 \$ Lis t	5516 t	5844
Seat Power (pe Shelf Power Table Power	r & CAL 133(per yard) r power unit) pholstery - dual fabrics	64 641 600 647	Du Re	ual Leg (fo emovable s	r Multiple Seat Cov	e-Seat, 30° e unit config ers -Single- ck covers a	urations) Seat, 30	° Curve	96 80 61 curved b)	
PRODUCT CODI	E KEY Series	Chair Type	C	Curve Style		Seat Degree		Back Type		Leg Typ	e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS e Curve -Sir ID c Curve -Do OS le Curve -Si e Curve -Do	uble ingle	30D 45D 60D 90D	Full H S Full H Privac Mid Mid H S	F0 I Height Back F1 I height Back i ihelf Option F2 eight Back i y Screen Op M0 I Height Back ihelf Option M2 leight Back	with with otion ck with	F eestanding Start Ur C Center U E End Un	iit nit
47 USA SE/	ATING & OCCASION	IAL TABLES 202	25					/ Screen Op			

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	ES 6	7	LEATHEF 8	۶ 9
	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Heigl	ht Back 3847	4057	4263	4565	4904	5209	5548	5964	6418
		Beech/Laminate Maple/Palette	4483 4576	4690 4785	4898 4993	5201 5295	5539 5635	5841 5938	6184 6280	6599 6691	7051 7148
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	chose required I	eg type	below. F	reestand	ing, Start a	and End a	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F	e Curve, Full Heigl	ht Back 4447	with Priva 4655	acy Scree 4863	n 5167	5506	5809	6149	6565	7018
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Heig	ht Back 3642	3811	3979	4215	4486	4722	4994	5329	5673
	Single-Seat, 45° Inside ZOP3-MCIS45DM1_		ht Back 4278 4371	with She 4444 4539	lf 4614 4709	4848 4945	5121 5216	5360 5453	5631 5722	5965 6059	6307 6402
	ORDERING NOTE: W - 36" or 30" and cho counterbalance weigh	ose required leg	type b	elow. Fre	estanding	g, Start an	d End ur	nits with			
	Single-Seat, 45° Inside ZOP3-MCIS45DM2F	e Curve, Mid Heig	ht Back 4243	with Priva 4411	acy Scree 4580	n Option 4816	5086	5323	5595	5931	6271
Zola Privacy Op	otion Upcharges	\$ List							\$ List	t	
Seat Power (per Shelf Power Table Power	& CAL 133(per yard) power unit) holstery - dual fabrics	64 641 600 647 33	Du Re	al Leg (fo movable	r Multiple Seat Cove	-Seat, 45° (unit config ers -Single- ck covers a	urations) Seat, 45º		111 80 64 curved b) 1	
PRODUCT CODE											
Line	Series	Chair Type MC	(Curve Style		Seat Degree		Back Type		Leg Ty	De
ZOP	Lounge	Modular Curve MCB Modular Curve Plus	Inside	Curve -Si ID Curve -Do Curve -Do	buble	30D 45D 60D	Full H S	F0 Height Ba F1 eight Back helf Optior F2 eight Back	: with า	F reestandir S Start U C Center U	nit
				OD e Curve -D		90D	Privac	y Šcreen C M0 Height Ba)ption	E End Ur	
								M1 eight Back helf Optior			
								M2 eight Back Screen O			
					202	5 SEATIN	IG & OC	CASION	IAL TAB	LES U	SA 48

DESCRIPTION/M			COM	2	COL 3	FABI 4	RIC GRA	DES 6	7	LEATHE 8	R 9
	Single-Seat, 60° Inside ZOP3-MCIS60DF0F	e Curve, Full Heig			4891	5267	5696	6067	6492		7567
	Single-Seat, 60° Inside ZOP3-MCIS60DF1_		ht Back 5185 5281	with She 5444 5541	lf 5705 5800	6080 6179	6504 6600	6879 6974	7303 7399	7822 7920	8380 8474
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	chose required	leg type	below. F	-reestanc	ding, Start a	and End	units with			
	Single-Seat, 60° Inside ZOP3-MCIS60DF2F	e Curve, Full Heig	ht Back 4974	with Priv 5236	acy Scre 5496	en 5870	6293	6670	7093	7615	8169
	Single-Seat, 60° Inside ZOP3-MCIS60DM0F	e Curve, Mid Heig	jht Back 4164	4350	4537	4801	5103	5364	5664	6039	6416
	Single-Seat, 60° Inside ZOP3-MCIS60DM1_ I		ht Back 4977 5072	with She 5164 5259	elf 5351 5447	5614 5712	5914 6009	6179 6271	6477 6574	6852 6946	7229 7324
	ORDERING NOTE: W - 36" or 30" and chu counterbalance weigh Single-Seat, 60° Inside ZOP3-MCIS60DM2F	ose required leg t added to each s	type be seat unit	elow. Fre , please a	estandin add 303 l i	ig, Start an	d End u	nits with			
Zola Privacy Opt	ion Upcharges	\$ List							\$ List	t	
Moisture Barrier & Seat Power (per p Shelf Power Table Power	CAL 133 (per yard)	64 641 600 647 33	Dua Rer	al Leg (fo novable	r Multiple Seat Cov	e-Seat, 60° e unit config rers -Single- ck Cover ar	urations) Seat, 60'	° Curve	123 80 86	3	
Line	KEY Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ)e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Si ID Curve -Do OS e Curve -S OD e Curve -D	ouble	30D 45D 60D 90D	Full H S Full H Privac	F0 I Height Back I Height Back I Height Back I Height Back I Height Back I Height Back	with with otion	F reestandin S Start Ur C Center U E End Un] nit] Init
49 USA SEAT	ING & OCCASIONAI	_ TABLES 202:	5				S Mid H	M1 leight Back shelf Option M2 leight Back y Screen Op	with		

DESCRIPTION/MODEL/SPECIES		COM	M COL FABRIC GRADES			LEATHER 7 8 9				
	Single-Seat, 90° Inside Curve, Full Heigh ZOP3-MCIS90DF0F	it Back 4992	5263	5538	5920	6359	6742	7180	7728	8275
FFP	Single-Seat 90º Inside Cunve, Full Heigh	t Back wi	ith Shelf							

Single-Seat, 90° Inside Curve, Full Height Back with Privacy Screen

5943

6216

1	
4	

Single-Seat, 90° Inside Curve, Full Height Back with Shelf										
ZOP3-MCIS90DF1_	Beech/Laminate	5866	6139	6412	6795	7234	7616	8055	8599	9147
	Maple/Palette	5964	6237	6511	6894	7331	7713	8152	8698	9246

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

6492

6872

7311

7695

8131

8679 9225

\square	
-	
Ν.	
K	-
¥—	1

ZOP3-MCIS90DF2F

Single-Seat, 90° Inside Curve, Mid He ZOP3-MCIS90DM0F	ight Back 4571	4786	5000	5299	5641	5943	6286	6713	7144

P


Single-Seat, 90° Inside Curve, Mid Height Back with Shelf										
ZOP3-MCIS90DM1_	Beech/Laminate	5444	5660	5873	6174	6516	6818	7159	7587	8015
	Maple/Palette	5544	5758	5971	6270	6612	6914	7258	7684	8115

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

	weight added to each seat unit, ple		upenai	ge per un	it.					
	Single-Seat, 90° Inside Curve, Mid	Height Back wi	th Privac	y Screen	Option					
	ZOP3-MCIS90DM2F	5524	5739	5953	6252	6595	6895	7237	7662	8093
ų J.										

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 90° Curve	165
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 90° Curve	113
Table Power	647	Note: Removable Back Cover are not available on c	urved backs
Combination Upholstery - dual fabrics	33		

PRODUCT CODE KEY



Single-Seat, 30° Outside Curve, Full Height Back with Sheff 20P3-MCOS300F1 Beech Luminate 554 3732 9910 4160 4444 4633 4973 5337 5682 ORDERING NOTE: When ordering a back with Sheff option please clearly specify on your order the required Shell Height - 4C', 38' or 30' and chose required by type block. Therestranding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Single-Seat, 30° Outside Curve, Full Height Back with Sheff Single-Seat, 30° Outside Curve, Mid Height Back 3135 3290 3445 3664 3914 4131 4380 4690 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Sheff ZOP3-MCOS300MD Back with Sheff 3135 3290 3445 3664 3914 4131 4380 4690 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Sheff ZOP3-MCOS300MD Beech Luminate 3433 3589 373 3962 4213 4429 4880 4980 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Sheff option please clearly specify on your order the required Sheff Height - 36' and chose required aback with Sheff option please clearly specify on your order the required Sheff He			СОМ	2	COL					LEATHER	
ZOP3-MCOS300F1_Beech/Laminate 354 372 3910 4160 4444 4693 4479 5337 5692 5722 5782 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42°, 36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each set unit, please add 308 list upchrage per unit. Single-Seat, 30° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS300M0F 3807 3786 3983 4214 4500 4749 5034 5391 5746 Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen ZOP3-MCOS300M0F 3135 3290 3445 3664 3914 4131 4380 4690 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS300M1 Beech/Laminate 3433 3869 37A3 3982 4213 4429 4880 4990 5307 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS300M1 Beech/Laminate 3433 3869 37A3 3982 4213 4429 4880 4990 5307 Single-Seat, 30° Outside Curve, Mid Height Ba		Single-Seat, 30° Outside Curve, Full Heig	ht Back		-			-			5392
42"; 96" or 30" and chose required leg type below. Freestanding. Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Single-Seat; 30° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS30DF2F 3607 3786 3963 4214 4500 4749 5034 5391 5746 Single-Seat; 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS30DM0F 3135 3290 3445 3664 3914 4131 4380 4090 6007 Single-Seat; 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS30DM1	F	ZOP3-MCOS30DF1_ Beech/Laminate	3554	3732							5692 5782
ZOP3-MCOS30DF2F 3607 3786 3963 4214 4500 4749 5034 5391 5746 Single-Seat, 30° Outside Curve, Mid Height Back 3135 3290 3445 3664 3914 4131 4380 4690 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS30DM1 Beech/Laminate 3433 3589 3743 3962 4213 4429 4680 4990 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf 2093-MCOS30DM1 Beech/Laminate 3433 3589 3743 3962 4213 4429 4680 4990 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf option please clearly specify on your order the required Shelf Height - 36° or 30° and chose required lag type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Single-Seat, 30° Curve 96 Sold Privacy Option Upcharges \$ List Plus Upgrade - Single-Seat, 30° Curve 96 Sold Prover (per power unit) 64 Plus Upgrade - Single-Seat, 30° Curve 96 Sold Prover	14-1	42", 36" or 30" and chose required le	g type be	elow. Free	estanding	, Start and	d End ur				
ZOP3-MCOS30DM0F 3135 3290 3445 3664 3914 4131 4380 4690 5007 Single-Seat, 30° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS30DM1_Beech/Laminate 3433 3569 3743 3062 4213 4229 4680 4900 5307 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 35° or 30° and chose required leg type boliow. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen Option Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen Option 3489 3643 3797 4019 4267 4485 4735 5043 5322 Zola Privacy Option Upcharges \$ List \$ List \$ List \$ List \$ List Moisture Barrier & CAL 133 (per yard) 64 Plus Upgrade - Single-Seat, 30° Curve 61 \$ Dual Leg (for Withiple unit configurations) 80 Shelf Power 647 Sould scovers - Single-Seat, 30° Curve 61 \$ Note: Removable back covers are not available on curved backs \$ Power \$ Full Height Back with \$ Full Height Back with \$ Full Height Back with <td></td> <td></td> <td></td> <td></td> <td></td> <td>4214</td> <td>4500</td> <td>4749</td> <td>5034</td> <td>5391</td> <td>5746</td>						4214	4500	4749	5034	5391	5746
ZOP3-MCOS30DM1_Beech/Laminate 3433 3589 3743 3962 4213 4429 4680 4990 5307 Maple/Palette 3522 3679 3831 4053 4299 4520 4769 5079 5394 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height- Set" or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCOS30DM2F Statt 543 5362 Zola Privacy Option Upcharges \$ List \$ List \$ List Molsure Barrier & CAL 133 (per yard) 64 Plus Upgrade - Single-Seat, 30° Curve 96 Seat Power (per power unit) 641 Dual Leg (for Multiple unit configurations) 80 Removable Seat Covers - Single-Seat, 30° Curve 61 Note: Removable Seat Covers - Single-Seat, 30° Curve 61 Note: Removable Seat Covers - Single-Seat, 30° Curve 61 Note: Removable Seat Covers - Single Seat, 30° Curve 61 Note: Removable Seat Covers - Single-Seat, 30° Curve 61 Modular Curve Inside Curve-Single Full Height Back with Fu				3290	3445	3664	3914	4131	4380	4690	5007
36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit. Image: Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCOS30DM2F Single-Seat, 30° Outside Curve, Mid Height Back with Privacy Screen Option 2487 Zola Privacy Option Upcharges \$ List \$ List Moisture Barrier & CAL 133 (per yard) 64 Plus Upgrade - Single-Seat, 30° Curve 96 Shelf Power 600 Removable Seat Course - Single-Seat, 30° Curve 96 Table Power 647 Note: Removable Seat Course - Single-Seat, 30° Curve 61 Table Power 647 Note: Removable back covers are not available on curved backs 80 PRODUCT CODE KEY Inside Curve Style Seat Degree Back Type Leg Type ZOP 3 MC Is 300 F0 F Zola Lounge Modular Curve Inside Curve -Single Full Height Back with Start Unit Mid Height Back with Start Unit Shelf Option Center Unit Frivacy Screen Option Center Unit ZoP 3 Modular Curve Inside Curve -Double Full Height Back with	R	ZOP3-MCOS30DM1_ Beech/Laminate	3433	3589							5307 5394
Moisture Barrier & CAL 133 (per yard) 64 Plus Upgrade - Single-Seat, 30° Curve 96 Seat Power (per power unit) 641 Dual Leg (for Multiple unit configurations) 80 Shelf Power 600 Removable Seat Covers - Single-Seat, 30° Curve 61 Table Power 647 Note: Removable Seat Covers - Single-Seat, 30° Curve 61 Combination Upholstery - dual fabrics 33 Note: Removable back covers are not available on curved backs PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type Leg Type ZOP 3 MC Iside Curve - Single Fo F ZOP 3 MC Iside Curve - Single Full Height Back Freestanding Unit Modular Curve Inside Curve - Double Full Height Back with Start Unit Shelf Option Center Unit Ob 0D 0D Inside Curve - Single Full Height Back with Center Unit Modular Curve Inside Curve - Double M0 E Co Ob 0D 0D Inside Curve - Single Full Height Back with Center Unit Outs		36" or 30" and chose required leg type be weight added to each seat unit, please an Single-Seat, 30° Outside Curve, Mid Heig	elow. Free dd 303 lis ght Back v	standing, standing, standing, standing, standing, standard stand standard standard stan standard standard stan	Start and e per unit	End units v Option	vith the s	helf option	n require	counterb	
Line Series Chair Type Curve Style Seat Degree Back Type Leg Type ZOP 3 MC IS 30D F0 F Zola Lounge Modular Curve Inside Curve -Single Full Height Back Freestanding Unit MCB ID 45D F1 S Modular Curve Inside Curve -Double Full Height Back with Start Unit Plus OS 60D F2 C OUtside Curve -Single Full Height Back with Center Unit OD 09D M0 E OUtside Curve -Double M0 E OUtside Curve -Double Modular Height Back End Unit Mid Height Back End Unit M1 Mid Height Back with Seat Degree M1 Mid Height Back with Seat Unit M2 Mid Height Back with Mid Height Back with M2	Moisture Barr Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard) 64 ber power unit) 641 600 647	Dua Rei	al Leg (for movable S	Multiple Seat Cove	unit configu rs -Single-	urations) Seat, 30º		96 80 61		
Zola Lounge Modular Curve Inside Curve -Single Full Height Back Freestanding Unit MCB ID 45D F1 S Modular Curve Inside Curve -Double Full Height Back with Start Unit Plus OS 60D F2 C Outside Curve -Single Full Height Back with Center Unit Plus OD 90D M0 E OUtside Curve -Double M00 E M1 Mid Height Back with Start Unit M1 Mid Height Back with M1 Mid Height Back with			С	urve Style	S	eat Degree	E	ack Type		Leg Type)
Privacy Screen Options		Lounge Modular Curve	Inside Outside	Curve -Sin ID Curve -Dou OS e Curve -Sin	uble ngle	45D 60D	Full He St Privacy Mid Mid He St	Height Back F1 eight Back v helf Option F2 eight Back v Screen Op M0 Height Back M1 eight Back v helf Option M2 eight Back v	with with ttion k with	F eestanding S Start Uni C Center Ur	Unit t

	/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	7	LEATHEF 8	۲ 9
F	Single-Seat, 45° Outsi ZOP3-MCOS450DF0F		ght Back 3508		3864	4113	4398	4648	4932	5288	5646
P	Single-Seat, 45° Outsid ZOP3-MCOS45DF1_		ght Back 3803 3892	with She 3981 4068	elf 4158 4247	4407 4499	4693 4784	4944 5033	5230 5318	5584 5674	5941 6031
₩ <i>₹</i>	ORDERING NOTE: WI 42", 36" or 30" and ch balance weight added	ose required leg ty	/pe belov	v. Freest	anding, S	Start and End	d units wi				
	Single-Seat, 45° Outsid ZOP3-MCOS45DF2F	de Curve, Full Heig	ght Back 3859	with Priv 4038	vacy Scre 4215	een 4466	4752	5002	5286	5641	5999
F	Single-Seat, 45° Outsie ZOP3-MCOS45DM0F	de Curve, Mid Hei	ght Back 3382	3536	3690	3909	4158	4378	4628	4937	5254
R	Single-Seat, 45° Outsid ZOP3-MCOS45DM1_		ght Back 3678 3766	with Sh 3830 3920	elf 3985 4074	4205 4292	4455 4542	4672 4762	4922 5010	5232 5320	5547 5636
	ORDERING NOTE: W 36" or 30" and chose re weight added to each Single-Seat, 45° Outsid ZOP3-MCOS45DM2F	equired leg type be seat unit, please a	elow.Free dd 303 l i	estanding ist upcha	g, Start a arge per	nd End units unit.					
Zola Privacy C	Option Upcharges	\$ List									
	er & CAL 133 (per yard)	64							S Lis	st	
Combination U	lpholstery - dual fabrics	641 600 647 33	Du Rei	al Leg (fe movable	or Multip Seat Co	yle-Seat, 45° le unit config overs -Single- ack covers a	urations) ·Seat, 45		6	1 30 54	
Combination U	1 3	600 647	Du Rei No	al Leg (fe movable	or Multip Seat Co ovable ba	le unit config vers -Single-	urations) Seat, 45 re not av		11 8 6	1 30 54	 De
RODUCT CODE	EKEY	600 647 33	Du Re No Inside	al Leg (fo movable t e: Rem	or Multip Seat Co ovable ba	le unit config overs -Single- ack covers a	urations) Seat, 45 re not av I Full Full H S Full H	ailable on	11 8 6 curved ck F with	1 30 34 backs	g Unit

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRAI	DES 6	7	LEATHEI 8	۲ 9
	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DF0F		k	4011	4261	4546	4795	5082	5437	5793
	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DF1_ Beech/L Maple/P ORDERING NOTES: When orde	aminate 3948 alette 4036	4125 4213	4305 4393	4553 4641	4838 4927	5086 5176	5370 5463	5727 5815	6083 6174 Height
	- 42", 36" or 30" and chose requered to each added to each	uired leg type be h seat unit, plea	elow. Free se add 30	estanding,)3 list upo	Start and E charge per u	ind units				
	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DF2F	Full Height Bac 3988		vacy Scre 4347	en 4595	4882	5131	5416	5769	6127
P	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DM0F	Mid Height Bac 3535		3846	4064	4313	4532	4781	5091	5407
B	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DM1_ Beech/L Maple/P	aminate 3825	3982	nelf 4138 4224	4354 4443	4604 4692	4822 4914	5071 5160	5384 5471	5696 5786
U	ORDERING NOTE: When order - 36" or 30" and chose required ance weight added to each seat	leg type below.	Freestand	ding, Star	t and End ur					
	Single-Seat, 60° Outside Curve, ZOP3-MCOS60DM2F	Mid Height Bac 3869		ivacy Scre 4180	een Option 4397	4646	4866	5113	5425	5741
Zola Privacy O	ption Upcharges	\$ List						\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Table Power Combination U	r & CAL 133 (per yard) r power unit) pholstery - dual fabrics	64 PI 641 Di 600 Re	ual Leg (fo emovable	or Multiple Seat Cov	e-Seat, 60° e unit config rers -Single- ck covers a	urations) Seat, 60º		123 80 86	5	
Line		r Type	Curve Style)	Seat Degree	E	Back Type		Leg Type	e
ZOP Zola	Modula Modula	ar Curve Insid CB ar Curve Inside lus Outsid	IS e Curve -S e Curve -Do OS de Curve -S de Curve -S de Curve -E	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mid Mid H S	F0 Height Back F1 eight Back of helf Option F2 eight Back of y Screen Op Height Back M1 eight Back of helf Option M2 eight Back of	with with btion k with	F eeestanding Start Un C Center Un E End Uni] it] nit
53 USA SE	ATING & OCCASIONAL TABLE	ES 2025					Screen Op			

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRADI	ES 6	7	LEATHER 8	۲ 9
	Single-Seat, 90° Outsic ZOP3-MCOS90DF0F	le Curve, Full Heigh	nt Back 4405	4586	4763	5011	5298	5547	5833	6188	6545
B	Single-Seat, 90° Outsic ZOP3-MCOS90DF1_		nt Back 4686 4773	with Shel 4866 4952	lf 5043 5131	5293 5381	5579 5664	5828 5914	6113 6199	6470 6556	6828 6913
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	ose required leg typ	be belov	v. Freesta	anding, Sta	art and End					
	Single-Seat, 90° Outsic ZOP3-MCOS90DF2F	le Curve, Full Heigh	nt Back 4737	with Priva 4918	acy Screer 5095	ר 5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outsic ZOP3-MCOS90DM0F	le Curve, Mid Heigl	ht Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outsic ZOP3-MCOS90DM1_		ht Back 4229 4315	with She 4382 4469	lf 4537 4623	4757 4843	5007 5093	5223 5310	5473 5560	5784 5869	6102 6186
	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	equired leg type bel	ow. Free	estanding	, Start and	End units					
	Single-Seat, 90° Outsic ZOP3-MCOS90DM2F	le Curve, Mid Heigl	ht Back 4279	with Priv 4433	acy Scree 4588	n Option 4810	5057	5275	5525	5834	6153
Zola Privacy (Option Upcharges	\$ List							\$ Lis	st	
Seat Power (pe Shelf Power Table Power	Jpholstery - dual fabrics	64 641 600 647 33	Du Re	ial Leg (fo movable	or Multiple Seat Cove	e-Seat, 90° unit config ers -Single- ck covers a	urations) ·Seat, 90°		11	0 3	
Line	Series	Chair Type	(Curve Style	e (Seat Degree	E	Back Type		Leg Ty	pe
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsic	IS e Curve -S ID curve -D cos de Curve -S de Curve -S e Curve -E	ouble Single Double	30D 45D 60D 90D	Full He SI Privacy Mid Mid He Privacy	F0 Height Back helf Option F2 Height Back of Screen O M0 Height Back M1 Height Back helf Option M2 Eight Back Screen Op	with with ption ck with with otions	Freestandir S Start U C Center U End Ur	 nit Jnit nit
					202	5 SEATIN	NG & OC	CASION	ial iae	SLES U	5A 54

			COM	~	COL				_	LEATHE	
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Heigh	t Back 4943	5245	5548	5973	6461	6884	7368	7973	8581
	Double-Seat, 30° Inside	Curve, Full Heigh	t Back v	vith Shelf							
		Beech/Laminate Maple/Palette	5715 5811	6017 6114	6319 6418	6745 6842	7230 7329	7655 7754	8141 8236	8745 8843	9353 944
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	en ordering a back se required leg typ	k with Sł be below	nelf optior v. Freesta	n please o nding, Sta	clearly spec art and Enc	cify on yo d units w	our order th	e require	ed Shelf H	leight
	Double-Seat, 30° Inside	Curve, Full Heigh	t Back v	vith Privad	cy Screen	1					
	ZOP3-MCID30DF2F		5888	6190	6494	6918	7403	7829	8312	8918	952
	Double-Seat, 30° Inside	Curve, Mid Heigh	t Back								
	ZOP3-MCID30DM0F		4678	4932	5191	5552	5964	6322	6734	7248	776
	Double-Seat, 30° Inside	Curve. Mid Heigh	t Back v	with Shelf							
	ZOP3-MCID30DM1_	Beech/Laminate	5448	5705	5964	6322	6734	7093	7506	8017	853
	ſ	Maple/Palette	5546	5802	6060	6420	6832	7191	7603	8117	863
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Heigh	t Back v 5620	with Privad 5878	cy Screer 6137	n Option 6496	6909	7267	7680	8193	870
T Cola Privacy	Option Upcharges	\$ List							\$ Lis	t	
	ier & CAL 133 (per yard)	64				e-Seat, 30			152	2	
eat Power (p helf Power	ber power unit)	641 600		0 (•	unit config ers -Double			80 93		
able Power		647					,	ailable on o			
	Upholstery - dual fabrics	33									
Line	Series	Chair Type	C	urve Style	s	eat Degree		Back Type		Leg Type	.
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	ا Inside	Curve -Sin	gle	30D	Ful	I Height Bac	k Fr	reestanding	unit
	-	MCB		ID	-	45D		F1		S	
		Modular Curve Plus	Inside	Curve -Dou	ıble			leight Back v Shelf Option	vith	Start Un	it
		Flus	[OS		60D	2	F2		С	
			Outside	e Curve -Si	ngle			leight Back v		Center Ur	nit
			I	OD		90D	Privac	y Screen Op	NON	E	
			Outside	Curve -Do	uble		Mic	d Height Bac	k	End Uni	t
								M1 leight Back v Shelf Option	vith		
							-				

M2 Mid Height Back with Privacy Screen Options

		COM		COL	FAB	RIC GRAD	ES	l	EATHER	2
DESCRIPTION	I/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Inside Curve, Full He ZOP3-MCID45DF0F	ight Back 5360	5666	5975	6411	6909	7343	7839	8457	9086
	Double-Seat, 45° Inside Curve, Full He	ight Back	with Shel	f						
	ZOP3-MCID45DF1_ Beech/Laminate Maple/Palette	6161 6260	6469 6568	6779 6877	7214 7314	7711 7809	8146 8247	8643 8741	9261 9359	9887 9988

Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen

J.		
٩		
		2
	K-	J
		U

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

Ţ	ZOP3-MCID45DF2F	6313	6621	6931	7367	7863	8298	8792	9412	10041
Ì	Double-Seat, 45° Inside Curve, Mid Heig ZOP3-MCID45DM0F	ht Back 5103	5367	5635	6014	6444	6822	7255	7787	8340


Double-Seat, 45° Ins	side Curve, Mid Heig	ht Back	with Shel	f						
ZOP3-MCID45DM1_	Beech/Laminate	5904	6170	6438	6817	7248	7625	8056	8590	9143
	Maple/Palette	6003	6269	6537	6914	7345	7725	8155	8688	9241

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **303 list** upcharge per unit.

_	Double-Seat, 45° Inside Curve, Mid Heig	ht Back	with Priva	acy Scree	n Option					
	ZOP3-MCID45DM2F	6055	6322	6587	6968	7399	7778	8207	8741	9295

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Double-Seat, 45° Curve	180
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Double-Seat, 45° Curve	101
Table Power	647	Note: Removable back covers are not available on c	urved backs
Combination Upholstery - dual fabrics	33		

PRODUCT CODE KEY



ZOP3-MCID60DF2F

		COM		COL	FAE	BRIC GRAI	DES		LEATHE	R	
DESCRIPTION/MC	DEL/SPECIES		1	2	3	4	5	6	7	8	9
	ouble-Seat, 60° Insic DP3-MCID60DF0F	de Curve, Full Heigh	nt Back 5910	6263	6616	7127	7704	8215	8791	9499	10262
Do	ouble-Seat, 60° Insid	le Curve, Full Heigh	nt Back v	vith Shelf							
ZC	DP3-MCID60DF1_	Beech/Laminate	6766	7122	7476	7986	8563	9074	9652	10358	11121
		Maple/Palette	6867	7219	7573	8085	8662	9172	9751	10458	11219

7222

Double-Seat, 60° Inside Curve, Full Height Back with Privacy Screen

33

6869

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height -42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit.

7577

8088

8666

9174

9754

10460 11224

K	

Double-Seat, 60° Inside Curve, Mid Heigh ZOP3-MCID60DM0F	t Back 5588	5884	6175	6595	7069	7487	7963	8548	9161


Double-Seat, 60° Insi	ide Curve, Mid Heig	ht Back v	with Shelf	F					
ZOP3-MCID60DM1_	Beech/Laminate	6447	6742	7035	7452	7927	8344	8820	9408 10020
	Maple/Palette	6545	6840	7132	7550	8026	8445	8918	9506 10120

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height -36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add 303 list upcharge per unit.

Double-Seat, 60° Inside C	urve, Mid Heig	ht Back v	vith Priva	cy Screer	n Option					
ZOP3-MCID60DM2F		6549	6842	7135	7553	8029	8447	8920	9508	10123
Zola Privacy Option Upcharges	\$ List							\$ List		
Moisture Barrier & CAL 133 (per yard)	64	Plus	s Upgrad	e - Double	e-Seat, 60)° Curve		183		
Moisture Barrier & CAL 133 (per yard) Seat Power (per power unit)	64 641		10		,)° Curve gurations)		183 80		
		Dua	al Leg (foi	Multiple	unit config		° Curve			

PRODUCT CODE KEY

Combination Upholstery - dual fabrics



			СОМ	_	COL				_	LEATHE	
DESCRIPTION/N	MODEL/SPECIES	Curve Full Hei	1 abt Pool	2	3	4	5	6	7	8	9
	Double-Seat, 90° Inside ZOP3-MCID90DF0F	Curve, Full Hei	6937	7303	7673	8211	8813	9354	9959	10694	11512
	1	Beech/Laminate Maple/Palette	7873 7973	8239 8341	8610 8709	9147 9249	9753 9853	10291 10390	10895 10994	11630 11732	12549
	ORDERING NOTE: Wh - 42", 36" or 30" and ch terbalance weight adde	ose required leg	g type be	low. Fre	estanding	g, Start and	End units				
	Double-Seat, 90° Inside ZOP3-MCID90DF2F	Curve, Full Hei	ght Back 7942	with Pr 8308	ivacy Scr 8678	reen 9217	9818	10358	10963	11699	12514
	Double-Seat, 90° Inside ZOP3-MCID90DM0F	Curve, Mid Hei	ght Bacl 6441	< 6735	7028	7446	7921	8340	8813	9403	10014
	Double-Seat, 90° Inside ZOP3-MCID90DM1_ E			k with Sl 7674 7773	nelf 7966 8067	8385 8485	8859 8959	9277 9379	9753 9853	10339 10440	
₩_ <u></u>	ORDERING NOTE: Wh - 36" or 30" and chose ance weight added to e	required leg type	e below.	Freestar	nding, Sta	art and End u					
	Double-Seat, 90° Inside ZOP3-MCID90DM2F	e Curve, Mid Hei	ght Bacl 7446	k with Pr 7740	ivacy Sci 8033	reen Option 8450	8925	9342	9818	10408	11018
Zola Privacy O	otion Upcharges	\$ List							\$ Li:	st	
Seat Power (per Shelf Power Table Power	& CAL 133 (per yard) power unit) pholstery - dual fabrics	64 641 600 647 33	Du Re	al Leg (f movable	or Multipl Seat Co	ble-Seat, 90 le unit config vers - Doubl ack covers a	jurations) e-Seat, 9	90° Curve	12	80 27	
PRODUCT CODE		Oh sin Tur s		Ot de				De els Trese			
Line	Series	Chair Type	U	urve Style	;	Seat Degree		Back Type		Leg Ty	
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -S	ingle	30D	Ful	F0 Il Height Ba	ck F	F Freestandir	ig Unit
	-	MCB		ID	-	45D		F1		S	
		Modular Curve Plus	Inside	Curve -D	ouble			leight Back		Start U	nit
		Flus		OS		60D	2	Shelf Option F2		С	
			Outside	e Curve -	Single			leight Back		Center l	Jnit
			Outside	OD Curve -E	Double	90D		M0 Height Ba		E End Ur	nit
							Mid H	M1 leight Back Shelf Option	with		
								M2 Height Back y Screen Op			
					20	25 SEATIN	NG & O(CCASION	IAL TAE	BLES U	SA 58

		СОМ		COL				_	LEATHE	
DESCRIPTION	V/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Outside Curve, Full H ZOP3-MCOD30DFOF	eight Back 4593	4879	5166	5563	6020	6419	6873	7445	8015
	Double-Seat, 30° Outside Curve, Full H ZOP3-MCOD30DF1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a - 42", 36" or 30" and chose required leg balance weight added to each seat unit	5155 5248 back with S	5441 5534 Shelf opti w. Freesta	5726 5821 on pleas anding, S	Start and End					
	Double-Seat, 30° Outside Curve, Full H ZOP3-MCOD30DF2F	eight Back 5192	with Priv 5478	vacy Scre 5764	een 6163	6620	7018	7474	8044	8615
	Double-Seat, 30° Outside Curve, Mid H ZOP3-MCOD30DMOF	leight Back 4398	4637	4873	5206	5586	5918	6296	6770	7245
	Double-Seat, 30° Outside Curve, Mid H ZOP3-MCOD30DM1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a - 36" or 30" and chose required leg type weight added to each seat unit, please	4961 5054 back with S below. Fre	5199 5292 Shelf opti estanding	5436 5529 on pleas g, Start a	nd End units					
	Double-Seat, 30° Outside Curve, Mid H ZOP3-MCOD30DM2F	leight Back 4998	with Priv 5236	vacy Scr 5472	een Option 5806	6185	6518	6896	7371	7844
Zola Privacy	Option Upcharges \$List							\$ List	t	
Moisture Barri Seat Power (p Shelf Power Table Power	er & CAL 133 (per yard) 64	Du Re	al Leg (fo movable	or Multipl Seat Co	ble-Seat, 30 e unit config vers -Double ack covers a	urations) -Seat, 30		152 80 93	2	
PRODUCT COL	Series Chair Type	C	urve Style		Seat Degree	F	Back Type		Leg Type	<u>.</u>
ZOP	3 MC Lounge Modular Curv MCB Modular Curv Plus	e Inside Outside	IS Curve -Si D Curve -Do OS e Curve -S OD e Curve -D	ouble	30D 45D 60D 90D	Full H S Full H Privacy Mid Mid H S Mid H	F0 Height Back v helf Option F2 eight Back v y Screen Op M0 Height Back v helf Option M1 eight Back v helf Option	vith vith tion k with	F reestanding S Start Un C Center Un E End Uni	it
59 USA SE	EATING & OCCASIONAL TABLES 2	025								

DESCRIPTION/MODEL/SPECIE		COM		COL		RIC GRAE			LEATHER	
		1	2	3	4	5	6	7	8	9
Double-Seat, 44 ZOP3-MCOD45	5° Outside Curve, Full ł 5DFOF	Height Bac 4798	k 5084	5368	5767	6225	6624	7080	7651	822
	5° Outside Curve, Full I 5DF1_ Beech/Laminat Maple/Palette		k with Sł 5646 5740	nelf 5932 6024	6331 6422	6788 6881	7185 7281	7642 7734	8212 8306	878 887
42", 36" or 30"	DTE: When ordering a b and chose required leg added to each seat un	y type belov	w. Freest	tanding, S	Start and En	d units w				
Double-Seat, 44 ZOP3-MCOD45	5° Outside Curve, Full I 5DF2F	Height Bac 5397	k with Pr 5684	ivacy Scr 5969	reen 6366	6823	7222	7680	8250	882
Double-Seat, 4: ZOP3-MCOD45	5° Outside Curve, Mid 5DMOF	Height Bac 4581	k 4817	5056	5388	5766	6099	6478	6954	742
	5° Outside Curve, Mid 5DM1_ Beech/Laminat Maple/Palette	-	k with S 5381 5472	helf 5616 5712	5947 6043	6330 6421	6661 6754	7042 7134	7515 7609	798 808
ZOP3-MCOD45	5DM2F	5181	5418	5656	5986	6365	6697	7079	7552	802
Zola Privacy Option Upcharge	es \$Lis							\$ Lis	st	
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual	er yard) 64 641 600 647	1 Pl I Du D Re	ual Leg (1 emovable	for Multip e Seat Co	ible-Seat, 4 le unit confi overs - Doub ack covers	gurations ble-Seat, 4	, 45° Curve	18 8 10	30 30)1	
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual	er yard) 64 641 600 647 fabrics 33	4 Pli 1 Du 2 Re 7 N o	ual Leg (1 emovable	for Multip e Seat Co novable b	le unit confi overs - Doub	gurations ble-Seat, 4 are not av	, 45° Curve	18 8 10	30 30)1	De
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series	er yard) 64 641 600 647 fabrics 33	4 Pli 1 Du 2 Re 7 N o	ual Leg (i emovable ote: Rem	for Multip e Seat Co novable b	le unit confi overs - Doub ack covers Seat Degree	gurations ble-Seat, 4 are not av	45° Curve vailable on Back Type	18 8 10	80 80 91 backs	be
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual	er yard) 64 641 600 647 fabrics 33 s Chair Type MC	4 Pli I Du D Re 7 N o	ual Leg (1 emovable ote: Rem	for Multip e Seat Co novable b	le unit confi overs - Doub ack covers	gurations ble-Seat, 4 are not av	45° Curve vailable on	18 8 10 curved	30 30)1 backs Leg Typ	
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type MC	4 Pli I Du D Re 7 N o	ual Leg (1 emovable ote: Rem Curve Style	for Multip e Seat Co novable b	le unit confi overs - Doub ack covers Seat Degree	gurations ble-Seat, 4 are not av	45° Curve vailable on Back Type	18 8 10 curved	30 30 backs Leg Typ	
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type MC ge Modular Curv	4 Pli I Du D Re 7 No 2007	ual Leg († emovable ote: Rem Curve Style IS e Curve -S	for Multip e Seat Cc novable b e Single	le unit confi overs - Doub ack covers Seat Degree	gurations ble-Seat, 4 are not av Ful Full F	45° Curve vailable on Back Type F0 I Height Bac F1 Height Back	18 8 10 curved	30 30 01 backs Leg Typ Freestandin	g Unit
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type s McC ge Modular Curv MCB Modular Curv	4 Pli I Du D Re 7 No 2007	Leg (f emovable ote: Rem Curve Style IS Curve -S Curve -S	for Multip e Seat Cc novable b e Single	le unit confi overs - Doub ack covers Seat Degree	gurations ble-Seat, 4 are not av Ful Full F	45° Curve /ailable on Back Type F0 I Height Bac	18 8 10 curved	30 30 01 backs Leg Typ F Freestandin	g Unit
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type s McC ge Modular Curv MCB Modular Curv	4 Pli I Du D Re 7 No 20 20 20 20 20 20 20 20 20 20 20 20 20	Lurve Style Lurve Style IS Curve -Style Lurve -Style Lurve -Style Lurve -Style Lurve -Style Lurve -Style Lurve -Style Lurve Style Lurve S	for Multip e Seat Co novable b e Single	le unit confi overs - Doub ack covers Seat Degree 30D 45D	gurations ble-Seat, 4 are not av Ful Full H S Full H	45° Curve vailable on Back Type F0 I Height Back Shelf Option F2 Ieight Back	18 8 10 curved ck F with	30 30 01 backs Leg Typ F Freestandin Start Un	g Unit
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type s McC ge Modular Curv MCB Modular Curv	4 Pli I Du D Re 7 No 20 20 20 20 20 20 20 20 20 20 20 20 20	ual Leg (termovable ote: Rem Curve Style IS e Curve -S ID Curve -D OS	for Multip e Seat Co novable b single single Single	le unit confi overs - Doub ack covers Seat Degree 30D 45D	gurations ble-Seat, 4 are not av Full F Full F Privac	A5° Curve /ailable on Back Type F0 I Height Back Shelf Option F2	18 8 10 curved ck F with with	30 30 01 backs Leg Typ F Freestandin Start U	ng Unit
ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type s McC ge Modular Curv MCB Modular Curv	4 Pli I Du D Re 7 No 20 20 20 20 20 20 20 20 20 20 20 20 20	ual Leg (fermovable ote: Rem Curve Style IS Curve -S ID Curve -D OS e Curve - OD	for Multip e Seat Co novable b single single Single	le unit confi overs - Doub ack covers - Seat Degree 30D 45D 60D	gurations ble-Seat, 4 are not av Full H S Full H S Full H S Mid Mid H	45° Curve /ailable on Back Type F0 I Height Back Shelf Option F2 Ieight Back sy Screen Option M0	18 8 10 curved ck F with otion	30 30 30 30 30 51 52 52 52 52 52 52 52 52 52 52	g Unit nit Jnit
Moisture Barrier & CAL 133 (pe Seat Power (per power unit) Shelf Power Table Power Combination Upholstery - dual PRODUCT CODE KEY Line Series ZOP 3	er yard) 64 641 600 647 fabrics 33 s Chair Type s McC ge Modular Curv MCB Modular Curv	4 Pli I Du D Re 7 No 20 20 20 20 20 20 20 20 20 20 20 20 20	ual Leg (fermovable ote: Rem Curve Style IS Curve -S ID Curve -D OS e Curve - OD	for Multip e Seat Co novable b single single Single	le unit confi overs - Doub ack covers - Seat Degree 30D 45D 60D	gurations ble-Seat, 4 are not av Full H Full H Privac Mid S Mid H	A5° Curve vailable on Back Type F0 I Height Back Chef Option F2 Height Back ty Screen Op M0 d Height Back	18 8 10 curved	30 30 30 30 30 51 52 52 52 52 52 52 52 52 52 52	g Unit nit Jnit

DESCRIPTION	I/MODEL/SPECIES		COM	2	COL 3	FABF 4	RIC GRAE	DES 6	7	LEATHEF 8	8
	Double-Seat, 60° Out ZOP3-MCOD60DFOF	, ,	ght Back 5050		5619	6019	6474	6873	7331	7900	8471
	Double-Seat, 60° Outs ZOP3-MCOD60DF1_		ght Back 5609 5702	with She 5894 5986	elf 6181 6270	6579 6670	7035 7125	7435 7524	7890 7982	8460 8552	9028 9120
NI	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	nose required leg ty	pe below	. Freesta	nding, S [.]	tart and End					
	Double-Seat, 60° Out ZOP3-MCOD60DF2F	side Curve, Full Heig	ght Back 5647	with Priv 5933	acy Scre 6218	een 6616	7072	7472	7928	8499	9067
	Double-Seat, 60° Outs ZOP3-MCOD60DMO		ght Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
	Double-Seat, 60° Outs ZOP3-MCOD60DM1_		ght Back 5360 5450	with She 5595 5686	elf 5833 5924	6164 6256	6543 6634	6875 6968	7257 7346	7731 7821	8205 8296
	ORDERING NOTE: W 36" or 30" and chose u weight added to each Double-Seat, 60° Out: ZOP3-MCOD60DM2F	required leg type be seat unit, please ac side Curve, Mid Hei	low. Free dd 303 li s	standing, st upchar	, Start an ge per u	d End units v nit.					
			5595	5054	5670	0200	0302	0914	7294	7700	0241
Moisture Barrie Seat Power (pe Shelf Power Table Power	Dption Upcharges er & CAL 133 (per yard) er power unit) Jpholstery - dual fabrics	\$ List 64 641 600 647 33	Dua Ren	al Leg (for novable S	^r Multiple Seat Cov	ele-Seat, 60° e unit configu rers - Double ck covers are	rations) -Seat, 60		\$ List 193 80 123 curved b	; ; ;	
PRODUCT COL	DE KEY Series	Chair Type	С	urve Style		Seat Degree	E	Back Type		Leg Type	<u>.</u>
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Sin D Curve -Do OS Curve -S OD Curve -Do	uble	30D 45D 60D 90D	Full Ha SI Full Ha Privacy Mid Mid Ha SI	F0 Height Back \ helf Option F2 eight Back \ y Screen Op M0 Height Back \ helf Option M1 eight Back \ helf Option M2 eight Back \ Screen Op	with with tion k with	F reestanding S Start Uni C Center Ur E End Unit	t
61 USA SE	EATING & OCCASION	IAL TABLES 202	25					22.00.1 OP			


			СОМ		COL		IC GRAD			LEATHER	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full He	eight Bac 5659	k 5944	6229	6628	7084	7484	7940	8511	9080
	Double-Seat, 90° Outsic ZOP3-MCOD90DF1_ E M ORDERING NOTES: W - 42", 36" or 30" and che balance weight added to	Beech/Laminate Maple/Palette hen ordering a b ose required leg	6212 6304 eack with type belo	6497 6587 Shelf op ow. Frees	6784 6873 otion plea standing,	Start and Er	nd units v				
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	de Curve, Full He	eight Bac 6247	k with P 6534	rivacy Sc 6819	reen 7216	7674	8073	8529	9099	9668
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	de Curve, Mid He	eight Bac 5507	ck 5833	6159	6663	7216	7722	8276	8930	9737
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E M ORDERING NOTES: W - 36" or 30" and chose re weight added to each se	Beech/Laminate Maple/Palette hen ordering a b equired leg type b	6060 6154 eack with pelow. Fr	6387 6477 Shelf op eestandi	6713 6805 otion plea	and End unit				9573 uired She	
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	-		-			7807	8310	8865	9517	10328
Zola Privacy C	ption Upcharges	\$ List							\$ Lis	t	
Moisture Barrie Seat Power (pe Shelf Power Table Power Combination U	pholstery - dual fabrics	64 641 600 647 33	Du Re	ial Leg (f movable	or Multiple Seat Co	ble-Seat, 90 le unit config vers - Doubl ack covers a	urations) e-Seat, 9	90° Curve	220 80 12)) 7	
PRODUCT COD		Chair Type		Curve Styl	0	Seat Degree		Back Type		Lea Tvi	
ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside Outsic	IS IS a Curve -S ID a Curve -E OS de Curve - OD e Curve -	Single Double -Single	Seat Degree 30D 45D 60D 90D	Full F Full F Privac Mic	Back Type F0 II Height Back Shelf Option F2 Height Back cy Screen C M0 d Height Back M1 Height Back	with with option ack	Leg Tyj reestandir Start U Center I End Ur	ng Unit
					20	25 SEATII	Mid H Privac	Shelf Optior M2 Height Back y Screen O	t with ptions	IFSIU	SA 62

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
\square	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C	e, Full Height No Sc Start Center	948	1036	1124	1304	1481	1660	1836	2016	2370
	ZOP3-MPF0E	End	1222 948	1310 1036	1398 1124	1578 1304	1753 1481	1932 1660	2109 1836	2286 2016	2642 2370
	Side Panel, Single	e, Full Height with S	creen								
	ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	Start Center End	1243 1515 1243	1332 1606 1332	1420 1693 1420	1597 1871 1597	1776 2051 1776	1954 2228 1954	2132 2406 2132	2310 2584 2310	2665 2938 2665
	Sido Panol, Singl	e, Mid Height No Sc	roop								
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732
	ZOP3-MPM0C ZOP3-MPM0E	Center End	1052 767	1110 829	1170 888	1290 1011	1412 1131	1533 1251	1653 1372	1773 1492	2016 1732
	Side Panel. Single	e, Mid Height with S	creen								
	ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	Start Center End	1063 1346 1063	1122 1405 1122	1183 1465 1183	1306 1587 1306	1425 1706 1425	1547 1827 1547	1667 1947 1667	1788 2066 1788	2029 2310 2029

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See **page** 30 for Dimensions and COM.

PRODUCT CODE KEY



ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

		COM		COL	FAE	BRIC GR			LEATHEI	-	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
Semi-Private S	ide Panel, Single	, Full Height									
ZOP3-MSPF08	S Start	583	628	674	765	856	949	1039	1132	1314	
ZOP3-MSPF00	C Center	857	905	952	1041	1134	1224	1315	1407	1589	
ZOP3-MSPF0E	E End	583	628	674	765	856	949	1039	1132	1314	
Semi-Private S	ide Panel, Single	, Mid Height									
ZOP3-MSPM0	S Start	514	555	592	672	751	829	909	987	1143	
ZOP3-MSPM0	C Center	796	835	875	955	1033	1111	1191	1269	1428	
ZOP3-MSPM0	E End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GF	ADES		LEATHE	R	
DESCRIPTION/	'MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ure ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С
Solid Surface Arm Cap (per arm)	129	136	151	157

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sin	ngle-Seat - Fu	II Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sin	ngle-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Do	uble-Seat - Fu	ull Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Do	uble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire	Yardage 2 Entire	Yardage 3 Entire	Yardage 4 Entire	Yardage per	Yardage per 2	Yardage per 3	Yardage per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	EL		COM 1	2	COL 3	FABI 4	RIC GRAE 5	DES 6	LI 7	EATHER 8	9
A.	Twin Single-Seat, 3 ZOP3-MCTS30DF(leight Bad 5204	ck 5517	5830	6268	6767	7208	7709	8335	8960
	Twin Single-Seat, 3 ZOP3-MCTS30DF2		-	ck with F 6111	Privacy Sc 6422	creen Optio 6862	n 7362	7800	8302	8930	9555
	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height Ba 4930	ack 5213	5494	5888	6336	6731	7180	7741	8305
	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height Ba 5525	ack with 5806	Privacy S 6085	creen Opti 6480	on 6931	7323	7773	8337	8896
	Twin Single-Seat, 4 ZOP3-MCTS45DF(Height Ba 5867	ick 6191	6519	6977	7498	7953	8477	9130	9781
	Twin Single-Seat, 4 ZOP3-MCTS45DF2	5° Curve, Full 2F	Height Ba 6468	ick with 1 6793	Privacy S 7120	creen Optio 7577	on 8098	8555	9079	9730	10382
Zola Privacy Option	Uncharges	\$ List							\$ List		
Moisture Barrier & CA Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple PRODUCT CODE KEY	AL 133 (per yard) er unit)	64 641 600 647 80	Plus Ren Ren	s Upgrad novable s novable s	le - Twin S Seat Cove Seat Cove	Single-Seat Single-Seat ers -Twin S ers -Twin S ck covers a	, 45° Cur ingle-Sea ingle-Sea	ve it, 30° Curv it, 45° Curv	287 345 ve 155 ve 166		
Line	Series	Chair Type	Cur	ve Style	S	eat Degree	В	ack Type		Leg Type	<u> </u>
ZOP Zola	3 Lounge Mo	MCT odular Curve Twin		S Il Radius- Ile Width		30D	Full I	F0 Height Back	Fre	F	Unit
		MCTB Modular Curve Twin Plus		D Il Radius- ble Width		45D		F2 ight Back w Screen Opt		S Start Uni	t
						60D	Mid	M0 Height Back		C Center Ur	nit
						90D		M2		E	
								ight Back w Screen Opti		End Uni	t
67 USA SEATING	G & OCCASIONAL	TABLES 202	25								

			COM		COL	_ FABI	RIC GRA	ADES	I	EATHEF	2
DESCRIPTION/MOD	DEL		1	2	3	4	5	6	7	8	9
-	Twin Single-Seat, 45 ZOP3-MCTS45DM0		Height E 5556	ack 5850	6142	6556	7027	7438	7909	8499	9087
	Twin Single-Seat, 45 ZOP3-MCTS45DM2		Height E 5531	ack with 5812	Privacy \$ 6093	Screen Optio 6489	on 6938	7331	7781	8342	8905
Æ	Twin Single-Seat, 60 ZOP3-MCTS60DFO		Height E 6662	ack 7045	7430	7966	8580	9116	9729	10495	11261
	Twin Single-Seat, 60 ZOP3-MCTS60DF2		Height E 7266	ack with 7649	Privacy S 8033	Screen Optic 8569	on 9184	9719	10333	11098	11866
	Twin Single-Seat, 60 ZOP3-MCTS60DM0		Height E 6304	Back 6644	6983	7460	8002	8477	9020	9697	10379
	Twin Single-Seat, 60 ZOP3-MCTS60DM2		Height E 7480	ack with 7913	Privacy S 8345	Screen Optio 8955	on 9650	10259	10953	11820	12688
Zola Privacy Option	n Uncharges	¢ Liet							¢lia	. +	
Zola Privacy Option Moisture Barrier & C Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple PRODUCT CODE KEY	CAL 133 (per yard) wer unit) le unit configurations)	\$ List 64 641 600 647 80	PI Ri Ri	us Upgra emovable emovable	ade - Twir e Seat Co e Seat Co	n Single-Sea n Single-Sea nvers -Twin S nvers -Twin S ack covers a	t, 60° Cu Single-Se Single-Se	urve eat, 45° Cu eat, 60° Cu	urve 21	5 4 6 2	
Line	Series	Chair Type	(Curve Style	e	Seat Degree		Back Type		Leg Ty	pe
ZOP Zola	3	MCT odular Curve Tv	vin Si	S mall Radiu	IS-	30D		F0 III Height Ba		F	
		MCTB Modular Curve Twin Plus		D mall Radiu ouble Wid		45D		F2 Height Back		S Start U	nit
						60D 90D	М	M0 id Height Ba	ack	C Center I	Jnit
								Height Back		End U	l nit
					202	25 SEATIN		cy Screen O CCASION		ILES U	SA 68

		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
A.	Twin Single-Seat, 90° Curve, Ful ZOP3-MCTS90DF0F	l Height B 8312	ack 8702	9091	9644	10270	10818	11446	12225	13017
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F	Height Ba 9265	ack with 9654	Privacy S 10044	creen Opt 10594	tion 11223	11769	12396	13175	13969
	Twin Single-Seat, 90° Curve, Mic ZOP3-MCTS90DM0F	d Height E 7814	Back 8159	8506	8994	9550	10040	10594	11286	11991
	Twin Single-Seat, 90° Curve, Mic	d Height E	Back with	n Privacy S	Screen Op	otion				
from a	ZOP3-MCTS90DM2F	7447	7838	8230	8775	9398	9945	10570	11349	12130

Zola Privacy Option Upcharges	\$ List	:	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve	516
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve	240
Table Power	647	Note: Removable back covers are not available on curve	ved backs

PRODUCT CODE KEY

da

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2 Mid Height Back with Privacy Screen Options	E End Unit

		СОМ		COL	FABI	RIC GRAD			LEATHEF	2
DESCRIPTION/MODI	EL/SPECIES	1	2	3	4	5	6	7	8	9
_	Twin Double-Seat, 30° Curve, F	ull Height	Back							
	ZOP3-MCTD30DF0F	6875	7311	7743	8350	9046	9654	10348	11216	12086
	Twin Double-Seat, 30° Curve, F	ull Height	Back with	n Privacy	Screen Op	otion				
and the second	ZOP3-MCTD30DF2F	7820	8256	8688	9296	9991	10598	11293	12163	13029
	Twin Double-Seat, 30° Curve, M	lid Heiaht F	Back							
	ZOP3-MCTD30DM0F	6496	6886	7279	7822	8447	8993	9619	10399	11179
		0400	0000	1213	TOLL	0111	0000	0010	10000	
	Twin Double-Seat, 30° Curve, N	1id Height I	Back with	Privacy S	Screen Op	tion				
and the second	ZOP3-MCTD30DM2F	7441	7833	8222	8768	9393	9938	10564	11344	12122

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve 404
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 30° Curve 186
Table Power	647	Note: Removable back covers are not available on curved backs

PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL				_	LEATHE	
DESCRIPTION/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Fi ZOP3-MCTD45DF0F	ull Height B 7754	ack 8198	8645	9269	9983	10606	11320	12211	13105
(and a second	Twin Double-Seat, 45° Curve, Fu									
	ZOP3-MCTD45DF2F	8706	9156	9600	10222	10937	11561	12274	13167	14058
	Tuin Dauble Cast 450 Ourse M	Lal Lataria La C								
	Twin Double-Seat, 45° Curve, M ZOP3-MCTD45DM0F	7346	аск 7750	8152	8715	9358	9919	10564	11367	12171
	Twin Double-Seat, 45° Curve, M	0			•		10075	44547	10000	10107
	ZOP3-MCTD45DM2F	8304	8703	9108	9668	10312	10875	11517	12320	13127

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List	_
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve	458	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80	
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° C	urve 204	
Table Power	647	Note: Removable back covers are not available on	curved backs	

PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2 Mid Height Back with	E End Unit
					Privacy Screen Options	

ZOLA PRIVACY | TWIN CURVED

		COM		COL	FAB	FABRIC GRADES			LEATHER		
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8458	ack 8912	9363	9996	10721	11353	12079	12983	13887	
	Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF2F	l Height Ba 9418	ack with 9873	Privacy S 10324	creen Opt 10958	ion 11680	12315	13038	13944	14848	
	Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM0F	d Height B 7994	ack 8404	8811	9383	10039	10609	11264	12083	12897	
	Twin Double-Seat, 60° Curve, Mid ZOP3-MCTD60DM2F	Height Ba 8955	ack with 9363	Privacy S 9772	creen Opt 10344	ion 10995	11568	12225	13042	13858	

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80	
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 60° Curve 248	
Table Power	647	Note: Removable back covers are not available on curved backs	


Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2 Mid Height Back with Privacy Screen Options	E End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

	COM		COL	FAB	RIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No Screen ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	- 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with Screer ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	ו 1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See **page** 40 for dimensions & C.O.M.

PRODUCT CODE KEY



ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private	Side Panel, Si	ngle, Full H	eight							
	ZOP3-MSPTF0U		1012	1092	1172	1286	1415	1528	1659	1819	1981
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694
	Twin Semi-Private ZOP3-MSPTM0U		ngle, Mid ⊦ 868	leight 919	973	1045	1131	1203	1288	1393	1497

	1497
ZOD2 MSDTMOC Contor 1591 1692 1696 1759 1940 1015 0001 0106	1401
ZOP3-MSPTM0C Center 1581 1633 1686 1758 1842 1915 2001 2106	2211

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHEI	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608



	Twin Modular Upholstered Arm w/	Jrethane	Cap							
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739
ļ										

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade	с	
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE	С	
			Upholstered Arm w/Urethane Cap	Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	411	12	2
	Clear Glass Tablet ZOL3 T3	n/a	783	13	2
	Laminate Tablet ZOL3 T4	n/a	532	12	2
-			olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	641	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	651	14	2
	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	686	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	741	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

BACK CONNECTION

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.

Inline Corner Walls and Inline Tables connect to

Zola Privacy seating using steel brackets.

Seating must be specified as start, center or



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.

LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.

SOLID SURFACE OVERLAY

The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see **page** 116 for color options.



LEGS

ends.


The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.

MEDIA & POWER


Inline walls can be optioned with Media provisions and Powerdocs.



ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	el Qty Price (
ZOP3-M2F0F	2	3029			
ZOP3-IWF048MP	1	2404			
ZOP3-ICWF0L	1	1697			
ZOP3-ICWF0R	1	1697			
ZOP3-RO48532416	1	1066			
Total		\$12,922			



Total		\$11,215			
ZOP3-ICTWM0R	1	1715			
ZOP3-ICTWM0L	1	1715			
ZOP3-M2M0F	3	2595			
Model	Qty	Price (\$)			

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/MODEL		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Wall, Full Height 42"								
	ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	12" 1242	1827	1734	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	8" 1330	2010	1834	48	12	37	102	15.25
	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	4" 1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1506	2186	2033	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	Ν
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	Μ
				54"	Media
				60	MP
				60"	PowerDoc & Media

2025 | SEATING & OCCASIONAL TABLES | USA | 78

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full	Height 42"							
	ZOP3-IWF042P	2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doc ZOP3-IWF042MP	cs, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	cs, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	cs, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	cs, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	cs, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	cs, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	Μ
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
\prod	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Grades				
Option	A-White	A-Color	В	С		
ZOP3-IWF042N	427	446	556	662		
ZOP3-IWF048N	478	500	622	745		
ZOP3-IWF054N	530	555	693	829		
ZOP3-IWF060N	555	607	761	913		

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position
ZOP	3	ICW	FO	L
Zola	Lounge	Inline Corner Wall	Full Height	Left
			MO	R
			Mid Height	Right

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/M		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	L CUBE
\square	Inline Table Wall, Full Height 23' ZOP3-ITWF023N	, 987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30' ZOP3-ITWF030N	, 1163	1946	1684	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	" 910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	" 1086	1643	1596	30	25.7	37	115	18.5
~	Inline Table Wall w/Power Docs					or 7	50	100	
	ZOP3-ITWF023P	1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	FO	23	Ν
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	VEIGHT (CUBE
$\overline{\left \right }$	Inline Corner Table Wall, Full ZOP3-ICTWF0L ZOP3-ICTWF0R	l Height 1776 1776	2678 2678	2178 2178	28 28	28 28	50 50	140 140	31 31
\square	Inline Corner Table Wall, Mic ZOP3-ICTWM0L ZOP3-ICTWM0R	1 Height 1715 1715	2566 2566	2108 2108	28 28	28 28	37 37	127 127	23 23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ades	
Option	A-White	A-Color	В	С
ZOP3-ITWF023N	483	508	632	756
ZOP3-ITWF030N	605	635	796	957
ZOP3-ITWM023N	483	508	632	756
ZOP3-ITWM030N	605	635	796	957
ZOP3-ITWF023P	483	508	632	756
ZOP3-ITWF030P	605	635	796	957
ZOP3-ITWM023P	483	508	632	756
ZOP3-ITWM030P	605	635	796	957
ZOP3-ICTWF0	607	637	801	961
ZOP3-ICTWM0	607	637	801	961

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see **page** 116 for color options.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position
ZOP	3	ICTW	F0	L
Zola	Lounge	Inline Corner Table Wall	Full Height	Left

M0 Mid Height R Right

DESCRIPTION/MODEL		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
ZOL4-R ZOL4-R ZOL4-R	Table for 48" Inline W O48-302416 O48-372416 O48-532416 O48-762416 O48-762416	all 904 954 1066 1231	1279 1380 1615 1953	1389 1455 1603 1818	30 37 53 76	24 24 24 24	16 16 16 16	25 30 40.5 56	3.75 4.5 5.75 7.5

Run-off Table for 54" Inline Wall ZOL4-RO54-303016 ZOL4-RO54-373016 ZOL4-RO54-533016	957 1018 1163	1252 1379 1671	1459 1540 1728	30 37 53	30 30 30	16 16 16	35 41 54	4.25 5.25 6.75
ZOL4-RO54-763016	1370	2092	1995	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS


DESCRIPTION/M	ODEL		PRICE	WEIGHT	CUBE
	Wood Tablet 8 ZOL3 RT1	Mounting Plate Only Beech Maple /Cherry	381 405	5 5	0.32 0.32
\bigcirc	Painted Tablet ZOL3 RT2	& Mounting Plate Only n/a	278	5	0.32
	Clear Glass Ta ZOL3 RT3	blet & Mounting Plate Only n/a	651	6	0.32
\bigcirc	Laminate Table ZOL3 RT4	et & Mounting Plate Only n/a	397	5	0.32
	Solid Surface ZOL3 RT5	Tablet & Mounting Plate Onl Grade - A-White Grade - A-Color Grade - B Grade - C	ly 539 547 577 624		
	ORDERING N	IOTES: The Zola replacem	ent tablets on this page include the top with mount	ng plate only.	
	Leg ZOL3 RLS		58	1	0.125
Ĵ	Caster Leg ZOL3 RLC		39	0.4	0.125
	Dual leg ZOL3 RDL		100	1	0.125
	Leg Glide (4) ZOL3 RLG		24	0.2	0.01
	Replacement ZOL3 RLKB2	Seat-to-Seat Bracket	95	1	0.125
_	NOTE: Zola N	Nodular Seats are ordered,	each seat is automatically supplied with two seat to s	seat brackets	
	Replacement ZOL3 RLKB1	Table-to-Seat Bracket	114	3	0.125
	ZOL3-POWEF	RDOC1 - Undermount	573	3	0.375
			Seats and Tables as a replacement part or installed on ower and USB A & C outlets. PowerDoc's have a 10'		ously spec
	ZOL3-POWEF	RDOC2	647	3	0.375
			es or Square/Rectangular tables which were originall A & C outlets. PowerDoc's have a 10' cord.	y ordered with	this powe
\bigcirc	Wire Manager ZOL3 WM10	Shroud	120	1	0.375
	ORDERING N	IOTES: Comes in a 10' leng	gth when ordered. Can be cut to size on site.		

ZOLA PRIVACY | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
B	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
	ZOP3-POWERDOC3 - Shelves only 610 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 187	1	0.375

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION



BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



www.fsc.org FSC* C021699

The mark of responsible forestry



AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches
One-Seat	1.25	2	2.75	4
Two-seat	1.70	3.5	4.91	6.6
Three-seat	2.5	4.5	7	8.9
One-Seat (Plus)	1.25	2.6	3.98	5.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES				
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
\bigcap	One-Seat ZOL3 MS1S1	871	916	963	1053	1139	1227	1314	1398	1535	
	One-Seat Plus ZOL3 MSB1S1	1098	1146	1195	1289	1384	1480	1572	1668	1810	
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.										
	Two-Seat ZOL3 MS2S1	1218	1272	1330	1447	1566	1685	1803	1922	2118	
	Two-Seat Plus ZOL3 MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214	
	ORDERING NOTES: The	Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppor	t.			
	Three-Seat ZOL3 MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748	
	Three-Seat Plus ZOL3 MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946	
	ODDEDING NOTES, The							h			

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		СОМ		COL		BRIC GRA		-	LEATHER	
DESCRIPTION/MOD)EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555
	One-Seat Plus ZOL3 MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905
	ORDERING NOTES: One-	Seat Plus E	Bench is 30)" wide.						
	Two-Seat ZOL3 MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166
	Two-Seat Plus ZOL3 MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218
	ORDERING NOTES: The T	wo-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppor	t.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1921 1988	2016 2085	2108 2176	2236 2310	2388 2460	2522 2591	2671 2742	2859 2928	3047 3117
4										

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of **\$107 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of **\$77 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

DOOL OODE IVEL					
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL	3	MS	1	S	1
Zola	Soft Seating	Modular	One Seat	Standard Depth	Standard Leg 8
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs &
					2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)


	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat						
30°	34	24	18.5	22.5	48	18
45°	39	24.5	18.5	22.5	49	19
60°	43.5	25	18.5	22.5	50	22
90°	52	26.5	18.5	22.5	51	26
Double seat						
30°	55.5	25	18.5	22.5	83	32
45°	61	26.5	18.5	22.5	84	33
60°	66.5	28	18.5	22.5	86	39
90°	74	31	18.5	22.5	96	46

COM	YARDAGES	
	IANDAGES	

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	per Seat	2 Seats	3 Seats	4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	

SINGLE SEAT






30° Curve

45° Curve

22.57 43.5 60°


22<u>'</u>




60° Curve








30° Curve



44" 22.5" 666.5" 60° 60° 60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126


DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
<u></u>	(Hath	Boptin	Hoight	Doptil	roigin	00000	
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Yardages

-	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	


SINGLE SEAT









60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

\$ List	Option	\$ List
61	Double-seat curve 30° seat	93
64	Double-seat curve 45° seat	101
86	Double-seat curve 60° seat	123
113	Double-seat curve 90° seat	126
	61 64 86	61Double-seat curve 30° seat64Double-seat curve 45° seat86Double-seat curve 60° seat

DESCRIPTION/MODEL		COM	2	COL 3	FABRIC GRADES 4 5 6			LEATHER 7 8 9		
	Single-Seat, 30° Curve, Sta ZOL3 MCS30DS1	ndard Dep 1251		1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Sta ZOL3 MCS45DS1	ndard Dep 1361	oth 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Sta ZOL3 MCS60DS1	ndard Dep 1539	oth 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Sta ZOL3 MCS90DS1	ndard Dep 1776	oth 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL	3 Soft Seating	MC MCB Modular Modular Plus	Single D Double	30D 30 Degree 45D 45 Degree	Standard F Full	1 Standard Leg + Glide
				60D 60 Degree 90D 90 Degree		

2025 | SEATING & OCCASIONAL TABLES | USA | 90

DESCRIPTION/MOD	FI	COM	2	COL 3	FAE 4	BRIC GRAD	DES 6	7	LEATHER 8	9
	Double-Seat, 30° Curve, Sta	ndord Do		0	-	0	0	1	0	
	ZOL3 MCD30DS1	2190	2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, Sta	andard De	oth							
	ZOL3 MCD45DS1	2385	2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, Sta ZOL3 MCD60DS1	andard De 2694	oth 2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, Sta ZOL3 MCD90DS1	andard De 3105	oth 3424	3740	4184	4691	5135	5640	6273	6909

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree	F Full	
		1105		60D 60 Degree		
				90D 90 Degree		

		COM		COL	FAI	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	l Depth 2516	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	l Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	l Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	l Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree	F Full	
		1100		60D 60 Degree		
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHE 8		COM YARDAGE	WEIGHT	CUBE
	Replacement Back Sir ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	0	1247 1443	1330 1533 1893	1443 1659 2064 2272	1569 1801 2257 2476	1686 1924 2431 2652	1815 2066 2628 2854	1977 2244 2870 3109	2136 2423 3113 3363	1.9 2.6 2.6 2.8	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D		2185 2524 3099	2324 2681		2747 3147 3954 4331	2947 3367 4252 4641	3172 3617 4595 4995	3456 3929 5022 5440	3739 4239 5448 5884	2.8 3 4.8 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	1053 1218 1458	1122 1298 1593		1298 1492 1858	1415 1620 2033 2228	1515 1732 2190 2386	1633 1861 2361 2569	1778 2020 2584 2798	1923 2182 2803 3028	1.7 1.7 1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	1839 2133	1965 2272 2789	ide Cui 2092 2412 2983 3299		2473 2833 3559 3896	2652 3030 3827 4177	2857 3252 4133 4498	3111 3535 4520 4897	3366 3816 4903 5295	3.1 3.1 3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sin ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	1143 1258 1437	1258 1421 1598	ard Dep 1372 1443 1765 1998	1529 1816 1993	1708 2080 2255	1866 2312 2487 2794	2046 2570 2747 3082	2272 2902 3077 3446	2496 3231 3408 3809	1.8 1.8 1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Dou ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS	uble-sea 2084 2280 2589 2966	2280 2567 2878	2478 2854	•	3069 3714 4027	3344 4118 4427 4994	3662 4579 4888 5502	4057 5605 5464 6136	4449 5727 6039 6767	3.4 3.4 3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sin ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1270 1394	1393 1573 1771	epth Cu 1518 1755 1951 2211	irve 1691 2010 2202 2491	2492	2063 2552 2744 3090	2263 2839 3035 3405	2507 3202 3397 3804	2757 3563 3759 4205	1.94 1.94 1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Dou ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	uble-sea 2410 2637 2992 3431	2637 2968 3322	Depth C 2863 3297 3654 4160		4289 4645	3862 4754 5109 5764	5281 5636	4678 5941 6297 7074	5131 6603 6960 7806	3.7 3.7 3.7 3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	223 229 265	le-seat 279 286 321 345	Standa 337 344 380 404	ard Dep 416 424 458 483	oth Curv 510 516 552 573	re 590 597 632 655	680 689 725 746	796 805 840 864	912 917 955 978	1.8 1.8 1.8 1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Con ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	388 394 446	ble-sea 494 507 556 571	t Stand 603 614 664 679	ard De 757 765 815 833	930 939 988	1083 1090 1140	1257 1265 1314 1333	1474 1482 1533 1551	1691 1698 1748 1768	3.4 3.4 3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	DES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	irve							
	ZOL3 RMCBSCS30D	246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3 RMCBSCS45D	- 256	320	386	478	582	672	778	906	1036	1.94	3.6	1
VE-	ZOL3 RMCBSCS60DF	295	359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	= 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	at Full D	epth C	urve							
	ZOL3 RMCBSCD30D	- 433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	- 441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	- 493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	= 530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

Regional Materials*

(MUST BE REQUESTED)

Certified Wood

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

1 point

1 point(s)



AIR-EMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

FSC®

The mark of responsible forestry



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CREDIT 5.1

CREDIT 7

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.

SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.



ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.



SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.

RESTRICTED ACCESS

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery. This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and restricted access to the interior of the chair

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.


WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows: One Seat - 300lbs Two Seat - 525 Three Seat - 750 One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150

ADDITIONAL FEATURES


Lifetime warranty
Certified to meet CAL 117 with most fabrics

ZOLA BEHAVIORAL HEALTH | OPTIONS



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



TABLES

A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

COM YARDAGES (Individual Components)

	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms	
One-Seat	5.25	1.75	2.4	3.3	4.2	
Two-seat	8.5	1.75	2.4	3.3	4.2	
Three-seat	12.5	1.75	2.4	3.3	4.2	
One-Seat (Plus)	7	1.75	2.4	3.3	4.2	

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Floor Anchoring Hardware	94
One-Seat Metal Bottom Shield (to min 80lbs)	115
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134
Two-seat Metal Bottom Shield (to min 80lbs)	170
Three-seat Metal Bottom Shield (to min 80lbs)	242
Urethane Arm Caps (pair)	242

ZOLA BEHAVIORAL HEALTH | LOUNGE

		COM		COL		RIC GRAI			LEATHER	
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 BHF1221	2661	2814	2967	3219	3478	3730	3991	4098	4630
	Two-Seat ZOL3 BHF2221	3802	3984	4160	4425	4702	4970	5246	5532	5950
	Three-Seat ZOL3 BHF3221	5049	5302	5556	6048	6541	7032	7527	8036	8863

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

Zola Behavioral Health Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Floor Anchoring Hardware	94	
One-Seat Metal Bottom Shield (to min 80lbs)	115	
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134	
Two-seat Metal Bottom Shield (to min 80lbs)	170	
Three-seat Metal Bottom Shield (to min 80lbs)	242	
Urethane Arm Caps (pair)	242	
Combination Upholstery - dual fabrics	33	
Combination Upholstery -Three fabrics	64	

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	2 Upholstered	2 Upholstered	1 3" Runner
				Back - no gap	Arms - no gap	
		FB	2			
		Freestanding	Two Seat			
		Plus				
			3			
			Three Seat			

ZOLA BEHAVIORAL HEALTH | PLUS LOUNGE

DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHER 8	9
	One-Seat Plus ZOL3 BHFB1221	2951	3100	3255	3508	3764	4020	4277	4551	4917
	Two-Seat Plus ZOL3 BHFB2221	3886	4074	4246	4515	4790	5056	5332	5622	6036
	ORDERING NOTE	: The Two-S	Seat Plus o	comes sta	ndard with	center su	ipport.			
	Three-Seat Plus ZOL3 BHFB3221	5150	5406	5657	6151	6644	7133	7631	8140	
Zola Behavioral Health O	ption Upcharges	\$ List								
CAL 133 & Moisture Barri Floor Anchoring Hardware One-Seat Metal Bottom S One-Seat Plus Metal Bottom Two-seat Metal Bottom S Three-seat Metal Bottom Urethane Arm Caps (pair) Combination Upholstery - Combination Upholstery -	e Shield (to min 80lbs) com Shield (to min 80lbs) hield (to min 80lbs) Shield (to min 80lbs) - dual fabrics	64 94 115 134 170 242 242 33 64								8964
ZOLA BEHAV		TH RI	EPLAC	CEME	NT CO	OMPC	NENT	S		
Description Mode	el Price								Weight	Cube
Repla ZOL3	acement Arm Panel Bas 3RBCS 169	se							6	.5
	acement Floor Mounting 3RFMB 113	g Bracket (s	set of 4)						2	.5
	Series Chai	r Туре	Seat C	ount	Back Ty	(20)	Arm Typ	20	Leg Type	
		F								
ZOL Zola S		anding	One S	Seat	2 Upholste Back - no		2 Upholste Arms - no		3" Runne	ir

2

Two Seat

3 Three Seat

FB

Freestanding Plus


ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES

Description N	<i>l</i> odel	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood s Laminate PVC ec Beec	top w/ Laminate top w/ dge Wood edge	Wood side Laminate top Wood edge Beech
	Square Tables 20L4-BH181818 20L4-BH242418	1390 1779	1351 1756	1109 1403	1318 1673	1356 1728	1374 1743	1411 1795
	Rectangular Tables 20L4-BH241818 20L4-BH482418	1604 2696	1573 2642	1254 2155	1512 2515	1558 2593	1569 2611	1618 2692
F Z Z Z	Round Tables 20L4-BH18D18 20L4-BH24D18 20L4-BH30D18	1199 1465 2838	1245 1522 2719	1276 1612 2996	1109 1377 2745	1228 1506 2705	1237 1458 2851	1355 1588 2808
Zola Behavioral Hea Floor Anchoring Har ZOL4-BH181818 - V ZOL4-BH242418 - V	rdware Neighting to min 8	olbs	\$ List 91 348 239					
ZOL4-BH241818 - V ZOL4-BH482418 - s	Neighting to min 8	olbs	129 n/a					
ZOL4-BH18D18 - W ZOL4-BH24D18 - W ZOL4-BH30D18 - st	leighting to min 80)lbs	388 239 n/a					
ORDERING NOTE:	Additional weight	levels ar	e availat	ble, contact cus	stomer service for	quotes.		
TABLE DIMENS	SIONS					Weight	Weight with Solid Surface top	Cube
Model			W	D	Н			
Square Tables	ZOL4-BH1818 ⁻ ZOL4-BH2424 ⁻		18 24		18 18	39 64	48 80	4.0 5.2
Rectangular Tables	ZOL4-BH2418 [.] ZOL4-BH4824 [.]		24 48		18 18	51 123	63 156	6.9 13.5
Round Tables	ZOL4-BH18D1 ZOL4-BH24D1		18 24 30	- 1	18 18 18	30 49 77	38 62 98	4.0 6.9 10.6

TABLE DIMENS	DIONS						
Model		W	D	Н	Weight	Solid Surface top	Cube
		18	18	18	39	48	4.0
Square Tables	ZOL4-BH181818 ZOL4-BH242418	24	18	18	64	80	5.2
Bootongular Tablaa	ZOL4-BH241818	24	24	18	51	63	6.9
Rectangular Tables	ZOL4-BH241818 ZOL4-BH482418	48	24	18	123	156	13.5
Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0
Hound Tables	ZOL4-BH24D18	24	-	18	49	62	6.9
	ZOL4-BH30D18	30	-	18	77	98	10.6

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a nonporous, scratch and dentresistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add **\$647 list.**

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See **page** 83 for pricing.

ZOLA MODULAR LINKING TABLES BEECH LAMINATE TOP LAMINATE TOP									
		BEECH		LAMINATE TOP	LAMINATE TOP W/				
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY				
DESCRIPTION	MODEL			SIDES	SIDES				

DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Mod	dular Table								
\bigwedge	ZOL4 LKM12	988	1036	1088	1140	12	16	-	22	2.8
	ZOL4 LKM18	1044	1098	1147	1209	18	16	-	24	4.5
	ZOL4 LKM24	1074	1155	1181	1270	24	16	-	29	5.7
	ORDERING NOTE	: Middle Linkin	g Modular Tab	le ships with 2 K	(B1 brackets.					
	Rectangular End Ta	ble Square Co	orner							
$\langle \rangle$	ZOL4 LKE12	1053	1108	1158	1218	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1098	1155	1209	1270	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1146	1202	1263	1323	24	16	14.75	5 28	5.7
ŭ	ORDERING NOTE	End Linking N	/lodular Table s	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
\leftarrow	ZOL4 ECLKH12	1199	1246	1232	1284	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1295	1347	1342	1395	18	12	14.75	5 24	3
Ŭ,	ORDERING NOTE	End Linking N	Nodular Table s	ships with 1 KB1	bracket.					
	Curvilinear 30° Tabl ZOL4 LKC30	e 1019	1074	1122	1181	16	16.5	-	15	2.3
	Curvilinear 45° Tabl ZOL4 LKC45	e 1098	1155	1209	1270	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

		Grades		
Zola Solid Surface Upcharges	A-White	A-Color	В	С
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


			BEECH			LAMINATE TOP W/					
	DESCRIPTION	MODEL	PALETTE LAMINATE	MAPLE CHERRY	W/BEECH SIDES	MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
		Curvilinear 60° Table ZOL4 LKC60	9 1146	1209	1263	1332	16	17.5	-	20	3.7
		Curvilinear 90° Table ZOL4 LKC90	ə 1283	1354	1411	1487	16	19	-	24	5.4
Ą		Curvilinear 90°x2 Ta ZOL4 LKC90X2	ble 2548	2625	2802	2886	16	19	-	55	10
		Curvilinear Table ZOL4 LKH12	1116	1170	1228	1288	16	19 ⁻	14.75	18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	P LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	нv	VEIGHT	CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	s 1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Roi ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415 ZOL4 EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	с
ZOL4 1818	287	301	352	409
ZOL4 2424	460	469	560	662
ZOL4 2418	343	364	433	510
ZOL4 4824	771	791	970	1170
ZOL4 18D	274	290	339	396
ZOL4 24D	410	443	533	633
ZOL4 30D	658	716	942	1136
ZOL4 EC1818	287	301	352	409
ZOL4 EC2418	343	364	433	510
ZOL4 EC2424	460	469	560	662
ZOL4 EC4824	771	791	970	1170
ZOL4 E2418	343	364	433	510
ZOL4 E3224	543	581	699	834
ZOL4 E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | FREESTANDING TABLES

		BEECH		LAMINATE	TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEEC	СН	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	5	SIDES	W	D	Н	WEIGH	Γ CUBE
	Triangular Tables -	Rounded Corne	ers								
	ZOL4 CR45D1815	1192	1240	1207		1257	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1354	1408	1404		1459	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1639	1705	1734		1803	25	29	14.75	27	7
ų ų	ZOL4 CR90D1815	1465	1526	1529		1585	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1730	1801	1813		1885	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	2066	2148	2109		2194	44.5	29	14.75	35	11
			Grades								
Zola Solid Surfac	e Upcharges	A-White	A-Color	В	С						
ZOL4 CR45D18		270	286	333	386						
ZOL4 CR45D24		403	432	512	602						
ZOL4 CR45D29		542	573	687	815						

 ZOL4 CR90D29
 815
 846
 1033
 1242

 The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model nu

371

613

339

576

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>5</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

441

740


518

885

TRIANGULAR TABLE DIMENSIONS

ZOL4 CR90D18

ZOL4 CR90D24



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- · properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products 1)
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

• Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric F Grade 1 ARLO	Program			
	306 PETROL	908 CHARCOAL	93 SEAL	601 PEARL
308 MIDNIGHT	84 NUTMEG	62 OATMEAL	90 LIMESTONE	
FRANKLIN				
	3009 MIDNIGHT	67 FAWN	97 CINDER	94 METAL
47 CAMEL	909 BLACK	9004 CHARCOAL	308 PETROL	108 ORCHID
COMRADE				
	84 TEAK	63 LINEN	24 ALPINE	905 IRON
309 MIDNIGHT	601 SNOW	57 MARIGOLD	31 DUCK EGG	
FELICITY				ROJEVITATEL VICENCE TO
	305 SKY	603 TAUPE	93 COAL	405 HENNA

601 IVORY 64 PUTTY 109 | USA | SEATING & OCCASIONAL TABLES | 2025 62 FAWN

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY



908 DOMINO

305 MIDNIGHT

64 PUTTY

2025 | SEATING & OCCASIONAL TABLES | USA | 110

205 CHARTREUSE

krug

Krug Textiles - Stocked Fabric Program

Grade 3





111 | USA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.

Black	Stone	Sand	Espresso	Graphite	White
K13.1000	K13.3000	K13.5000	K13.8000	K13.4000	K13.9000

Krug Textiles - Cut fabric NET price per yard

\$22
\$34
\$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut

"up the roll"



Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked **"For Customs Clearance by Willson International Custom Brokers**". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Cherry

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984–38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Nightfall	Pionite WX421	Earth	Tafisa T767CR
-		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

ZOLA | FINISHES

METAL FINISHES






Silver Metallic


Matte Black

URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.







All products are air emissions certified and are available as $\ensuremath{\mathsf{FSC}}\xspace$ certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG