ZOLAPrice and Specification Guide
USA



krug



ZOLA | TABLE OF CONTENTS

ZOLA | LOUNGE & MODULAR LOUNGE

- 2 Zola Environmental Summary
- 3 Zola Lounge & Modular Features & Options
- 5 Zola Reconfigurability
- 5 Zola Seam Locations
- 6 Zola Sample Configuration
- 7 Zola Lounge Dimensions & COM Requirements
- 8 Zola Lounge Pricing
- 9 Zola Modular Dimensions & COM Requirements
- 10 Zola Modular Pricing
- 12 Zola Seatables
- 13 Zola Modular Replacement Components
- 14 Zola Tablets

ZOLA | MODULAR CURVE

- 15 Zola Curve Dimensions & COM Requirements
- 17 Zola Modular Curve pricing

ZOLA PRIVACY | LOUNGE & MODULAR LOUNGE

- 19 Zola Privacy Environmental Summary
- 20 Zola Privacy Features
- 21 Zola Privacy Options
- 22 Zola Privacy Power Locations
- 22 Zola Privacy Connecting Multiple Units
- 23 Zola Privacy Sample Configurations
- 25 Zola Privacy Preconfigured Dimensions & COM Requirements
- 26 Zola Privacy Preconfigured Pricing
- 29 Zola Privacy Modular Dimensions & COM Requirements
- 31 Zola Privacy Modular Pricing
- 37 Zola Privacy Side Panels
- 38 Zola Privacy Semi-Private Side Panels
- 38 Zola Privacy Modular Arms
- 39 Zola Privacy Twin Seats Dimensions & COM Requirements
- 41 Zola Privacy Twin Seats Pricing
- 43 Zola Privacy Twin Seat Side Panels
- 44 Zola Privacy Twin Semi-Private Side Panels
- 44 Zola Privacy Twin Modular Arms

ZOLA PRIVACY | MODULAR CURVE

- 45 Zola Privacy Curved Dimensions
- 46 Zola Privacy Curved COM Requirements
- 47 Zola Privacy Curved Pricing
- 65 Zola Privacy Twin Curved Dimensions & COM Requirements
- 67 Zola Privacy Twin Curved Pricing
- 75 Zola Tablets

ZOLA PRIVACY | INLINE WALLS

- 76 Zola Privacy Inline Walls Features & Options
- 77 Zola Privacy Inline Walls Sample Configurations
- 78 Zola Privacy Inline Walls Pricing
- 83 Zola & Zola Privacy Replacement Components

ZOLA | MODULAR BENCH

- 85 Zola Bench Environmental Summary
- 86 Zola Bench Dimensions & COM Requirements
- 87 Zola Bench Modular & Modular Plus Pricing

ZOLA | MODULAR CURVE BENCH

- 88 Zola Modular Curve Bench Dimensions & COM Requirements
- 90 Zola Modular Curve Bench Pricing
- 93 Zola Modular Curve Replacement Components

ZOLA | BEHAVIORAL HEALTH

- 95 Zola Behavioral Health Environmental Summary
- 96 Zola Behavioral Health Features
- 97 Zola Behavioral Health Options
- 98 Zola Behavioral Health Dimensions & COM Requirements
- 99 Zola Behavioral Health Lounge Pricing
- 101 Zola Behavioral Health Freestanding Tables

ZOLA | TABLES

- 102 Zola Environmental Summary
- 103 Zola Modular Linking Tables
- 105 Zola Freestanding Tables


GENERAL INFORMATION

- 107 Terms & Conditions
- 107 Warranty
- 109 KRUG Textiles Upholstery Fabrics
- 111 KRUG Textiles Leather
- 112 KRUG Textiles Faux Leather
- 113 Customer's Own Material (COM/COL)
- 113 CAL 133 & Moisture Barrier
- 114 Graded-In Upholstery Programs
- 114 KRUGEXPRESS Program
- 115 Finishes
- 115 Standard Laminates
- 116 Metal Finishes
- 116 Urethane Color Options
- 116 Solid Surface Program

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 22 for locations and page 83 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/ USB A & C outlets for multiple devices. It can be located below seats and tables. See <u>page</u> 83 for pricing.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$62 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech	
ZOL3-M1201	5	1377	
ZOL3-MS1S1	1	871	
ZOL4-LKM12	1	988	
ZOL4-LKE18	1	1098	
ZOL4-LKC90	1	1283	
ZOL4-241815	1	1187	
			_
Total List	\$	12 312	






Model	Qty.	Price (\$)	
ZOL3-MS2F1	2	1420	
ZOL4-LKM18	2	1044	
ZOL3-M1101	2	1518	
ZOL3-MCIS90D	2	3487	
ZOL3-M2101	2	2657	
ZOL4-LKC90X2	1	2548	

Total	Lict	\$22.	200





Model	Qty.	Price (\$)		
ZOL3-MS1S1	2	871		
ZOL3-MS21	2	1218		
ZOL4-LKC90	2	1283		
ZOL4-LKM18	2	1044		
Total List \$8,832				

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COM TANDAGES	(individual Co	mponems					
	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 3.

ZOLA | LOUNGE

		COM		COL	F	ABRIC GR	ADES		LEATHE	:R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745
	One-Seat Plus ZOL3-FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983
	NOTE: One-Seat Plus is 3	0" wide b	oetween a	rms.						
	Two-seat ZOL3-F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971
	Two-seat Plus ZOL3-FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support				
					-					
	Three-seat ZOL3-F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793
	Three-seat Plus ZOL3-FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges				Grades		
Option	List	Option	A-White	A-Color	В	С
4 Casters (#2 Leg Type below)	107	Solid Surface Arm Cap (per pair)	454	464	489	514
2 Casters/2 Legs (#3 Leg Type below)	77	,				
Urethane Arm Caps (pair)	242					
Floor-saver felt glides	29					
Non-slip rubber glides	18					
Metal glides	25					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 171 for more information on Zola options and features. Plus versions are not available with Caster options.

PRODUCT CODE KEY

						
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage fo 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat - seat	47
Interim Arm	61	Two-seat - seat	68
One-Seat - back	68	Three-seat - seat	85
Two-seat - back	97	One-Seat Plus - seat	61
Three-seat - back	121		
One-Seat Plus - back	77		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 102, Zola Benches see page 85 and Zola Tablets see page 14.

ZOLA | MODULAR -WOOD BACK

			CON	V	C	OL	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MODI	EL/SPECIES		1	2	2	3	4	5 6	7	8	3	9
	One-Seat, Wood	or Palett	e Back,	Armless								
	ZOL3-MW1201	Beech	1377	1409	1440	1504	1566	1631	1692	1755	1852	
		Maple/	1416	1447	1480	1540	1606	1668	1732	1796	1890	
		Cherry										
		Palette	1377	1409	1440	1504	1566	1631	1692	1755	1852	
-												
	One-Seat, Wood	or Palett	e Back	w/ Uphol:	stered Pa	d, Armles	ss					
	ZOL3-MW1301	Beech	1597	1644	1676	1755	1818	1883	1946	2010	2135	
		Maple/	1638	1685	1715	1796	1858	1922	1985	2048	2173	
		Cherry										
		Palette	1597	1644	1676	1755	1818	1883	1946	2010	2135	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 Leg Type below)	77	
Floor-saver felt glides	29	
Non-slip rubber glides	18	
Metal glides	25	
Combination Upholstery - dual fabrics	33	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODI	EL	SPECIES	COM 1	2	COL 3	FA 4	BRIC G 5	RAD 6	DES 7	LEATHER 8	9		OM DAGE		PPIN EIGH		JBES
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad												
	ZOL3-MB13	Beech	619	633	3	648	680)	714	744		778	0.6	808	21	853	3.1
		Maple /Cherry	665	680	0	696	729)	760	791		808	0.6	840	21	904	3.1
		Palette	619	633	3	648	680)	714	744		778	0.6	808	25	853	3.1
	One-Seat Woo	od/Palette E	Back														
)/// *//>	ZOL3-MB12	Beech	428										-		19		3.1
وق		Maple /Cherry	468										-		19		3.1
		Palette	428										-		23		3.1

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
				·		Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHEF 8	R 9
	One-Seat, Upholstered Bac ZOL3-M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3-MB1101 n/a	1644	1692	1772	1914	2056	2197	2341	2483	2738
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3-M1111	k with Arm 2324	s 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3-MB1111	d Back with 2451	Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Bac ZOL3-M2101 n/a	k Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3-MB2101 n/a	Back, Arm 2743	lless 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Bac ZOL3-M2111	k with Arms 3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered ZOL3-MB2111	Back with 3547	Arms 3699	3843	4064	4286	4505	4728	4948	5296
	Three-seat, Upholstered Ba ZOL3-M3101	ck Armless 3812	4033	4252	4694	5139	5581	6023	6466	7225
	Three-seat Plus Upholstere ZOL3-MB3101	d Back Arm 3914	nless 4133	4355	4796	5241	5684	6124	6568	7327
	Three-seat, Upholstered Ba ZOL3-M3111 n/a	ck with Arn 4615	ns 4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstere ZOL3-MB3111 n/a	d Back with 4719	n Arms 4941	5160	5604	6046	6491	6931	7373	8131

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

All Modular Units.	and tables will be ship	ped KD (knock	ed down).)			(
·			•		A 34/1-11	Gra		_
Zola Option Upch	arges	List C	ption		A-White	A-Colo	or B	<u> </u>
4 Casters (#2 Leg 7	Type below)	107 S	olid Surface Arm Cap (per arm)	227	231	244	257
2 Casters/2 Legs (#	#3 Leg Type below)	77 S	olid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Cap	s (pair)	242 S	olid Surface Arm Cap -	Interim (per arm)	185	186	189	193
Floor-saver felt glic	les	29						
Non-slip rubber gli	des	18						
Metal glides		25						
PRODUCT CODE K	EY							
Line	Series	Chair Type	Seat Count	Back Type	Arm Type)	Leg Type	е
ZOL	3	М	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armless	5	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Arm		4 Caster	s
		Plus Upgrade	3		2		3	
			Three-seat		Urethane Arm		Combinati	
					3	2	Front Standa & 2 Rear Ca	
					Solid Surfa Arm Cap			

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC (GRADI	ES L	EATHE	R	COM	SHIPPING	ì.
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arn ZOL3-MAL ZOL3-MAR	n 491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3-MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right,or Interim Arn	n - Uret	hane C	ар									
	ZOL3-MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3-MARU ZOL3-MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3-MAL3, and clearly state color choice. (See <u>page</u> 116 for color selection)

		Grades	3	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	227	231	244	257
Solid Surface Arm Cap (per pair)	454	464	489	514
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	i
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3-MB11* ZOL3-MB21 ZOL3-MB31 ZOL3-MBB11			846 1116 1359 934	910 1202 1473 997	1377	1551 1913	1289 1724 2135 1377	1572 1897 2356 1504	2072 2579	1852 2278 2847 1796	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	693 894 1124	716 943 1181	739 994 1240	771 1064 1318	809 1143 1412	843 1215 1492	879 1297 1583	928 1396 1695	974 1497 1810	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	759 905	805 956	848 1004	912 1074	984 1155	1048 1227	1120 1307	1210 1408	1303 1508	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	832 1178	875 1240	921 1303	985 1389	1059 1487	1120 1572	1194 1672	1284 1798	1374 1922	1.3 2.4	31 62	6.6 12.6

ORDERING NOTES: Height from floor is 17.5".

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	J/MODEL	SPECIES	COM 1	2	COI 3	_ F/	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	eat Wo	od Bac	:k									
)/////\)	ZOL3-RBM12		365									-	19	3.1
		Maple/Cherry	405									-	19	3.1
		Palette	365										23	3.1
	Replacement ZOL3-RBM13	Modular One-Se										0.6	21	3.1
	ZULS-NDIVI IS	Maple/Cherry	556	569	586	619			714	744	791	0.6	21	3.1
		Palette	601	619	633 586	665			744	778	840	0.6	25	3.1
	Replacement	Back Pad -only	556 223	569 239	255	619 284			714 381	744 411	791 458	0.0	0	• • • • • • • • • • • • • • • • • • • •
	ZOL3-RP	,	223	239	255	204	310	340	301	411	430	0.6	1.6	2
		Upholstered Ba	ck											
)\)	ZOL3-RBM11		721	783	846	974	1098	1227	1510	1638	1788	1.75	23	5.2
	ZOL3-RBM21		963	1053				1662		2010	2214	2.5	39	9.4
	ZOL3-RBM31			1297				2072		2516	2781	3.5	54	14
	ZOL3-RBBM1 6.1	11	808	871	934				1440	1566	1732		2	28
	existing "L" br and Replacen	NOTES: Modular rackets on site ponent Seat/Bench the replacemen	rior to a les do l	asseml not inc	oly to t lude le	he ben gs and	ch. Re	placer g bracl	nent Ba kets. Th	acks do ne hardv	not inclu ware can	ude mounting be transferr	g brackets ed from th	and legs e original
	Right or Left F	Replacement Up	h ⊘l∂t er	red4 / Ai 7 n	n 514	595	672	752	832	910	1019			
	ZOL3-RAMR											1.5	14	3
7	ZOL3-RAML		562	601	641	721	799	878	957	1036	1146			
	ZOL3-RAMRU	J										1.5	15.5	3
	Replacement	Upholstered Se	at ₇₇₈	822	871	957	1044	1134	1218	1305	1482			
	ZOL3-RSM1*		1122	1178	1232	1354	1473	1589		1827	2024	1.33	25	5.2
	ZOL3-RSM2			1540		1788	1954	2118	2283	2451	2657	1.75	39	9.4
	ZOL3-RSM3	1	1004	1053	1098	1195	1289	1384	1480	1572	1715	2.5	50 26	14 6.1
	ZOL3-RSMB1 ZOL3-RSMB2		1202	1266	1330	1447	1566	1685	1803	1922	2118	1.75 1.75	39	9.4
	ZOL3-RSMB3		1755	1835	1914	2056	2197	2341	2483	2625	2847	2.5	50	14
			302	365	428	556	680	808	934	1061	1266			
)) /	Back Cover ZOL3-RCB1*		411	509	601	791		1170	1359		1788	2	2.8	1.7
	ZOL3-RCB1		509	633	760			1518		2024	2341	3	3.6	1.7
	ZOL3-RCB3		336	397	458	586		840	963	1092	1283	3.75	4.3	1.7
	ZOL3-RCBB1											2	2.8	1.7
	Arma Carrara F	Sabt Loft or late	070ء۔۔۔	318	365	458	556	651	744	840	963			
	ZOL3-RCAR	Right, Left or Inte	riizii O	310	303	430	330	031	744	040	903	1.5	2.5	1.7
	ZOL3-RCAL		176	190	207	239	270	302	334	365	405	1.0	2.0	
$\parallel \rightarrow \parallel$	ZOL3-RCAI		270	318	365	458		651	744	840	963	0.33	1.5	1.7
	ZOL3-RCARU	J										1.5	2.5	1.7
	ZOL3-RCALU	J												
		NOTES: Replace					ght) ar	e spec	ified as	seated	. ZOL3-F	RCARU & ZC	L3-RCALU	J are arm
	Seat Cover		270	318	365	458	556	651	744	840	982			
5	ZOL3-RCS1*		348	411	477	601	729		982		1314	1.33	2.3	1.7
	ZOL3-RCS2		444	521	601	680			916	997	1122	1.75	2.6	1.7
	ZOL3-RCS3		411	468	521	633		853		1074	1232	2.5	3.8	1.7
	ZOL3-RCSB1											1.75	2.6	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	
	Caster Without Brake ZOL3-RC1	58					0.4	0125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement items	s for plus	s units.		
	Caster With Brake ZOL3-RC2	70					0.4	0.125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement item	s for plu	s units.		
	Urethane Arm Cap ZOL3-AUR ZOL3-AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim A ZOL3-AIU	4rm 94					1.0	0.3
	0.1510		A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (per a ZOL3-ASR ZOL3-ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Inter ZOL3-ASI	rim (per arm)	185	186	189	193	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette Fi ZOL3-T2	inish n/a	411				12	2
	Clear Glass Tablet ZOL3-T3	n/a	783				13	2
	Laminate Tablet ZOL3-T4	n/a	532				12	2
	ORDERING NOTES handed and do not r					mer edge. Ple	ease note Zola Tablets are u	niversall
	Solid Surface Tablet ZOL3-T5AW	- Grade A Wh	ite 641				14	2
	Solid Surface Tablet ZOL3-T5AC	- Grade A Col	lor 651				14	2
!	Solid Surface Tablet ZOL3-T5B	- Grade B n/a	686				14	2
	Solid Surface Tablet	0 1 0						

DIMENSIONS I	NSIDE CURVE			
	Overall	Overall	Overall	
	Width	Depth	Height	ļ
Single seat			-	
30°	36	28 5	3/1	


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat		•			•		
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

COM Taraages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat	00.75	00.05	0.4	40.5	00.5	40	00
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DESCRIPTION/MOD	PEL	COM 1	2	COL 3	F <i>A</i> 4	ABRIC GRA	ADES 6	7	LEATHER 8	3 9
	Single-Seat, 30° Inside Curve ZOL3-MCIS30D1	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30° Inside Curve ZOL3-MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3-MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve ZOL3-MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3-MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve ZOL3-MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3-MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve I ZOL3-MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curve ZOL3-MCOS30D1	e 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curvi ZOL3-MCBOS30D1	e Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
	Single-Seat, 45° Outside Curve ZOL3-MCOS45D1	e 2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45° Outside Curve ZOL3-MCBOS45D1	e Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curve ZOL3-MCOS60D1	e 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curve ZOL3-MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curve ZOL3-MCOS90D1	e 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curve ZOL3-MCBOS90D1	e Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

BOOT GOBE III						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree	

90 Degree

	COI	М	COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODE	_ 1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3-MCID30D1 402	28 4252	4481	4795	5157	5473	5836	6289	6739
	Double-Seat, 30° Inside Curve Plu ZOL3-MCBID30D1 418		4633	4947	5309	5628	5989	6441	6893
	Double-Seat, 45° Inside Curve ZOL3-MCID45D1 473	36 5028	5318	5722	6188	6598	7064	7644	8225
	Double-Seat, 45° Inside Curve Pl ZOL3-MCBID45D1 49°		5497	5903	6369	6778	7242	7822	8406
	Double-Seat, 60° Inside Curve ZOL3-MCID60D1 536	67 5659	5948	6357	6821	7229	7696	8276	8858
	Double-Seat, 60° Inside Curve Plu ZOL3-MCBID60D1 556		6141	6549	7016	7421	7888	8469	9051
	Double-Seat, 90° Inside Curve ZOL3-MCID90D1 609		6831	7342	7925	8438	9022	9755	10485
	Double-Seat, 90° Inside Curve Plu ZOL3-MCBID90D1 63°		7049	7564	8146	8658	9244	9975	10705
	Double-Seat, 30° Outside Curve ZOL3-MCOD30D1 362	26 3828	4033	4316	4643	4928	5254	5659	6069
	Double-Seat, 30° Outside Curve R ZOL3-MCBOD30D1 377		4185	4468	4795	5080	5405	5811	6221
	Double-Seat, 45° Outside Curve ZOL3-MCOD45D1 426	63 4525	4786	5152	5571	5938	6357	6881	7402
	Double-Seat, 45° Outside Curve F ZOL3-MCBOD45D1 444		4966	5331	5751	6117	6536	7060	7582
	Double-Seat, 60° Outside Curve ZOL3-MCOD60D1 483	31 5093	5355	5720	6139	6506	6925	7447	7971
	Double-Seat, 60° Outside Curve F ZOL3-MCBOD60D1 502		5548	5914	6333	6699	7119	7641	8164
	Double-Seat, 90° Outside Curve ZOL3-MCOD90D1 548	38 5819	6146	6607	7134	7594	8121	8781	9438
	Double-Seat, 90° Outside Curve R ZOL3-MCBOD90D1 570		6366	6828	7356	7815	8342	8999	9657

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).


PRODUCT CODE KEY

ODOOT OODE N	<u>- 1</u>					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D	


90D 90 Degree

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature Floorsaver nylon glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Optional Floor-saver felt glides, Non-slip rubber glides or metal glides are optional at an upcharge. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.




TABI FT

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees.



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB A & C outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10" cord.

Modular arms can attach to the left or right ends

of seating units as well as interim locations

between units. They are fully upholstered and

can optionally be trimmed with urethane or solid



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.




URETHANE ARM CAP

MODULAR ARM

surface arm caps.

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 83 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS


Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model ZOP3-M1F1S ZOP3-MCIS90DF1C ZOP3-M2F1C ZOP3-M1F1S	Qty 1 2 4 1	Price (ea) 2364 5866 3563 2364
ZOP3-M1F1S	1	2364


Total \$30,712






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391
Total		\$30,941


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qtv	Price (\$)
ZOP3-M2M0S	1	2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C	1	2595
ZOP3-M2M0E	1	2595
ZOL4-242415	1	1187


Total \$18,114






Model	Qtv	Price (\$)
ZOL4-LKE18	4	1098
ZOP3-MB1F1S	2	2866
ZOP3-MCID90DF1C	2	7873
ZOP3-MB1F1E	2	2866
ZOL4-E482915	1	2016

Total \$33,618





Model ZOP3-MPF0S ZOP3-M3F0C ZOP3-MPF0E ZOP4-F482915	Qty 2 2 2	Price (\$) 946 3972 946 2016
ZOP4-E482915	1	2016
Total		\$13,744

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

		NS

DIMENSIONS		1A7 -111-						
	Overall	Width Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured Fu	ıll Height Bacl	•						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bac	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES	•							
COM TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	ıll Height Bacl	√Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ull Height Back	c/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	åOne-Seat Plus with Privat ZOP3-PCB1MPF0	e Modular 3956	Side Pane 4268	l and Full 4583	Height Bac 5132	k 5708	6258	6835	7463	8461
	One-Seat Plus with Semi-F ZOP3-PCB1SMPF0	Private Mod 3229	lular Side I 3455	Panel and 3683	Full Heigh 4059	t Back 4461	4838	5241	5695	6347
	One-Seat Plus with Private	Modular S	ide Panel	and Mid H	leight Back	(
	ZOP3-PCB1MPM0	3489	3717	3943	4339	4752	5142	5559	6014	6715
	One-Seat Plus with Semi-F ZOP3-PCB1SMPM0	Private Mod 2983	Jular Side I 3166	Panel and 3354	Mid Heigh 3663	t Back 3994	4302	4634	5005	5539

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTIC	ON UPCHARGES	\$ List			\$ List
CAL 133 & Moisture Ba Seat Power (per power Combination Upholster Combination Upholster Plus Upgrade option	unit) y - dual fabrics	64 641 33 64 included	Floor-saver felt glides Non-slip rubber glides Metal glides		29 18 25
PRODUCT CODE KEY	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAI	BRIC GRA	DES		LEATHER	₹	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Two-Seat with Privat	e Modula	r Side Pan	nel and Ful	II Height B	ack					
	ZOP3-PC2MPF0	4571	4947	5327	5970	6653	7295	7977	8739	9879	
\ \ \	Two-Seat Plus with F	Private Mo	odular Side	e Panel an	d Full Hei	ht Back					
	ZOP3-PCB2MPF0	4702	5078	5456	6099	6783	7424	8107	8868	10008	
-	Two-Seat with Semi-	Private M	Iodular Sic	le Panel a	nd Full He	ight Back					
	ZOP3-PC2SMPF0	3843	4134	4426	4897	5407	5876	6386	6970	7764	
	Two-Seat Plus with Semi-Private Modular Side Panel and Full Height Back										
	ZOP3-PCB2SMPF0	3972	4265	4557	5027	5537	6007	6515	7101	7894	
	Two-Seat with Privat	e Modula	r Side Pan	nel and Mi	d Height B	ack					
	ZOP3-PC2MPM0	3780	4059	4337	4811	5307	5775	6276	6836	7651	
	Two-Seat Plus with F	Private Mo	odular Side	e Panel an	d Mid Hei	ght Back					
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780	
<u> </u>											
	Two-Seat with Semi-					-					
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474	
	Two-Seat Plus with S	Semi-Priva	ate Modula	ar Side Pa	nel and M	id Height E	Back				
	ZOP3-PCB2SMPM0	3403	3640	3877	4264	4679	5064	5481	5956	6604	

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Floor-saver felt glides	29
Seat Power (per power unit)	641	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	33	Metal glides	25
Combination Upholstery -Three fabrics	64	-	

PRODUCT CODE KEY

	=				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Th 0 +		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Three-Seat with Privat	e Modular	Side Pan	el and Ful	l Height Ba	ack				
	ZOP3-PC3MPF0	5495	5940	6390	7131	7923	8663	9457	10354	11632
	T 0 1 D 311 F									
	Three-Seat Plus with F ZOP3-PCB3MPF0	rivate Mo 5691	dular Side 6136	Panel and 6585	d Full Heig 7327	tht Back 8119	8859	9652	10548	11828
	ZOF3-FOBSIVIFTU	3091	0130	0303	1321	0119	0009	9002	10346	11020
• 1										
	Three-Seat with Semi-	Drivata Ma	adular Sid	e Panel ar	nd Full Hei	aht Back				
	ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518
			0.20	0.00	000.	00.0				00.0
	Three-Seat Plus with S					_				
	ZOP3-PCB3SMPF0	4964	5322	5684	6253	6872	7441	8059	8783	9713
	Three-Seat with Privat				_		7000	7011	0505	0540
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548
	Three-Seat Plus with F	Private Mo	dular Side	Panel and	d Mid Heid	ht Back				
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744
. 1										
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Mid He	ight Back				
	ZOP3-PC3SMPM0	4396	4696	4995	5471	5990	6466	6985	7586	8371
	There are Overland Discounting			0: d		J. I. I. C. J. J. F	D = -1			
	Three-Seat Plus with S ZOP3-PCB3SMPM0	Semi-Priva 4591	te Modula 4891	ar Side Pai 5191	nel and Mi 5666	d Height E 6185	6662	7180	7781	8568
	ZOF3-FOB33WFWU	4081	4031	3191	3000	0100	0002	1100	1101	0000

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Floor-saver felt glides	29
Seat Power (per power unit)	641	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	33	Metal glides	25
Combination Upholstery -Three fabrics	64		

PRODUCT CODE KEY

JJ 001 00J 1 112	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall									
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes	
Full Height Back										
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6	
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8	
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0	
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8	
Mid Height Back										
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8	
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1	
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5	
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6	
Modular Corner Seat w	vith Full Height	Back								
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26	
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26	
Modular Corner Seat w	vith Mid Height	Back								
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26	
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26	
• • •										

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	129	_
Plus Upgrade Three-Seat	195	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per power unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

DIMENTOTOTIO W	00.0.	QOII ILIVIL										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e. Full Hei	iaht No Sc	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Full Hei	ight with S	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid He	ight No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	e, Mid He	ight with S	Screen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sid	e Panel S	ingle Full	Height									
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sid	e Panel S	Single Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholst		_										_
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Urethan	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*	:	3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholst	ered Arm	w/Solid Su	ırface Cap									
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5

	I/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
	One-Seat, Full Height ZOP3-M1F0F	Back	1924	2060	2195	2388	2610	2804	3025	3294	358
	_	Back with Shelf Opti ech/Laminate ple/Palette	on 2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	402 411
	ORDERING NOTES: 42", 36" or 30". Freest unit, please add \$303	anding, Start and En	d units with	the she	lf option i	require co	ounterba	lance we	eight add	ed to ea	ch se
	One-Seat, Full Height ZOP3-M1F2F	Back with Privacy So	creen Optio 2209	on 2342	2479	2671	2892	3087	3307	3578	386
	ORDERING NOTES:	Jnits with Privacy Sc	reen Optioi	n are not	available	with Rem	novable E	Back Cov	er option		
	One-Seat, Mid Height ZOP3-M1M0F	Back	1811	1918	2026	2176	2348	2502	2673	2888	310
	_	ech/Laminate ple/Palette	2252 2346	2357 2452 ption ple	2464 2560	2615 2713	2789 2883	2942 3036	3114 3209 he requir	3327 3424 ed shelf	354 364 heigh
	42", 36" or 30". Freest unit, please add \$303	anding, Start and En	d units with	the she	lf option r	require co	unterba	lance we	eight add	ed to ea	ch se
	One-Seat, Mid Height ZOP3-M1M2F	Back with Privacy S	creen Optio 2092	on 2198	2307	2460	2632	2783	2957	3169	
		•	2092	2198							
Cola Privacy (ZOP3-M1M2F	•	2092	2198				Back Cov			
Moisture Barrie Removable Se Removable Ba Shelf Power Seat Power (pe	ZOP3-M1M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat er power unit)	Jnits with Privacy Sc	2092 reen Option Du	2198 a are not ual Leg (toor-save)	available or Multip felt glide bber glid	with Rem	novable E	Back Cov	er option		339
Moisture Barrie Removable Se Removable Ba Shelf Power Seat Power (pe	ZOP3-M1M2F ORDERING NOTES: 0 Option Upcharges er & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat er power unit)	Units with Privacy Sc \$ List 64 47 68 600	2092 reen Option Du Flo	2198 a are not ual Leg (toor-save) un-slip ru	available or Multip felt glide bber glid	with Rem	oovable E	Back Cov	er option List 80 29 18 25		
Moisture Barrie Removable Se Removable Ba Shelf Power Seat Power (pe RODUCT COD	ZOP3-M1M2F ORDERING NOTES: I Option Upcharges er & CAL 133(per yard) eat Covers One-Seat eck Covers One-Seat er power unit) DE KEY	Jnits with Privacy Sc \$ List 64 47 68 600 641	2092 reen Option Du Fla No Me	2198 n are not ual Leg (i por-savei n-slip ru etal glide	available for Multip r felt glide bber glid s	with Rem le unit co es es Back F0 Full Height	Type Type Back with	Back Cov \$ ions)	Ver option 80 29 18 25 Leg Freestan	Type	3399
Moisture Barrie Removable Se Removable Ba Shelf Power Seat Power (pe RODUCT COD Line ZOP	ZOP3-M1M2F ORDERING NOTES: Option Upcharges er & CAL 133(per yard) eat Covers One-Seat eack Covers One-Seat er power unit) EE KEY Series 3	Units with Privacy Sc \$ List 64 47 68 600 641 Chair Type	2092 reen Option Du Flo No Me Sea	2198 n are not ual Leg (foor-save) n-slip ruetal glide at Count 1 ne Seat 2	available for Multip r felt glide bber glid s	with Rem le unit co es es Back Full Heigl	Type Back with ption Back with pen Option	Back Cov \$ ions)	Leg Freestar Star	Type ding Unit t Unit r Unit	3399

						ZOLA	A PR	IVAC	Y M	IODU	LAR
			COM		COL	FAI	BRIC GR	ADES		LEATHE	R
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat Plus, Ful ZOP3-MB1F0F	l Height Back	2413	2549	2684	2879	3099	3292	3513	3785	4070
	ZOP3-MB1F1_ B	I Height Back with Shell eech/Laminate laple/Palette	2866 2963	3001 3097	3137 3235	3330 3428	3553 3647	3744 3843	3965 4063	4237 4334	4525 4618
, \	42", 36" or 30". Fre	S: When ordering units estanding, Start and Er 03 list upcharge per ur	nd units wit	th the sh	elf option	require o	counterba	alance w	eight add	ded to ea	ch seat
	One-Seat Plus, Ful ZOP3-MB1F2F	l Height Back with Priva	acy Screen 2770	Option 2906	3040	3236	3456	3648	3870	4141	4427
	ORDERING NOTE	S: Units with Privacy So	creen Optic	on are no	ot available	e with Rer	movable	Back Co	ver optio	٦.	
	One-Seat Plus, Mic ZOP3-MB1M0F	d Height Back	2304	2411	2518	2670	2844	2994	3166	3382	3603
	ZOP3-MB1M1_ B	d Height Back with She eech/Laminate laple/Palette	If Option 2757 2853	2863 2959	2970 3068	3122 3219	3294 3390	3448 3542	3620 3715	3834 3931	4057 4152
	42", 36" or 30". Fre	S: When ordering units estanding, Start and Er 03 list upcharge per ur	nd units wit	h the sh	elf option	require o	counterba	alance w	eight add	ded to ea	ch seat
	One-Seat Plus, Mic ZOP3-MB1M2F	d Height Back with Priv	acy Screer 2661	Option 2768	2877	3028	3200	3352	3523	3739	3959
	ORDERING NOTE	S: Units with Privacy So	creen Optic	on are no	ot available	e with Rer	movable	Back Co	ver option	٦.	
Zola Privacy Op	ption Upcharges	\$ List						;	\$ List		
	& CAL 133(per yard)	64	D	oual Leg	(for Multi	ple unit c	onfigura	tions)	80		
	t Covers One-Seat	47	F	loor-sav	er felt glid	des			29		
Shelf Power	k Covers One-Seat	68 600			rubber gli	des			18		
Seat Power (per	power unit)	641	N	/letal glic	des				25		
PRODUCT CODE	KEY										
Line	Series	Chair Type	S	eat Coun	t	Bacl	к Туре		Le	g Type	

Zola Privacy Optio	n Upcharges	\$ List			\$ List
Moisture Barrier & C Removable Seat Co Removable Back Co Shelf Power Seat Power (per por	overs One-Seat overs One-Seat	64 47 68 600 641	Dual Leg (for I Floor-saver fe Non-slip rubb Metal glides		80 29 18 25
PRODUCT CODE KE	Υ				
Line	Series	Chair Type	Seat Count	Back Type	Leg Type
ZOP	Lounge	M Modular MB Modular Plus Upgrade	One Seat Z Two Seat 3 Three Seat	FUII Height Back F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option M0 Mid Height Back M1 Mid Height Back with Shelf Option M2 Mid Height Back with Privacy Screen Option	Freestanding Unit S Start Unit C Center Unit E End Unit
			000	M2 Mid Height Back with	NAL TARLEC LUCA

ESCRIPTION:	/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR. 5	ADES 6	7	LEATHER 8	9
	Two-Seat, Full Height Bac ZOP3-M2F0F	k	3029	3231	3430	3717	4044	4334	4658	5061	5490
	Maple/I ORDERING NOTES: Whe 42", 36" or 30". Freestand	Laminate Palette n ordering units wing, Start and End	units with	n the she	elf option	require c	ounterba	lance we	eight add	ded to eacl	h sea
	unit, please add \$303 list Two-Seat, Full Height Bac ZOP3-M2F2F				3920	not availa	4534	Hemovak 4822	5006	5549	597
	ORDERING NOTES: Units	s with Privacy Scre	een Option	n are not	available	with Rem	novable E	Back Cov	er optior	ı.	
	Two-Seat, Mid Height Bac ZOP3-M2M0F	k	2595	2754	2913	3141	3399	3628	3886	4205	453
	Two-Seat, Mid Height Bac ZOP3-M2M1_ Beech/ Maple/I ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$303 list	Laminate Palette n ordering units wing, Start and End	3132 3231 vith shelf of units with	n the she	elf option	require c	ounterba	lance we	eight add	ded to eac	h sea
	Two-Seat, Mid Height Bac ZOP3-M2M2F	k with Privacy Sc	reen Optio 3087	on 3245	3404	3633	3891	4117	4377	4693	503
	ORDERING NOTES: Units	with Privacy Scre	een Optio	n are not	available	with Rem	novable E	Back Cov	er option	l.	
ola Privacy C	Option Upcharges	\$ List						\$	List		
Removable Sea Removable Bad Dual Leg (for M Plus Upgrade T	. ,	64 68 97 80 129	S Ta FI N	helf Pow able Pow loor-save	er ver er felt glic ubber gli				641 600 647 29 18 25		
					,	Back	к Туре		ا ا	eg Type	
	Carica						(Type		Le	g type	
Line ZOP Zola	Series 3 Lounge	M Modular MB Modular Plus Upgrade	(2 Two Seat		Full Heigh	ght Back	th		F anding Unit S art Unit	

M2 Mid Height Back with Privacy Screen Option

M1
Mid Height Back with Shelf Option

					_	-0		•	.	000.	
			COM		COL	FAE	BRIC GR	ADES		LEATHE	
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Full Heig ZOP3-M3F0F	ht Back	3983	4252	4524	4906	5345	5730	6166	6707	7271
	Three-Seat, Full Heig	ht Back Shelf Option									
	_	ech/Laminate aple/Palette	4610 4713	4879 4984	5149 5255	5534 5638	5971 6077	6358 6463	6793 6897	7332 7437	789 800
	- 42", 36" or 30". Free	When ordering units w standing, Start and Enc list upcharge per unit.	d units with	h the she	elf option r	require co	ounterba	lance we	ight adde	ed to eac	h sea
	Three-Seat. Full Heig	ht Back with Privacy So	creen Opt	ion							
	ZOP3-M3F2F	245	4683	4952	5220	5608	6045	6431	6867	7405	797
	ORDERING NOTES:	Units with Privacy Scre	een Optior	n are not	available	with Rem	novable E	Back Cov	er option.		
	Three-Seat, Mid Heig	ht Back									
	ZOP3-M3M0F		3748	3972	4192	4510	4870	5190	5552	5994	646
~	Three-Seat, Mid Heig										
	_	ech/Laminate aple/Palette	4377 4481	4599 4705	4818 4923	5138 5242	5498 5604	5815 5920	6180 6284	6621 6725	709 719
	- 42", 36" or 30". Free	When ordering units w standing, Start and End list upcharge per unit	d units witl	h the she	elf option r	require co	ounterba	lance we	ight adde	ed to eac	h sea
	Three-Seat, Mid Heig ZOP3-M3M2F	ht Back with Privacy S	creen Opt 4449	tion 4670	4891	5211	5572	5890	6252	6692	716
	ORDERING NOTES:	Units with Privacy Scre	een Optior	n are not	available	with Rem	novable E	Back Cov	er option.		
lola Privacy O∣	ption Upcharges	\$ List						\$	List		
oisture Barrier	· & CAL 133(per yard)	64	Se	eat Powe	er (per po	wer unit)			641		
	t Covers Three-Seat k Covers Three-Seat	85 121		helf Powable Pow					600 647		
	ultiple unit configuration				er felt glid	es			29		
lus Upgrade T	hree-Seat (B)	195	N	on-slip r	ubber glic				18		
RODUCT CODE	KEY		M	letal glide	es				25		
Line	Series	Chair Type	Se	eat Count		Back	к Туре		Leg	Туре	
ZOP Zola	3	M Modular	[1 One Seat			0 ght Back			F nding Unit	
2014	Lounge						1			S	
		MB Modular Plus Upgrade	l T	2 Two Seat	ı	Full Heigh		th		rt Unit	
			[3			2			С	
			TI	hree Seat		Full Heigh Privacy Sc				er Unit	
							10 ght Back			E d Unit	
						M					
					1	Mid Heigh Shelf	t Back wi Option	ith			
						_	10				

Mid Height Back with Privacy Screen Option

DECODIDEION	MODEL (ODEO)EO	СОМ	0	COL		RIC GRA			LEATHER	
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Full Height Bac ZOP3-MCF0	ek 4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back w	ith Shelves								
	ZOP3-MCF1LR Beech/Laminate	4937	5169	5403	5727	6099	6424	6796	7262	7729
	Maple/Palette	5033	5264	5497	5823	6196	6521	6893	7358	7822
	Modular Corner Seat, Full Height Back w	ith single she	If left*							
	ZOP3-MCF1L Beech/Laminate	4744	4988	5233	5574	5966	6308	6697	7185	7333
74/ 1	Maple/Palette	4749	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back w	ith sinale she	lf riaht							
	ZOP3-MCF1R Beech/Laminate	4744	4988	5233	5574	5966	6308	6697	7185	7333
	Maple/Palette	4749	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back w ZOP3-MCF2LR	ith Privacy So 4624	creens 4857	5089	5414	5787	6113	6484	6948	7416
	Modular Corner Seat, Full Height Back w	ith Privacy So	creen I e	ft						
	ZOP3-MCF2L	4573	4816	5061	5404	5793	6136	6524	7015	7161
	Modular Corner Seat, Full Height Back w	ith Drivoov So	roon Di	aht						
	ZOP3-MCF2R	4573	4816	5061	5404	5793	6136	6524	7015	7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Combination Upholstery - dual fabrics	33
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Floor-saver felt glides	29
Non-slip rubber glides	18
Metal glides	25

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	Right Side

ZOLA PRIVACY | MODULAR

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3263	3455	3646	3916	4222	4491	4798	5183	5568
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette	Single S 3909 3914	helf left 4112 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
A. T.	Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette	Single S 3909 3914	helf Righ 4112 4116	nt* 4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	Privacy 3829	Screens 4022	4214	4483	4790	5059	5366	5748	6135
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	3738	3940	4141	4423	4746	5030	5351	5755	5880
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy 3738	3940	4141	4423	4746	5030	5351	5755	5880

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Combination Upholstery - dual fabrics	33
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64
Floor-saver felt glides	29
Non-slip rubber glides	18
Metal glides	25

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC Mc Madular Carpar Saat	M0	L L off Cide
Zola	Lounge	Modular Corner Seat MCB	Mid Height Back M1	Left Side
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
$\overline{}$	Side Panel, Single, Full Height with Screen											
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Singl											
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
$\overline{\Box}$	Side Panel, Singl	e, Mid Height wi	th Screen									
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	00000000000000								0	O 11		

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

		COM COL FABRIC GRADES LEA		LEATHE	R							
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	_
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314	
	ZOP3-MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589	
	ZOP3-MSPF0E	End	583	628	674	765	856	949	1039	1132	1314	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	RADES		LEATHE	:R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	rethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Colo	-	С
Solid Surface Arm Cap (per arm)	129	136	151	157

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall	Width with	Overall	Depth	Overall	Overall Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Single	e, Full Height	: No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	n									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	ıll Height									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private	Side Panel,	Single, Mi	id Height									
ZOP3-MSPTM0U	Universal	2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	nolstered Arn								_			
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	olstered Arn											
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid 9	Surface Ca	ар								
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	EL	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2851	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 3134	Privacy S 3299	Gcreen Option 3465	on 3707	3975	4214	4484	4816	5170
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2994	Privacy S 3136	Screen Opti 3278	on 3483	3712	3918	4147	4432	4735
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full He ZOP3-MBT1F2F	eight Back 4172	with Priva 4339	acy Screen 4505	Option 4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat Plus, Mid He ZOP3-MBT1M0F	eight Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
	Twin One-Seat Plus, Mid He ZOP3-MBT1M2F	eight Back 4021	with Priva	acy Screen 4306	Option 4507	4738	4944	5174	5457	5761
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
PRODUCT CODE KEY Line	Series Ch	nair Type		Seat Count	·	Back Ty	ne		Leg Type	
ZOP Zola	3 Lounge Mod	MT dular Twin MTB dular Twin s Upgrade age 39)		1 One Seat 2 Two Seat 3 Three Seat		F0 Full Height F2 Full Height Ba Privacy Screet M0 Mid Height	Back Control of the		Estanding Un S Start Unit C Center Unit	it
						Mid Height Ba Privacy Screen			End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	Back Priva 4723	cy Screen 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES: Units v	with Privac	y Screen (Option are	not availa	able with Re	movable B	ack Cove	option.	
	Twin Two-Seat, Mid Height ZOP3-MT2M0F	Back 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid Height I ZOP3-MT2M2F	4520	4744	4970	5296	5664	5992	6359	6808	7298
	ORDERING NOTES: Units v	with Privac	y Screen (Option are	not availa	able with Re	movable B	ack Cove	r option.	
	Twin Three-Seat, Full Height ZOP3-MT3F0F	nt Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Full Heigl ZOP3-MT3F2F	nt Back Pri 6518	ivacy Scre 6854	en Option 7186	7660	8203	8678	9217	9885	10575
	ORDERING NOTES: Units	with Priva	cy Screen	Option ar	e not avai	lable with Re	emovable	Back Cov	er option.	
	Twin Three-Seat, Mid Heig ZOP3-MT3M0F	ht Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
	Twin Three-Seat, Mid Heig ZOP3-MT3M2F	ht Back wi	th Privacy 6348	Screen O	ption 7064	7539	7961	8435	9023	9645
	ORDERING NOTES: Units	with Priva	cy Screen	Option an	e not avai	lable with Re	emovable	Back Cov	er option.	
PRODUCT CODE KEY										
Line		Chair Type		Seat Cou	nt I	Back Ty	/pe		Leg Type	
ZOP Zola	Mo Plu	MT odular Twin MTB odular Twin us Upgrade page 39)		1 One Sea 2 Two Sea 3 Three Sea	t]	Full Height F2 Full Height E Privacy Scree M0 Mid Heigh	Back with en Option		F sestanding S Start Unit C C	

Е

End Unit

M2

Mid Height Back with

Privacy Screen Option

ZOLA PRIVACY | TWIN - SIDE PANELS

			COM		COL	FAB	RIC GRAD	ES	ı	LEATHER	
DESCRIPTION	I/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, I ZOP3-MPTF0U ZOP3-MPTF0C	Full Height No Sci Universal End Center	reen 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
-	Twin Side Panel,,	Full Height with S	Screen								
	ZOP3-MPTF2U ZOP3-MPTF2C	Universal End Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
	Twin Side Panel, I	Med. Height No S	creen -								
	ZOP3-MPTM0U ZOP3-MPTM0C	Universal End Center	1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
	Twin Side Panel, I		Screen								
	ZOP3-MPTM2U ZOP3-MPTM2C	Universal End Center	1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902
	ORDERING NOTI	E: Side Panels wil	I only conn	ect to Ce	nter seatir	ng units. U	nits with Pi	rivacy Scre	en Option	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 40 for dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		1	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with		
			Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Semi-Private Side Panel, ZOP3-MSPTF0U Universal ZOP3-MSPTF0C Center	Single, Full F 1012 1724	leight 1092 1804	1172 1885	1286 1999	1415 2129	1528 2240	1659 2370	1819 2532	1981 2694	
	Twin Semi-Private Side Panel, ZOP3-MSPTM0U Universal	Single, Mid F 868	Height 919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHER	R	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm v	v/Urethane	Cap								
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	Center /Interim	

•

Center /Interim

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall					
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes	
Curved Single-Sea	it - Full He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	
15° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	
80° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	
15° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	
Curved Double-Se	at - Full H	leight Ba	ck								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
15° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
15° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
One and Develope Co.	-4 B#1-1-11	lataki P	-1-								
Curved Double-Se		-		40	07.5	50	10.5	00.05	440	0.4	
30° Inside Curve	58	64 70.5	30	42	37.5	50 50	18.5	20.25	110	24	
15° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31	
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38	
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52	
80° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25	
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28	
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	

Upcharge for Plus Upgrade Option:

- h - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
Option	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	220

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	it - Full H	eight Bacl	K									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	ıt - Mid H	eight Bacl	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bac	:k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bac	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Inside ZOP3-MCIS30DF0F	Curve, Full Heigh		3618	3806	4068	4369	4634	4931	5308	5684
	Single-Seat, 30° Inside ZOP3-MCIS30DF1_ E N ORDERING NOTE: Wh - 42", 36" or 30" and ch balance weight added t	Beech/Laminate Maple/Palette Hen ordering a bacose required leg t	4047 4141 ck with Stype belo	4236 4328 Shelf optio ow. Freesta	ınding, S	tart and End	d units wi				
	Single-Seat, 30° Inside ZOP3-MCIS30DF2F	Curve, Full Heigh	t Back v 4023	vith Privac 4212	y Screer 4398	1 4664	4962	5227	5527	5902	6277
	Single-Seat, 30° Inside ZOP3-MCIS30DM0F	Curve, Mid Heigh	t Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
	Single-Seat, 30° Inside ZOP3-MCIS30DM1_ E N	Beech/Laminate Maple/Palette	3892 3984	4058 4149	4221 4315	4454 4545	4715 4811	4946 5038	5211 5303	5539 5634	5868 5962
	- 36" or 30" and chose ance weight added to e	required leg type each seat unit, ple	below. F ase add	reestandii \$303 list	ng, Start upcharg	and End un e per unit.					
	Single-Seat, 30° Inside ZOP3-MCIS30DM2F	Curve, Mid Heigr	3867	vith Privac 4033	y Screer 4197	4427	4691	4922	5187	5516	5844
Zola Privacy O	ption Upcharges	\$ List							\$ List	t	
Shelf Power Seat Power (per Combination Up Floor-saver felt Non-slip rubber Metal glides PRODUCT CODI	oholstery - dual fabrics glides glides	600 641 33 29 18 25	Dua Rei No	al Leg (for movable S te: Remov	Multiple eat Cove able bac	e-Seat, 30° (unit configuers -Single- ck covers ar LL 133(per y	urations) Seat, 30° e not ava		96 80 61 curved b 64	acks	
Line	Series	Chair Type	С	urve Style	5	Seat Degree	E	Back Type		Leg Type	e
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD e Curve -Do	ble	30D 45D 60D 90D	Full He SI Full He Privacy Mid Mid He	F0 Height Back whelf Option F2 eight Back way Screen Option M0 Height Back whelf Option M1 eight Back whelf Option	with with otion	F reestanding S Start Un C Center Un E End Uni	it] nit

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	7	_EATHEF 8	8 9
	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Heig	ht Back 3847	4057	4263	4565	4904	5209	5548	5964	6418
	Single-Seat, 45° Inside ZOP3-MCIS45DF1_	_	ht Back 4483 4576	with Shel 4690 4785	f 4898 4993	5201 5295	5539 5635	5841 5938	6184 6280	6599 6691	7051 7148
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	chose required	leg type	below. F	reestar	nding, Start a	nd End	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F	e Curve, Full Heig	ht Back 4447	with Priva 4655	acy Scre 4863	een 5167	5506	5809	6149	6565	7018
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Heig	jht Back 3642	3811	3979	4215	4486	4722	4994	5329	5673
	Single-Seat, 45° Inside ZOP3-MCIS45DM1_ I		ht Back 4278 4371	with She 4444 4539	lf 4614 4709	4848 4945	5121 5216	5360 5453	5631 5722	5965 6059	6307 6402
	ORDERING NOTE: W - 36" or 30" and che counterbalance weigh	ose required leg t added to each s	type beseat unit.	elow. Fre , please a	estandi dd \$30 3	ng, Start and Blist upcharge	d End u	nits with			
	Single-Seat, 45° Inside ZOP3-MCIS45DM2F	e Curve, Mila Heig	4243	4411	4580	4816	5086	5323	5595	5931	6271
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides	64 641 600 29 18 25	Du Re N o	ial Leg (fo movable ote: Remo	or Multip Seat Co ovable b	ple-Seat, 45° (ble unit config overs -Single- pack covers and stery - dual fa	urations) Seat, 45° e not ava		111 80 64 curved b) I acks	
PRODUCT CODE	E KEY										
Line	Series 3	Chair Type MC	(Curve Style		Seat Degree		Back Type F0		Leg Typ	e]
Zola	Lounge	Modular Curve		Curve -Si		45D		Height Ba		reestandin	
		Modular Curve Plus		OS OS OS See Curve -S		60D	S Full H	eight Back helf Option F2 eight Back y Screen O	with	Start Un C Center U	
			Outsid	OD e Curve -D	ouble	90D		M0 I Height Ba		End Ur	it
								M1 eight Back helf Option			
								M2 eight Back Screen O			

DESCRIPTION/M	MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRAI 5	DES 6	7	LEATHEI 8	R 9
	Single-Seat, 60° Insid ZOP3-MCIS60DF0F	e Curve, Full Heiç		4634	4891	5267	5696	6067	6492	7012	7567
	Single-Seat, 60° Insid ZOP3-MCIS60DF1_ ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette /hen ordering a ball chose required	5185 5281 ack with s leg type	5444 5541 Shelf opti below. F	5705 5800 on pleas	ding, Start	and End	units with			
	Single-Seat, 60° Insid ZOP3-MCIS60DF2F	e Curve, Full Heiç	ght Back 4974	with Privi 5236	acy Scre 5496	een 5870	6293	6670	7093	7615	8169
	Single-Seat, 60° Insid ZOP3-MCIS60DM0F	e Curve, Mid Hei	ght Back 4164	4350	4537	4801	5103	5364	5664	6039	6416
	Single-Seat, 60° Insid ZOP3-MCIS60DM1_ ORDERING NOTE: W - 36" or 30" and ch counterbalance weigh	Beech/Laminate Maple/Palette /hen ordering a baose required leg	4977 5072 ack with s	5164 5259 Shelf opti	5351 5447 on pleasestandii	ng, Start an	id End ui	nits with			
	Single-Seat, 60° Insid ZOP3-MCIS60DM2F	e Curve, Mid Hei	ght Back 4767	with Priv 4953	acy Scro 5141	een Option 5406	5705	5968	6268	6642	7019
Zola Privacy Op	tion Upcharges	\$ List							\$ List	t	
Moisture Barrier (Seat Power (per Shelf Power Floor-saver felt gl Non-slip rubber g Metal glides	ides	64 641 600 29 18 25	Dua Ren Not	ll Leg (for novable s e: Remo	Multiple Seat Cov vable ba	le-Seat, 60° e unit config vers -Single- ack covers a stery - dual fa	urations) -Seat, 60º re not ava		123 80 86 curved b 33) S acks	
PRODUCT CODE											
	Series	Chair Type	Cı	urve Style		Seat Degree	F	Back Type		Leg Typ	e

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	IIC GRADI	ES 6	7	LEATHER 8	9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height	Back 4992	5263	5538	5920	6359	6742	7180	7728	8275
	_	Beech/Laminate Maple/Palette	5866 5964	6139 6237	6412 6511	6795 6894	7234 7331	7616 7713	8055 8152	8599 8698	9147 9246
4-1-1	ORDERING NOTE: What 42", 36" or 30" and counterbalance weight	chose required leg	type b	elow. Fre	estandir	ng, Start ar	nd End ur				
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5943	h Privacy 6216	/ Screen 6492	6872	7311	7695	8131	8679	9225
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4571	4786	5000	5299	5641	5943	6286	6713	7144
	_	Curve, Mid Height Beech/Laminate Maple/Palette	Back wit 5444 5544	th Shelf 5660 5758	5873 5971	6174 6270	6516 6612	6818 6914	7159 7258	7587 7684	8015 8115
4-1-1	ORDERING NOTE: What 36" or 30" and chose reweight added to each s	equired leg type be	low. Free	standing	, Start an	d End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height	Back with 5524	th Privac 5739	y Screen 5953	Option 6252	6595	6895	7237	7662	8093
Zola Privacy	Option Upcharges	\$ List							\$ Lis	st	
	er glides	64 641 600 29 18 25	Du Re	al Leg (fo movable	or Multipl Seat Co	le-Seat, 90° e unit confiç vers -Single ack covers a	gurations) -Seat, 90°		16 8 11 curved l	0 3	
Line	Series	Chair Type	Cı	urve Style		Seat Degree	В	ack Type		Leg Type	!
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sin ID Curve -Do OS E Curve -S	uble	30D 45D 60D 90D	Full He Sh Full He	F0 Height Back velf Option F2 eight Back velf Screen Option M0	with with	F reestanding S Start Unit C Center Un	t
			Outside	Curve -D	ouble		Mid He Sh Mid He	M1 sight Back velelf Option M2 sight Back velelf Option M2 sight Back veleger Option	with	End Unit	

DECODIETIC	N/MODEL/ODEO/EO		COM	0	COL		RIC GRAD			_EATHER	
DESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside ZOP3-MCOS30DF0F	e Curve, Full Heigl	nt Back 3252	3431	3609	3859	4145	4395	4680	5036	5392
F	Single-Seat, 30° Outside ZOP3-MCOS30DF1_ B		nt Back wi 3554 3642	th Shelf 3732 3819	3910 3999	4160 4248	4444 4533	4693 4784	4979 5068	5337 5425	5692 5782
	ORDERING NOTE: Who 42", 36" or 30" and cl counterbalance weight a	nose required leg	type be	low. Free	standing	g, Start an	d End un				_
	Single-Seat, 30° Outside ZOP3-MCOS30DF2F	Curve, Full Heigl	nt Back wi 3607	ith Privac 3786	y Screen 3963	4214	4500	4749	5034	5391	5740
	Single-Seat, 30° Outside ZOP3-MCOS30DM0F	Curve, Mid Heig	ht Back 3135	3290	3445	3664	3914	4131	4380	4690	500
	Single-Seat, 30° Outside ZOP3-MCOS30DM1_ B		ht Back w 3433 3522	ith Shelf 3589 3679	3743 3831	3962 4053	4213 4299	4429 4520	4680 4769	4990 5079	530° 539
	ODDEDING NOTE: W/b/	an ardarina a baal									aiaht
	ORDERING NOTE: Who 36" or 30" and chose recovering the weight added to each see Single-Seat, 30° Outside ZOP3-MCOS30DM2F	quired leg type bel eat unit, please ad	ow. Frees d \$303 lis	tanding, S t upchare	Start and ge per ur	End units					alance
Zola Privacy	36" or 30" and chose rec weight added to each se Single-Seat, 30° Outside	quired leg type bel eat unit, please ad	ow. Frees d \$303 lis ht Back w	tanding, st upchare ith Privac	Start and ge per ur y Screer	End units nit.	with the sh	nelf option	require o	counterba	alance
Moisture Barr	36" or 30" and chose recovering the second of the second o	quired leg type bel eat unit, please ad e Curve, Mid Heig	ow. Frees d \$303 lis ht Back w 3489 Plus Dua Rem	tanding, st upchargith Privace 3643 Upgrade I Leg (for novable S	Start and ge per ur y Screer 3797 e - Single Multiple eat Cove	End units nit.	4267 Curve urations) Seat, 30°	4485 Curve	4735 \$ List 96 80 61	5043	alance
Moisture Barr Seat Power (p Shelf Power Floor-saver fe Non-slip rubb	36" or 30" and chose rec weight added to each se Single-Seat, 30° Outside ZOP3-MCOS30DM2F Option Upcharges rier & CAL 133 (per yard) per power unit) elt glides per glides	quired leg type beleat unit, please ad earth unit, please ad e Curve, Mid Height State \$ List 64 641 600 29 18	ow. Frees d \$303 lis ht Back w 3489 Plus Dua Rem Not	tanding, st upcharg ith Privace 3643 s Upgrade I Leg (for novable S e: Remov	Start and ge per ur y Screer 3797 e - Single Multiple eat Cove	n Option 4019 -Seat, 30° unit configers -Single-	4267 Curve urations) Seat, 30°	4485 Curve	4735 \$ List 96 80 61	5043	alance
Moisture Barr Seat Power (p Shelf Power Floor-saver fe Non-slip rubb Metal glides	36" or 30" and chose rec weight added to each se Single-Seat, 30° Outside ZOP3-MCOS30DM2F Option Upcharges rier & CAL 133 (per yard) per power unit) elt glides per glides	quired leg type beleat unit, please ad earth unit, please ad e Curve, Mid Height State \$ List 64 641 600 29 18	ow. Frees d \$303 lis ht Back w 3489 Plus Dua Rem Not	tanding, st upchargith Privace 3643 Upgrade I Leg (for novable S	Start and ge per ur y Screer 3797 - Single Multiple eat Cove able bac	n Option 4019 -Seat, 30° unit configers -Single-	4267 Curve urations) Seat, 30° re not avai	4485 Curve	4735 \$ List 96 80 61	5043	5362
Moisture Barr Seat Power (p Shelf Power Floor-saver fe Non-slip rubb Metal glides	36" or 30" and chose recovered weight added to each see Single-Seat, 30° Outside ZOP3-MCOS30DM2F **Option Upcharges** rier & CAL 133 (per yard) per power unit) elt glides per glides **DDE KEY**	suired leg type beleat unit, please ad extraction with the control of the control	ow. Frees d \$303 lis ht Back w 3489 Plus Dua Rem Note	tanding, st upcharg ith Privace 3643 s Upgrade I Leg (for novable S e: Remov	Start and ge per ur y Screer 3797 e - Single Multiple eat Cove able bac	e-Seat, 30° unit config ers -Single- k covers at	Curve urations) Seat, 30° re not avai	4485 Curve	\$ List 96 80 61 curved ba	5043	5362
Moisture Barr Seat Power (p Shelf Power Floor-saver fe Non-slip rubb Metal glides PRODUCT CO Line	36" or 30" and chose recovered weight added to each see see some state of the see see see see see see see see see s	suired leg type beleat unit, please ad transport to the control of	ow. Frees d \$303 list ht Back w 3489 Plus Dua Rem Note	tanding, Strupcharg ith Privace 3643 Upgrade I Leg (for novable Se: Remove IVE Style IS Curve -Sing ID	Start and ge per ur y Screer 3797 - Single Multiple eat Cove able bac	e-Seat, 30° unit configers -Single-sk covers and seat Degree	Curve urations) Seat, 30° re not avail	4485 Curve lable on contact Type F0 Height Back	\$ List 96 80 61 curved ba	5043 Cks Leg Type F estanding S Start Uni C Center Un	5362
Moisture Barr Seat Power (p Shelf Power Floor-saver fe Non-slip rubb Metal glides PRODUCT CO Line	36" or 30" and chose recovered weight added to each see see some state of the see see see see see see see see see s	suired leg type beleat unit, please ad transport to the control of	ow. Frees d \$303 lis ht Back w 3489 Plus Dua Rem Note	tanding, S t upcharg ith Privace 3643 Upgrade I Leg (for novable S e: Remove IS Curve -Sing ID Curve -Dou	Start and ge per ur y Screer 3797 e - Single Multiple eat Cove able bac	e-Seat, 30° unit configers -Single-sk covers and Seat Degree	Full He Privacy	Curve lable on control ack Type F0 Height Back velf Option F2 ight Back velf Option	\$ List 96 80 61 curved bases k Free with	5043 cks Leg Type F estanding S Start Uni C	5362

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABRIO	C GRADE 5	ES 6	L 7	EATHER 8	9
	Single-Seat, 45° Outside Curve ZOP3-MCOS450DF0F	, Full Height Bac 3508		3864	4113	4398	4648	4932	5288	5646
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DF1_ Beech/L Maple/P	aminate 3803 alette 3892	3981 4068	4158 4247	4407 4499	4693 4784	4944 5033	5230 5318	5584 5674	5941 6031
	ORDERING NOTE: When orde 42", 36" or 30" and chose required balance weight added to each	ired leg type bel	ow. Freesta	anding, S	tart and End	units wit				
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DF2F	, Full Height Bac 3859		vacy Scre 4215	en 4466	4752	5002	5286	5641	5999
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM0F	, Mid Height Bad 3382		3690	3909	4158	4378	4628	4937	5254
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM1_ Beech/L Maple/P	aminate 3678	3830	elf 3985 4074	4205 4292	4455 4542	4672 4762	4922 5010	5232 5320	5547 5636
	ORDERING NOTE: When orde 36" or 30" and chose required le weight added to each seat unit	eg type below.Fr	eestanding	ı, Start ar	d End units					
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM2F	, Mid Height Bad 3735		acy Scre 4042	een Option 4261	4510	4730	4979	5288	5605
Zola Privacy C	option Upcharges	\$ List						\$ List	:	
Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides glides	641 E 600 F 29 N	Dual Leg (fo Removable lote: Remo	or Multiple Seat Cov ovable ba	e-Seat, 45° (e unit configu vers -Single- uck covers ar tery - dual fa	urations) Seat, 45° e not ava		111 80 64 curved b 33	acks	
PRODUCT CODE		air Type	Curve Style		Seat Degree	В	Sack Type		Leg Type	
ZOP Zola	3 Nodu Lounge Modu Modu	AC lar Curve Insid	IS de Curve -Sin ID de Curve -Do	ngle	30D 45D	Full I	F0 Height Bac F1 eight Back voielf Option		F eestanding S Start Un	Unit
		Outsi	OS ide Curve -S	ingle	90D		F2 eight Back v Screen Op		C Center U] nit]
		Outsi	de Curve -D	ouble		Mid He Sh [Mid He	Height Bac M1 Pight Back valelf Option M2 Pight Back vale	with	End Uni	t
				200	OF CEATIN	•	Screen Opt		EGILIC	2A 50

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHEI	٦ 9
	Single-Seat, 60° Outsi ZOP3-MCOS60DF0F	de Curve, Full Hei	ght Back 3655	3831	4011	4261	4546	4795	5082	5437	5793
	Single-Seat, 60° Outsi ZOP3-MCOS60DF1_ ORDERING NOTES:	Beech/Laminate Maple/Palette	3948 4036	4125 4213	4305 4393	4553 4641 se clearly spe	4838 4927 ecify on y	5086 5176 our order t	5370 5463 the requi	5727 5815 red Shelf	6083 6174 Heigh
	- 42", 36" or 30" and terbalance weight add	chose required leg	type belo	ow. Frees	tanding,	Start and E	nd units				
	Single-Seat, 60° Outsi ZOP3-MCOS60DF2F	de Curve, Full Hei	ght Back 3988	with Priva 4168	acy Scre 4347	een 4595	4882	5131	5416	5769	6127
	Single-Seat, 60° Outsi ZOP3-MCOS60DM0F	·	ght Back 3535	3690	3846	4064	4313	4532	4781	5091	5407
	Single-Seat, 60° Outsi ZOP3-MCOS60DM1_		ght Back 3825 3915	with She 3982 4070	If 4138 4224	4354 4443	4604 4692	4822 4914	5071 5160	5384 5471	5696 5786
	ORDERING NOTE: W - 36" or 30" and chose ance weight added to	e required leg type each seat unit, ple	below. F ase add	reestandii \$303 list	ng, Start upcharg	t and End unge per unit.					
	Single-Seat, 60° Outsi ZOP3-MCOS60DM2F		ght Back 3869	with Priva 4024	acy Scre 4180	een Option 4397	4646	4866	5113	5425	574 ⁻
T Zola Privacy C	Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides	64 641 600 29 18 25	Dua Ren Not	al Leg (for novable S ce: Remov	Multiple seat Cov able ba	e-Seat, 60° (e unit configurers -Single-S ck covers and tery - dual fa	ırations) Seat, 60° e not ava		123 80 86 curved b 33) acks	
PRODUCT COD	Series	Chair Type	0.	ırve Style		Seat Degree	-	Back Type		Leg Type	
ZOP	3 Lounge	MC Modular Curve	[Inside	IS Curve -Sin	alo	30D	Full	F0 Height Bac	k Fr	F	Unit

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABRI	IC GRADI 5	ES 6	ا 7	_EATHEF 8	R 9
	Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigh	nt Back 4405	4586	4763	5011	5298	5547	5833	6188	6545
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ B M		nt Back 4686 4773	with Shelf 4866 4952	5043 5131	5293 5381	5579 5664	5828 5914	6113 6199	6470 6556	6828 6913
	ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	e required leg typ	e below	/. Freestan	ding, Sta	rt and End	units with				
	Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigh	nt Back 4737	with Privad 4918	cy Screen 5095	5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heigh	nt Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outside ZOP3-MCOS90DM1_ Bo		nt Back 4229 4315	with Shelf 4382 4469	4537 4623	4757 4843	5007 5093	5223 5310	5473 5560	5784 5869	6102 6186
1-1	ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se	uired leg type beld	ow. Free	standing,	Start and	End units v					
	Single-Seat, 90° Outside ZOP3-MCOS90DM2F	Curve, Mid Heigh	nt Back 4279	with Privac 4433	cy Screer 4588	Option 4810	5057	5275	5525	5834	6153
Zola Privacy	Option Upcharges	\$ List							\$ List	:	
Moisture Barri Seat Power (p Shelf Power Floor-saver fel Non-slip rubbo Metal glides	t glides	64 641 600 29 18 25	Du Re No	al Leg (for movable S ote: Remov	Multiple Seat Cove able bac	-Seat, 90° unit config ers -Single- k covers and ery - dual fa	urations) Seat, 90° re not ava		165 80 113 curved b 33	acks	
PRODUCT COI	Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Typ	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sin Curve -Dou	igle	30D 45D 60D	Full Full He	F0 Height Back eight Back helf Option F2	with	F eestandin S Start Ur	g Unit
				OD e Curve -Do		90D	Privacy	eight Back y Screen O _l M0 Height Bac	ption	Center L	
			2 3 4014				Mid H	M1 eight Back helf Option	with		
					000	E QEATIN	Privacy	eight Back Screen Op	otions	I EO I I I	20154

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Height	t Back 4943	5245	5548	5973	6461	6884	7368	7973	8581
	_	deech/Laminate Maple/Palette en ordering a back se required leg typ	5715 5811 with Shoe below	6017 6114 nelf option	nding, St	art and End	d units wit				
	Double-Seat, 30° Inside ZOP3-MCID30DF2F	Curve, Full Height	t Back v 5888	vith Privac 6190	cy Screer 6494	า 6918	7403	7829	8312	8918	9525
	Double-Seat, 30° Inside ZOP3-MCID30DM0F	Curve, Mid Heigh	t Back 4678	4932	5191	5552	5964	6322	6734	7248	7762
	Double-Seat, 30° Inside ZOP3-MCID30DM1_ E N N N N N N N N N N N N N N N N N N	deech/Laminate Maple/Palette en ordering a back quired leg type bek	5448 5546 with Show. Free	5705 5802 nelf option standing,	5964 6060 please	d End units					
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Heigh	t Back v 5620	vith Privac 5878	cy Screen 6137	n Option 6496	6909	7267	7680	8193	8706
	t glides er glides	\$ List 64 641 600 29 18 25	Dua Rei No	al Leg (for movable s te: Remov	Multiple Seat Cov vable ba	e unit config e unit config ers -Double ck covers a ery - dual f	jurations) e-Seat, 30 ire not ava		\$ Lis 152 80 93 curved b	2) 3 packs	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	Curve -Single Curve -Dou	gle ble ngle	Seat Degree 30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He Sh	FO Height Back velf Option F2 eight Back velf Option M0 Height Back velf Option M1 eight Back velf Option M2 eight Back velf Option M2 eight Back velf Option M2 eight Back velf Option	vith vith tion k vith	Leg Type Freestanding S Start Uni C Center Ur E End Uni	g Unit it nit

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	7	EATHER 8	8 9
	Double-Seat, 45° Inside Curve, Fu ZOP3-MCID45DF0F	ull Height Back 5360	5666	5975	6411	6909	7343	7839	8457	9086
	Double-Seat, 45° Inside Curve, Fu ZOP3-MCID45DF1_ Beech/Lami Maple/Palet	inate 6161 tte 6260 g a back with S	6469 6568 Shelf option	6779 6877 n please						
	42", 36" or 30" and chose require balance weight added to each sea Double-Seat, 45° Inside Curve, FuZOP3-MCID45DF2F	at unit, please a	add \$303 I	ist upcha	arge per uni		8298	8792		10041
	Double-Seat, 45° Inside Curve, M ZOP3-MCID45DM0F	id Height Back 5103	5367	5635	6014	6444	6822	7255	7787	8340
	Double-Seat, 45° Inside Curve, M ZOP3-MCID45DM1_ Beech/Lami Maple/Palet	inate 5904	with Shelf 6170 6269	6438 6537	6817 6914	7248 7345	7625 7725	8056 8155	8590 8688	9143 9241
	ORDERING NOTE: When orderin 36" or 30" and chose required leg weight added to each seat unit, p Double-Seat, 45° Inside Curve, M ZOP3-MCID45DM2F	type below. Fre lease add \$303	estanding Blist upcha	, Start ar arge per	nd End units unit.					
Zola Privacy (Option Upcharges \$	S List						\$ List	į	
Moisture Barric Seat Power (pr Shelf Power Floor-saver felt Non-slip rubbe Metal glides PRODUCT COD	t glides er glides	641 Du 600 Re 29 No	ual Leg (fo emovable ote: Remo	r Multiple Seat Cov vable ba	ole-Seat, 45 e unit config vers -Double ock covers a ttery - dual fa	urations) -Seat, 45 re not ava		180 80 101 curved b 33	acks	
Line	Series Chair	Туре С	Curve Style		Seat Degree	Е	Back Type		Leg Typ	е
ZOP	3 MCUlar Modular Modular Modular Plu	Curve Inside	IS Curve -Sir Curve -Dou Curve -Dou Curve -Sir Curve -Dou Curve -Sir Curve -Sir Curve -Sir Curve -Sir Curve -Sir	uble	30D 45D 60D 90D	Full He SI Full He Privacy Mid Mid He	F0 Height Back value of Option F2 eight Back value of Screen Option M0 Height Back value of Screen Option M1 eight Back value of Option M2	with with otion	F seestanding S Start Un C Center U E End Un	it] nit
							eight Back of Screen Op			

		СОМ		COL	FABF	RIC GRAD	DES		LEATHE	R
I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
Double-Seat, 60° Insid ZOP3-MCID60DF0F	de Curve, Full Heigh	t Back 5910	6263	6616	7127	7704	8215	8791	9499	10262
Double-Seat, 60° Insid ZOP3-MCID60DF1_	de Curve, Full Heigh Beech/Laminate Maple/Palette	t Back w 6766 6867	vith Shelf 7122 7219	7476 7573	7986 8085	8563 8662	9074 9172	9652 9751		11121 11219
42", 36" or 30" and ch	nose required leg typ	oe below	/. Freestar	iding, St	art and Enc	l units wit				_
Double-Seat, 60° Insid ZOP3-MCID60DF2F	de Curve, Full Heigh	t Back w 6869	vith Privac 7222	y Screer 7577	n 8088	8666	9174	9754	10460	11224
Double-Seat, 60° Insid ZOP3-MCID60DM0F	de Curve, Mid Heigh	t Back 5588	5884	6175	6595	7069	7487	7963	8548	9161
		nt Back v 6447 6545	vith Shelf 6742 6840	7035 7132	7452 7550	7927 8026	8344 8445	8820 8918		10020 10120
36" or 30" and chose r weight added to each	required leg type bel seat unit, please ac	ow. Free ld \$303 l	standing, list upcha	Start and	d End units unit.				counterl	
Option Upcharges	\$ List							\$ List		
er & CAL 133 (per yard) er power unit) glides er glides	64 641 600 29 18 25	Dua Rem Not	l Leg (for l novable Se e: Remova	Multiple eat Cove able bac	unit configuers -Double k covers ar	ırations) -Seat, 60° e not avai		80 123 urved ba	acks	
Series	Chair Type	Cu	ırve Style	S	eat Degree	В	ack Type		Leg Typ	e
3 Lounge	MC Modular Curve	[ID	lle	30D 45D	Full I	F0 Height Back		F eestanding S	
	Double-Seat, 60° Inside ZOP3-MCID60DF0F Double-Seat, 60° Inside ZOP3-MCID60DF1_ ORDERING NOTE: Wide 42", 36" or 30" and cheat of balance weight added and bouble-Seat, 60° Inside ZOP3-MCID60DF2F Double-Seat, 60° Inside ZOP3-MCID60DM0F Double-Seat, 60° Inside ZOP3-MCID60DM1_ ORDERING NOTE: Wide 36" or 30" and chose in weight added to each bouble-Seat, 60° Inside ZOP3-MCID60DM2F Option Upcharges or & CAL 133 (per yard) or power unit) glides in glides EKEY Series	Double-Seat, 60° Inside Curve, Full Height ZOP3-MCID60DF0F Double-Seat, 60° Inside Curve, Full Height ZOP3-MCID60DF1 Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg typbalance weight added to each seat unit, public pouble-Seat, 60° Inside Curve, Full Height ZOP3-MCID60DF2F Double-Seat, 60° Inside Curve, Mid Height ZOP3-MCID60DM1 Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type believeight added to each seat unit, please according to the property of the province	Double-Seat, 60° Inside Curve, Full Height Back ZOP3-MCID60DF1_ Beech/Laminate 6766 Maple/Palette 6867 ORDERING NOTE: When ordering a back with St 42", 36" or 30" and chose required leg type below balance weight added to each seat unit, please at ZOP3-MCID60DF2F 6869 Double-Seat, 60° Inside Curve, Full Height Back v ZOP3-MCID60DF2F 6869 Double-Seat, 60° Inside Curve, Mid Height Back v ZOP3-MCID60DM1_ Beech/Laminate 6447 Maple/Palette 6545 ORDERING NOTE: When ordering a back with St 36" or 30" and chose required leg type below. Free weight added to each seat unit, please add \$303 Inside Curve, Mid Height Back v ZOP3-MCID60DM1_ Beech/Laminate 6447 Maple/Palette 6545 ORDERING NOTE: When ordering a back with St 36" or 30" and chose required leg type below. Free weight added to each seat unit, please add \$303 Inside Curve, Mid Height Back v ZOP3-MCID60DM2F 6549 Option Upcharges \$List Option Upcharges \$List Order & CAL 133 (per yard) 64 Plus 600 Ren 600 Glides 29 Not 641 Dua 600 Ren 600 Glides 29 Not 7 glides 18 Con 25 EKEY Series Chair Type CL MCB	Double-Seat, 60° Inside Curve, Full Height Back with Shelf ZOP3-MCID60DF1_ Beech/Laminate 6766 7122 Maple/Palette 6867 7219 ORDERING NOTE: When ordering a back with Shelf option 42", 36" or 30" and chose required leg type below. Freestan balance weight added to each seat unit, please add \$303 list 2OP3-MCID60DF2F 6869 7222 Double-Seat, 60° Inside Curve, Full Height Back with Privac ZOP3-MCID60DF2F 6869 7222 Double-Seat, 60° Inside Curve, Mid Height Back with Shelf ZOP3-MCID60DM0F 5588 5884 Double-Seat, 60° Inside Curve, Mid Height Back with Shelf ZOP3-MCID60DM1_ Beech/Laminate 6447 6742 Maple/Palette 6545 6840 ORDERING NOTE: When ordering a back with Shelf option 36" or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$303 list upchan 20° or 30° or 3	Double-Seat, 60° Inside Curve, Full Height Back ZOP3-MCID60DF0F Double-Seat, 60° Inside Curve, Full Height Back with Shelf ZOP3-MCID60DF1_ Beech/Laminate 6766 7122 7476 Maple/Palette 6867 7219 7573 ORDERING NOTE: When ordering a back with Shelf option please 42", 36" or 30" and chose required leg type below. Freestanding, St balance weight added to each seat unit, please add \$303 list upchar Double-Seat, 60° Inside Curve, Full Height Back with Privacy Screer ZOP3-MCID60DM1_ Beech/Laminate 6447 6742 7035 Maple/Palette 6545 6840 7132 ORDERING NOTE: When ordering a back with Shelf ZOP3-MCID60DM0F Double-Seat, 60° Inside Curve, Mid Height Back with Shelf ZOP3-MCID60DM1_ Beech/Laminate 6447 6742 7035 Maple/Palette 6545 6840 7132 ORDERING NOTE: When ordering a back with Shelf option please 36" or 30" and chose required leg type below. Freestanding, Start and weight added to each seat unit, please add \$303 list upcharge per to Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM2F S List EKEY Series Chair Type Curve Style S MC IS Jounge Modular Curve Inside Curve - Single	Double-Seat, 60° Inside Curve, Full Height Back ZOP3-MCID60DF0F 5910 6263 6616 7127 Double-Seat, 60° Inside Curve, Full Height Back with Shelf ZOP3-MCID60DF1_ Beech/Laminate 6766 7122 7476 7986 Maple/Palette 6867 7219 7573 8085 ORDERING NOTE: When ordering a back with Shelf option please clearly spec 42", 36" or 30" and chose required leg type below. Freestanding, Start and Enc balance weight added to each seat unit, please add \$303 list upcharge per unit Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen ZOP3-MCID60DM0F 588 588 5884 6175 6595 Double-Seat, 60° Inside Curve, Mid Height Back with Shelf ZOP3-MCID60DM0F 5588 5884 6175 6595 Double-Seat, 60° Inside Curve, Mid Height Back with Shelf ZOP3-MCID60DM1_ Beech/Laminate 6447 6742 7035 7452 Maple/Palette 6545 6840 7132 7550 ORDERING NOTE: When ordering a back with Shelf option please clearly spec 36" or 30" and chose required leg type below. Freestanding, Start and End units weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID60DM2F 644 Plus Upgrade - Double-Seat, 60° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID60DM2F 641 Dual Leg (for Multiple unit config. Removable Seat Covers -Double Seat Covers -Double Seat Covers -Double Seat Covers -Double Seat Seat Seat Seat Seat Seat Seat Sea	Double-Seat, 60° Inside Curve, Full Height Back ZOP3-MCID60DF0F Sp10 6263 6616 7127 7704	Double-Seat, 60° Inside Curve, Full Height Back ZOP3-MCID60DF0F S910 6263 6616 7127 7704 8215	Double-Seat, 60° Inside Curve, Full Height Back	Double-Seat, 60° Inside Curve, Full Height Back

DECODIDEION/A	AODEL/ODEOIEC		COM 1	0	COL	FABR 4	IC GRAD			LEATHER	
DESCRIPTION/N	MODEL/SPECIES Double-Seat, 90° Insid ZOP3-MCID90DF0F	e Curve, Full Hei	•	7303	7673	8211	5 8813	9354	9959	10694	11512
		Beech/Laminate Maple/Palette nen ordering a ba hose required le	7873 7973 ack with g type be	8239 8341 Shelf op	8610 8709 tion plea estandin	g, Start and	End units				12549 If Height
	Double-Seat, 90° Insid ZOP3-MCID90DF2F	e Curve, Full Hei	ight Back 7942	with Pri 8308	vacy Sci 8678	reen 9217	9818	10358	10963	11699	12514
	Double-Seat, 90° Insid ZOP3-MCID90DM0F	e Curve, Mid He	ight Bac	6735	7028	7446	7921	8340	8813	9403	10014
	Double-Seat, 90° Insid ZOP3-MCID90DM1_ ORDERING NOTE: WI - 36" or 30" and chose ance weight added to a	Beech/Laminate Maple/Palette nen ordering a ba required leg type	7379 7480 ack with e below.	7674 7773 Shelf op Freestan	7966 8067 tion plea ding, Sta	art and End u	ınits with				11051 If Height
	Double-Seat, 90° Insid ZOP3-MCID90DM2F	e Curve, Mid He	ight Bac	k with Pri 7740	ivacy Sc 8033	reen Option 8450	8925	9342	9818	10408	11018
Zola Privacy Op	otion Upcharges	\$ List							\$ Lis	t	
Moisture Barrier Seat Power (per Shelf Power Floor-saver felt g Non-slip rubber g Metal glides	lides glides	64 641 600 29 18 25	Du Re No	al Leg (fo movable te: Remo	or Multip Seat Co ovable b	ible-Seat, 90 le unit config overs - Doubl ack covers a stery - dual f	urations) e-Seat, 9 re not av	90° Curve	22 8 12 curved t 3	0 7 packs	
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	oe .
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outside	IS Curve -Si ID Curve -Do OS e Curve -S OD curve -D	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mid Mid H S	F0 I Height Back F1 leight Back chelf Option F2 leight Back y Screen O M0 I Height Back d Height Back shelf Option M2 leight Back	with with ption ck with	Freestandin S Start Ur C Center U	nit
					20	OF L SEATIN	Privac	/ Screen Op	otions	LECLU	C A E O

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAI 5	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 30° Outsic ZOP3-MCOD30DFOF	de Curve, Full Hei	ght Back 4593	4879	5166	5563	6020	6419	6873	7445	8015
	Double-Seat, 30° Outsic ZOP3-MCOD30DF1_ E		ght Back 5155 5248	with Shelf 5441 5534	5726 5821	6126 6219	6582 6676	6981 7073	7437 7531	8008 8099	8579 8670
- 1 .	ORDERING NOTES: W - 42", 36" or 30" and che balance weight added to	ose required leg ty	ype belov	v. Freestar	nding, St	tart and End	units wit				
	Double-Seat, 30° Outsic ZOP3-MCOD30DF2F	le Curve, Full Hei	ght Back 5192	with Priva 5478	icy Scree 5764	en 6163	6620	7018	7474	8044	8615
	Double-Seat, 30° Outsic ZOP3-MCOD30DMOF	le Curve, Mid Hei	ght Back 4398	4637	4873	5206	5586	5918	6296	6770	7245
	Double-Seat, 30° Outsic ZOP3-MCOD30DM1_ E		ght Back 4961 5054	with Shel 5199 5292	f 5436 5529	5767 5861	6147 6242	6480 6574	6859 6953	7333 7427	7808 7900
	ORDERING NOTES: W - 36" or 30" and chose reweight added to each se	equired leg type be	elow. Free	estanding,	Start an	d End units					
	Double-Seat, 30° Outsic ZOP3-MCOD30DM2F	le Curve, Mid Hei	ght Back 4998	with Priva 5236	acy Scre 5472	en Option 5806	6185	6518	6896	7371	7844
Zola Privacy (Option Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (po Shelf Power Floor-saver felt Non-slip rubbe Metal glides	glides	64 641 600 29 18 25	Dua Rer No t	al Leg (for novable S t e: Remov	Multiple eat Coverable back	le-Seat, 30° unit configuers -Double ck covers ar ery - dual fa	urations) -Seat, 30 e not ava		152 80 93 curved b	acks	
PRODUCT COD											
Line	Series	Chair Type	Ci	urve Style		Seat Degree	E	Back Type		Leg Type	9 1
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve		IS Curve -Sing ID Curve -Doul		30D 45D		F0 Height Back		eestanding S Start Uni	
		Plus	Outside	OS e Curve -Sin	igle	60D	Full He	nelf Option F2 eight Back v Screen Op		C Center Ur	nit
			Outside	OD Curve -Dou	uble	90D		M0 Height Bac M1 eight Back v		End Unit	t

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD 5	ES 6	L 7	EATHEF 8	8 9
	Double-Seat, 45° Outsic ZOP3-MCOD45DFOF	le Curve, Full Hei	ght Back 4798	5084	5368	5767	6225	6624	7080	7651	8221
	Double-Seat, 45° Outsic ZOP3-MCOD45DF1_ E N ORDERING NOTE: Whe 42", 36" or 30" and choo balance weight added to	leech/Laminate Maple/Palette en ordering a bac se required leg ty	5362 5454 ck with Sh pe below	5646 5740 nelf option. Freesta	5932 6024 n please inding, \$	Start and End	units wi				
	Double-Seat, 45° Outsic ZOP3-MCOD45DF2F	le Curve, Full Hei	ght Back 5397	with Priv 5684	/acy Sci 5969	reen 6366	6823	7222	7680	8250	8820
	Double-Seat, 45° Outsic ZOP3-MCOD45DMOF	le Curve, Mid Hei	ight Back 4581	4817	5056	5388	5766	6099	6478	6954	7428
	Double-Seat, 45° Outsic ZOP3-MCOD45DM1_ E N ORDERING NOTE: Who 36" or 30" and chose red weight added to each se	eech/Laminate Maple/Palette en ordering a bac quired leg type be	5142 5236 k with Shelow. Free	5381 5472 nelf optionstanding	5616 5712 n please , Start a	nd End units					
	Double-Seat, 45° Outsic ZOP3-MCOD45DM2F	le Curve, Mid Hei	ight Back 5181	with Pri	vacy Sc 5656	reen Option 5986	6365	6697	7079	7552	8028
	t glides er glides	\$ List 64 641 600 29 18 25	Du: Rei	al Leg (fo movable	r Multip Seat Co	ible-Seat, 45' le unit config overs - Doubl ack covers a	urations) e-Seat, 4	5° Curve	\$ List 180 80 101 curved b))	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside	IS Curve -Sin ID Curve -Do OS Curve -S Curve -S Curve -Do	uble ingle	Seat Degree 30D 45D 60D 90D	Full H S Full H Privacy	F0 Height Back helf Option F2 leight Back y Screen O M0 Height Back M1	with with ption ck	Leg Typ F eestanding S Start Un C Center U E End Un	g Unit iit nit
							S Mid H	eight Back helf Option M2 eight Back Screen Op	with		

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	8
	Double-Seat, 60° Outside ZOP3-MCOD60DFOF	e Curve, Full Heiç	ght Back 5050	5336	5619	6019	6474	6873	7331	7900	8471
	Double-Seat, 60° Outside ZOP3-MCOD60DF1_ Bo M		ght Back 5609 5702	with Shelf 5894 5986	f 6181 6270	6579 6670	7035 7125	7435 7524	7890 7982	8460 8552	9028 9120
, 1	ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	e required leg typ	oe below	. Freestan	ding, St	art and End	units witl				
	Double-Seat, 60° Outside ZOP3-MCOD60DF2F	e Curve, Full Heiç	ght Back 5647	with Priva 5933	icy Scre 6218	en 6616	7072	7472	7928	8499	9067
	Double-Seat, 60° Outside ZOP3-MCOD60DMOF	e Curve, Mid Hei	ght Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
	Double-Seat, 60° Outside ZOP3-MCOD60DM1_ Be		ght Back 5360 5450	with Shel 5595 5686	f 5833 5924	6164 6256	6543 6634	6875 6968	7257 7346	7731 7821	8205 8296
	ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se Double-Seat, 60° Outside ZOP3-MCOD60DM2F	uired leg type bel at unit, please ac	ow. Free ld \$303 I	standing, ist upchar	Start and ge per u	d End units v ınit.					
Zola Privacy C	ption Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubbel Metal glides PRODUCT COD	glides · glides	64 641 600 29 18 25	Dua Ren	l Leg (for novable S	Multiple eat Cove	e-Seat, 60° unit configu ers - Double kk covers are	rations) -Seat, 60		193 80 123 urved ba		
Line	Series	Chair Type	Cı	urve Style	(Seat Degree	Е	Back Type		Leg Type	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus		IS Curve -Sing ID Curve -Dou OS		30D 45D 60D	Full He	F0 Height Back F1 eight Back whelf Option F2		F eestanding S Start Unit	
				OD Curve -Dou		90D	Privacy Mid Mid He Sh	ight Back w Screen Opt M0 Height Back w sight Back w all option M2 sight Back w	tion C vith	Center Un E End Unit	
							rrivacy	Screen Opti	IUIS		

DECODIDATION	/MODEL /CDECIEC		COM	0	COL		IC GRAD			EATHER	
DESCRIPTION	/MODEL/SPECIES Double-Seat, 90° Outside	Curvo Full Hoi	1	2	3	4	5	6	7	8	9
	ZOP3-MCOD90DF0F	e Gurve, i uli riel	5659	5944	6229	6628	7084	7484	7940	8511	9080
		eech/Laminate aple/Palette	6212 6304	6497 6587	6784 6873	7182 7271	7638 7730	8038 8129	8493 8584	9064 9157	9632 9725
1	ORDERING NOTES: Wh - 42", 36" or 30" and choo balance weight added to	se required leg t	ype belo	w. Frees	tanding,	Start and Er	nd units w				
	Double-Seat, 90° Outside ZOP3-MCOD90DF2F	e Curve, Full Hei	ight Bacl 6247	k with Pr 6534	ivacy Scr 6819	reen 7216	7674	8073	8529	9099	9668
	Double-Seat, 90° Outside ZOP3-MCOD90DM0F	e Curve, Mid He	ight Bac 5507	k 5833	6159	6663	7216	7722	8276	8930	9737
	Double-Seat, 90° Outside		ight Bac	k with Sh	nelf						
	ZOP3-MCOD90DM1_ Be	eech/Laminate aple/Palette	6060 6154	6387 6477	6713 6805	7216 7310	7770 7863	8276 8367	8830 8919		10291 10382
	ORDERING NOTES: Wh - 36" or 30" and chose recurrence weight added to each sea	quired leg type b	elow. Fre	estandir	ıg, Start a	and End unit					
	Double-Seat, 90° Outside ZOP3-MCOD90DM2F	e Curve, Mid He	ight Bac 6097	k with Pr 6421	ivacy Sc 6749	reen Option 7255	7807	8310	8865	9517	10328
Zola Privacy C	Option Upcharges	\$ List							\$ List	:	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides PRODUCT COD	glides r glides	64 641 600 29 18 25	Du: Rei	al Leg (fo movable	r Multiple Seat Co	ole-Seat, 90 e unit config vers - Doubl ack covers a	gurations) le-Seat, 9	0° Curve	220 80 127 curved b		
Line	Series	Chair Type	С	urve Style	!	Seat Degree		Back Type		Leg Typ	ре
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -S ID Curve -Do OS e Curve -S OD e Curve -D	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mic Mid H S	F0 I Height Back F1 Ideight Back Shelf Option F2 Ideight Back by Screen O M0 Id Height Back M1 Ideight Back Shelf Option M2 Ideight Back	with with ption ck with	Feeestandin	nit Juit

ZOLA PRIVACY | SIDE PANELS

	M/MODEL/CRECIES		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C	e, Full Height No Scr Start Center	een 948 1222	1036 1310	1124 1398	1304 1578	1481 1753	1660 1932	1836 2109	2016 2286	2370 2642
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370
		e, Full Height with So	reen								
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665
	Side Panel, Single	e, Mid Height No Scr	een								
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732
	Side Panel, Single	e, Mid Height with So	reen								
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 30 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MP Modular Side Panel	F0 Full Height	S Start	
2014	Lourigo	Woodaa Glad Fallor			
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314	
	ZOP3-MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589	
,	ZOP3-MSPF0E	End	583	628	674	765	856	949	1039	1132	1314	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C C Center	
				E	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ure ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	С	
Solid Surface Arm Cap (per arm)	129	136	151	157

PRODUCT CODE KEY

THOUGHT CODE NET					
Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIN	ИE	NS	10	١S
-----	----	----	----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Si	ngle-Seat - Ful	l Height Ba	ıck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Si	ngle-Seat - Mid	d Height Ba	nck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Do	ouble-Seat - Fu	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Do	ouble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Since	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						_
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODEL		COM 2	COL 3	FABF 4	RIC GRAD	DES 6	LE 7	EATHER 8	9
Twin Single-S ZOP3-MCTS:	Seat, 30° Curve, Full Hei 30DF0F	ight Back 5204 5517	5830	6268	6767	7208	7709	8335	8960
Twin Single-S ZOP3-MCTS:	Seat, 30° Curve, Full Hei 30DF2F	ight Back with 5796 6111	Privacy So 6422	creen Option 6862	า 7362	7800	8302	8930	9555
Twin Single-S ZOP3-MCTS:	Seat, 30° Curve, Mid He 30DM0F	eight Back 4930 5213	5494	5888	6336	6731	7180	7741	8305
Twin Single-S ZOP3-MCTS:	Seat, 30° Curve, Mid He 30DM2F	eight Back with 5525 5806	Privacy S 6085	creen Optio	on 6931	7323	7773	8337	8896
Twin Single-S ZOP3-MCTS	Seat, 45° Curve, Full He 45DF0F	eight Back 5867 6191	6519	6977	7498	7953	8477	9130	9781
Twin Single-S ZOP3-MCTS	Seat, 45° Curve, Full He 45DF2F	eight Back with 6468 6793	Privacy S 7120	creen Optic 7577	n 8098	8555	9079	9730	10382
Zola Privacy Option Upcharges	\$ List						\$ List		
Moisture Barrier & CAL 133 (per yard Seat Power (per power unit) Shelf Power Dual Leg (for Multiple unit configurate Floor-saver felt glides Non-slip rubber glides Metal glides PRODUCT CODE KEY	641 600	Plus Upgra Plus Upgra Removable Removable Note: Rem	de - Twin Seat Cov Seat Cov	Single-Seat ers -Twin S ers -Twin S	, 45° Cur ingle-Sea ingle-Sea	ve at, 30° Curv at, 45° Curv	ve 166		
Line Series	Chair Type	Curve Style	S	eat Degree	В	ack Type		Leg Type	
ZOP 3 Zola Lounge	MCT Modular Curve Twin	Small Radius- Single Width		30D	Full I	F0 Height Back	Free	Festanding	Unit
	MCTB Modular Curve Twin Plus	D Small Radius- Double Width		45D		F2 ight Back wi Screen Opti		Start Uni	t
				90D	Mid He	M0 Height Back M2 ight Back w Screen Option	ith	C Center Un E End Unit	

DESCRIPTION/MODE	:L		COM 2	COL 3	FABF	RIC GRA	ADES 6	7	EATHER 8	9
	Twin Single-Seat, 45° ZOP3-MCTS45DMOR		eight Back 5556 5850	6142	6556	7027	7438	7909	8499	9087
	Twin Single-Seat, 45° ZOP3-MCTS45DM2F		eight Back with 5531 5812	Privacy § 6093	Screen Optic 6489	on 6938	7331	7781	8342	8905
	Twin Single-Seat, 60° ZOP3-MCTS60DFOF		eight Back 6662 7045	7430	7966	8580	9116	9729	10495	1126
	Twin Single-Seat, 60° ZOP3-MCTS60DF2F	Curve, Full H	eight Back with l 7266 7649	Privacy S 8033	Screen Optio 8569	n 9184	9719	10333	11098	11866
	Twin Single-Seat, 60° ZOP3-MCTS60DMOR		eight Back 6304 6644	6983	7460	8002	8477	9020	9697	1037
	Twin Single-Seat, 60° ZOP3-MCTS60DM2F		eight Back with 7480 7913	Privacy S 8345	Screen Optic 8955	9650	10259	10953	11820	1268
Zola Privacy Option	Upcharges	\$ List						\$ List	t	
Moisture Barrier & CA Seat Power (per powe Shelf Power Dual Leg (for Multiple Floor-saver felt glides Non-slip rubber glides Metal glides PRODUCT CODE KEY	L 133 (per yard) er unit) unit configurations)	64 641 600 80 29 18 25	Plus Upgrad Removable Removable	le - Twin Seat Cov Seat Cov	Single-Seat. Single-Seat. vers -Twin Si vers -Twin Si uck covers an	, 60° Cu ngle-Se ngle-Se	ırve eat, 45° Cur eat, 60° Cur	345 404 ve 166 ve 212	5 - 	
Line	Series	Chair Type	Curve Style		Seat Degree		Back Type		Leg Typ	oe .
ZOP Zola	3 Lounge Mod	MCT dular Curve Twin	Small Radius Single Width		30D	Fı	F0 ull Height Ba	ck Fi	Freestandir	g Unit
	N	MCTB Modular Curve Twin Plus	D Small Radius Double Widtl		45D 60D	Priva	F2 Height Back cy Screen O M0 id Height Ba	ption	Start U	

M2

Е

End Unit

90D

		COM COL FABRIC		BRIC GRA	BRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full	Height B	ack							
	ZOP3-MCTS90DF0F	8312	8702	9091	9644	10270	10818	11446	12225	13017
	Twin Single-Seat, 90° Curve, Full	Heiaht Ba	ack with	Privacv S	creen Opt	ion				
	ZOP3-MCTS90DF2F	9265	9654	10044	10594	11223	11769	12396	13175	13969
-	Twin Single-Seat, 90° Curve, Mic	l Height B	ack							
	ZOP3-MCTS90DM0F	7814	8159	8506	8994	9550	10040	10594	11286	11991
	Twin Single-Seat, 90° Curve, Mic	L Wojaht B	ook with	Drivoov 9	Soroon On	tion				
	ZOP3-MCTS90DM2F	7447	7838	8230	8775	9398	9945	10570	11349	12130

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve 516
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve 240
Floor-saver felt glides	29	Note: Removable back covers are not available on curved backs
Non-slip rubber glides	18	
Metal glides	25	

DOO! CODE IL	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM	_	COL		RIC GRAD			EATHER	
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DF0F	Full Height I 6875	3ack 7311	7743	8350	9046	9654	10348	11216	12086
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DF2F	Full Height I 7820	Back with 8256	n Privacy \$	Screen Op 9296	otion 9991	10598	11293	12163	13029
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM0F	Aid Height E 6496	3ack 6886	7279	7822	8447	8993	9619	10399	11179
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM2F	Mid Height E 7441	Back with	Privacy S 8222	Screen Op	tion 9393	9938	10564	11344	12122

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve 404	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80	
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 30° Curve 186	
Floor-saver felt glides	29	Note: Removable back covers are not available on curved back	S
Non-slip rubber glides	18		
Metal glides	25		

PRODUCT CODE KE	: Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Barrens 7754	ack 8198	8645	9269	9983	10606	11320	12211	13105
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height B	ack with I 9156	Privacy S 9600	screen Opt 10222	ion 10937	11561	12274	13167	14058
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 7346	ack 7750	8152	8715	9358	9919	10564	11367	12171
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 8304	ack with 8703	Privacy S 9108	Screen Opt 9668	ion 10312	10875	11517	12320	13127

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve	458
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° C	urve 204
Floor-saver felt glides	29	Note: Removable back covers are not available on	curved backs
Non-slip rubber glides	18		
Metal glides	25		

ODUCT CODE KET						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola		MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN CURVED

		COM		COL	FAB	RIC GRAD	ES	L	EATHER	2
DESCRIPTION/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve	, Full Height Ba	ck							
	ZOP3-MCTD60DF0F	8458	8912	9363	9996	10721	11353	12079	12983	13887
	Twin Double-Seat, 60° Curve	e, Full Height Ba	ack with	Privacy So	creen Opt	tion				



ZOP3-MCTD60DF2F 9418 9873 10324 10958 11680 12315 13038 13944 14848

Twin Double-Seat, 60° Curve, Mid Height Back
ZOP3-MCTD60DM0F 7994 8404 8811 9383 10039 10609 11264 12083 12897



 Twin Double-Seat, 60° Curve, Mid Height Back with Privacy Screen Option

 ZOP3-MCTD60DM2F
 8955
 9363
 9772
 10344
 10995
 11568
 12225
 13042
 13858

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 60° Curve 248
Floor-saver felt glides Non-slip rubber glides	29 18	Note: Removable back covers are not available on curved backs
Metal glides	25	

DOCT CODE KE	T					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Uni
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
				90D	Mid Height Back	Center Unit
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

		COM		COL	FAB	RIC GRAD	ES	LE	ATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
Twin Side ZOP3-MP ZOP3-MP		1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side ZOP3-MP ZOP3-MP		2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side ZOP3-MP ZOP3-MP		- 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
ZOP3-MP ZOP3-MP		1767 2478 connect		•		2301 3011 s with Priva	2479 3188 acy Screer	2657 3367 n Option a	2833 3543 are not av	3188 3902 ailable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		1	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
		1	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private	Side Panel, Sin	gle, Full H	leight							
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight							
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497
.	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 40 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	-	С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	514 538	12	2
	Tablet with Palette Fini ZOL3-T2	sh n/a	411	12	2
	Clear Glass Tablet ZOL3-T3	n/a	783	13	2
	Laminate Tablet ZOL3-T4	n/a	532	12	2
	ORDERING NOTES: Thanded and do not ne	he laminate tabed to be specified to be specif	olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3-T5AW	Grade A White n/a	641	14	2
	Solid Surface Tablet - ZOL3-T5AC	Grade A Color n/a	651	14	2
9	Solid Surface Tablet - ZOL3-T5B	Grade B n/a	686	14	2
	Solid Surface Tablet - ZOL3-T5C	Grade C n/a	741	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	3029
ZOP3-IWF048MP	1	2404
ZOP3-ICWF0L	1	1697
ZOP3-ICWF0R	1	1697
ZOP3-RO48532416	1	1066
Total		\$12,922



Total		\$11,215
ZOP3-ICTWM0R	1	1715
ZOP3-ICTWM0L	1	1715
ZOP3-M2M0F	3	2595
Model	Qty	Price (\$)

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Γ CUBE
	Inline Wall, Full Height 42"								
	ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	.8" 1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	50" 1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	1242 1242	1827	1734	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	18" 1330	2010	1834	48	12	37	102	15.25
	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	54" 1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1506	2186	2033	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full	Height 42"							
	ZOP3-IWF042P	2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
50	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	es, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	cs, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Dod ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Dod ZOP3-IWM048MP	es, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
50	Inline Wall Media w/Power Dod ZOP3-IWM054MP	es, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Dod ZOP3-IWM060MP	es, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	Γ CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	427	446	556	662
ZOP3-IWF048N	478	500	622	745
ZOP3-IWF054N	530	555	693	829
ZOP3-IWF060N	555	607	761	913

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>page</u> 116 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

I HODOOT CODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Γ CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30° ZOP3-ITWF030N	, 1163	1946	1684	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23					05.7	07		
	ZOP3-ITWM023N	910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1086	1643	1596	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs								
	ZOP3-ITWF023P	1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
570									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP Zola	3 Lounge	ITW Inline Table Wall	F0 Full Height	23 23"	N None
Σοια	Lounge	mine table wan	MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGHT (CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1776	2678	2178	28	28	50	140	31
	ZOP3-ICTWF0R	1776	2678	2178	28	28	50	140	31
	Inline Corner Table Wall, Mid	l Height							
	ZOP3-ICTWM0L	1715	2566	2108	28	28	37	127	23
	ZOP3-ICTWM0R	1715	2566	2108	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE TAE	BLE WALLS SOLID SURFACE									
Option	A-White	Grades A-Color	s B	С						
ZOP3-ITWF023N	483	508	632	756						
ZOP3-ITWF030N	605	635	796	957	ORDERING NOTES:					
ZOP3-ITWM023N	483	508	632	756	The Solid Su	ırface t	op or	otion is pr	iced as	
ZOP3-ITWM030N	605	635	796	957	an upcharg					
ZOP3-ITWF023P	483	508	632	756	Please add a					
ZOP3-ITWF030P	605	635	796	957	number and	the u	pchai	rge listed	below.	
ZOP3-ITWM023P	483	508	632	756	Zola Solid S	Surfac	e tab	les have	a 1/2"	
ZOP3-ITWM030P	605	635	796	957	thickness or					
ZOP3-ICTWF0	607	637	801	961	with a 1 mm					
ZOP3-ICTWM0	607	637	801	961	cal edge). Pl options.	ease s	ee <u>pa</u>	ige 116 fo	or color	
PRODUCT CODE K	EY									
Line	Series	Chair Type		Height		Posi	tion			
ZOP	3	ICTW		F0		L				
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft			
				MO		F	2			
				Mid Height		Rig	nht			
				wiid rioigiit		1115	,			
			HIGH	CHERRY						
		THERMOFUSED	PRESSURE	MAPLE						
DESCRIPTION/MO	ODEL	LAMINATE	LAMINATE	BEECH	W	D	Н	WEIGH1	CUBE	
	Run-off Table for 48" Inline V	Vall								
	ZOL4-RO48-302416	904	1279	1389	30	24	16	25	3.75	
	ZOL4-RO48-372416	954	1380	1455	37	24	16	30	4.5	
	ZOL4-RO48-532416	1066	1615	1603	53	24	16	40.5	5.75	
U	ZOL4-RO48-762416	1231	1953	1818	76	24	16	56	7.5	
	Run-off Table for 54" Inline V	Vall								
	ZOL4-RO54-303016	957	1252	1459	30	30	16	35	4.25	
	ZOL4-RO54-373016	1018	1379	1540	37	30	16	41	5.25	
	ZOL4-RO54-533016	1163	1671	1728	53	30	16	54	6.75	
Ш	ZOL4-RO54-763016	1370	2092	1995	76	30	16	74	8.75	

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/M	ODEL		PRICE	WEIGHT	CUBE
	Wood Tablet 8 ZOL3-RT1	Mounting Plate Only Beech Maple /Cherry	381 405	5 5	0.32 0.32
	Painted Tablet ZOL3-RT2	t & Mounting Plate Only n/a	278	5	0.32
	Clear Glass Ta ZOL3-RT3	ablet & Mounting Plate Only n/a	651	6	0.32
	Laminate Table ZOL3-RT4	et & Mounting Plate Only n/a	397	5	0.32
	Solid Surface ZOL3-RT5	Tablet & Mounting Plate Only Grade - A-White Grade - A-Color Grade - B Grade - C	539 547 577 624		
	ORDERING N	IOTES: The Zola replaceme	nt tablets on this page include the top with mounting	plate only.	
	Leg ZOL3-RLS		58	1	0.125
	Caster Leg ZOL3-RLC		39	0.4	0.125
	Dual leg ZOL3-RDL		100	1	0.125
	Leg Glide (4) ZOL3-RLG		24	0.2	0.01
000	Replacement 3	Seat-to-Seat Bracket	95	1	0.125
		Modular Seats are ordered, e	ach seat is automatically supplied with two seat to sea	at brackets	
	Replacement ZOL3-RLKB1	Table-to-Seat Bracket	114	3	0.125
	ZOL3-POWEF	RDOC1 - Undermount	573	3	0.375
D on D on D			eats and Tables as a replacement part or installed on un wer and USB A & C outlets. PowerDoc's have a 10' co		ously spec-
	ZOL3-POWEF	RDOC2	647	3	0.375
0 m 0 m m			or Square/Rectangular tables which were originally of & C outlets. PowerDoc's have a 10' cord.	ordered with	this power
	Wire Manager ZOL3-WM10	Shroud	120	1	0.375
	ORDERING N	IOTES: Comes in a 10' lengt	h when ordered. Can be cut to size on site.		


ZOLA PRIVACY | COMPONENTS

DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
	ZOP3-POWERDOC3 - Shelves only 610 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3-WM 187	1	0.375

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

DIMENSIONS	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1S1	871	916	963	1053	1139	1227	1314	1398	1535
	One-Seat Plus ZOL3-MSB1S1	1098	1146	1195	1289	1384	1480	1572	1668	1810
	ORDERING NOTES: One-S	eat Plus B	ench is 30)" wide.						
	Two-Seat ZOL3-MS2S1	1218	1272	1330	1447	1566	1685	1803	1922	2118
"	Two-Seat Plus ZOL3-MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214
	ORDERING NOTES: The To	vo-Seat Pl	us comes	standard	with a fifth	leg for ext	tra suppor	t.		
	Three-Seat ZOL3-MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748
	Three-Seat Plus ZOL3-MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946
	ORDERING NOTES: The Th	ree-Seat F	Plus come	s standard	d with a fift	th leg for e	xtra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAI	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555
	One-Seat Plus ZOL3-MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905
	ORDERING NOTES: On	e-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3-MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166
	Two-Seat Plus ZOL3-MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218
	ORDERING NOTES: Th	e Two-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppor	t.		
	Three-Seat ZOL3-MS3F1 Three-Seat Plus	1921	2016	2108	2236	2388	2522	2671	2859	3047
	ZOL3-MSB3F1	1988	2085	2176	2310	2460	2591	2742	2928	3117

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$107 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$77 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	


COM YARDAGES

	COM Yardage per Seat	COM Yardage 2 Seats	COM Yardage 3 Seats	COM Yardage 4 Seats	
<u> </u>	per cear	2 00010	o coate	1 000.0	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	


SINGLE SEAT




30° Curve



45° Curve





60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Vardages

COM Yardages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	

SINGLE SEAT




30° Curve



45° Curve





60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Sta ZOL3-MCS30DS1	ndard Dep 1251	oth 1361	1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Sta ZOL3-MCS45DS1	ndard Dep 1361	oth 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Sta ZOL3-MCS60DS1	ndard Dep 1539	oth 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Sta ZOL3-MCS90DS1	ndard Dep 1776	oth 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full ZOL3-MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full ZOL3-MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full ZOL3-MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full ZOL3-MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	Standard Dep	oth							
	ZOL3-MCD30DS1	2190	2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, S	Standard Der	oth							
	ZOL3-MCD45DS1	2385	2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, S ZOL3-MCD60DS1	Standard Dep 2694	oth 2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, S ZOL3-MCD90DS1	Standard Dep 3105	oth 3424	3740	4184	4691	5135	5640	6273	6909

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KI	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

		COM		COL	FAI	BRIC GRA	DES		LEATHER	}
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3-MCD30DF1	ll Depth 2516	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Ful ZOL3-MCD45DF1	II Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Ful ZOL3-MCD60DF1	II Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Ful ZOL3-MCD90DF1	Il Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

	- -					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		COM C			COL FABRIC GRA			1	LEATHER		COM			
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE	
	Replacement Back Sir	വിമ-മേമ	t Inside	Curve										
	ZOL3-RMCBIS30D		1247		1443	1569	1686	1815	1977	2136	1.9	20	8	
/	ZOL3-RMCBIS45D		1443		1659	1801	1924	2066	2244	2423	2.6	22	8	
1)	ZOL3-RMCBIS60D		1772		2064		2431	2628	2870	3113	2.6	23	10	
	ZOL3-RMCBIS90D	1841		2094		2476	2652	2854	3109	3363	2.8	28	11	
	ZOLS-NIVIODISSOD								0.00	0000	2.0	20	11	
	Replacement Back Do	uble-se	at Insid	le Curve	Э									
	ZOL3-RMCBID30D	2042	2185	2324	2524	2747	2947	3172	3456	3739	2.8	38	13	
A) [ZOL3-RMCBID45D	2369		2681	2898	3147	3367	3617	3929	4239	3	42	13.5	
	ZOL3-RMCBID60D	2884		3313	3610	3954	4252	4595	5022	5448	4.8	43	16	
	ZOL3-RMCBID90D	3220	3444	3665	3975	4331	4641	4995	5440	5884	4.8	52.5	18	
	Replacement Back Sir	nde-sea	t Outsi	de Curv	/e									
	ZOL3-RMCBOS30D	-		1197		1/15	1515	1633	1770	1923	1.7	15	5.0	
	ZOL3-RMCBOS45D	1218	1298		1492	1620	1515 1732	1861	1778 2020	2182	1.7	17	7.0	
	ZOL3-RMCBOS60D		1593			2033	2190	2361	2584	2803	1.7	20	9.0	
	ZOL3-RMCBOS90D			1885	2045		2386	2569	2798	3028	1.7	25	9.0	
	ZOLO TIMODOGGOD	1000	1112	1000	2040	2220	2000	2000	2100	0020		20	0.0	
	Replacement Back Do													
)	ZOL3-RMCBOD30D			2092		2473	2652	2857	3111	3366	3.1	30	9.0	
	ZOL3-RMCBOD45D	2133		2412	2610	2833	3030	3252	3535	3816	3.1	34	11.0	
	ZOL3-RMCBOD60D		2789		3249	3559	3827		4520	4903	3.1	35	14.0	
	ZOL3-RMCBOD90D	2898	3099	3299	3578	3896	4177	4498	4897	5295	3.1	40	14.0	
	Replacement Seat Sin	gle-seat	Stand	ard Dep	th Cur	ve								
	ZOL3-RMCSS30DS	-		1372		1708	1866	2046	2272	2496	1.8	30	11	
	ZOL3-RMCSS45DS	1258	1421	1443	1816	2080	2312	2570	2902	3231	1.8	32	12	
	ZOL3-RMCSS60DS	1437	1598	1765	1993	2255	2487	2747	3077	3408	1.8	34	13	
	ZOL3-RMCSS90DS	1636	1816	1998	2252	2539	2794	3082	3446	3809	1.8	41	16	
	Replacement Seat Do	uble-sea	t Stand	dard De	pth Cu	rve								
	ZOL3-RMCSD30DS			2478	•		3344	3662	4057	4449	3.4	52.2	19.5	
	ZOL3-RMCSD45DS	2280		2854	3257	3714	4118	4579	5605	5727	3.4	56	21	
	ZOL3-RMCSD60DS	2589	2878	3163	3565	4027	4427	4888	5464	6039	3.4	60	23	
	ZOL3-RMCSD90DS	2966	3283	3602	4042	4551	4994	5502	6136	6767	3.4	72	28	
	Replacement Seat Sin	ale-seat	Full De	epth Cu	ırve									
	ZOL3-RMCSS30DF	_	1393	•	1691	1890	2063	2263	2507	2757	1.94	36	13.5	
	ZOL3-RMCSS45DF		1573		2010		2552	2839	3202	3563	1.94	39	14.5	
	ZOL3-RMCSS60DF			1951		2492	2744	3035		3759	1.94	41	15.5	
	ZOL3-RMCSS90DF	1813	2012	2211			3090	3405	3804	4205	1.94	49	19	
	D	1.1												
	Replacement Seat Doi					05.40	2000	4000	4670	E101	0.7	00	0.4	
	ZOL3-RMCSD30DF			2863 3297		3543 4289	3862 4754		4678 5941	5131	3.7	63	24	
	ZOL3-RMCSD45DF	2637		3654		4645		5636	6297	6603 6960	3.7	69 70	25.5	
	ZOL3-RMCSD60DF	3431		4160				6347	7074	7806	3.7	72	27	
	ZOL3-RMCSD90DF	0401	07 00	4100	4000	3230	3704	0047	1014	7000	3.7	86	33.5	
	Replacement Seat Co	er Sing	le-seat	Standa	ard Dep	th Curv	е							
7)	ZOL3-RMCBSCS30DS		279	337	416	510	590	680	796	912	1.8	2.5	1	
	ZOL3-RMCBSCS45DS	3 229	286	344	424	516	597	689	805	917	1.8	3.1	1	
	ZOL3-RMCBSCS60DS		321	380	458	552	632	725	840	955	1.8	3.7	1.5	
	ZOL3-RMCBSCS90DS	3 287	345	404	483	573	655	746	864	978	1.8	4.3	1.5	
	Replacement Seat Cov	er Doul) e-sea	t Stand	ard De	nth Cun	ve							
	ZOL3-RMCBSCD30D		494	603	757			1057	1474	1691	3.4	4.8	1.5	
	ZOL3-RMCBSCD45D8		507	614	765	930 939		1257 1265	1474	1698	3.4	5.9	1.5	
VE-	ZOL3-RMCBSCD60D3		556	664	815	988		1314	1533	1748	3.4	7.0	2.5	
	ZOL3-RMCBSCD90D8		571	679		1008		1333		1768	3.4	8.2	2.5	
	,		2.1		200								,	

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS


	COM			COL	COL FABRIC GRADES			LEATHER			COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	Replacement Seat Cover Single-seat				Full Depth Curve							
	ZOL3-RMCBSCS30DI	= 246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3-RMCBSCS45DI	= 256	320	386	478	582	672	778	906	1036	1.94	3.6	1
V	ZOL3-RMCBSCS60DI		359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3-RMCBSCS90DI	= 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	ver Doul	ole-sea	t Full D	epth C	urve							
	ZOL3-RMCBSCD30D	F 433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3-RMCBSCD45D	F 441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3-RMCBSCD60D	F 493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3-RMCBSCD90D	F 530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

ZOLA BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 2.78%

POST-CONSUMER RECYCLED CONTENT = 9.71%

Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA BEHAVIORAL HEALTH | FEATURES



TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.

FINISH DURABILITY

The Krug 's proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.



INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some

WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows: One Seat - 300lbs

Two Seat - 525 Three Seat - 750 One Seat Plus - 750 Two Seat Plus - 975 Three Seat Plus - 1150



LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.


ADDITIONAL FEATURES

- Lifetime warranty
- Certified to meet CAL 117 with most fabrics



SPRINGLESS SEAT CONSTRUCTION

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.




ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.



SECURED GLIDES

The glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.




RESTRICTED ACCESS

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery. This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and restricted access to the interior of the chair




ZOLA BEHAVIORAL HEALTH | OPTIONS



FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



PLUS UPGRADE

The offering includes a standard plus-size 1-seater model, as well as the option to specify plus weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



TABLES

A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

ZOLA BEHAVIORAL HEALTH | LOUNGE

DIMENSIONS

					Height of	Width				
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping		
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes	
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5	
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38	
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5	
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6	

COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire Unit	COM 2 Entire Units	COM 3 Entire Units	COM 4 Entire Units
One-Seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-Seat (Plus)	5	10	15	20

COM YARDAGES (Individual Components)

	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.75	2.4	3.3	4.2
Two-seat	8.5	1.75	2.4	3.3	4.2
Three-seat	12.5	1.75	2.4	3.3	4.2
One-Seat (Plus)	7	1.75	2.4	3.3	4.2

Upcharge for Removable Upholstery Covers:


Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

Zola Behavioral Health Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Floor Anchoring Hardware	94	
One-Seat Metal Bottom Shield (to min 80lbs)	115	
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134	
Two-seat Metal Bottom Shield (to min 80lbs)	170	
Three-seat Metal Bottom Shield (to min 80lbs)	242	
Urethane Arm Caps (pair)	242	

		COM		COL	FAE	BRIC GRAI	DES	LEATHER		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-BHF1221	2661	2814	2967	3219	3478	3730	3991	4098	4630
	Two-Seat ZOL3-BHF2221	3802	3984	4160	4425	4702	4970	5246	5532	5950



Iwo-Seat									
ZOL3-BHF2221	3802	3984	4160	4425	4702	4970	5246	5532	5950



Three-Seat ZOL3-BHF3221 8036 8863 5049 5302 5556 6048 6541 7032 7527

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat seat	47
One-Seat back	68	Two-seat seat	68
Two-seat back	97	Three-seat seat	85
Three-seat back	121	One-Seat plus seat	61
One-Seat plus back	77		

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Floor Anchoring Hardware	94
One-Seat Metal Bottom Shield (to min 80lbs)	115
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134
Two-seat Metal Bottom Shield (to min 80lbs)	170
Three-seat Metal Bottom Shield (to min 80lbs)	242
Urethane Arm Caps (pair)	242
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

PRODUCT CODE KI	EY					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	1 3" Runner
		FB Freestanding Plus	2 Two Seat			
			3 Three Seat			

2


ZOLA BEHAVIORAL HEALTH | PLUS LOUNGE

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	}
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus ZOL3-BHFB1221	2951	3100	3255	3508	3764	4020	4277	4551	4917



Two-Seat Plus ZOL3-BHFB2221 3886 4074 4246 4515 4790 5056 5332 5622 6036

ORDERING NOTE: The Two-Seat Plus comes standard with center support.



Three-Seat Plus ZOL3-BHFB3221 5150 5406 5657 6151 6644 7133 7631 8140 8964

Zola Behavioral Health Option Upcharges	\$ List		
CAL 133 & Moisture Barrier (per yard)	64		
Floor Anchoring Hardware	94		
One-Seat Metal Bottom Shield (to min 80lbs)	115		
One-Seat Plus Metal Bottom Shield (to min 80lbs)	134		
Two-seat Metal Bottom Shield (to min 80lbs)	170		
Three-seat Metal Bottom Shield (to min 80lbs)	242		
Urethane Arm Caps (pair)	242		
Combination Upholstery - dual fabrics	33		
Combination Upholstery -Three fabrics	64		

ZOLA BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	Price	Weight	Cube
	Replacement Arm F ZOL3RBCS	anel Base 169	6	.5
-	Daniagement Floor	Mounting Proglet (set of 4)		



Replacement Floor Mounting Bracket (set of 4) ZOL3RFMB 113

						
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F Freestanding	1 One Seat	2 Upholstered	2 Upholstered	1 3" Runner
				Back - no gap	Arms - no gap	
		FB	2			
		Freestanding	Two Seat			
		Plus				
			3			
			Three Seat			

ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES


Description	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top w/ PVC edge Beech	Wood side Laminate top w/ Wood edge Maple	Wood side Laminate top w Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	1390 1779	1351 1756	1109 1403	1318 1673	1356 1728	1374 1743	1411 1795
	Rectangular Table ZOL4-BH241818 ZOL4-BH482418	s 1604 2696	1573 2642	1254 2155	1512 2515	1558 2593	1569 2611	1618 2692
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	1199 1465 2838	1245 1522 2719	1276 1612 2996	1109 1377 2745	1228 1506 2705	1237 1458 2851	1355 1588 2808
Floor Anchoring H ZOL4-BH181818	Health Option Upchardware - Weighting to min a - Weighting to min a	80lbs	\$ List 91 348 239					
ZOL4-BH482418	- Weighting to min a standard exceeds	80lbs	129 n/a					
	 Weighting to min 8 Weighting to min 8 		388 239					

TABLE DIMENS	SIONS	W	D	Н	Weight	Weight with Solid Surface top	Cube
iviodei							
Square Tables	ZOL4-BH181818	18	18	18	39	48	4.0
oquare lables	ZOL4-BH242418	24	18	18	64	80	5.2
Da atawa walay Talalaa	701.4 DU041010	24	24	18	51	63	6.9
Rectangular Tables	ZOL4-BH241818 ZOL4-BH482418	48	24	18	123	156	13.5
Round Tables	ZOL4-BH18D18	18	-	18	30	38	4.0
1 TOUTIO TADIES	ZOL4-BH24D18	24	-	18	49	62	6.9
	ZOL4-BH30D18	30	-	18	77	98	10.6

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

0.4.00		4.0
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

The second of second 1812 for set

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See <u>page</u> 83 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION		BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	lar Table								
	ZOL4-LKM12	988	1036	1088	1140	12	16	-	22	2.8
	ZOL4-LKM18	1044	1098	1147	1209	18	16	-	24	4.5
	ZOL4-LKM24	1074	1155	1181	1270	24	16	-	29	5.7
	ORDERING NOTE: N	/liddle Linkin	g Modular Tal	ble ships with 2 K	B1 brackets.					
	Rectangular End Tabl	e Square Co	rner							
	ZOL4-LKE12	1053	1108	1158	1218	12	16	14.75	5 19	2.8
	ZOL4-LKE18	1098	1155	1209	1270	18	16	14.75	5 23	4.5
	ZOL4-LKE24	1146	1202	1263	1323	24	16	14.75	5 28	5.7
· ·	ORDERING NOTE: E	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded C	Corner								
	ZOL4-ECLKH12	1199	1246	1232	1284	12	12	14.75	5 18	2.5
	ZOL4-ECLKH18	1295	1347	1342	1395	18	12	14.75	5 24	3
T a	ORDERING NOTE: E	End Linking N	odular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4-LKC30	1019	1074	1122	1181	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4-LKC45	1098	1155	1209	1270	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4-LKH12, the "12" corresponds to the length of the table.

Zolo Colid Surface Uncharges	A-White	Grades A-Color	В	С
Zola Solid Surface Upcharges	A-wnite	A-Color	В	
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4-LKC60	e 1146	1209	1263	1332	16	17.5	-	20	3.7
G	Curvilinear 90° Table ZOL4-LKC90	e 1283	1354	1411	1487	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4-LKC90X2	ble 2548	2625	2802	2886	16	19	-	55	10
	Curvilinear Table ZOL4-LKH12	1116	1170	1228	1288	16	19	14.75	5 18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H W	/EIGH1	Γ CUBE
	Square Tables ZOL4-181815 ZOL4-242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4-241815 ZOL4-482415	1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4-18D15 ZOL4-24D15 ZOL4-30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4-EC181815 ZOL4-EC241815 ZOL4-EC242415 ZOL4-EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4-E241815 ZOL4-E322415 ZOL4-E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-1818	287	301	352	409
ZOL4-2424	460	469	560	662
ZOL4-2418	343	364	433	510
ZOL4-4824	771	791	970	1170
ZOL4-18D	274	290	339	396
ZOL4-24D	410	443	533	633
ZOL4-30D	658	716	942	1136
ZOL4-EC1818	287	301	352	409
ZOL4-EC2418	343	364	433	510
ZOL4-EC2424	460	469	560	662
ZOL4-EC4824	771	791	970	1170
ZOL4-E2418	343	364	433	510
ZOL4-E3224	543	581	699	834
ZOL4-E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH	MADLE		LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4-CR45D1815	1192	1240	1207	1257	15.75	18	14.75	17	2.5
	ZOL4-CR45D2415	1354	1408	1404	1459	20.5	24	14.75	22	4.5
	ZOL4-CR45D2915	1639	1705	1734	1803	25	29	14.75	27	7
	ZOL4-CR90D1815			.=		17.5	18	14.75	23	3
8 8		1400	1526	1529	1585		. •	0		-
	ZOL4-CR90D2415	1730	1801	1813	1885	36.25	24	14.75	29	7.5
	ZOL4-CR90D2915	2066	2148	2109	2194	44.5	29	14.75	35	11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-CR45D18	270	286	333	386
ZOL4-CR45D24	403	432	512	602
ZOL4-CR45D29	542	573	687	815
ZOL4-CR90D18	339	371	441	518
ZOL4-CR90D24	576	613	740	885
ZOL4-CR90D29	815	846	1033	1242

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15**S**. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



${\bf Krug\ Textiles\ -\ Stocked\ Fabric\ Program}$

Grade 1

ARLO



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY





MCCOY





KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ















9008 CHARCOAL

82 CLAY

304 CAPRI

LORENZO









24 ALPINE



601 CREAM

106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

BISCOTTI









91 GRANITE

302 CAPRI

INTRIGUE






805 PECAN













111 | USA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

ZOLA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut

Clear Beech Medium Anigre

Finishes on Cherry

Appalachian Cherry American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black

White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Nightfall	Pionite WX421	Earth	Tafisa T767CR
-		Charcoal	Tafisa T228CR


PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC® certified

